

Certification Summary Information Report

Manufacturer	FCA US LLC	Manufacturer Code	CRX
Test Group	VCRXT02.0572	Evaporative/Refueling Family	VCRXR0136PR0
Certificate Number	VCRXT02.0572-042	CARB Executive Order #	--
Certificate Issue Date	06/24/2026	Certificate Revision Date	--
Certificate Effective Date	06/24/2026	Conditional Certificate	No
CSI Revision #	--	CSI Submission/Revision Date	06/10/2026 01:09:23 PM
Model Year	2027		

Test Group Information

CSI Type	Update for Correction	Running Change Reference Number	--
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Combustion Engine

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Gasoline	Spark Ignition Direct fuel injection	No

Hybrid Indicator	No		
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	No
Multiple Fuel Combustion	--	Off-board Charge Capable Indicator	No
Fuel Cell Indicator	--	EPA Vehicle Class	LDT2
Federal Clean Fuel Vehicle	Yes	Federal Clean Fuel Vehicle Standard	LEV
Federal Clean Fuel Vehicle ILEV	No	California Partial Zero Emissions Vehicle Indicator	No
Durability Group Name	VCRXGPGNNF05	Durability Group Equivalency Factor	1.0
Reduced Fee Test Group	No	Certification Region Code(s)	FA, CA
Complies with HD GHG 2b/3 regulations?	No		
Introduction into Commerce Date	08/03/2026	CAP2000 Conditional Certificate?	No
Independent Commercial Importer?	No	Alternative Fuel Converter Certificate?	No
SFTP Federal Composite Compliance Identifier	Tier 3	SFTP Tier 2 Composite CO Option	No
SFTP LEV-III Composite Compliance Indicator	Yes		
OBD Compliance Type	CARB	OBD Demonstration Vehicle Test Group	VCRXT02.0574
Test Group OBD Compliance Level	Partial - with deficiencies and penalty	Number of Test Group OBD Deficiencies	4
OBD Deficiencies Comments	SAE J1979-2 Implementation, EVAP Purge Flow Monitor IUMPR, Adaptive Cruise Control and Parallel Park Systems Default Action, Vehicle Operation Tracking Lifetime Counters Implementation		
Mfr Test Group Comments	T4iBIN30 E10 - City Litmus Value: 17.8; City Litmus Threshold: 17.0; Hwy Litmus Value: 17.7; Hwy Litmus Threshold: 18.8		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group	VCRXT02.0572	Evaporative/Refueling Family	VCRXR0136PR0				
Evaporative/Refueling Family Information							
Evaporative Summary Information Type	New	Submission/Correction Date	01/07/2026 02:31:19 PM				
Integrated ORVR?	Yes	Fuel(s)	Gasoline				
Multiple Fuel Storage	--						
Bladder Fuel Tank?	No						
Fuel Tank Material	Plastic	Fuel Tank Material Description	hdpe/co-ex				
Fill Pipe Seal Type	Liquid seal						
Air Intake System Vapor Storage Device?	No	Air Intake System Vapor Storage Device Description	--				
Fuel System Vapor Storage Canister?	Yes	Other Vapor Storage	--				
Fuel System Vapor Storage Canister(s) Total Working Capacity (grams)	136	Number of Primary Canisters	1				
Number of Bleed Canisters	0	Bleed Canister Total Working Capacity (grams)	0				
Mfr Evaporative/Refueling Family Comments	This Evaporative Family is being certified with an evaporative FEL of 0.375 grams, generating credits as compared to the nominal standard of 0.400 grams.						
Leak Family Details							
Leak Family Indicator	Yes						
Canister Bleed Test Indicator	Yes	Applicability of Evaporative Canister Bleed Test	50 State				
Evaporative Canister Bleed Test Comments	--						
CARB Fuel Only (Rig) Test Indicator	No	Applicability of CARB Fuel Only (Rig) Test	--				
CARB Fuel Only (Rig) Test Comments	--						
Leak Family Name	Applicability of Leak Family Requirements	Leak Family Standard (inches)	Leak Family Description				
VCRXR0136PR0-LF1	50 State	0.02	--				
Models Covered by this Certificate							
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
FCA US LLC	5 - Jeep	547 - Wrangler 2dr 4X4	Federal	4-Wheel Drive	Automatic	8	Yes
FCA US LLC	5 - Jeep	547 - Wrangler 2dr 4X4	California + CAA Section 177 states	4-Wheel Drive	Automatic	8	Yes
Engine Description							
Hybrid Type	--	Hybrid Description	--				
Engine Type	4-Stroke Spark Ignition	Mfr Engine Description	--				
Engine Block Arrangement	Inline	Mfr Engine Block Arrangement Description	--				
Camless Valvetrain Indicator	No	Oil Viscosity/Classification	0W-30				
Number of Cylinders/Rotors	4	Mechanically Variable Compression Ratio Indicator	N				

Certification Summary Information Report

Test Group		VCRXT02.0572		Evaporative/Refueling Family		VCRXR0136PR0					
After Treatment Device(s) (ATD)											
ATD Number		ATD Type		ATD Precious Metal		Substrate Material		Substrate Construction			
1		Three-way catalyst		Palladium + Rhodium		Ceramic		Monolith			
2		Three-way catalyst		Rhodium		Ceramic		Monolith			
3		Three-way catalyst		Palladium + Rhodium		Ceramic		Monolith			
Mfr After Treatment Device (ATD) Comments		THREE WAY CATALYST									
Direct Ozone Reduction (DOR) Device		Not Equipped									
Mfr Emission Control Device Comments		--									
Engine Configuration Number 1											
Engine Displacement (liters)		2.0		Engine Rated Horsepower		270					
Number of Inlet Valves Per Cylinder		2		Number of Exhaust Valves Per Cylinder		2					
Air Aspiration Method		Turbocharged		Number of Air Aspiration Devices		1					
Air Aspiration Device Configuration		Single		Charge Air Cooler Type		Air					
Air Aspiration Drive Method(s)		Mechanical									
Cylinder Deactivation		No									
Cylinder Deactivation Description		--									
Variable Valve Timing		Yes									
Variable Valve Timing System Description		electro-hydraulic control									
Variable Valve Lift?		No									
Variable Valve Lift System Description		--									
Number of Knock Sensors		1		Number of Air/Fuel Sensors		2					
Air/Fuel Sensor # 1 Type		Heated air fuel		Air/Fuel Sensor # 1 Description		--					
Air/Fuel Sensor # 2 Type		Heated air fuel		Air/Fuel Sensor # 2 Description		--					
Mfr Air/Fuel Sensor Comments		--									
Exhaust Gas Recirculation		Yes		Cooled Exhaust Gas Recirculation		Yes					
EGR Type		Electronic/Electric		Exhaust Gas Recirculation Description if 'Other'		--					
Closed Loop Air Injection System		No									
Air Injection Type		Not Applicable		Air Injection Type if 'Other'		--					
Mfr Engine Configuration Comments		--									
Official Test Numbers											
Test Group	Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Gasoline	RCRX91005345	RCRX91005346	RCRX10078870	RCRX10078873	RCRX91005347	85.9	228.2	999.9	286.1	1	

Certification Summary Information Report

Test Group	VCRXT02.0572	Evaporative/Refueling Family	VCRXR0136PR0
SFTP LEV-III Official Test Numbers			
Test Group Fuel	FTP	US06	SC03
Gasoline	RCRX91005345	RCRX91005346	RCRX10078870

Certification Summary Information Report

Test Group	VCRXT02.0572	Evaporative/Refueling Family	VCRXR0136PR0						
Emission Data Vehicle Information									
Vehicle ID / Configuration	L4JLJ7053 / 0	Manufacturer Vehicle Configuration Number	0						
Original Test Group Name	RCRXT02.05P2	Original Evaporative/Refueling Family	RCRXR0172PP0						
Original Test Vehicle Model Year	2024								
Vehicle Model									
Represented Test Vehicle Make	Jeep	Represented Test Vehicle Model	Wrangler 4dr 4X4						
Leak Family Details									
Leak Family Identifier	--	Leak Family Name	--						
Drive Sources and Fuel System Details									
	<table border="1"> <tr> <th>Drive Source and Fuel#</th><th>Drive Source</th><th>Fuel</th></tr> <tr> <td>1</td><td>Combustion Engine</td><td>Gasoline</td></tr> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline		
Drive Source and Fuel#	Drive Source	Fuel							
1	Combustion Engine	Gasoline							
Hybrid Indicator	No								
Multiple Fuel Storage	--	Multiple Fuel Combustion	--						
Fuel Cell Indicator	--	Rechargeable Energy Storage System Indicator	--						
Rechargeable Energy Storage System	--	Rechargeable Energy Storage System, if 'Other'	--						
Off-board charge Capable Indicator	--								
Odometer Correction -- Initial	0	Odometer Correction Factor	1						
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor								
Odometer Correction Units	Miles								
Engine Code	AA-3000	Rated Horsepower	270						
Displacement (liters)	2								
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'							
Number of Air Aspiration Devices	1	Air Aspiration Device Configuration	Single						
Charge Air Cooler Type	Air	Drive Mode While Testing	2-Wheel Drive, Rear						
Shift Indicator Light Usage	Equipped, not shifted by SIL	Aged Emission Components	150,000 (mi)						
Curb Weight (lbs)	4450	Equivalent Test Weight (pounds)	4750						
GVWR (lbs)	5500	N/V Ratio	30.8						
Axle Ratio	4.56								
Transmission Type	Automatic	# of Transmission Gears	8						
Transmission Lockup	Yes	Creep Gear	No						

Certification Summary Information Report

Test Group		VCRXT02.0572			Evaporative/Refueling Family		VCRXR0136PR0	
Dynamometer Coefficients:								
Target Coefficients				Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)		
City/Highway/Evap	57.11	0.1052	0.0438	17.61	0.265	0.0395	22.9	
Cold CO	62.82	0.1158	0.04817	16.35	0.0632	0.04543	N/A	
US06	57.11	0.1052	0.0438	17.61	0.265	0.0395	N/A	
Emission Control Device Comments		--						
Manufacturer Test Vehicle Comments		callout: 24DA-T02.05P2-1						

Certification Summary Information Report

Test Group	VCRXT02.0572	Evaporative/Refueling Family	VCRXR0136PR0
Test #	RCRX10078873	Test Procedure	11 - Cold CO
Exhaust Test # for this Evap Test	--	Test Fuel Type	28 - Cold CO E10 Regular Gasoline (Tier 3)
Test Date	02/16/2023	Fuel	Gasoline
Fuel Batch ID	11080	Fuel Calibration Number	1
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	CPG		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4363	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	No		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	No
Test Results			
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
CO2 BAG 1 (Bag 1 Carbon Dioxide)	556.54	--	
FE BAG 1 (Bag 1 Fuel Economy)	15.35	15.35	
CO2 BAG 2 (Bag 2 Carbon Dioxide)	420.12	--	
FE BAG 2 (Bag 2 Fuel Economy)	20.58	20.58	
CO2 BAG 3 (Bag 3 Carbon Dioxide)	403.96	--	
FE BAG 3 (Bag 3 Fuel Economy)	21.39	21.39	
METHANE (CH4 - Methane)	0.024005	--	
CO (Carbon Monoxide)	0.706221	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.454	--	
DT-EER (Drive Trace Energy Economy Rating)	-0.482	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-1.248	--	
MFR FE (Manufacturer Fuel Economy)	19.4	19.4	
NOX (Nitrogen Oxide)	0.017676	--	
HC-NM (Non-methane Hydrocarbon)	0.068378	--	
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	
Carbon-Related Exhaust Emissions	445	--	
Test Result Name	Unrounded Test Result	Verify Calculated CO2	
Carbon dioxide	443.97611	--	
Manufacturer Test Comments	24DA-T02.05P2-1 city 150k Auto fixed CCO		

Certification Summary Information Report

Test Group		VCRXT02.0572				Evaporative/Refueling Family				VCRXR0136PR0		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	50,000 miles	Federal Tier 3 Bin 30	CO	0.71	--	--	--	0	1	0.7	12.5	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	HC-NM	0.07	--	--	--	0	1	0.1	0.3	Pass
CA	50,000 miles	Other	CO	0.71	--	--	--	0	1	0.7	12.5	Pass

Certification Summary Information Report

Test Group	VCRXT02.0572	Evaporative/Refueling Family	VCRXR0136PR0
Test #	RCRX91005345	Test Procedure	25 - California fuel 2-day exhaust (w/can load)
Exhaust Test # for this Evap Test	--	Test Fuel Type	46 - CARB LEV3 E10 Regular Gasoline
Test Date	03/10/2023	Fuel	Gasoline
Fuel Batch ID	26757	Fuel Calibration Number	1
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	--		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4436	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
CO2 BAG 1 (Bag 1 Carbon Dioxide)	423.3525085	--	
FE BAG 1 (Bag 1 Fuel Economy)	999	--	
CO2 BAG 2 (Bag 2 Carbon Dioxide)	385.8890381	--	
FE BAG 2 (Bag 2 Fuel Economy)	999	--	
CO2 BAG 3 (Bag 3 Carbon Dioxide)	383.244873	--	
FE BAG 3 (Bag 3 Fuel Economy)	999	--	
METHANE (CH4 - Methane)	0.0102734	--	
CO (Carbon Monoxide)	0.3786126	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.9166797	--	
DT-EER (Drive Trace Energy Economy Rating)	0.7868187	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	1.3019389	--	
MFR FE (Manufacturer Fuel Economy)	999	--	
NOX (Nitrogen Oxide)	0.0092894	--	
N2O (Nitrous Oxide)	0.000252	--	
HC-NM (Non-methane Hydrocarbon)	0.0117072	--	
NMOG (Non-methane organic gases)	0.0128787	--	
PM (Particulate Matter)	0.0009739	--	
HC-TOTAL (Total Hydrocarbon)	0.021748	--	
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	
Carbon-Related Exhaust Emissions	9999.9999999	999	

Certification Summary Information Report

Test Group		VCRXT02.0572			Evaporative/Refueling Family				VCRXR0136PR0																			
<table><tr><td colspan="2">Test Result Name</td><td colspan="3">Unrounded Test Result</td><td colspan="3">Verify Calculated CO2</td></tr><tr><td colspan="2">Carbon dioxide</td><td colspan="3">392.9128723</td><td colspan="3">--</td></tr></table>													Test Result Name		Unrounded Test Result			Verify Calculated CO2			Carbon dioxide		392.9128723			--		
Test Result Name		Unrounded Test Result			Verify Calculated CO2																							
Carbon dioxide		392.9128723			--																							
Manufacturer Test Comments		None Unrounded Result for the following test results were modified by Verify: FE BAG 2, FE BAG 1, FE BAG 3, MFR FE																										
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail																
Fed	150,000 miles	Federal Tier 3 Bin 30	CO	0.38	--	--	--	0	1	0.4	1.0	Pass																
Fed	150,000 miles	Federal Tier 3 Bin 30	CO-COMP	2.53	--	--	--	0	1	2.5	4.2	Pass																
Fed	150,000 miles	Federal Tier 3 Bin 30	CREE	999	--	--	--	0	1	999	--	--																
Fed	150,000 miles	Federal Tier 3 Bin 30	METHANE	0.0103	--	--	--	0	1	0.01	0.030	Pass																
Fed	150,000 miles	Federal Tier 3 Bin 30	N2O	0.0003	--	--	--	0	1	0	0.010	Pass																
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0129	--	--	--	0	1	0.013	999.999	Pass																
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0222	--	--	--	--	--	0.022	0.030	Pass																
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX-COMP	0.0147	--	--	--	0	1	0.015	0.030	Pass																
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0093	--	--	--	0	1	0.009	999.999	Pass																
Fed	150,000 miles	Federal Tier 3 Bin 30	PM	0.001	--	--	--	0	1	0.001	0.003	Pass																
CA	150,000 miles	Other	CO	0.38	--	--	--	0	1	0.4	1.0	Pass																
CA	150,000 miles	Other	CO-COMP	2.53	--	--	--	0	1	2.5	4.2	Pass																
CA	150,000 miles	Other	METHANE	0.0103	--	--	--	0	1	0.01	0.030	Pass																
CA	150,000 miles	Other	N2O	0.0003	--	--	--	0	1	0	0.010	Pass																
CA	150,000 miles	Other	NMOG	0.0129	--	--	--	0	1	0.013	999.999	Pass																
CA	150,000 miles	Other	NMOG+NOX	0.0222	--	--	--	--	--	0.022	0.030	Pass																
CA	150,000 miles	Other	NMOG+NOX-COMP	0.0147	--	--	--	0	1	0.015	0.030	Pass																
CA	150,000 miles	Other	NOX	0.0093	--	--	--	0	1	0.009	999.999	Pass																
CA	150,000 miles	Other	PM	0.001	--	--	--	0	1	0.001	0.003	Pass																
NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.																												

Certification Summary Information Report

Test Group	VCRXT02.0572	Evaporative/Refueling Family	VCRXR0136PR0
Test #	RCRX91005347	Test Procedure	3 - HWFE
Exhaust Test # for this Evap Test	--	Test Fuel Type	46 - CARB LEV3 E10 Regular Gasoline
Test Date	03/10/2023	Fuel	Gasoline
Fuel Batch ID	26757	Fuel Calibration Number	1
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	--		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4447	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0.0036001	--
CO (Carbon Monoxide)	0.3548119	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	4.0232606	--
DT-EER (Drive Trace Energy Economy Rating)	0.2323889	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	5.2935452	--
MFR FE (Manufacturer Fuel Economy)	26.727087	--
NOX (Nitrogen Oxide)	0.001498	--
N2O (Nitrous Oxide)	0.001107	--
HC-NM (Non-methane Hydrocarbon)	0.0005941	--
NMOG (Non-methane organic gases)	0.000612	--
HC-TOTAL (Total Hydrocarbon)	0.0041127	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	9999.9999999	999

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	323.7992249	--

Manufacturer Test Comments None

Certification Summary Information Report

Test Group		VCRXT02.0572			Evaporative/Refueling Family					VCRXR0136PR0		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 30	CREE	999	--	--	--	0	1	999	--	--
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0006	--	--	--	0	1	0.001	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0021	--	--	--	--	--	0.002	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0015	--	--	--	0	1	0.002	999.999	Pass
CA	150,000 miles	Other	NMOG	0.0006	--	--	--	0	1	0.001	999.999	Pass
CA	150,000 miles	Other	NMOG+NOX	0.0021	--	--	--	--	--	0.002	0.030	Pass
CA	150,000 miles	Other	NOX	0.0015	--	--	--	0	1	0.002	999.999	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VCRXT02.0572	Evaporative/Refueling Family	VCRXR0136PR0
Test #	RCRX91005346	Test Procedure	90 - US06
Exhaust Test # for this Evap Test	--	Test Fuel Type	46 - CARB LEV3 E10 Regular Gasoline
Test Date	03/10/2023	Fuel	Gasoline
Fuel Batch ID	26757	Fuel Calibration Number	1
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	--		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4471	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
CO2 BAG 1 (Bag 1 Carbon Dioxide)	662.0326538	--	
FE BAG 1 (Bag 1 Fuel Economy)	999	--	
CO2 BAG 2 (Bag 2 Carbon Dioxide)	455.2903137	--	
FE BAG 2 (Bag 2 Fuel Economy)	999	--	
METHANE (CH4 - Methane)	0.0230767	--	
CO (Carbon Monoxide)	7.3358269	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-2.6916621	--	
DT-EER (Drive Trace Energy Economy Rating)	-0.7618788	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-3.9533696	--	
MFR FE (Manufacturer Fuel Economy)	999	--	
NOX (Nitrogen Oxide)	0.0040874	--	
N2O (Nitrous Oxide)	0.0008779	--	
HC-NM (Non-methane Hydrocarbon)	0.0120384	--	
NMOG (Non-methane organic gases)	0.0123996	--	
PM (Particulate Matter)	0.0010129	--	
HC-TOTAL (Total Hydrocarbon)	0.0345925	--	
Test Result Name	Unrounded Test Result	Verify Calculated CO2	
Carbon dioxide	501.0032349	--	
Manufacturer Test Comments			
None Unrounded Result for the following test results were modified by Verify: FE BAG 1, FE BAG 2, MFR FE			

Certification Summary Information Report

Test Group		VCRXT02.0572			Evaporative/Refueling Family					VCRXR0136PR0		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 30	CO	7.34	--	--	--	0	1	7.3	999.9	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0124	--	--	--	0	1	0.012	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0165	--	--	--	--	--	0.016	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0041	--	--	--	0	1	0.004	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	PM	0.001	--	--	--	0	1	0.001	0.006	Pass
CA	150,000 miles	Other	CO	7.34	--	--	--	0	1	7.3	999.9	Pass
CA	150,000 miles	Other	NMOG	0.0124	--	--	--	0	1	0.012	999.999	Pass
CA	150,000 miles	Other	NMOG+NOX	0.0165	--	--	--	--	--	0.016	999.999	Pass
CA	150,000 miles	Other	NOX	0.0041	--	--	--	0	1	0.004	999.999	Pass
CA	150,000 miles	Other	PM	0.001	--	--	--	0	1	0.001	0.006	Pass

Certification Summary Information Report

Test Group	VCRXT02.0572	Evaporative/Refueling Family	VCRXR0136PR0
Test #	RCRX10078870	Test Procedure	95 - SC03
Exhaust Test # for this Evap Test	--	Test Fuel Type	46 - CARB LEV3 E10 Regular Gasoline
Test Date	02/12/2023	Fuel	Gasoline
Fuel Batch ID	11156	Fuel Calibration Number	1
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	CPG		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4279	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	No		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0.009787	--
CO (Carbon Monoxide)	0.917195	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.5172	--
DT-EER (Drive Trace Energy Economy Rating)	0.4368	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	1.3253	--
MFR FE (Manufacturer Fuel Economy)	19.9	19.9
NOX (Nitrogen Oxide)	0.006341	--
HC-NM (Non-methane Hydrocarbon)	0	--
NMOG (Non-methane organic gases)	0	--
HC-TOTAL (Total Hydrocarbon)	0.009121	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	435	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	433.96062	--

Manufacturer Test Comments 24DA-T02.05P2-1 sc03 confirmatory rerun 150k Auto ESSon cE10

Certification Summary Information Report

Test Group		VCRXT02.0572				Evaporative/Refueling Family				VCRXR0136PR0		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 30	CO	0.92	--	--	--	0	1	0.9	999.9	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0	--	--	--	0	1	0	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0063	--	--	--	--	--	0.006	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0063	--	--	--	0	1	0.006	999.999	Pass
CA	150,000 miles	Other	CO	0.92	--	--	--	0	1	0.9	999.9	Pass
CA	150,000 miles	Other	NMOG	0	--	--	--	0	1	0	999.999	Pass
CA	150,000 miles	Other	NMOG+NOX	0.0063	--	--	--	--	--	0.006	999.999	Pass
CA	150,000 miles	Other	NOX	0.0063	--	--	--	0	1	0.006	999.999	Pass

Page 17 of 35 CSI Submission/Revision Date: 06/10/2026 01:09:23 PM

Certification Summary Information Report

Test Group	VCRXT02.0572	Evaporative/Refueling Family	VCRXR0136PR0						
Emission Control Device Comments	--								
Manufacturer Test Vehicle Comments	JL LWB EVAP, 18EV-T03.65P5-2; updated for 2wd dyno testing at EPA; FCA testing was in 4WD dyno mode.								
Test #	JCRX91003702	Test Procedure	27 - California fuel 2-day evap						
Exhaust Test # for this Evap Test	JCRX91003690	Test Fuel Type	46 - CARB LEV3 E10 Regular Gasoline						
Test Date	09/27/2017	Fuel	Gasoline						
Fuel Batch ID	24670	Fuel Calibration Number	2						
Vehicle Class	N/A	DF Type	Mfr. Determined						
Verify Test Lab ID	--								
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)								
Test Start Odometer Reading	4427.1	Odometer Units	M						
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--						
State of Charge Delta	--								
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	No						
Test Results									
<table border="1"> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value</th> </tr> <tr> <td>HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)</td> <td>0.2219</td> <td>--</td> </tr> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value	HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.2219	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value							
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.2219	--							
Manufacturer Test Comments									
Hot_Soak_HC_(g) = 0.022678, Diurnal (gHC) = 0.199222									
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail	
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.2219	0.0057	0.228	0.375	Pass	
CA	150,000 miles	Other	HC-TOTAL-EQUIV	0.2219	0.0057	0.228	0.375	Pass	

Certification Summary Information Report

Test Group	VCRXT02.0572	Evaporative/Refueling Family	VCRXR0136PR0
-------------------	--------------	-------------------------------------	--------------

Emission Data Vehicle Information

Vehicle ID / Configuration	L8JLJ2008 / 1	Manufacturer Vehicle Configuration Number	1
Original Test Group Name	JCRXT03.65P5	Original Evaporative/Refueling Family	JCRXR0172PP0
Original Test Vehicle Model Year	2018		

Vehicle Model

Represented Test Vehicle Make	Jeep	Represented Test Vehicle Model	Wrangler Unlimited 4X4
--------------------------------------	------	---------------------------------------	------------------------

Leak Family Details

Leak Family Identifier	--	Leak Family Name	--
-------------------------------	----	-------------------------	----

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Combustion Engine	Gasoline

Hybrid Indicator	No		
Multiple Fuel Storage	--	Multiple Fuel Combustion	--
Fuel Cell Indicator	--	Rechargeable Energy Storage System Indicator	--
Rechargeable Energy Storage System	--	Rechargeable Energy Storage System, if 'Other'	--
Off-board charge Capable Indicator	--		
Odometer Correction -- Initial	0	Odometer Correction Factor	1
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor		
Odometer Correction Units	Miles		
Engine Code	AA-600	Rated Horsepower	295
Displacement (liters)	3.6		
Air Aspiration Method	Naturally Aspirated	Air Aspiration Method, if 'Other'	
Number of Air Aspiration Devices	0	Air Aspiration Device Configuration	--
Charge Air Cooler Type	--	Drive Mode While Testing	2-Wheel Drive, Rear
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)
Curb Weight (lbs)	4258	Equivalent Test Weight (pounds)	4500
GVWR (lbs)	5300	N/V Ratio	29.1
Axle Ratio	4.1		
Transmission Type	Automatic	# of Transmission Gears	8
Transmission Lockup	Yes	Creep Gear	No

Dynamometer Coefficients:

Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	86.98	-0.5921	0.04897	55.38	-0.4694	0.04423	24
US06	86.98	-0.5921	0.04897	55.38	-0.4694	0.04423	N/A

Certification Summary Information Report

Test Group	VCRXT02.0572	Evaporative/Refueling Family	VCRXR0136PR0						
Emission Control Device Comments	--								
Manufacturer Test Vehicle Comments	JL LWB 2WD Dyno mode, 18EV-T03.65P5-2								
Test #	JCRX10050401	Test Procedure	38 - CA fuel 3-day evap.						
Exhaust Test # for this Evap Test	JCRX10050397	Test Fuel Type	46 - CARB LEV3 E10 Regular Gasoline						
Test Date	08/27/2017	Fuel	Gasoline						
Fuel Batch ID	10499	Fuel Calibration Number	1						
Vehicle Class	N/A	DF Type	Mfr. Determined						
Verify Test Lab ID	CTC								
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)								
Test Start Odometer Reading	4023	Odometer Units	M						
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--						
State of Charge Delta	--								
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	No						
Test Results									
<table border="1"> <thead> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value</th> </tr> </thead> <tbody> <tr> <td>HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)</td> <td>0.29217</td> <td>--</td> </tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value	HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.29217	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value							
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.29217	--							
Manufacturer Test Comments									
Callout: 18EV-T03.65P5-2; JL LWB Cert 3-Day/Evap (cE10) Hot_Soak_HC_(g) = 0.04967, Diurnal_HC (g) = 0.22086; Total =(0.27053 X 1.08) = 0.29217 (g)									
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail	
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.2922	0.009	0.301	0.375	Pass	
CA	150,000 miles	Other	HC-TOTAL-EQUIV	0.2922	0.009	0.301	0.375	Pass	

Test Group		VCRXT02.0572		Evaporative/Refueling Family		VCRXR0136PR0		
Test #		JCRX10050400		Test Procedure		37 - California Fuel Running Loss		
Exhaust Test # for this Evap Test		JCRX10050397		Test Fuel Type		46 - CARB LEV3 E10 Regular Gasoline		
Test Date		08/27/2017		Fuel		Gasoline		
Fuel Batch ID		10499		Fuel Calibration Number		1		
Vehicle Class		N/A		DF Type		Mfr. Determined		
Verify Test Lab ID		CTC						
E10 Evaporative Test Measurement Method		Actual Total Hydrocarbon Equivalent Measurement (with speciation)						
Test Start Odometer Reading		4006		Odometer Units		M		
4WD Test Dyno		No		Diesel Adjustment Factor Usage		--		
State of Charge Delta		--						
Drive Cycle Speed Tolerance Criteria		Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)		Road Speed Fan Usage		Yes		
Test Results								
Test Result Name		Unrounded Test Result		Verify Calculated FE Equivalent Value				
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)		0.00003		--				
Manufacturer Test Comments								
		Callout: 18EV-T03.65P5-2; JL LWB Cert RL Evap (cE10)						
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0	0	0	0.05	Pass
CA	150,000 miles	Other	HC-TOTAL-EQUIV	0	0	0	0.05	Pass

Test Group		VCRXT02.0572		Evaporative/Refueling Family		VCRXR0136PR0																													
Test #		JCRX10050402		Test Procedure		24 - Federal fuel refueling test (ORVR)																													
Exhaust Test # for this Evap Test		JCRX10050398		Test Fuel Type		46 - CARB LEV3 E10 Regular Gasoline																													
Test Date		09/09/2017		Fuel		Gasoline																													
Fuel Batch ID		10499		Fuel Calibration Number		1																													
Vehicle Class		N/A		DF Type		Mfr. Determined																													
Verify Test Lab ID		CTC																																	
E10 Evaporative Test Measurement Method		--																																	
Test Start Odometer Reading		4135		Odometer Units		M																													
4WD Test Dyno		No		Diesel Adjustment Factor Usage		--																													
State of Charge Delta		--																																	
Drive Cycle Speed Tolerance Criteria		Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)		Road Speed Fan Usage		No																													
Test Results																																			
<table><tr><td colspan="2">Test Result Name</td><td colspan="2">Unrounded Test Result</td><td colspan="2">Verify Calculated FE Equivalent Value</td></tr><tr><td colspan="2">HC (Hydrocarbon for Running Loss and ORVR)</td><td colspan="2">0.038</td><td colspan="2">--</td></tr></table>									Test Result Name		Unrounded Test Result		Verify Calculated FE Equivalent Value		HC (Hydrocarbon for Running Loss and ORVR)		0.038		--																
Test Result Name		Unrounded Test Result		Verify Calculated FE Equivalent Value																															
HC (Hydrocarbon for Running Loss and ORVR)		0.038		--																															
Manufacturer Test Comments																																			
Callout: 18EV-T03.65P5-2; ORVR (cE10)																																			
<table><tr><td>Certification Region</td><td>Useful Life</td><td>Standard Level</td><td>Emission Name</td><td>Rounded Result</td><td>Add DF</td><td>Certification Level</td><td>Standard</td><td>Pass/Fail</td></tr><tr><td>Fed</td><td>150,000 miles</td><td>Federal Tier 3 Evap</td><td>HC</td><td>0.038</td><td>0</td><td>0.04</td><td>0.2</td><td>Pass</td></tr><tr><td>CA</td><td>150,000 miles</td><td>Other</td><td>HC</td><td>0.038</td><td>0</td><td>0.04</td><td>0.2</td><td>Pass</td></tr></table>									Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail	Fed	150,000 miles	Federal Tier 3 Evap	HC	0.038	0	0.04	0.2	Pass	CA	150,000 miles	Other	HC	0.038	0	0.04	0.2	Pass
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail																											
Fed	150,000 miles	Federal Tier 3 Evap	HC	0.038	0	0.04	0.2	Pass																											
CA	150,000 miles	Other	HC	0.038	0	0.04	0.2	Pass																											

Certification Summary Information Report

Test Group	VCRXT02.0572	Evaporative/Refueling Family	VCRXR0136PR0						
Test #	JCRX10074149	Test Procedure	65 - Evap Canister Bleed Test						
Exhaust Test # for this Evap Test	--	Test Fuel Type	46 - CARB LEV3 E10 Regular						
Test Date	07/06/2017	Fuel	Gasoline						
Fuel Batch ID	--	Fuel Calibration Number	--						
Vehicle Class	N/A	DF Type	Mfr. Determined						
Verify Test Lab ID	IDIADA/STANT Spain								
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)								
Test Start Odometer Reading	0	Odometer Units	M						
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--						
State of Charge Delta	--								
Drive Cycle Speed Tolerance Criteria	--	Road Speed Fan Usage	--						
Test Results									
<table border="1"> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value</th> </tr> <tr> <td>HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)</td> <td>0.015</td> <td>--</td> </tr> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value	HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.015	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value							
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.015	--							
Manufacturer Test Comments									
Test run on a rig with aged components (not actual vehicle)									
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail	
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.015	0	0.015	0.02	Pass	
CA	150,000 miles	Other	HC-TOTAL-EQUIV	0.015	0	0.015	0.02	Pass	

Certification Summary Information Report

Test Group	VCRXT02.0572	Evaporative/Refueling Family	VCRXR0136PR0
Fuel Properties			
Fuel Batch ID	24670	Fuel Calibration Number	2
Test Fuel Type	46 - CARB LEV3 E10 Regular Gasoline	Fuel Batch Calibration Date	12/04/2015
Fuel Batch Calibration Effective Date	12/04/2015	Fuel Batch Calibration Ineffective Date	12/04/2030
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.749
Fuel Ethanol Volume Percent (%)	9.8	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17963
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.826	Weight Fraction CO2	--
Fuel Batch ID	26757	Fuel Calibration Number	1
Test Fuel Type	46 - CARB LEV3 E10 Regular Gasoline	Fuel Batch Calibration Date	07/27/2017
Fuel Batch Calibration Effective Date	07/27/2017	Fuel Batch Calibration Ineffective Date	07/27/2032
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.749
Fuel Ethanol Volume Percent (%)	9.8	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17958
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.827	Weight Fraction CO2	--
Fuel Batch ID	10499	Fuel Calibration Number	1
Test Fuel Type	46 - CARB LEV3 E10 Regular Gasoline	Fuel Batch Calibration Date	08/07/2017
Fuel Batch Calibration Effective Date	08/07/2017	Fuel Batch Calibration Ineffective Date	--
Carbon Weight Fraction NMHC	0.826	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.746
Fuel Ethanol Volume Percent (%)	9.8	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17886
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.826	Weight Fraction CO2	--
Fuel Batch ID	11156	Fuel Calibration Number	1
Test Fuel Type	46 - CARB LEV3 E10 Regular Gasoline	Fuel Batch Calibration Date	02/06/2023
Fuel Batch Calibration Effective Date	02/06/2023	Fuel Batch Calibration Ineffective Date	--
Carbon Weight Fraction NMHC	0.828	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--

Certification Summary Information Report

Test Group	VCRXT02.0572	Evaporative/Refueling Family	VCRXR0136PR0
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.753
Fuel Ethanol Volume Percent (%)	9.6	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	18052
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.828	Weight Fraction CO2	--
Fuel Batch ID	11080	Fuel Calibration Number	1
Test Fuel Type	28 - Cold CO E10 Regular Gasoline (Tier 3)	Fuel Batch Calibration Date	02/10/2022
Fuel Batch Calibration Effective Date	02/10/2022	Fuel Batch Calibration Ineffective Date	--
Carbon Weight Fraction NMHC	0.827	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	0
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.743
Fuel Ethanol Volume Percent (%)	10	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17945
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.827	Weight Fraction CO2	--

Certification Summary Information Report

Test Group	VCRXT02.0572	Evaporative/Refueling Family					VCRXR0136PR0		
Consolidated List of Standards									
Exhaust Standards									
Cert Region	California + CAA Section 177 states				Cert/In-Use Code		Cert		
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)				Standard Level		Other		
Fuel	Gasoline				Test Procedure		California fuel 2-day exhaust (w/can load)		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	1	0	1.0
150,000 miles	CO-COMP	--	--	--	--	--	1	0	4.2
150,000 miles	HCHO	--	--	--	--	--	1	0	0.004
150,000 miles	METHANE	--	--	--	--	--	1	0	0.030
150,000 miles	N2O	--	--	--	--	--	1	0	0.010
150,000 miles	NMOG	--	--	--	--	--	1	0	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	0	0.030
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	1	0	0.030
150,000 miles	NOX	--	--	--	--	--	1	0	999.999
150,000 miles	PM	--	--	--	--	--	1	0	0.003
Cert Region	Federal				Cert/In-Use Code		Cert		
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)				Standard Level		Federal Tier 3 Bin 30		
Fuel	Gasoline				Test Procedure		California fuel 2-day exhaust (w/can load)		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	1	0	1.0
150,000 miles	CO-COMP	--	--	--	--	--	1	0	4.2
150,000 miles	CREE	--	--	--	--	--	1	0	999
150,000 miles	HCHO	--	--	--	--	--	1	0	0.004
150,000 miles	METHANE	--	--	--	--	--	1	0	0.030
150,000 miles	N2O	--	--	--	--	--	1	0	0.010
150,000 miles	NMOG	--	--	--	--	--	1	0	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	0	0.030
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	1	0	0.030
150,000 miles	NOX	--	--	--	--	--	1	0	999.999
150,000 miles	PM	--	--	--	--	--	1	0	0.003

Certification Summary Information Report

Test Group		VCRXT02.0572			Evaporative/Refueling Family			VCRXR0136PR0	
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 30	
Fuel		Gasoline			Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	1	0	999.9
150,000 miles	NMOG	--	--	--	--	--	1	0	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	0	999.999
150,000 miles	NOX	--	--	--	--	--	1	0	999.999
150,000 miles	PM	--	--	--	--	--	1	0	0.006
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 30	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CREE	--	--	--	--	--	1	0	999
150,000 miles	NMOG	--	--	--	--	--	1	0	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	0	0.030
150,000 miles	NOX	--	--	--	--	--	1	0	999.999
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Other	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	NMOG	--	--	--	--	--	1	0	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	0	0.030
150,000 miles	NOX	--	--	--	--	--	1	0	999.999

Certification Summary Information Report

Test Group		VCRXT02.0572			Evaporative/Refueling Family			VCRXR0136PR0	
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 30	
Fuel		Gasoline			Test Procedure			SC03	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	1	0	999.9
150,000 miles	NMOG	--	--	--	--	--	1	0	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	0	999.999
150,000 miles	NOX	--	--	--	--	--	1	0	999.999

Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Other	
Fuel		Gasoline			Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	1	0	999.9
150,000 miles	NMOG	--	--	--	--	--	1	0	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	0	999.999
150,000 miles	NOX	--	--	--	--	--	1	0	999.999
150,000 miles	PM	--	--	--	--	--	1	0	0.006

Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Other	
Fuel		Gasoline			Test Procedure			Cold CO	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	1	0	12.5

Certification Summary Information Report

Test Group	VCRXT02.0572				Evaporative/Refueling Family			VCRXR0136PR0	
Cert Region	California + CAA Section 177 states				Cert/In-Use Code			Cert	
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)				Standard Level			Other	
Fuel	Gasoline				Test Procedure			SC03	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	1	0	999.9
150,000 miles	NMOG	--	--	--	--	--	1	0	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	0	999.999
150,000 miles	NOX	--	--	--	--	--	1	0	999.999

Cert Region	Federal				Cert/In-Use Code			Cert	
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)				Standard Level			Federal Tier 3 Bin 30	
Fuel	Gasoline				Test Procedure			Cold CO	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	1	0	12.5
150,000 miles	HC-NM	--	--	--	--	--	1	0	0.3

Evaporative/Refueling Standards

Evaporative/Refueling Family		VCRXR0136PR0		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		California Fuel Running Loss					
Fuel	Useful Life	Emission Name	Rounded Result		Std	Add DF	
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--		0.05	0	

Evaporative/Refueling Family		VCRXR0136PR0		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		CA fuel 3-day evap.					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.375	0.009		

Certification Summary Information Report

Test Group		VCRXT02.0572		Evaporative/Refueling Family		VCRXR0136PR0	
Evaporative/Refueling Family		VCRXR0136PR0		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Cert		Standard Level		Other	
Test Procedure		Federal fuel refueling test (ORVR)					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC	--	0.20	0		
Evaporative/Refueling Family		VCRXR0136PR0		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Cert		Standard Level		Other	
Test Procedure		CA fuel 3-day evap.					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.375	0.009		
Evaporative/Refueling Family		VCRXR0136PR0		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal fuel refueling test (ORVR)					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC	--	0.20	0		
Evaporative/Refueling Family		VCRXR0136PR0		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Cert		Standard Level		Other	
Test Procedure		California fuel 2-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.375	0.0057		
Evaporative/Refueling Family		VCRXR0136PR0		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Cert		Standard Level		Other	
Test Procedure		Evap Canister Bleed Test					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.020	0		
Evaporative/Refueling Family		VCRXR0136PR0		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		California fuel 2-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.375	0.0057		

Certification Summary Information Report

Test Group		VCRXT02.0572		Evaporative/Refueling Family		VCRXR0136PR0	
Evaporative/Refueling Family		VCRXR0136PR0		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Cert		Standard Level		Other	
Test Procedure		California Fuel Running Loss					
Fuel		Useful Life		Emission Name		Rounded Result	
Std		Add DF					
Gasoline		150,000 miles		HC-TOTAL-EQUIV		--	
						0.05	
						0	

Evaporative/Refueling Family		VCRXR0136PR0		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		Evap Canister Bleed Test					
Fuel		Useful Life		Emission Name		Rounded Result	
Std		Add DF					
Gasoline		150,000 miles		HC-TOTAL-EQUIV		--	
						0.020	
						0	

Certification Summary Information Report

Test Group		VCRXT02.0572	Evaporative/Refueling Family	VCRXR0136PR0
Glossary				
Useful Life				
4	4,000 miles	120	120,000 miles	
50	50,000 miles	150	150,000 miles	
100	100,000 miles			
Emission Name				
HC-TOTAL	Total Hydrocarbon	COMB-CREE	Combined Carbon-Related Exhaust Emissions	
CO	Carbon Monoxide	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions	
CO2	Carbon dioxide	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only	
CREE	Carbon-Related Exhaust Emissions	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only	
OPT-CREE	Optional Carbon-Related Exhaust Emissions	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only	
NOX	Nitrogen Oxide	LEAK-DIA	Effective Leak Diameter (inches)	
PM	Particulate Matter	LEAK-GAS CAP	Gas Cap Leakage (cc/min)	
PM-COMP	SFTP Composite Particulate Matter	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only	
HC-NM	Non-methane Hydrocarbon	KW-HRS	Integrated DC KW-HRS	
OMHCE	Organic material Hydrocarbon Equivalent	CH4 BAG 1	Bag 1 Methane	
OMNMHCE	Organic material non-methane HC equivalent	CH4 BAG 2	Bag 2 Methane	
NMOG	Non-methane organic gases	CH4 BAG 3	Bag 3 Methane	
HCHO	Formaldehyde	CH4 BAG 4	Bag 4 Methane	
H3C2HO	Acetaldehyde	CO BAG 1	Bag 1 Carbon Monoxide	
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	CO BAG 2	Bag 2 Carbon Monoxide	
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	CO BAG 3	Bag 3 Carbon Monoxide	
CO-COMP	SFTP Composite Carbon Monoxide	CO BAG 4	Bag 4 Carbon Monoxide	
ETHANOL	C2H5OH - Ethanol	NMOG BAG 1	Bag 1 Non-methane organic gases	
FE BAG 1	Bag 1 Fuel Economy	NMOG BAG 2	Bag 2 Non-methane organic gases	
FE BAG 2	Bag 2 Fuel Economy	NMOG BAG 3	Bag 3 Non-methane organic gases	
FE BAG 3	Bag 3 Fuel Economy	NMOG BAG 4	Bag 4 Non-methane organic gases	
FE BAG 4	Bag 4 Fuel Economy	ACT-DISTANCE BAG 1	Bag 1 Actual Distance	
MFR FE	Manufacturer Fuel Economy	ACT-DISTANCE BAG 2	Bag 2 Actual Distance	
HC	Hydrocarbon for Running Loss and ORVR	ACT-DISTANCE BAG 3	Bag 3 Actual Distance	
METHANE	CH4 - Methane	ACT-DISTANCE BAG 4	Bag 4 Actual Distance	
METHANOL	CH3OH - Methanol	HC-TOTAL BAG 1	Bag 1 Total Hydrocarbon	
N2O	Nitrous Oxide	HC-TOTAL BAG 2	Bag 2 Total Hydrocarbon	
SPITBACK	Spitback Hydrocarbon in grams	HC-TOTAL BAG 3	Bag 3 Total Hydrocarbon	
AMP-HRS	Integrated Amp-hours	HC-TOTAL BAG 4	Bag 4 Total Hydrocarbon	
START-SOC	System Start State of Charge Watt-hours	WATT-HRS BAG 1	Bag 1 Watt Hours	
END-SOC	System End State of Charge Watt-hours	WATT-HRS BAG 2	Bag 2 Watt Hours	

Certification Summary Information Report

Test Group		VCRXT02.0572	Evaporative/Refueling Family		VCRXR0136PR0
ACT-DISTANCE	Actual Distance Driven (miles)		WATT-HRS BAG 3	Bag 3 Watt Hours	
AS-VOLT	Average System Voltage		WATT-HRS BAG 4	Bag 4 Watt Hours	
CO2 BAG 1	Bag 1 Carbon Dioxide		WATT-HRS	Watt Hours	
CO2 BAG 2	Bag 2 Carbon Dioxide		HC-NM BAG 1	Bag 1 Non-methane Hydrocarbon	
CO2 BAG 3	Bag 3 Carbon Dioxide		HC-NM BAG 2	Bag 2 Non-methane Hydrocarbon	
CO2 BAG 4	Bag 4 Carbon Dioxide		HC-NM BAG 3	Bag 3 Non-methane Hydrocarbon	
NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides		HC-NM BAG 4	Bag 4 Non-methane Hydrocarbon	
NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides		N2O BAG 1	Bag 1 Nitrous Oxide	
DT-IWRR	Drive Trace Inertia Work Ratio Rating		N2O BAG 2	Bag 2 Nitrous Oxide	
DT-ASCR	Drive Trace Absolute Speed Change Rating		N2O BAG 3	Bag 3 Nitrous Oxide	
DT-EER	Drive Trace Energy Economy Rating		N2O BAG 4	Bag 4 Nitrous Oxide	
Certification Region					
CA	California + CAA Section 177 states		FA	Federal	
Exhaust Emission Standard Level					
B1	Federal Tier 2 Bin 1		HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
B2	Federal Tier 2 Bin 2		HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
B3	Federal Tier 2 Bin 3		HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
B4	Federal Tier 2 Bin 4		HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
B5	Federal Tier 2 Bin 5		HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
B6	Federal Tier 2 Bin 6		HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
B7	Federal Tier 2 Bin 7		HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
B8	Federal Tier 2 Bin 8		HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
B9	Federal Tier 2 Bin 9		HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
B10	Federal Tier 2 Bin 10		HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
B11	Federal Tier 2 Bin 11		HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)		HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)		HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
L2	California LEV-II LEV		L4SULEV100	California LEV-IV SULEV100	
L2OP	California LEV-II LEV Optional		L4SULEV125	California LEV-IV SULEV125	
U2	California LEV-II ULEV		L4SULEV15	California LEV-IV SULEV15	
S2	California LEV-II SULEV		L4SULEV150	California LEV-IV SULEV150	
ZEV	California ZEV		L4SULEV170	California LEV-IV SULEV170	
OT	Other		L4SULEV175	California LEV-IV SULEV175	
T1	Federal Tier 1		L4SULEV20	California LEV-IV SULEV20	
PZEV	California PZEV		L4SULEV200	California LEV-IV SULEV200	
L2LEV160	California LEV-II LEV160		L4SULEV230	California LEV-IV SULEV230	
L2ULEV125	California LEV-II ULEV125		L4SULEV25	California LEV-IV SULEV25	
L2SULEV30	California LEV-II SULEV30		L4SULEV30	California LEV-IV SULEV30	
L2LEV395	California LEV-II LEV395		L4SULEV75	California LEV-IV SULEV75	

Certification Summary Information Report

Test Group		VCRXT02.0572	Evaporative/Refueling Family		VCRXR0136PR0
L2ULEV340	California LEV-II ULEV340		L4SULEV85	California LEV-IV SULEV85	
L2LEV630	California LEV-II LEV630		L4ULEV125	California LEV-IV ULEV125	
L2ULEV570	California LEV-II ULEV570		L4ULEV200	California LEV-IV ULEV200	
L3LEV160	California LEV-III LEV160		L4ULEV250	California LEV-IV ULEV250	
L3ULEV125	California LEV-III ULEV125		L4ULEV270	California LEV-IV ULEV270	
L3ULEV70	California LEV-III ULEV70		L4ULEV40	California LEV-IV ULEV40	
L3ULEV50	California LEV-III ULEV50		L4ULEV400	California LEV-IV ULEV400	
L3SULEV30	California LEV-III SULEV30		L4ULEV50	California LEV-IV ULEV50	
L3SULEV20	California LEV-III SULEV20		L4ULEV60	California LEV-IV ULEV60	
L3LEV395	California LEV-III LEV395		L4ULEV70	California LEV-IV ULEV70	
L3ULEV340	California LEV-III ULEV340		T4B170	Federal Tier 4 MDV Bin 170	
L3ULEV250	California LEV-III ULEV250		T4B150	Federal Tier 4 MDV Bin 150	
L3ULEV200	California LEV-III ULEV200		T4B125	Federal Tier 4 MDV Bin 125	
L3SULEV170	California LEV-III SULEV170		T4B100	Federal Tier 4 MDV Bin 100	
L3SULEV150	California LEV-III SULEV150		T4B85	Federal Tier 4 MDV Bin 85	
L3LEV630	California LEV-III LEV630		T4B75	Federal Tier 4 MDV Bin 75	
L3ULEV570	California LEV-III ULEV570		T4B70	Federal Tier 4 Bin 70	
L3ULEV400	California LEV-III ULEV400		T4B65	Federal Tier 4 Bin 65	
L3ULEV270	California LEV-III ULEV270		T4B60	Federal Tier 4 Bin 60	
L3SULEV230	California LEV-III SULEV230		T4B55	Federal Tier 4 Bin 55	
L3SULEV200	California LEV-III SULEV200		T4B50	Federal Tier 4 Bin 50	
T3B160	Federal Tier 3 Bin 160		T4B45	Federal Tier 4 Bin 45	
T3B125	Federal Tier 3 Bin 125		T4B40	Federal Tier 4 Bin 40	
T3B110	Federal Tier 3 Transitional Bin 110		T4B35	Federal Tier 4 Bin 35	
T3B85	Federal Tier 3 Transitional Bin 85		T4B30	Federal Tier 4 Bin 30	
T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover		T4B25	Federal Tier 4 Bin 25	
T3B70	Federal Tier 3 Bin 70		T4B20	Federal Tier 4 Bin 20	
T3B50	Federal Tier 3 Bin 50		T4B15	Federal Tier 4 Bin 15	
T3B30	Federal Tier 3 Bin 30		T4B10	Federal Tier 4 Bin 10	
T3B20	Federal Tier 3 Bin 20		T4B5	Federal Tier 4 Bin 5	
T3B0	Federal Tier 3 Bin 0		T4B0	Federal Tier 4 Bin 0	
HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395				
Transmission Type Code					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual		
A	Automatic	OT	Other		
AM	Automated Manual	SA	Semi-Automatic		
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)		
Drive System Code					
4	4-Wheel Drive	P	Part-time 4-Wheel Drive		

Certification Summary Information Report

Test Group		VCRXT02.0572	Evaporative/Refueling Family		VCRXR0136PR0
F	2-Wheel Drive, Front		A	All Wheel Drive	
R	2-Wheel Drive, Rear				
Additional Terms and Acronyms					
AFC	Alternative Fuel Converter		ICI	Independent Commercial Importer	
CSI	Certificate Summary Information		ORVR	Onboard Refueling Vapor Recovery	
DF	Deterioration Factor		SIL	Shift Indicator Light	
Evap	Evaporation, Evaporative		Trans	Transmission	