

Certification Summary Information Report

Manufacturer	Ford Motor Company	Manufacturer Code	FMX
Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Certificate Number	VFMXT03.0JP1-015	CARB Executive Order #	--
Certificate Issue Date	06/22/2026	Certificate Revision Date	--
Certificate Effective Date	06/22/2026	Conditional Certificate	No
CSI Revision #	--	CSI Submission/Revision Date	08/21/2026 11:33:07 AM
Model Year	2027		

Test Group Information

CSI Type	Update for Correction	Running Change Reference Number	--
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Combustion Engine

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Gasoline	Spark Ignition Direct fuel injection	No

Hybrid Indicator	No		
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	--
Multiple Fuel Combustion	--	Off-board Charge Capable Indicator	--
Fuel Cell Indicator	--	EPA Vehicle Class	LDT3, LDT4
Federal Clean Fuel Vehicle	No	Federal Clean Fuel Vehicle Standard	--
Federal Clean Fuel Vehicle ILEV	No	California Partial Zero Emissions Vehicle Indicator	No
Durability Group Name	VFMXGPGNNE7A	Durability Group Equivalency Factor	2.7
Reduced Fee Test Group	No	Certification Region Code(s)	FA, CA
Complies with HD GHG 2b/3 regulations?	No		
Introduction into Commerce Date	09/21/2026	CAP2000 Conditional Certificate?	No
Independent Commercial Importer?	No	Alternative Fuel Converter Certificate?	No
SFTP Federal Composite Compliance Identifier	Tier 3	SFTP Tier 2 Composite CO Option	No
SFTP LEV-III Composite Compliance Indicator	Yes		
OBD Compliance Type	CARB	OBD Demonstration Vehicle Test Group	VFMXT03.0JP1
Test Group OBD Compliance Level	Partial - with deficiencies	Number of Test Group OBD Deficiencies	1
OBD Deficiencies Comments	OBD Deficiencies: Communication Failure between BCM and PCM		
Mfr Test Group Comments	JOB1 Initial Cert: E10 City Litmus Value = 16.1 MPG, City Litmus Threshold = 15.9 MPG, E10 Highway Litmus Value = 21.1 MPG, Highway Litmus Threshold = 19.7 MPG JOB 2 Tested Running Change : E10 City Litmus Value = 16.2 MPG, City Litmus Threshold = 15.8 MPG, E10 Highway Litmus Value = 20.9 MPG, Highway Litmus Threshold = 19.7 MPG		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Evaporative/Refueling Family Information			
Evaporative Summary Information Type	Update for Correction	Submission/Correction Date	04/02/2026 12:10:46 PM
Integrated ORVR?	Yes	Fuel(s)	Gasoline
Multiple Fuel Storage	--		
Bladder Fuel Tank?	No		
Fuel Tank Material	Other	Fuel Tank Material Description	Plastic
Fill Pipe Seal Type	Liquid seal		
Air Intake System Vapor Storage Device?	Yes	Air Intake System Vapor Storage Device Description	AIS Hydrocarbon Trap
Fuel System Vapor Storage Canister?	Yes	Other Vapor Storage	See comments below
Fuel System Vapor Storage Canister(s) Total Working Capacity (grams)	185	Number of Primary Canisters	1
Number of Bleed Canisters	1	Bleed Canister Total Working Capacity (grams)	2
Mfr Evaporative/Refueling Family Comments	1 X 2.7L HA 3-port Rect. + 1 X 0.066L Bleed		
Leak Family Details			
Leak Family Indicator	Yes		
Canister Bleed Test Indicator	Yes	Applicability of Evaporative Canister Bleed Test	50 State
Evaporative Canister Bleed Test Comments	--		
CARB Fuel Only (Rig) Test Indicator	No	Applicability of CARB Fuel Only (Rig) Test	--
CARB Fuel Only (Rig) Test Comments	--		
Leak Family Name	Applicability of Leak Family Requirements	Leak Family Standard (inches)	Leak Family Description
VFMXR0185NDG-001	50 State	0.02	--

Certification Summary Information Report

Test Group		VFMXT03.0JP1		Evaporative/Refueling Family		VFMXR0185NDG	
Models Covered by this Certificate							
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
Ford Motor Company	1 - Ford	164 - EXPLORER AWD	Federal	Part-time 4-Wheel Drive	Automatic	10	Yes
Ford Motor Company	1 - Ford	164 - EXPLORER AWD	California + CAA Section 177 states	Part-time 4-Wheel Drive	Semi-Automatic	10	Yes
Ford Motor Company	1 - Ford	66 - EXPLORER TREMOR AWD	California + CAA Section 177 states	Part-time 4-Wheel Drive	Automatic	10	Yes
Ford Motor Company	1 - Ford	163 - EXPLORER RWD	California + CAA Section 177 states	2-Wheel Drive, Rear	Semi-Automatic	10	Yes
Ford Motor Company	2 - Lincoln	147 - AVIATOR AWD	Federal	Part-time 4-Wheel Drive	Semi-Automatic	10	Yes
Ford Motor Company	1 - Ford	164 - EXPLORER AWD	Federal	Part-time 4-Wheel Drive	Semi-Automatic	10	Yes
Ford Motor Company	1 - Ford	163 - EXPLORER RWD	Federal	2-Wheel Drive, Rear	Automatic	10	Yes
Ford Motor Company	2 - Lincoln	146 - AVIATOR RWD	California + CAA Section 177 states	2-Wheel Drive, Rear	Semi-Automatic	10	Yes
Ford Motor Company	1 - Ford	163 - EXPLORER RWD	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	10	Yes
Ford Motor Company	2 - Lincoln	147 - AVIATOR AWD	California + CAA Section 177 states	Part-time 4-Wheel Drive	Semi-Automatic	10	Yes
Ford Motor Company	1 - Ford	164 - EXPLORER AWD	California + CAA Section 177 states	Part-time 4-Wheel Drive	Automatic	10	Yes
Ford Motor Company	1 - Ford	66 - EXPLORER TREMOR AWD	Federal	Part-time 4-Wheel Drive	Automatic	10	Yes
Ford Motor Company	2 - Lincoln	146 - AVIATOR RWD	Federal	2-Wheel Drive, Rear	Semi-Automatic	10	Yes
Ford Motor Company	1 - Ford	163 - EXPLORER RWD	Federal	2-Wheel Drive, Rear	Semi-Automatic	10	Yes

Engine Description				
Hybrid Type		--	Hybrid Description	--
Engine Type		4-Stroke Spark Ignition	Mfr Engine Description	3.0L GTDI
Engine Block Arrangement		V-shaped engine	Mfr Engine Block Arrangement Description	V6
Camless Valvetrain Indicator		No	Oil Viscosity/Classification	SAE 5W-30 / ILSAC GF-7
Number of Cylinders/Rotors		6	Mechanically Variable Compression Ratio Indicator	N

Certification Summary Information Report

Test Group		VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
After Treatment Device(s) (ATD)				
ATD Number	ATD Type	ATD Precious Metal	Substrate Material	Substrate Construction
1	Three-way catalyst	Palladium + Rhodium	Ceramic	Monolith
2	Three-way catalyst	Platinum + Rhodium	Ceramic	Monolith
3	Three-way catalyst	Platinum + Rhodium	Ceramic	Monolith
4	Three-way catalyst	Palladium + Rhodium	Ceramic	Monolith
5	Other	None	Ceramic	Monolith
6	Other	None	Ceramic	Monolith
7	Three-way catalyst	Platinum + Rhodium	Ceramic	Monolith
8	Three-way catalyst	Platinum + Rhodium	Ceramic	Monolith
9	Three-way catalyst	Palladium + Rhodium	Ceramic	Monolith
10	Three-way catalyst	Palladium + Rhodium	Ceramic	Monolith
11	Three-way catalyst	Platinum + Rhodium	Ceramic	Monolith
12	Three-way catalyst	Platinum + Rhodium	Ceramic	Monolith
13	Other	None	Ceramic	Monolith
14	Other	None	Ceramic	Monolith
Mfr After Treatment Device (ATD) Comments Tested Running Change Catalyst -CPI AC890 Direct Ozone Reduction (DOR) Device Not Equipped Mfr Emission Control Device Comments --				

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG								
Engine Configuration Number 1											
Engine Displacement (liters)	3.0	Engine Rated Horsepower	385								
Number of Inlet Valves Per Cylinder	2	Number of Exhaust Valves Per Cylinder	2								
Air Aspiration Method	Turbocharged	Number of Air Aspiration Devices	2								
Air Aspiration Device Configuration	Parallel	Charge Air Cooler Type	Air								
Air Aspiration Drive Method(s)	Mechanical										
Cylinder Deactivation	No										
Cylinder Deactivation Description	--										
Variable Valve Timing	Yes										
Variable Valve Timing System Description	DOHC with VCT (Ti-VCT)										
Variable Valve Lift?	No										
Variable Valve Lift System Description	--										
Number of Knock Sensors	2	Number of Air/Fuel Sensors	4								
Air/Fuel Sensor # 1 Type	Heated oxygen	Air/Fuel Sensor # 1 Description	--								
Air/Fuel Sensor # 2 Type	Heated oxygen	Air/Fuel Sensor # 2 Description	--								
Air/Fuel Sensor # 3 Type	Heated air fuel	Air/Fuel Sensor # 3 Description	--								
Air/Fuel Sensor # 4 Type	Heated air fuel	Air/Fuel Sensor # 4 Description	--								
Mfr Air/Fuel Sensor Comments	--										
Exhaust Gas Recirculation	No	Cooled Exhaust Gas Recirculation	No								
EGR Type	--	Exhaust Gas Recirculation Description if 'Other'	--								
Closed Loop Air Injection System	No										
Air Injection Type	Not Applicable	Air Injection Type if 'Other'	--								
Mfr Engine Configuration Comments	--										
Official Test Numbers											
Test Group	Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Gasoline	VFMX10095147	VFMX10095149	VFMX10095151	VFMX10095150	VFMX10095148	16.2	15.9	20.9	19.9	--	
SFTP LEV-III Official Test Numbers											
Test Group Fuel	FTP	US06	SC03								
Gasoline	VFMX10095147	VFMX10095149	VFMX10095151								

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
-------------------	--------------	-------------------------------------	--------------

Emission Data Vehicle Information

Vehicle ID / Configuration	LTH1-3.5-J-435 / 0	Manufacturer Vehicle Configuration Number	0
Original Test Group Name	LFMXD03.56BZ	Original Evaporative/Refueling Family	LFMXR0185NDJ
Original Test Vehicle Model Year	2020		

Vehicle Model

Represented Test Vehicle Make	Ford	Represented Test Vehicle Model	T150 Transit Van <10K
--------------------------------------	------	---------------------------------------	-----------------------

Leak Family Details

Leak Family Identifier	--	Leak Family Name	--
-------------------------------	----	-------------------------	----

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Combustion Engine	Gasoline

Hybrid Indicator	No	Multiple Fuel Combustion	--
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	--
Fuel Cell Indicator	--	Rechargeable Energy Storage System, if 'Other'	--
Rechargeable Energy Storage System	--		
Off-board charge Capable Indicator	--		
Odometer Correction -- Initial	0	Odometer Correction Factor	1.03
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor		
Odometer Correction Units	Miles		
Engine Code	LTTHURNK00	Rated Horsepower	315
Displacement (liters)	3.5		
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'	
Number of Air Aspiration Devices	2	Air Aspiration Device Configuration	Parallel
Charge Air Cooler Type	Air	Drive Mode While Testing	2-Wheel Drive, Rear
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)
Curb Weight (lbs)	8124	Equivalent Test Weight (pounds)	9000
GVWR (lbs)	9950	N/V Ratio	29.4
Axle Ratio	3.73		
Transmission Type	Semi-Automatic	# of Transmission Gears	10
Transmission Lockup	Yes	Creep Gear	No

Dynamometer Coefficients:

Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)		C (lbf/mph**2)
City/Highway/Evap	66.02	0.3429	0.0793	37.91	0.1103	0.07869	37.5
US06	66.02	0.3429	0.0793	37.91	0.1103	0.07869	N/A

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG						
Emission Control Device Comments	T20-0143-01 T150 <10K (24.7 gal fuel tank)								
Manufacturer Test Vehicle Comments	T150 235/65R16C simulating a T350 205/75R16								
Test #	LFMX10060474	Test Procedure	65 - Evap Canister Bleed Test						
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)						
Test Date	04/26/2019	Fuel	Gasoline						
Fuel Batch ID	--	Fuel Calibration Number	--						
Vehicle Class	N/A	DF Type	Mfr. Determined						
Verify Test Lab ID	APTL								
E10 Evaporative Test Measurement Method	--								
Test Start Odometer Reading	4745	Odometer Units	M						
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--						
State of Charge Delta	No								
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	No						
Test Results									
<table border="1"> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value</th> </tr> <tr> <td>HC-TOTAL (Total Hydrocarbon)</td> <td>0.0033</td> <td>--</td> </tr> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value	HC-TOTAL (Total Hydrocarbon)	0.0033	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value							
HC-TOTAL (Total Hydrocarbon)	0.0033	--							
Manufacturer Test Comments									
BETP E10 Evaporative Test Measurement Method is "Total Hydrocarbon (THC)									
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail	
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL	0.0033	0	0.003	0.02	Pass	
CA	150,000 miles	California LEV-III Zero Evap (Option 2)	HC-TOTAL	0.0033	0	0.003	0.02	Pass	

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG						
Emission Data Vehicle Information									
Vehicle ID / Configuration	VTW1-3.0-J-313 / 0	Manufacturer Vehicle Configuration Number	0						
Original Test Group Name	TFMXT03.0JP1	Original Evaporative/Refueling Family	TFMXR0185NDG						
Original Test Vehicle Model Year	2026								
Vehicle Model									
Represented Test Vehicle Make	FORD	Represented Test Vehicle Model	EXPLORER TREMOR AWD						
Leak Family Details									
Leak Family Identifier	001	Leak Family Name	TFMXR0185NDG-001						
Drive Sources and Fuel System Details									
	<table border="1"> <tr> <th>Drive Source and Fuel#</th><th>Drive Source</th><th>Fuel</th></tr> <tr> <td>1</td><td>Combustion Engine</td><td>Gasoline</td></tr> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline		
Drive Source and Fuel#	Drive Source	Fuel							
1	Combustion Engine	Gasoline							
Hybrid Indicator	No								
Multiple Fuel Storage	--	Multiple Fuel Combustion	--						
Fuel Cell Indicator	--	Rechargeable Energy Storage System Indicator	--						
Rechargeable Energy Storage System	--	Rechargeable Energy Storage System, if 'Other'	--						
Off-board charge Capable Indicator	--								
Odometer Correction -- Initial	0	Odometer Correction Factor	1.03						
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles								
Odometer Correction Units	Miles								
Engine Code	VCTWYXNA00	Rated Horsepower	400						
Displacement (liters)	3								
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'							
Number of Air Aspiration Devices	2	Air Aspiration Device Configuration	Parallel						
Charge Air Cooler Type	Air	Drive Mode While Testing	2-Wheel Drive, Rear						
Shift Indicator Light Usage	Not equipped	Aged Emission Components	150,000 (mi)						
Curb Weight (lbs)	4770	Equivalent Test Weight (pounds)	5000						
GVWR (lbs)	6010	N/V Ratio	25						
Axle Ratio	3.58								
Transmission Type	Semi-Automatic	# of Transmission Gears	10						
Transmission Lockup	Yes	Creep Gear	No						

Certification Summary Information Report

Test Group		VFMXT03.0JP1			Evaporative/Refueling Family		VFMXR0185NDG	
Dynamometer Coefficients:								
Target Coefficients				Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)		
City/Highway/Evap	42.29	0.3106	0.02858	13.64	0.3958	0.02543	17.2	
Cold CO	42.29	0.3106	0.02858	13.64	0.3958	0.02543	N/A	
US06	42.29	0.3106	0.02858	13.64	0.3958	0.02543	N/A	
Emission Control Device Comments		--						
Manufacturer Test Vehicle Comments		Vehicle tested with 2027MY calibration. Program was originally planned for 27MY but pulled ahead to 26.5MY J2. Vehicle was originally in test group TFMXT03.0TP1. However, due to 5-cycle testing green litmus for vehicle VTW1-3.0-J-313, test groups TFMXT03.0TP1 and TFMXT03.0JP1 were combined into test group TFMXT03.0JP1 in accordance with 40 CFR 86.1827-01.						

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Test #	TFMX10092536	Test Procedure	21 - Federal fuel 2-day exhaust (w/can load)
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	10/08/2025	Fuel	Gasoline
Fuel Batch ID	373-B	Fuel Calibration Number	118
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000), LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	3879	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
CO2 BAG 1 (Bag 1 Carbon Dioxide)	448.26724	--	
CO BAG 1 (Bag 1 Carbon Monoxide)	0.6953	--	
FE BAG 1 (Bag 1 Fuel Economy)	19.399071	19.399071	
CH4 BAG 1 (Bag 1 Methane)	0.0092836	--	
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0328933	--	
CO2 BAG 2 (Bag 2 Carbon Dioxide)	426.972736	--	
CO BAG 2 (Bag 2 Carbon Monoxide)	0.0185	--	
FE BAG 2 (Bag 2 Fuel Economy)	20.40666	20.40666	
CH4 BAG 2 (Bag 2 Methane)	0.0025184	--	
NMOG BAG 2 (Bag 2 Non-methane organic gases)	0	--	
CO2 BAG 3 (Bag 3 Carbon Dioxide)	391.25328	--	
CO BAG 3 (Bag 3 Carbon Monoxide)	0.0156	--	
FE BAG 3 (Bag 3 Fuel Economy)	22.284784	22.284784	
CH4 BAG 3 (Bag 3 Methane)	0.0038294	--	
NMOG BAG 3 (Bag 3 Non-methane organic gases)	0.0017878	--	
METHANE (CH4 - Methane)	0.004282	--	
CO (Carbon Monoxide)	0.158108	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.514827	--	
DT-EER (Drive Trace Energy Economy Rating)	-0.637299	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-0.89529	--	
HCHO (Formaldehyde)	0.0004	--	
MFR FE (Manufacturer Fuel Economy)	20.6	20.6	
NOX (Nitrogen Oxide)	0.010249	--	
N2O (Nitrous Oxide)	0.0009	--	
HC-NM (Non-methane Hydrocarbon)	0.006643	--	
NMOG (Non-methane organic gases)	0.007315	--	
PM (Particulate Matter)	0.000014	--	
HC-TOTAL (Total Hydrocarbon)	0.010583	--	
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	
Carbon-Related Exhaust Emissions	422	422	
Optional Carbon-Related Exhaust Emissions	423	423	

Page 12 of 63 CSI Submission/Revision Date: 08/21/2026 11:33:07 AM

Certification Summary Information Report

Test Group		VFMXT03.0JP1			Evaporative/Refueling Family					VFMXR0185NDG		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 30	CO	0.16	--	--	--	--	--	0.2	1.0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	CO	0.16	--	--	--	--	--	0.2	1.0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	CREE	422	--	--	--	0	--	422	--	--
Fed	150,000 miles	Federal Tier 3 Bin 30	CREE	422	--	--	--	0	--	422	--	--
Fed	150,000 miles	Federal Tier 3 Bin 30	HCHO	0.0004	--	--	--	--	--	0	0.004	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	HCHO	0.0004	--	--	--	--	--	0	0.004	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	METHANE	0.0043	--	--	--	--	--	0.004	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	METHANE	0.0043	--	--	--	--	--	0.004	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	N2O	0.0009	--	--	--	--	--	0.001	0.010	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	N2O	0.0009	--	--	--	--	--	0.001	0.010	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0073	--	1.1	--	--	--	0.007	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0073	--	1.1	--	--	--	0.007	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0175	--	--	--	--	--	0.018	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0175	--	--	--	--	--	0.018	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0102	--	--	--	--	--	0.01	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0102	--	--	--	--	--	0.01	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	OPT-CREE	423	--	--	--	0	--	423	--	--
Fed	150,000 miles	Federal Tier 3 Bin 30	OPT-CREE	423	--	--	--	0	--	423	--	--
Fed	150,000 miles	Federal Tier 3 Bin 30	PM	0	--	--	--	--	--	0	0.003	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	PM	0	--	--	--	--	--	0	0.003	Pass
CA	150,000 miles	California LEV-III SULEV30	CO	0.16	--	--	--	--	--	0.2	1.0	Pass
CA	150,000 miles	California LEV-III SULEV30	CO	0.16	--	--	--	--	--	0.2	1.0	Pass

Certification Summary Information Report

Test Group		VFMXT03.0JP1				Evaporative/Refueling Family				VFMXR0185NDG		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
CA	150,000 miles	California LEV-III SULEV30	HCHO	0.0004	--	--	--	--	--	0	0.004	Pass
CA	150,000 miles	California LEV-III SULEV30	HCHO	0.0004	--	--	--	--	--	0	0.004	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG	0.0073	--	1.1	--	--	--	0.007	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG	0.0073	--	1.1	--	--	--	0.007	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG+NOX	0.0175	--	--	--	--	--	0.018	0.030	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG+NOX	0.0175	--	--	--	--	--	0.018	0.030	Pass
CA	150,000 miles	California LEV-III SULEV30	NOX	0.0102	--	--	--	--	--	0.01	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	NOX	0.0102	--	--	--	--	--	0.01	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	PM	0	--	--	--	--	--	0	0.001	Pass
CA	150,000 miles	California LEV-III SULEV30	PM	0	--	--	--	--	--	0	0.001	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Test #	TFMX10092540	Test Procedure	11 - Cold CO
Exhaust Test # for this Evap Test	--	Test Fuel Type	28 - Cold CO E10 Regular Gasoline (Tier 3)
Test Date	10/10/2025	Fuel	Gasoline
Fuel Batch ID	375-B	Fuel Calibration Number	74
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000), LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	3942	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG																																																																													
	<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated FE Equivalent Value (miles per gallon)</th></tr><tr><td>CO2 BAG 1 (Bag 1 Carbon Dioxide)</td><td>583.440014</td><td>--</td></tr><tr><td>CO BAG 1 (Bag 1 Carbon Monoxide)</td><td>3.1816</td><td>--</td></tr><tr><td>FE BAG 1 (Bag 1 Fuel Economy)</td><td>14.70588</td><td>14.70588</td></tr><tr><td>CH4 BAG 1 (Bag 1 Methane)</td><td>0.0621369</td><td>--</td></tr><tr><td>NMOG BAG 1 (Bag 1 Non-methane organic gases)</td><td>0.4195399</td><td>--</td></tr><tr><td>CO2 BAG 2 (Bag 2 Carbon Dioxide)</td><td>501.747388</td><td>--</td></tr><tr><td>CO BAG 2 (Bag 2 Carbon Monoxide)</td><td>0.0594</td><td>--</td></tr><tr><td>FE BAG 2 (Bag 2 Fuel Economy)</td><td>17.261657</td><td>17.261657</td></tr><tr><td>CH4 BAG 2 (Bag 2 Methane)</td><td>0.0012233</td><td>--</td></tr><tr><td>NMOG BAG 2 (Bag 2 Non-methane organic gases)</td><td>0</td><td>--</td></tr><tr><td>CO2 BAG 3 (Bag 3 Carbon Dioxide)</td><td>438.239508</td><td>--</td></tr><tr><td>CO BAG 3 (Bag 3 Carbon Monoxide)</td><td>0.0205</td><td>--</td></tr><tr><td>FE BAG 3 (Bag 3 Fuel Economy)</td><td>19.785783</td><td>19.785783</td></tr><tr><td>CH4 BAG 3 (Bag 3 Methane)</td><td>0.0038149</td><td>--</td></tr><tr><td>NMOG BAG 3 (Bag 3 Non-methane organic gases)</td><td>0</td><td>--</td></tr><tr><td>METHANE (CH4 - Methane)</td><td>0.014584</td><td>--</td></tr><tr><td>CO (Carbon Monoxide)</td><td>0.697044</td><td>--</td></tr><tr><td>DT-ASCR (Drive Trace Absolute Speed Change Rating)</td><td>0.38901</td><td>--</td></tr><tr><td>DT-EER (Drive Trace Energy Economy Rating)</td><td>0.175204</td><td>--</td></tr><tr><td>DT-IWRR (Drive Trace Inertia Work Ratio Rating)</td><td>0.607558</td><td>--</td></tr><tr><td>MFR FE (Manufacturer Fuel Economy)</td><td>17.3</td><td>17.3</td></tr><tr><td>NOX (Nitrogen Oxide)</td><td>0.010683</td><td>--</td></tr><tr><td>HC-NM (Non-methane Hydrocarbon)</td><td>0.079279</td><td>--</td></tr><tr><td>NMOG (Non-methane organic gases)</td><td>0.087116</td><td>--</td></tr><tr><td>HC-TOTAL (Total Hydrocarbon)</td><td>0.094388</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	CO2 BAG 1 (Bag 1 Carbon Dioxide)	583.440014	--	CO BAG 1 (Bag 1 Carbon Monoxide)	3.1816	--	FE BAG 1 (Bag 1 Fuel Economy)	14.70588	14.70588	CH4 BAG 1 (Bag 1 Methane)	0.0621369	--	NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.4195399	--	CO2 BAG 2 (Bag 2 Carbon Dioxide)	501.747388	--	CO BAG 2 (Bag 2 Carbon Monoxide)	0.0594	--	FE BAG 2 (Bag 2 Fuel Economy)	17.261657	17.261657	CH4 BAG 2 (Bag 2 Methane)	0.0012233	--	NMOG BAG 2 (Bag 2 Non-methane organic gases)	0	--	CO2 BAG 3 (Bag 3 Carbon Dioxide)	438.239508	--	CO BAG 3 (Bag 3 Carbon Monoxide)	0.0205	--	FE BAG 3 (Bag 3 Fuel Economy)	19.785783	19.785783	CH4 BAG 3 (Bag 3 Methane)	0.0038149	--	NMOG BAG 3 (Bag 3 Non-methane organic gases)	0	--	METHANE (CH4 - Methane)	0.014584	--	CO (Carbon Monoxide)	0.697044	--	DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.38901	--	DT-EER (Drive Trace Energy Economy Rating)	0.175204	--	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.607558	--	MFR FE (Manufacturer Fuel Economy)	17.3	17.3	NOX (Nitrogen Oxide)	0.010683	--	HC-NM (Non-methane Hydrocarbon)	0.079279	--	NMOG (Non-methane organic gases)	0.087116	--	HC-TOTAL (Total Hydrocarbon)	0.094388	--	
	Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)																																																																													
	CO2 BAG 1 (Bag 1 Carbon Dioxide)	583.440014	--																																																																													
	CO BAG 1 (Bag 1 Carbon Monoxide)	3.1816	--																																																																													
	FE BAG 1 (Bag 1 Fuel Economy)	14.70588	14.70588																																																																													
	CH4 BAG 1 (Bag 1 Methane)	0.0621369	--																																																																													
	NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.4195399	--																																																																													
	CO2 BAG 2 (Bag 2 Carbon Dioxide)	501.747388	--																																																																													
	CO BAG 2 (Bag 2 Carbon Monoxide)	0.0594	--																																																																													
	FE BAG 2 (Bag 2 Fuel Economy)	17.261657	17.261657																																																																													
	CH4 BAG 2 (Bag 2 Methane)	0.0012233	--																																																																													
	NMOG BAG 2 (Bag 2 Non-methane organic gases)	0	--																																																																													
	CO2 BAG 3 (Bag 3 Carbon Dioxide)	438.239508	--																																																																													
	CO BAG 3 (Bag 3 Carbon Monoxide)	0.0205	--																																																																													
	FE BAG 3 (Bag 3 Fuel Economy)	19.785783	19.785783																																																																													
	CH4 BAG 3 (Bag 3 Methane)	0.0038149	--																																																																													
	NMOG BAG 3 (Bag 3 Non-methane organic gases)	0	--																																																																													
	METHANE (CH4 - Methane)	0.014584	--																																																																													
	CO (Carbon Monoxide)	0.697044	--																																																																													
	DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.38901	--																																																																													
	DT-EER (Drive Trace Energy Economy Rating)	0.175204	--																																																																													
	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.607558	--																																																																													
	MFR FE (Manufacturer Fuel Economy)	17.3	17.3																																																																													
	NOX (Nitrogen Oxide)	0.010683	--																																																																													
	HC-NM (Non-methane Hydrocarbon)	0.079279	--																																																																													
	NMOG (Non-methane organic gases)	0.087116	--																																																																													
	HC-TOTAL (Total Hydrocarbon)	0.094388	--																																																																													
		<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CREE/OPT-CREE</th></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>502</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	Carbon-Related Exhaust Emissions	502	--																																																																								
	Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE																																																																													
	Carbon-Related Exhaust Emissions	502	--																																																																													
		<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CO2</th></tr><tr><td>Carbon dioxide</td><td>501.3</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated CO2	Carbon dioxide	501.3	--																																																																								
	Test Result Name	Unrounded Test Result	Verify Calculated CO2																																																																													
Carbon dioxide	501.3	--																																																																														
Manufacturer Test Comments	--																																																																															

Certification Summary Information Report

Test Group		VFMXT03.0JP1			Evaporative/Refueling Family					VFMXR0185NDG		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	50,000 miles	Federal Tier 3 Bin 30	CO	0.7	--	--	--	--	--	0.7	12.5	Pass
Fed	50,000 miles	Federal Tier 3 Bin 30	CO	0.7	--	--	--	--	--	0.7	12.5	Pass
Fed	120,000 miles	Federal Tier 3 Bin 30	HC-NM	0.08	--	--	--	--	--	0.1	0.3	Pass
Fed	120,000 miles	Federal Tier 3 Bin 30	HC-NM	0.08	--	--	--	--	--	0.1	0.3	Pass
CA	50,000 miles	California LEV-III SULEV30	CO	0.7	--	--	--	--	--	0.7	12.5	Pass
CA	50,000 miles	California LEV-III SULEV30	CO	0.7	--	--	--	--	--	0.7	12.5	Pass

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Test #	TFMX10092537	Test Procedure	3 - HWFE
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	10/08/2025	Fuel	Gasoline
Fuel Batch ID	373-B	Fuel Calibration Number	118
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000), LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	3879	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
METHANE (CH4 - Methane)	0.00027	--	
CO (Carbon Monoxide)	0.011897	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.540676	--	
DT-EER (Drive Trace Energy Economy Rating)	0.069407	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.760591	--	
HCHO (Formaldehyde)	0.0001	--	
MFR FE (Manufacturer Fuel Economy)	28.9	28.9	
NOX (Nitrogen Oxide)	0.001867	--	
N2O (Nitrous Oxide)	0	--	
HC-NM (Non-methane Hydrocarbon)	0	--	
NMOG (Non-methane organic gases)	0	--	
HC-TOTAL (Total Hydrocarbon)	0.000049	--	
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	
Carbon-Related Exhaust Emissions	302	302	
Test Result Name	Unrounded Test Result	Verify Calculated CO2	
Carbon dioxide	302.3	--	
Manufacturer Test Comments	--		

Certification Summary Information Report

Test Group		VFMXT03.0JP1			Evaporative/Refueling Family					VFMXR0185NDG		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 30	CREE	302	--	--	--	0	--	302	--	--
Fed	150,000 miles	Federal Tier 3 Bin 30	CREE	302	--	--	--	0	--	302	--	--
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0	--	1.03	--	--	--	0	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0	--	1.03	--	--	--	0	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0019	--	--	--	--	--	0.002	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0019	--	--	--	--	--	0.002	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0019	--	--	--	--	--	0.002	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0019	--	--	--	--	--	0.002	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG	0	--	1.03	--	--	--	0	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG	0	--	1.03	--	--	--	0	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG+NOX	0.0019	--	--	--	--	--	0.002	0.030	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG+NOX	0.0019	--	--	--	--	--	0.002	0.030	Pass
CA	150,000 miles	California LEV-III SULEV30	NOX	0.0019	--	--	--	--	--	0.002	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	NOX	0.0019	--	--	--	--	--	0.002	999.999	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Test #	TFMX10092538	Test Procedure	90 - US06
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	10/08/2025	Fuel	Gasoline
Fuel Batch ID	373-B	Fuel Calibration Number	118
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000), LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	3911	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG																																																																		
	<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated FE Equivalent Value (miles per gallon)</th></tr><tr><td>CO2 BAG 1 (Bag 1 Carbon Dioxide)</td><td>699.894829</td><td>--</td></tr><tr><td>CO BAG 1 (Bag 1 Carbon Monoxide)</td><td>0.1107</td><td>--</td></tr><tr><td>FE BAG 1 (Bag 1 Fuel Economy)</td><td>12.445678</td><td>12.445678</td></tr><tr><td>CH4 BAG 1 (Bag 1 Methane)</td><td>0.0035066</td><td>--</td></tr><tr><td>NMOG BAG 1 (Bag 1 Non-methane organic gases)</td><td>0.004244</td><td>--</td></tr><tr><td>CO2 BAG 2 (Bag 2 Carbon Dioxide)</td><td>378.673332</td><td>--</td></tr><tr><td>CO BAG 2 (Bag 2 Carbon Monoxide)</td><td>0.0519</td><td>--</td></tr><tr><td>FE BAG 2 (Bag 2 Fuel Economy)</td><td>22.987204</td><td>22.987204</td></tr><tr><td>CH4 BAG 2 (Bag 2 Methane)</td><td>0.0018283</td><td>--</td></tr><tr><td>NMOG BAG 2 (Bag 2 Non-methane organic gases)</td><td>0.0048897</td><td>--</td></tr><tr><td>METHANE (CH4 - Methane)</td><td>0.0022</td><td>--</td></tr><tr><td>CO (Carbon Monoxide)</td><td>0.064919</td><td>--</td></tr><tr><td>DT-ASCR (Drive Trace Absolute Speed Change Rating)</td><td>0.218446</td><td>--</td></tr><tr><td>DT-EER (Drive Trace Energy Economy Rating)</td><td>-0.329829</td><td>--</td></tr><tr><td>DT-IWRR (Drive Trace Inertia Work Ratio Rating)</td><td>0.985069</td><td>--</td></tr><tr><td>MFR FE (Manufacturer Fuel Economy)</td><td>19.4</td><td>19.4</td></tr><tr><td>NOX (Nitrogen Oxide)</td><td>0.004272</td><td>--</td></tr><tr><td>HC-NM (Non-methane Hydrocarbon)</td><td>0.004608</td><td>--</td></tr><tr><td>NMOG (Non-methane organic gases)</td><td>0.004746</td><td>--</td></tr><tr><td>PM (Particulate Matter)</td><td>0</td><td>--</td></tr><tr><td>HC-TOTAL (Total Hydrocarbon)</td><td>0.006739</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	CO2 BAG 1 (Bag 1 Carbon Dioxide)	699.894829	--	CO BAG 1 (Bag 1 Carbon Monoxide)	0.1107	--	FE BAG 1 (Bag 1 Fuel Economy)	12.445678	12.445678	CH4 BAG 1 (Bag 1 Methane)	0.0035066	--	NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.004244	--	CO2 BAG 2 (Bag 2 Carbon Dioxide)	378.673332	--	CO BAG 2 (Bag 2 Carbon Monoxide)	0.0519	--	FE BAG 2 (Bag 2 Fuel Economy)	22.987204	22.987204	CH4 BAG 2 (Bag 2 Methane)	0.0018283	--	NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0048897	--	METHANE (CH4 - Methane)	0.0022	--	CO (Carbon Monoxide)	0.064919	--	DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.218446	--	DT-EER (Drive Trace Energy Economy Rating)	-0.329829	--	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.985069	--	MFR FE (Manufacturer Fuel Economy)	19.4	19.4	NOX (Nitrogen Oxide)	0.004272	--	HC-NM (Non-methane Hydrocarbon)	0.004608	--	NMOG (Non-methane organic gases)	0.004746	--	PM (Particulate Matter)	0	--	HC-TOTAL (Total Hydrocarbon)	0.006739	--		
	Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)																																																																		
	CO2 BAG 1 (Bag 1 Carbon Dioxide)	699.894829	--																																																																		
	CO BAG 1 (Bag 1 Carbon Monoxide)	0.1107	--																																																																		
	FE BAG 1 (Bag 1 Fuel Economy)	12.445678	12.445678																																																																		
	CH4 BAG 1 (Bag 1 Methane)	0.0035066	--																																																																		
	NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.004244	--																																																																		
	CO2 BAG 2 (Bag 2 Carbon Dioxide)	378.673332	--																																																																		
	CO BAG 2 (Bag 2 Carbon Monoxide)	0.0519	--																																																																		
	FE BAG 2 (Bag 2 Fuel Economy)	22.987204	22.987204																																																																		
	CH4 BAG 2 (Bag 2 Methane)	0.0018283	--																																																																		
	NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0048897	--																																																																		
	METHANE (CH4 - Methane)	0.0022	--																																																																		
	CO (Carbon Monoxide)	0.064919	--																																																																		
	DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.218446	--																																																																		
	DT-EER (Drive Trace Energy Economy Rating)	-0.329829	--																																																																		
	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.985069	--																																																																		
	MFR FE (Manufacturer Fuel Economy)	19.4	19.4																																																																		
	NOX (Nitrogen Oxide)	0.004272	--																																																																		
	HC-NM (Non-methane Hydrocarbon)	0.004608	--																																																																		
	NMOG (Non-methane organic gases)	0.004746	--																																																																		
	PM (Particulate Matter)	0	--																																																																		
	HC-TOTAL (Total Hydrocarbon)	0.006739	--																																																																		
		<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CREE/OPT-CREE</th></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>450</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	Carbon-Related Exhaust Emissions	450	--																																																													
	Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE																																																																		
	Carbon-Related Exhaust Emissions	450	--																																																																		
		<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CO2</th></tr><tr><td>Carbon dioxide</td><td>449.9</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated CO2	Carbon dioxide	449.9	--																																																													
	Test Result Name	Unrounded Test Result	Verify Calculated CO2																																																																		
Carbon dioxide	449.9	--																																																																			
Manufacturer Test Comments	--																																																																				

Certification Summary Information Report

Test Group		VFMXT03.0JP1			Evaporative/Refueling Family					VFMXR0185NDG		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 30	PM	0	--	--	--	--	--	0	0.006	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	PM	0	--	--	--	--	--	0	0.006	Pass
CA	150,000 miles	California LEV-III SULEV30	PM	0	--	--	--	--	--	0	0.006	Pass
CA	150,000 miles	California LEV-III SULEV30	PM	0	--	--	--	--	--	0	0.006	Pass

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Test #	TFMX10092539	Test Procedure	95 - SC03
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	10/08/2025	Fuel	N/A
Fuel Batch ID	373-B	Fuel Calibration Number	118
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	3927	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0.00557	--
CO (Carbon Monoxide)	0.024226	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.458202	--
DT-EER (Drive Trace Energy Economy Rating)	-0.248951	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-0.485281	--
MFR FE (Manufacturer Fuel Economy)	16.4	16.4
NOX (Nitrogen Oxide)	0.006007	--
HC-NM (Non-methane Hydrocarbon)	0.002019	--
NMOG (Non-methane organic gases)	0.00208	--
HC-TOTAL (Total Hydrocarbon)	0.00798	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	530	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	529.7	--

Manufacturer Test Comments --

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG					
Emission Data Vehicle Information								
Vehicle ID / Configuration	VTW1-3.0-J-313 / 1	Manufacturer Vehicle Configuration Number	1					
Original Test Group Name	VFMXT03.0JP1	Original Evaporative/Refueling Family	VFMXR0185NDG					
Original Test Vehicle Model Year	2027							
Vehicle Model								
Represented Test Vehicle Make	FORD	Represented Test Vehicle Model	EXPLORER TREMOR AWD					
Leak Family Details								
Leak Family Identifier	001	Leak Family Name	VFMXR0185NDG-001					
Drive Sources and Fuel System Details								
	<table border="1"> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> <tr> <td>1</td> <td>Combustion Engine</td> <td>Gasoline</td> </tr> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline	
Drive Source and Fuel#	Drive Source	Fuel						
1	Combustion Engine	Gasoline						
Hybrid Indicator	No							
Multiple Fuel Storage	--	Multiple Fuel Combustion	--					
Fuel Cell Indicator	--	Rechargeable Energy Storage System Indicator	--					
Rechargeable Energy Storage System	--	Rechargeable Energy Storage System, if 'Other'	--					
Off-board charge Capable Indicator	--							
Odometer Correction -- Initial	0	Odometer Correction Factor	1.03					
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles							
Odometer Correction Units	Miles							
Engine Code	VCTWYXNA07	Rated Horsepower	385					
Displacement (liters)	3							
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'						
Number of Air Aspiration Devices	2	Air Aspiration Device Configuration	Parallel					
Charge Air Cooler Type	Air	Drive Mode While Testing	2-Wheel Drive, Rear					
Shift Indicator Light Usage	Not equipped	Aged Emission Components	150,000 (mi)					
Curb Weight (lbs)	4820	Equivalent Test Weight (pounds)	5000					
GVWR (lbs)	6010	N/V Ratio	25.1					
Axle Ratio	3.58							
Transmission Type	Automatic	# of Transmission Gears	10					
Transmission Lockup	Yes	Creep Gear	No					

Certification Summary Information Report

Test Group		VFMXT03.0JP1			Evaporative/Refueling Family			VFMXR0185NDG
Dynamometer Coefficients:								
Target Coefficients				Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)		
City/Highway/Evap	45.31	0.1248	0.03146	16.04	0.217	0.02814		
Cold CO	45.31	0.1248	0.03146	16.04	0.217	0.02814		
US06	45.31	0.1248	0.03146	16.04	0.217	0.02814	N/A	
Emission Control Device Comments		--						
Manufacturer Test Vehicle Comments		27MY Job2 Catalyst TVM						

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Test #	VFMX10095147	Test Procedure	21 - Federal fuel 2-day exhaust (w/can load)
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	07/21/2026	Fuel	Gasoline
Fuel Batch ID	373-B	Fuel Calibration Number	136
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000), LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4198	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
CO2 BAG 1 (Bag 1 Carbon Dioxide)	456.267141	--	
CO BAG 1 (Bag 1 Carbon Monoxide)	0.6206	--	
FE BAG 1 (Bag 1 Fuel Economy)	19.059872	19.059872	
CH4 BAG 1 (Bag 1 Methane)	0.0092315	--	
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0348968	--	
CO2 BAG 2 (Bag 2 Carbon Dioxide)	428.209946	--	
CO BAG 2 (Bag 2 Carbon Monoxide)	0.0194	--	
FE BAG 2 (Bag 2 Fuel Economy)	20.353704	20.353704	
CH4 BAG 2 (Bag 2 Methane)	0.0026528	--	
NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0004667	--	
CO2 BAG 3 (Bag 3 Carbon Dioxide)	396.053603	--	
CO BAG 3 (Bag 3 Carbon Monoxide)	0.0144	--	
FE BAG 3 (Bag 3 Fuel Economy)	21.998782	21.998782	
CH4 BAG 3 (Bag 3 Methane)	0.003077	--	
NMOG BAG 3 (Bag 3 Non-methane organic gases)	0.0023211	--	
METHANE (CH4 - Methane)	0.004131	--	
CO (Carbon Monoxide)	0.142445	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.50386	--	
DT-EER (Drive Trace Energy Economy Rating)	-0.534392	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	1.16418	--	
HCHO (Formaldehyde)	0.0002	--	
MFR FE (Manufacturer Fuel Economy)	20.5	20.5	
NOX (Nitrogen Oxide)	0.007203	--	
N2O (Nitrous Oxide)	0.0004	--	
HC-NM (Non-methane Hydrocarbon)	0.007372	--	
NMOG (Non-methane organic gases)	0.008111	--	
PM (Particulate Matter)	0.000037	--	
HC-TOTAL (Total Hydrocarbon)	0.011342	--	
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	
Carbon-Related Exhaust Emissions	425	425	
Optional Carbon-Related Exhaust Emissions	425	425	

Page 28 of 63 CSI Submission/Revision Date: 08/21/2026 11:33:07 AM

Certification Summary Information Report

Test Group		VFMXT03.0JP1			Evaporative/Refueling Family					VFMXR0185NDG		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 30	CO	0.14	--	--	--	--	--	0.1	1.0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	CO	0.14	--	--	--	--	--	0.1	1.0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	CO-COMP	0.11	--	--	--	--	--	0.1	4.2	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	CO-COMP	0.11	--	--	--	--	--	0.1	4.2	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	CREE	425	--	--	--	0	--	425	--	--
Fed	150,000 miles	Federal Tier 3 Bin 30	CREE	425	--	--	--	0	--	425	--	--
Fed	150,000 miles	Federal Tier 3 Bin 30	HCHO	0.0002	--	--	--	--	--	0	0.004	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	HCHO	0.0002	--	--	--	--	--	0	0.004	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	METHANE	0.0041	--	--	--	--	--	0.004	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	METHANE	0.0041	--	--	--	--	--	0.004	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	N2O	0.0004	--	--	--	--	--	0	0.010	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	N2O	0.0004	--	--	--	--	--	0	0.010	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0081	--	1.1	--	--	--	0.008	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0081	--	1.1	--	--	--	0.008	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0153	--	--	--	--	--	0.015	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0153	--	--	--	--	--	0.015	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX-COMP	0.0219	--	--	--	--	--	0.022	0.040	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX-COMP	0.0219	--	--	--	--	--	0.022	0.040	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0072	--	--	--	--	--	0.007	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0072	--	--	--	--	--	0.007	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	OPT-CREE	425	--	--	--	0	--	425	--	--
Fed	150,000 miles	Federal Tier 3 Bin 30	OPT-CREE	425	--	--	--	0	--	425	--	--

Certification Summary Information Report

Test Group		VFMXT03.0JP1			Evaporative/Refueling Family					VFMXR0185NDG		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 30	PM	0	--	--	--	--	--	0	0.003	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	PM	0	--	--	--	--	--	0	0.003	Pass
CA	150,000 miles	California LEV-III SULEV30	CO	0.14	--	--	--	--	--	0.1	1.0	Pass
CA	150,000 miles	California LEV-III SULEV30	CO	0.14	--	--	--	--	--	0.1	1.0	Pass
CA	150,000 miles	California LEV-III SULEV30	CO-COMP	0.11	--	--	--	--	--	0.1	4.2	Pass
CA	150,000 miles	California LEV-III SULEV30	CO-COMP	0.11	--	--	--	--	--	0.1	4.2	Pass
CA	150,000 miles	California LEV-III SULEV30	HCHO	0.0002	--	--	--	--	--	0	0.004	Pass
CA	150,000 miles	California LEV-III SULEV30	HCHO	0.0002	--	--	--	--	--	0	0.004	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG	0.0081	--	1.1	--	--	--	0.008	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG	0.0081	--	1.1	--	--	--	0.008	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG+NOX	0.0153	--	--	--	--	--	0.015	0.030	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG+NOX	0.0153	--	--	--	--	--	0.015	0.030	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG+NOX-COMP	0.0219	--	--	--	--	--	0.022	0.040	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG+NOX-COMP	0.0219	--	--	--	--	--	0.022	0.040	Pass
CA	150,000 miles	California LEV-III SULEV30	NOX	0.0072	--	--	--	--	--	0.007	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	NOX	0.0072	--	--	--	--	--	0.007	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	PM	0	--	--	--	--	--	0	0.001	Pass
CA	150,000 miles	California LEV-III SULEV30	PM	0	--	--	--	--	--	0	0.001	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Test #	VFMX10095150	Test Procedure	11 - Cold CO
Exhaust Test # for this Evap Test	--	Test Fuel Type	28 - Cold CO E10 Regular Gasoline (Tier 3)
Test Date	07/24/2026	Fuel	Gasoline
Fuel Batch ID	375-B	Fuel Calibration Number	86
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000), LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4261	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG																																																																													
	<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated FE Equivalent Value (miles per gallon)</th></tr><tr><td>CO2 BAG 1 (Bag 1 Carbon Dioxide)</td><td>566.143924</td><td>--</td></tr><tr><td>CO BAG 1 (Bag 1 Carbon Monoxide)</td><td>3.3924</td><td>--</td></tr><tr><td>FE BAG 1 (Bag 1 Fuel Economy)</td><td>15.196926</td><td>15.196926</td></tr><tr><td>CH4 BAG 1 (Bag 1 Methane)</td><td>0.0687004</td><td>--</td></tr><tr><td>NMOG BAG 1 (Bag 1 Non-methane organic gases)</td><td>0.467914</td><td>--</td></tr><tr><td>CO2 BAG 2 (Bag 2 Carbon Dioxide)</td><td>482.171599</td><td>--</td></tr><tr><td>CO BAG 2 (Bag 2 Carbon Monoxide)</td><td>0.1411</td><td>--</td></tr><tr><td>FE BAG 2 (Bag 2 Fuel Economy)</td><td>18.051502</td><td>18.051502</td></tr><tr><td>CH4 BAG 2 (Bag 2 Methane)</td><td>0.0023282</td><td>--</td></tr><tr><td>NMOG BAG 2 (Bag 2 Non-methane organic gases)</td><td>0.0026025</td><td>--</td></tr><tr><td>CO2 BAG 3 (Bag 3 Carbon Dioxide)</td><td>432.46944</td><td>--</td></tr><tr><td>CO BAG 3 (Bag 3 Carbon Monoxide)</td><td>0.0343</td><td>--</td></tr><tr><td>FE BAG 3 (Bag 3 Fuel Economy)</td><td>20.146945</td><td>20.146945</td></tr><tr><td>CH4 BAG 3 (Bag 3 Methane)</td><td>0.0041746</td><td>--</td></tr><tr><td>NMOG BAG 3 (Bag 3 Non-methane organic gases)</td><td>0.0063792</td><td>--</td></tr><tr><td>METHANE (CH4 - Methane)</td><td>0.01658</td><td>--</td></tr><tr><td>CO (Carbon Monoxide)</td><td>0.785119</td><td>--</td></tr><tr><td>DT-ASCR (Drive Trace Absolute Speed Change Rating)</td><td>0.471492</td><td>--</td></tr><tr><td>DT-EER (Drive Trace Energy Economy Rating)</td><td>-0.1471</td><td>--</td></tr><tr><td>DT-IWRR (Drive Trace Inertia Work Ratio Rating)</td><td>0.73697</td><td>--</td></tr><tr><td>MFR FE (Manufacturer Fuel Economy)</td><td>17.9</td><td>17.9</td></tr><tr><td>NOX (Nitrogen Oxide)</td><td>0.007386</td><td>--</td></tr><tr><td>HC-NM (Non-methane Hydrocarbon)</td><td>0.090851</td><td>--</td></tr><tr><td>NMOG (Non-methane organic gases)</td><td>0.099864</td><td>--</td></tr><tr><td>HC-TOTAL (Total Hydrocarbon)</td><td>0.106811</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	CO2 BAG 1 (Bag 1 Carbon Dioxide)	566.143924	--	CO BAG 1 (Bag 1 Carbon Monoxide)	3.3924	--	FE BAG 1 (Bag 1 Fuel Economy)	15.196926	15.196926	CH4 BAG 1 (Bag 1 Methane)	0.0687004	--	NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.467914	--	CO2 BAG 2 (Bag 2 Carbon Dioxide)	482.171599	--	CO BAG 2 (Bag 2 Carbon Monoxide)	0.1411	--	FE BAG 2 (Bag 2 Fuel Economy)	18.051502	18.051502	CH4 BAG 2 (Bag 2 Methane)	0.0023282	--	NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0026025	--	CO2 BAG 3 (Bag 3 Carbon Dioxide)	432.46944	--	CO BAG 3 (Bag 3 Carbon Monoxide)	0.0343	--	FE BAG 3 (Bag 3 Fuel Economy)	20.146945	20.146945	CH4 BAG 3 (Bag 3 Methane)	0.0041746	--	NMOG BAG 3 (Bag 3 Non-methane organic gases)	0.0063792	--	METHANE (CH4 - Methane)	0.01658	--	CO (Carbon Monoxide)	0.785119	--	DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.471492	--	DT-EER (Drive Trace Energy Economy Rating)	-0.1471	--	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.73697	--	MFR FE (Manufacturer Fuel Economy)	17.9	17.9	NOX (Nitrogen Oxide)	0.007386	--	HC-NM (Non-methane Hydrocarbon)	0.090851	--	NMOG (Non-methane organic gases)	0.099864	--	HC-TOTAL (Total Hydrocarbon)	0.106811	--	
	Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)																																																																													
	CO2 BAG 1 (Bag 1 Carbon Dioxide)	566.143924	--																																																																													
	CO BAG 1 (Bag 1 Carbon Monoxide)	3.3924	--																																																																													
	FE BAG 1 (Bag 1 Fuel Economy)	15.196926	15.196926																																																																													
	CH4 BAG 1 (Bag 1 Methane)	0.0687004	--																																																																													
	NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.467914	--																																																																													
	CO2 BAG 2 (Bag 2 Carbon Dioxide)	482.171599	--																																																																													
	CO BAG 2 (Bag 2 Carbon Monoxide)	0.1411	--																																																																													
	FE BAG 2 (Bag 2 Fuel Economy)	18.051502	18.051502																																																																													
	CH4 BAG 2 (Bag 2 Methane)	0.0023282	--																																																																													
	NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0026025	--																																																																													
	CO2 BAG 3 (Bag 3 Carbon Dioxide)	432.46944	--																																																																													
	CO BAG 3 (Bag 3 Carbon Monoxide)	0.0343	--																																																																													
	FE BAG 3 (Bag 3 Fuel Economy)	20.146945	20.146945																																																																													
	CH4 BAG 3 (Bag 3 Methane)	0.0041746	--																																																																													
	NMOG BAG 3 (Bag 3 Non-methane organic gases)	0.0063792	--																																																																													
	METHANE (CH4 - Methane)	0.01658	--																																																																													
	CO (Carbon Monoxide)	0.785119	--																																																																													
	DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.471492	--																																																																													
	DT-EER (Drive Trace Energy Economy Rating)	-0.1471	--																																																																													
	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.73697	--																																																																													
	MFR FE (Manufacturer Fuel Economy)	17.9	17.9																																																																													
	NOX (Nitrogen Oxide)	0.007386	--																																																																													
	HC-NM (Non-methane Hydrocarbon)	0.090851	--																																																																													
	NMOG (Non-methane organic gases)	0.099864	--																																																																													
	HC-TOTAL (Total Hydrocarbon)	0.106811	--																																																																													
		<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CREE/OPT-CREE</th></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>488</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	Carbon-Related Exhaust Emissions	488	--																																																																								
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE																																																																														
Carbon-Related Exhaust Emissions	488	--																																																																														
	<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CO2</th></tr><tr><td>Carbon dioxide</td><td>485.9</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated CO2	Carbon dioxide	485.9	--																																																																									
Test Result Name	Unrounded Test Result	Verify Calculated CO2																																																																														
Carbon dioxide	485.9	--																																																																														
Manufacturer Test Comments	--																																																																															

Certification Summary Information Report

Test Group		VFMXT03.0JP1				Evaporative/Refueling Family				VFMXR0185NDG		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	50,000 miles	Federal Tier 3 Bin 30	CO	0.79	--	--	--	--	--	0.8	12.5	Pass
Fed	50,000 miles	Federal Tier 3 Bin 30	CO	0.79	--	--	--	--	--	0.8	12.5	Pass
Fed	120,000 miles	Federal Tier 3 Bin 30	HC-NM	0.09	--	--	--	--	--	0.1	0.3	Pass
Fed	120,000 miles	Federal Tier 3 Bin 30	HC-NM	0.09	--	--	--	--	--	0.1	0.3	Pass
CA	50,000 miles	California LEV-III SULEV30	CO	0.79	--	--	--	--	--	0.8	12.5	Pass
CA	50,000 miles	California LEV-III SULEV30	CO	0.79	--	--	--	--	--	0.8	12.5	Pass

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Test #	VFMX10095148	Test Procedure	3 - HWFE
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	07/21/2026	Fuel	Gasoline
Fuel Batch ID	373-B	Fuel Calibration Number	136
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000), LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4198	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
METHANE (CH4 - Methane)	0.000289	--	
CO (Carbon Monoxide)	0.022138	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	3.38807	--	
DT-EER (Drive Trace Energy Economy Rating)	-0.808324	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	3.79707	--	
HCHO (Formaldehyde)	0.0001	--	
MFR FE (Manufacturer Fuel Economy)	28.8	28.8	
NOX (Nitrogen Oxide)	0.001185	--	
N2O (Nitrous Oxide)	0	--	
HC-NM (Non-methane Hydrocarbon)	0.000481	--	
NMOG (Non-methane organic gases)	0.00053	--	
HC-TOTAL (Total Hydrocarbon)	0.000758	--	
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	
Carbon-Related Exhaust Emissions	302	302	
Test Result Name	Unrounded Test Result	Verify Calculated CO2	
Carbon dioxide	301.5	--	
Manufacturer Test Comments	--		

Certification Summary Information Report

Test Group		VFMXT03.0JP1				Evaporative/Refueling Family				VFMXR0185NDG		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 30	CREE	302	--	--	--	0	--	302	--	--
Fed	150,000 miles	Federal Tier 3 Bin 30	CREE	302	--	--	--	0	--	302	--	--
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0005	--	1.03	--	--	--	0	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0005	--	1.03	--	--	--	0	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0017	--	--	--	--	--	0.002	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0017	--	--	--	--	--	0.002	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0012	--	--	--	--	--	0.001	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0012	--	--	--	--	--	0.001	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG	0.0005	--	1.03	--	--	--	0	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG	0.0005	--	1.03	--	--	--	0	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG+NOX	0.0017	--	--	--	--	--	0.002	0.030	Pass
CA	150,000 miles	California LEV-III SULEV30	NMOG+NOX	0.0017	--	--	--	--	--	0.002	0.030	Pass
CA	150,000 miles	California LEV-III SULEV30	NOX	0.0012	--	--	--	--	--	0.001	999.999	Pass
CA	150,000 miles	California LEV-III SULEV30	NOX	0.0012	--	--	--	--	--	0.001	999.999	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Test #	VFMX10095149	Test Procedure	90 - US06
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	07/21/2026	Fuel	Gasoline
Fuel Batch ID	373-B	Fuel Calibration Number	136
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000), LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4230	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG																																																																		
	<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated FE Equivalent Value (miles per gallon)</th></tr><tr><td>CO2 BAG 1 (Bag 1 Carbon Dioxide)</td><td>712.484945</td><td>--</td></tr><tr><td>CO BAG 1 (Bag 1 Carbon Monoxide)</td><td>0.1526</td><td>--</td></tr><tr><td>FE BAG 1 (Bag 1 Fuel Economy)</td><td>12.230733</td><td>12.230733</td></tr><tr><td>CH4 BAG 1 (Bag 1 Methane)</td><td>0.0050475</td><td>--</td></tr><tr><td>NMOG BAG 1 (Bag 1 Non-methane organic gases)</td><td>0.0240663</td><td>--</td></tr><tr><td>CO2 BAG 2 (Bag 2 Carbon Dioxide)</td><td>386.453925</td><td>--</td></tr><tr><td>CO BAG 2 (Bag 2 Carbon Monoxide)</td><td>0.1781</td><td>--</td></tr><tr><td>FE BAG 2 (Bag 2 Fuel Economy)</td><td>22.550463</td><td>22.550463</td></tr><tr><td>CH4 BAG 2 (Bag 2 Methane)</td><td>0.0039253</td><td>--</td></tr><tr><td>NMOG BAG 2 (Bag 2 Non-methane organic gases)</td><td>0.0165249</td><td>--</td></tr><tr><td>METHANE (CH4 - Methane)</td><td>0.00417</td><td>--</td></tr><tr><td>CO (Carbon Monoxide)</td><td>0.172553</td><td>--</td></tr><tr><td>DT-ASCR (Drive Trace Absolute Speed Change Rating)</td><td>-0.952437</td><td>--</td></tr><tr><td>DT-EER (Drive Trace Energy Economy Rating)</td><td>-0.589987</td><td>--</td></tr><tr><td>DT-IWRR (Drive Trace Inertia Work Ratio Rating)</td><td>-1.29811</td><td>--</td></tr><tr><td>MFR FE (Manufacturer Fuel Economy)</td><td>19</td><td>19</td></tr><tr><td>NOX (Nitrogen Oxide)</td><td>0.004794</td><td>--</td></tr><tr><td>HC-NM (Non-methane Hydrocarbon)</td><td>0.017642</td><td>--</td></tr><tr><td>NMOG (Non-methane organic gases)</td><td>0.01941</td><td>--</td></tr><tr><td>PM (Particulate Matter)</td><td>0.000901</td><td>--</td></tr><tr><td>HC-TOTAL (Total Hydrocarbon)</td><td>0.02165</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	CO2 BAG 1 (Bag 1 Carbon Dioxide)	712.484945	--	CO BAG 1 (Bag 1 Carbon Monoxide)	0.1526	--	FE BAG 1 (Bag 1 Fuel Economy)	12.230733	12.230733	CH4 BAG 1 (Bag 1 Methane)	0.0050475	--	NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0240663	--	CO2 BAG 2 (Bag 2 Carbon Dioxide)	386.453925	--	CO BAG 2 (Bag 2 Carbon Monoxide)	0.1781	--	FE BAG 2 (Bag 2 Fuel Economy)	22.550463	22.550463	CH4 BAG 2 (Bag 2 Methane)	0.0039253	--	NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0165249	--	METHANE (CH4 - Methane)	0.00417	--	CO (Carbon Monoxide)	0.172553	--	DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.952437	--	DT-EER (Drive Trace Energy Economy Rating)	-0.589987	--	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-1.29811	--	MFR FE (Manufacturer Fuel Economy)	19	19	NOX (Nitrogen Oxide)	0.004794	--	HC-NM (Non-methane Hydrocarbon)	0.017642	--	NMOG (Non-methane organic gases)	0.01941	--	PM (Particulate Matter)	0.000901	--	HC-TOTAL (Total Hydrocarbon)	0.02165	--		
	Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)																																																																		
	CO2 BAG 1 (Bag 1 Carbon Dioxide)	712.484945	--																																																																		
	CO BAG 1 (Bag 1 Carbon Monoxide)	0.1526	--																																																																		
	FE BAG 1 (Bag 1 Fuel Economy)	12.230733	12.230733																																																																		
	CH4 BAG 1 (Bag 1 Methane)	0.0050475	--																																																																		
	NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0240663	--																																																																		
	CO2 BAG 2 (Bag 2 Carbon Dioxide)	386.453925	--																																																																		
	CO BAG 2 (Bag 2 Carbon Monoxide)	0.1781	--																																																																		
	FE BAG 2 (Bag 2 Fuel Economy)	22.550463	22.550463																																																																		
	CH4 BAG 2 (Bag 2 Methane)	0.0039253	--																																																																		
	NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0165249	--																																																																		
	METHANE (CH4 - Methane)	0.00417	--																																																																		
	CO (Carbon Monoxide)	0.172553	--																																																																		
	DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.952437	--																																																																		
	DT-EER (Drive Trace Energy Economy Rating)	-0.589987	--																																																																		
	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-1.29811	--																																																																		
	MFR FE (Manufacturer Fuel Economy)	19	19																																																																		
	NOX (Nitrogen Oxide)	0.004794	--																																																																		
	HC-NM (Non-methane Hydrocarbon)	0.017642	--																																																																		
	NMOG (Non-methane organic gases)	0.01941	--																																																																		
	PM (Particulate Matter)	0.000901	--																																																																		
	HC-TOTAL (Total Hydrocarbon)	0.02165	--																																																																		
		<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CREE/OPT-CREE</th></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>458</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	Carbon-Related Exhaust Emissions	458	--																																																													
	Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE																																																																		
	Carbon-Related Exhaust Emissions	458	--																																																																		
		<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CO2</th></tr><tr><td>Carbon dioxide</td><td>457.6</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated CO2	Carbon dioxide	457.6	--																																																													
	Test Result Name	Unrounded Test Result	Verify Calculated CO2																																																																		
Carbon dioxide	457.6	--																																																																			
Manufacturer Test Comments	--																																																																				

Certification Summary Information Report

Test Group		VFMXT03.0JP1				Evaporative/Refueling Family				VFMXR0185NDG		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 30	PM	0.0009	--	--	--	--	--	0.001	0.006	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	PM	0.0009	--	--	--	--	--	0.001	0.006	Pass
CA	150,000 miles	California LEV-III SULEV30	PM	0.0009	--	--	--	--	--	0.001	0.006	Pass
CA	150,000 miles	California LEV-III SULEV30	PM	0.0009	--	--	--	--	--	0.001	0.006	Pass

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Test #	VFMX10095151	Test Procedure	95 - SC03
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	07/22/2026	Fuel	N/A
Fuel Batch ID	373-B	Fuel Calibration Number	136
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4246	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0.00539	--
CO (Carbon Monoxide)	0.036078	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.706226	--
DT-EER (Drive Trace Energy Economy Rating)	-0.8718	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-0.791075	--
MFR FE (Manufacturer Fuel Economy)	17	17
NOX (Nitrogen Oxide)	0.004061	--
HC-NM (Non-methane Hydrocarbon)	0.020253	--
NMOG (Non-methane organic gases)	0.022283	--
HC-TOTAL (Total Hydrocarbon)	0.025441	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	511	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	510.7	--

Manufacturer Test Comments --

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG						
Emission Data Vehicle Information									
Vehicle ID / Configuration	VTW1-3.0-J-456 / 0	Manufacturer Vehicle Configuration Number	0						
Original Test Group Name	TFMXT03.0JP1	Original Evaporative/Refueling Family	TFMXR0185NDG						
Original Test Vehicle Model Year	2026								
Vehicle Model									
Represented Test Vehicle Make	LINCOLN	Represented Test Vehicle Model	AVIATOR AWD						
Leak Family Details									
Leak Family Identifier	001	Leak Family Name	TFMXR0185NDG-001						
Drive Sources and Fuel System Details									
	<table border="1"> <tr> <th>Drive Source and Fuel#</th><th>Drive Source</th><th>Fuel</th></tr> <tr> <td>1</td><td>Combustion Engine</td><td>Gasoline</td></tr> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline		
Drive Source and Fuel#	Drive Source	Fuel							
1	Combustion Engine	Gasoline							
Hybrid Indicator	No								
Multiple Fuel Storage	--	Multiple Fuel Combustion	--						
Fuel Cell Indicator	--	Rechargeable Energy Storage System Indicator	--						
Rechargeable Energy Storage System	--	Rechargeable Energy Storage System, if 'Other'	--						
Off-board charge Capable Indicator	--								
Odometer Correction -- Initial	0	Odometer Correction Factor	1.03						
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles								
Odometer Correction Units	Miles								
Engine Code	VCTVYXNA00	Rated Horsepower	380						
Displacement (liters)	3								
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'							
Number of Air Aspiration Devices	2	Air Aspiration Device Configuration	Parallel						
Charge Air Cooler Type	Air	Drive Mode While Testing	2-Wheel Drive, Rear						
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)						
Curb Weight (lbs)	5188	Equivalent Test Weight (pounds)	5500						
GVWR (lbs)	6450	N/V Ratio	25.8						
Axle Ratio	3.58								
Transmission Type	Semi-Automatic	# of Transmission Gears	10						
Transmission Lockup	Yes	Creep Gear	No						

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
-------------------	--------------	-------------------------------------	--------------

Dynamometer Coefficients:

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	35.52	0.5931	0.02334	6.29	0.6481	0.02041	16.5
Cold CO	35.52	0.5931	0.02334	6.29	0.6481	0.02041	N/A
US06	35.52	0.5931	0.02334	6.29	0.6481	0.02041	N/A

Emission Control Device Comments 26.5MY U611 3.0L GTDI AWD (26.5MY GS Cert Testing)

Manufacturer Test Vehicle Comments 26.5MY U611 3.0L GTDI AWD (26.5MY GS Cert Testing, 4k Emissions Components)

Test #	TFMX10092766	Test Procedure	23 - 2-day evap
Exhaust Test # for this Evap Test	TFMX10092765	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	10/01/2025	Fuel	Gasoline
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	4108	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
OMHCE (Organic material Hydrocarbon Equivalent)	0.2048	--
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.2048	--

Manufacturer Test Comments --

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.2048	0	0.205	0.5	Pass
CA	150,000 miles	California LEV-III Zero Evap (Option 2)	OMHCE	0.2048	0	0.205	0.5	Pass

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Test #	TFMX10092767	Test Procedure	34 - Federal fuel 3-day evap
Exhaust Test # for this Evap Test	TFMX10092765	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	10/16/2025	Fuel	Gasoline
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	4197	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
OMHCE (Organic material Hydrocarbon Equivalent)	0.2135	--
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.2135	--

Manufacturer Test Comments

--

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.2135	0	0.214	0.5	Pass
CA	150,000 miles	California LEV-III Zero Evap (Option 2)	OMHCE	0.2135	0	0.214	0.5	Pass

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Test #	TFMX10092769	Test Procedure	32 - Federal Fuel Running Loss
Exhaust Test # for this Evap Test	TFMX10092765	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	10/16/2025	Fuel	Gasoline
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	4208	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	No		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	No

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
OMHCE (Organic material Hydrocarbon Equivalent)	0	--
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0	--

Manufacturer Test Comments

--

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0	0	0	0.05	Pass
CA	150,000 miles	California LEV-III Zero Evap (Option 2)	OMHCE	0	0	0	0.05	Pass

Test Group		VFMXT03.0JP1	Evaporative/Refueling Family		VFMXR0185NDG			
Test #		TFMX10092785		Test Procedure		24 - Federal fuel refueling test (ORVR)		
Exhaust Test # for this Evap Test		TFMX10092765		Test Fuel Type		48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)		
Test Date		10/08/2025		Fuel		Gasoline		
Fuel Batch ID		--		Fuel Calibration Number		--		
Vehicle Class		N/A		DF Type		Mfr. Determined		
Verify Test Lab ID		APTL						
E10 Evaporative Test Measurement Method		Actual Total Hydrocarbon Equivalent Measurement (with speciation)						
Test Start Odometer Reading		4120		Odometer Units		M		
4WD Test Dyno		No		Diesel Adjustment Factor Usage		--		
State of Charge Delta		No						
Drive Cycle Speed Tolerance Criteria		Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)		Road Speed Fan Usage		Yes		
Test Results								
Test Result Name			Unrounded Test Result		Verify Calculated FE Equivalent Value (miles per gallon)			
OMHCE (Organic material Hydrocarbon Equivalent)			0.01262		--			
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)			0.01262		--			
Manufacturer Test Comments								
--								
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.013	0.001	0.01	0.2	Pass
CA	150,000 miles	California LEV-III Zero Evap (Option 2)	OMHCE	0.013	0.001	0.01	0.2	Pass

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG					
Emission Data Vehicle Information								
Vehicle ID / Configuration	VTW1-3.0-J-456 / 1	Manufacturer Vehicle Configuration Number	1					
Original Test Group Name	TFMXT03.0JP1	Original Evaporative/Refueling Family	TFMXR0185NDG					
Original Test Vehicle Model Year	2026							
Vehicle Model								
Represented Test Vehicle Make	LINCOLN	Represented Test Vehicle Model	AVIATOR AWD					
Leak Family Details								
Leak Family Identifier	001	Leak Family Name	TFMXR0185NDG-001					
Drive Sources and Fuel System Details								
	<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Combustion Engine</td> <td>Gasoline</td> </tr> </tbody> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline	
Drive Source and Fuel#	Drive Source	Fuel						
1	Combustion Engine	Gasoline						
Hybrid Indicator	No							
Multiple Fuel Storage	--	Multiple Fuel Combustion	--					
Fuel Cell Indicator	--	Rechargeable Energy Storage System Indicator	--					
Rechargeable Energy Storage System	--	Rechargeable Energy Storage System, if 'Other'	--					
Off-board charge Capable Indicator	--							
Odometer Correction -- Initial	0	Odometer Correction Factor	1.03					
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles							
Odometer Correction Units	Miles							
Engine Code	VCTVYXNA00	Rated Horsepower	380					
Displacement (liters)	3							
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'						
Number of Air Aspiration Devices	2	Air Aspiration Device Configuration	Parallel					
Charge Air Cooler Type	Air	Drive Mode While Testing	2-Wheel Drive, Rear					
Shift Indicator Light Usage	Not equipped	Aged Emission Components	150,000 (mi)					
Curb Weight (lbs)	5188	Equivalent Test Weight (pounds)	5500					
GVWR (lbs)	6450	N/V Ratio	25.8					
Axle Ratio	3.58							
Transmission Type	Semi-Automatic	# of Transmission Gears	10					
Transmission Lockup	Yes	Creep Gear	No					

Certification Summary Information Report

Test Group		VFMXT03.0JP1			Evaporative/Refueling Family		VFMXR0185NDG	
Dynamometer Coefficients:								
Target Coefficients				Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)		
City/Highway/Evap	35.52	0.5931	0.02334	6.29	0.6481	0.02041	16.5	
Cold CO	35.52	0.5931	0.02334	6.29	0.6481	0.02041	N/A	
US06	35.52	0.5931	0.02334	6.29	0.6481	0.02041	N/A	
Emission Control Device Comments		26.5MY U611 3.0L GTDI AWD (26.5MY GS Cert Testing)						
Manufacturer Test Vehicle Comments		26.5MY U611 3.0L GTDI AWD (26.5MY GS Cert Testing, 150k Emissions Components)						

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Test #	TFMX10092765	Test Procedure	21 - Federal fuel 2-day exhaust (w/can load)
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	11/15/2025	Fuel	N/A
Fuel Batch ID	373-B	Fuel Calibration Number	121
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	APTL		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4367	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
CO2 BAG 1 (Bag 1 Carbon Dioxide)	465.579567	--	
CO BAG 1 (Bag 1 Carbon Monoxide)	0.5384	--	
FE BAG 1 (Bag 1 Fuel Economy)	18.755792	18.755792	
CH4 BAG 1 (Bag 1 Methane)	0.0095215	--	
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0316637	--	
CO2 BAG 2 (Bag 2 Carbon Dioxide)	447.382613	--	
CO BAG 2 (Bag 2 Carbon Monoxide)	0.022	--	
FE BAG 2 (Bag 2 Fuel Economy)	19.591782	19.591782	
CH4 BAG 2 (Bag 2 Methane)	0.0018511	--	
NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0004137	--	
CO2 BAG 3 (Bag 3 Carbon Dioxide)	400.871639	--	
CO BAG 3 (Bag 3 Carbon Monoxide)	0.0145	--	
FE BAG 3 (Bag 3 Fuel Economy)	21.839579	21.839579	
CH4 BAG 3 (Bag 3 Methane)	0.0041208	--	
NMOG BAG 3 (Bag 3 Non-methane organic gases)	0	--	
METHANE (CH4 - Methane)	0.004062	--	
CO (Carbon Monoxide)	0.126863	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	1.521	--	
DT-EER (Drive Trace Energy Economy Rating)	0.432022	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	1.86944	--	
HCHO (Formaldehyde)	0.0002	--	
MFR FE (Manufacturer Fuel Economy)	20	20	
NOX (Nitrogen Oxide)	0.008006	--	
N2O (Nitrous Oxide)	0.0006	--	
HC-NM (Non-methane Hydrocarbon)	0.00614	--	
NMOG (Non-methane organic gases)	0.006754	--	
PM (Particulate Matter)	0.000055	--	
HC-TOTAL (Total Hydrocarbon)	0.010039	--	
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	
Carbon-Related Exhaust Emissions	438	438	
Optional Carbon-Related Exhaust Emissions	439	439	

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
	Test Result Name	Unrounded Test Result	Verify Calculated CO2
	Carbon dioxide	438.4	--
Manufacturer Test Comments	26.5MY U6xx 3.0L (Green States) EVAP Linking Test, 150k Aged Emissions Components, Drive Mode: Sport Mode with Start Stop Active, Calibration: VCTVYXNA00		

Certification Summary Information Report

Test Group	VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Fuel Properties			
Fuel Batch ID	373-B	Fuel Calibration Number	118
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	09/25/2025
Fuel Batch Calibration Effective Date	09/25/2025	Fuel Batch Calibration Ineffective Date	12/31/2100
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.752
Fuel Ethanol Volume Percent (%)	10	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17851
Fuel Net Heat of Combustion (E10) (MJ/kg)	41.521	Fuel Carbon Mass Fraction (E10)	0.827
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.827	Weight Fraction CO2	--
Fuel Batch ID	373-B	Fuel Calibration Number	136
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	07/20/2026
Fuel Batch Calibration Effective Date	07/20/2026	Fuel Batch Calibration Ineffective Date	12/31/2100
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.749
Fuel Ethanol Volume Percent (%)	9.9	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	--
Fuel Net Heat of Combustion (E10) (MJ/kg)	41.426	Fuel Carbon Mass Fraction (E10)	0.827
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	--	Weight Fraction CO2	--
Fuel Batch ID	375-B	Fuel Calibration Number	74
Test Fuel Type	28 - Cold CO E10 Regular Gasoline (Tier 3)	Fuel Batch Calibration Date	09/26/2025
Fuel Batch Calibration Effective Date	09/26/2025	Fuel Batch Calibration Ineffective Date	12/31/2100
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.744
Fuel Ethanol Volume Percent (%)	9.5	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17921
Fuel Net Heat of Combustion (E10) (MJ/kg)	41.684	Fuel Carbon Mass Fraction (E10)	0.828
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.828	Weight Fraction CO2	--
Fuel Batch ID	375-B	Fuel Calibration Number	86
Test Fuel Type	28 - Cold CO E10 Regular Gasoline (Tier 3)	Fuel Batch Calibration Date	06/26/2026
Fuel Batch Calibration Effective Date	06/26/2026	Fuel Batch Calibration Ineffective Date	12/31/2100
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--

Certification Summary Information Report

Test Group		VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Exhaust Carbon Weight Fraction	--		Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--		Fuel Specific Gravity	0.746
Fuel Ethanol Volume Percent (%)	9.7		Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	--
Fuel Net Heat of Combustion (E10) (MJ/kg)	41.454		Fuel Carbon Mass Fraction (E10)	0.828
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	--		Weight Fraction CO2	--
Fuel Batch ID	373-B		Fuel Calibration Number	121
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)		Fuel Batch Calibration Date	10/28/2025
Fuel Batch Calibration Effective Date	10/28/2025		Fuel Batch Calibration Ineffective Date	12/31/2100
Carbon Weight Fraction NMHC	--		Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--		Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--		Fuel Specific Gravity	0.752
Fuel Ethanol Volume Percent (%)	9.8		Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	--
Fuel Net Heat of Combustion (E10) (MJ/kg)	41.34		Fuel Carbon Mass Fraction (E10)	0.829
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	--		Weight Fraction CO2	--

Certification Summary Information Report

Test Group		VFMXT03.0JP1			Evaporative/Refueling Family		VFMXR0185NDG		
Consolidated List of Standards									
Exhaust Standards									
Cert Region		Federal			Cert/In-Use Code		Both		
Vehicle Class		LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)			Standard Level		Federal Tier 3 Bin 30		
Fuel		Gasoline			Test Procedure		HWFE		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CREE	--	--	--	--	--	--	0	999.999
150,000 miles	NMOG	--	--	1.03	--	--	--	--	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	--	0.030
150,000 miles	NOX	--	--	--	--	--	--	--	999.999
150,000 miles	OPT-CREE	--	--	--	--	--	--	0	999.999
Cert Region		Federal			Cert/In-Use Code		Both		
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level		Federal Tier 3 Bin 30		
Fuel		Gasoline			Test Procedure		Federal fuel 2-day exhaust (w/can load)		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	--	1.0
150,000 miles	CO-COMP	--	--	--	--	--	--	--	4.2
150,000 miles	CREE	--	--	--	--	--	--	0	999.999
150,000 miles	HCHO	--	--	--	--	--	--	--	0.004
150,000 miles	METHANE	--	--	--	--	--	--	--	0.030
150,000 miles	N2O	--	--	--	--	--	--	--	0.010
150,000 miles	NMOG	--	--	1.1	--	--	--	--	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	--	0.030
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	--	0.040
150,000 miles	NOX	--	--	--	--	--	--	--	999.999
150,000 miles	OPT-CREE	--	--	--	--	--	--	0	999.999
150,000 miles	PM	--	--	--	--	--	--	--	0.003

Certification Summary Information Report

Test Group		VFMXT03.0JP1			Evaporative/Refueling Family			VFMXR0185NDG	
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Both	
Vehicle Class		LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)			Standard Level			California LEV-III SULEV30	
Fuel		Gasoline			Test Procedure			Federal fuel 2-day exhaust (w/can load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	--	1.0
150,000 miles	CO-COMP	--	--	--	--	--	--	--	4.2
150,000 miles	HCHO	--	--	--	--	--	--	--	0.004
150,000 miles	NMOG	--	--	1.1	--	--	--	--	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	--	0.030
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	--	0.040
150,000 miles	NOX	--	--	--	--	--	--	--	999.999
150,000 miles	PM	--	--	--	--	--	--	--	0.001

Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			California LEV-III SULEV30	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	NMOG	--	--	1.03	--	--	--	--	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	--	0.030
150,000 miles	NOX	--	--	--	--	--	--	--	999.999

Certification Summary Information Report

Test Group		VFMXT03.0JP1			Evaporative/Refueling Family			VFMXR0185NDG	
Cert Region		Federal			Cert/In-Use Code			Both	
Vehicle Class		LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)			Standard Level			Federal Tier 3 Bin 30	
Fuel		Gasoline			Test Procedure			Federal fuel 2-day exhaust (w/can load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	--	1.0
150,000 miles	CO-COMP	--	--	--	--	--	--	--	4.2
150,000 miles	CREE	--	--	--	--	--	--	0	999.999
150,000 miles	HCHO	--	--	--	--	--	--	--	0.004
150,000 miles	METHANE	--	--	--	--	--	--	--	0.030
150,000 miles	N2O	--	--	--	--	--	--	--	0.010
150,000 miles	NMOG	--	--	1.1	--	--	--	--	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	--	0.030
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	--	0.040
150,000 miles	NOX	--	--	--	--	--	--	--	999.999
150,000 miles	OPT-CREE	--	--	--	--	--	--	0	999.999
150,000 miles	PM	--	--	--	--	--	--	--	0.003
Cert Region		Federal			Cert/In-Use Code			Both	
Vehicle Class		LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)			Standard Level			Federal Tier 3 Bin 30	
Fuel		Gasoline			Test Procedure			Cold CO	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	--	12.5
120,000 miles	HC-NM	--	--	--	--	--	--	--	0.3
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			California LEV-III SULEV30	
Fuel		Gasoline			Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	PM	--	--	--	--	--	--	--	0.006

Certification Summary Information Report

Test Group		VFMXT03.0JP1			Evaporative/Refueling Family			VFMXR0185NDG	
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Both	
Vehicle Class		LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)			Standard Level			California LEV-III SULEV30	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	NMOG	--	--	1.03	--	--	--	--	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	--	0.030
150,000 miles	NOX	--	--	--	--	--	--	--	999.999
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Both	
Vehicle Class		LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)			Standard Level			California LEV-III SULEV30	
Fuel		Gasoline			Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	PM	--	--	--	--	--	--	--	0.006
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			California LEV-III SULEV30	
Fuel		Gasoline			Test Procedure			Federal fuel 2-day exhaust (w/can load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	--	1.0
150,000 miles	CO-COMP	--	--	--	--	--	--	--	4.2
150,000 miles	HCHO	--	--	--	--	--	--	--	0.004
150,000 miles	NMOG	--	--	1.1	--	--	--	--	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	--	0.030
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	--	0.040
150,000 miles	NOX	--	--	--	--	--	--	--	999.999
150,000 miles	PM	--	--	--	--	--	--	--	0.001

Certification Summary Information Report

Test Group		VFMXT03.0JP1			Evaporative/Refueling Family			VFMXR0185NDG	
Cert Region		Federal			Cert/In-Use Code			Both	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			Federal Tier 3 Bin 30	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CREE	--	--	--	--	--	--	0	999.999
150,000 miles	NMOG	--	--	1.03	--	--	--	--	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	--	0.030
150,000 miles	NOX	--	--	--	--	--	--	--	999.999
150,000 miles	OPT-CREE	--	--	--	--	--	--	0	999.999

Cert Region		Federal			Cert/In-Use Code			Both	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			Federal Tier 3 Bin 30	
Fuel		Gasoline			Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	PM	--	--	--	--	--	--	--	0.006

Cert Region		Federal			Cert/In-Use Code			Both	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			Federal Tier 3 Bin 30	
Fuel		Gasoline			Test Procedure			Cold CO	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	--	12.5
120,000 miles	HC-NM	--	--	--	--	--	--	--	0.3

Certification Summary Information Report

Test Group	VFMXT03.0JP1				Evaporative/Refueling Family			VFMXR0185NDG	
Cert Region	California + CAA Section 177 states				Cert/In-Use Code			Cert	
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)				Standard Level			California LEV-III SULEV30	
Fuel	Gasoline				Test Procedure			Cold CO	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	--	12.5

Cert Region	Federal				Cert/In-Use Code			Both	
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)				Standard Level			Federal Tier 3 Bin 30	
Fuel	Gasoline				Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	PM	--	--	--	--	--	--	--	0.006

Cert Region	California + CAA Section 177 states				Cert/In-Use Code			Both	
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)				Standard Level			California LEV-III SULEV30	
Fuel	Gasoline				Test Procedure			Cold CO	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	--	12.5

Evaporative/Refueling Standards

Evaporative/Refueling Family		VFMXR0185NDG		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-III Zero Evap (Option 2)	
Test Procedure		2-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	OMHCE	--	0.500	0		

Certification Summary Information Report

Test Group		VFMXT03.0JP1		Evaporative/Refueling Family		VFMXR0185NDG	
Evaporative/Refueling Family		VFMXR0185NDG		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-III Zero Evap (Option 2)	
Test Procedure		Federal Fuel Running Loss					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	OMHCE	--	0.05	0		
Evaporative/Refueling Family		VFMXR0185NDG		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-III Zero Evap (Option 2)	
Test Procedure		Federal fuel 3-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	OMHCE	--	0.500	0		
Evaporative/Refueling Family		VFMXR0185NDG		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal fuel refueling test (ORVR)					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.20	0.001		
Evaporative/Refueling Family		VFMXR0185NDG		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-III Zero Evap (Option 2)	
Test Procedure		Evap Canister Bleed Test					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL	--	0.020	0		
Evaporative/Refueling Family		VFMXR0185NDG		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		Evap Canister Bleed Test					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL	--	0.020	0		

Certification Summary Information Report

Test Group		VFMXT03.0JP1		Evaporative/Refueling Family		VFMXR0185NDG					
Evaporative/Refueling Family		VFMXR0185NDG		Cert Region		Federal					
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap					
Test Procedure		Federal fuel 3-day evap									
Fuel		Useful Life		Emission Name		Rounded Result		Std		Add DF	
Gasoline		150,000 miles		HC-TOTAL-EQUIV		--		0.500		0	
Evaporative/Refueling Family		VFMXR0185NDG		Cert Region		California + CAA Section 177 states					
Cert/In-Use Code		Both		Standard Level		California LEV-III Zero Evap (Option 2)					
Test Procedure		Federal fuel refueling test (ORVR)									
Fuel		Useful Life		Emission Name		Rounded Result		Std		Add DF	
Gasoline		150,000 miles		OMHCE		--		0.20		0.001	
Evaporative/Refueling Family		VFMXR0185NDG		Cert Region		Federal					
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap					
Test Procedure		2-day evap									
Fuel		Useful Life		Emission Name		Rounded Result		Std		Add DF	
Gasoline		150,000 miles		HC-TOTAL-EQUIV		--		0.500		0	
Evaporative/Refueling Family		VFMXR0185NDG		Cert Region		Federal					
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap					
Test Procedure		Federal Fuel Running Loss									
Fuel		Useful Life		Emission Name		Rounded Result		Std		Add DF	
Gasoline		150,000 miles		HC-TOTAL-EQUIV		--		0.05		0	

Certification Summary Information Report

Test Group		VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
Glossary				
Useful Life				
4	4,000 miles	120	120,000 miles	
50	50,000 miles	150	150,000 miles	
100	100,000 miles			
Emission Name				
HC-TOTAL	Total Hydrocarbon	COMB-CREE	Combined Carbon-Related Exhaust Emissions	
CO	Carbon Monoxide	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions	
CO2	Carbon dioxide	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only	
CREE	Carbon-Related Exhaust Emissions	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only	
OPT-CREE	Optional Carbon-Related Exhaust Emissions	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only	
NOX	Nitrogen Oxide	LEAK-DIA	Effective Leak Diameter (inches)	
PM	Particulate Matter	LEAK-GAS CAP	Gas Cap Leakage (cc/min)	
PM-COMP	SFTP Composite Particulate Matter	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only	
HC-NM	Non-methane Hydrocarbon	KW-HRS	Integrated DC KW-HRS	
OMHCE	Organic material Hydrocarbon Equivalent	CH4 BAG 1	Bag 1 Methane	
OMNMHCE	Organic material non-methane HC equivalent	CH4 BAG 2	Bag 2 Methane	
NMOG	Non-methane organic gases	CH4 BAG 3	Bag 3 Methane	
HCHO	Formaldehyde	CH4 BAG 4	Bag 4 Methane	
H3C2HO	Acetaldehyde	CO BAG 1	Bag 1 Carbon Monoxide	
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	CO BAG 2	Bag 2 Carbon Monoxide	
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	CO BAG 3	Bag 3 Carbon Monoxide	
CO-COMP	SFTP Composite Carbon Monoxide	CO BAG 4	Bag 4 Carbon Monoxide	
ETHANOL	C2H5OH - Ethanol	NMOG BAG 1	Bag 1 Non-methane organic gases	
FE BAG 1	Bag 1 Fuel Economy	NMOG BAG 2	Bag 2 Non-methane organic gases	
FE BAG 2	Bag 2 Fuel Economy	NMOG BAG 3	Bag 3 Non-methane organic gases	
FE BAG 3	Bag 3 Fuel Economy	NMOG BAG 4	Bag 4 Non-methane organic gases	
FE BAG 4	Bag 4 Fuel Economy	ACT-DISTANCE BAG 1	Bag 1 Actual Distance	
MFR FE	Manufacturer Fuel Economy	ACT-DISTANCE BAG 2	Bag 2 Actual Distance	
HC	Hydrocarbon for Running Loss and ORVR	ACT-DISTANCE BAG 3	Bag 3 Actual Distance	
METHANE	CH4 - Methane	ACT-DISTANCE BAG 4	Bag 4 Actual Distance	
METHANOL	CH3OH - Methanol	HC-TOTAL BAG 1	Bag 1 Total Hydrocarbon	
N2O	Nitrous Oxide	HC-TOTAL BAG 2	Bag 2 Total Hydrocarbon	
SPITBACK	Spitback Hydrocarbon in grams	HC-TOTAL BAG 3	Bag 3 Total Hydrocarbon	
AMP-HRS	Integrated Amp-hours	HC-TOTAL BAG 4	Bag 4 Total Hydrocarbon	
START-SOC	System Start State of Charge Watt-hours	WATT-HRS BAG 1	Bag 1 Watt Hours	
END-SOC	System End State of Charge Watt-hours	WATT-HRS BAG 2	Bag 2 Watt Hours	

Certification Summary Information Report

Test Group		VFMXT03.0JP1	Evaporative/Refueling Family		VFMXR0185NDG
ACT-DISTANCE	Actual Distance Driven (miles)		WATT-HRS BAG 3	Bag 3 Watt Hours	
AS-VOLT	Average System Voltage		WATT-HRS BAG 4	Bag 4 Watt Hours	
CO2 BAG 1	Bag 1 Carbon Dioxide		WATT-HRS	Watt Hours	
CO2 BAG 2	Bag 2 Carbon Dioxide		HC-NM BAG 1	Bag 1 Non-methane Hydrocarbon	
CO2 BAG 3	Bag 3 Carbon Dioxide		HC-NM BAG 2	Bag 2 Non-methane Hydrocarbon	
CO2 BAG 4	Bag 4 Carbon Dioxide		HC-NM BAG 3	Bag 3 Non-methane Hydrocarbon	
NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides		HC-NM BAG 4	Bag 4 Non-methane Hydrocarbon	
NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides		N2O BAG 1	Bag 1 Nitrous Oxide	
DT-IWRR	Drive Trace Inertia Work Ratio Rating		N2O BAG 2	Bag 2 Nitrous Oxide	
DT-ASCR	Drive Trace Absolute Speed Change Rating		N2O BAG 3	Bag 3 Nitrous Oxide	
DT-EER	Drive Trace Energy Economy Rating		N2O BAG 4	Bag 4 Nitrous Oxide	
Certification Region					
CA	California + CAA Section 177 states		FA	Federal	
Exhaust Emission Standard Level					
B1	Federal Tier 2 Bin 1		HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
B2	Federal Tier 2 Bin 2		HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
B3	Federal Tier 2 Bin 3		HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
B4	Federal Tier 2 Bin 4		HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
B5	Federal Tier 2 Bin 5		HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
B6	Federal Tier 2 Bin 6		HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
B7	Federal Tier 2 Bin 7		HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
B8	Federal Tier 2 Bin 8		HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
B9	Federal Tier 2 Bin 9		HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
B10	Federal Tier 2 Bin 10		HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
B11	Federal Tier 2 Bin 11		HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)		HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)		HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
L2	California LEV-II LEV		L4SULEV100	California LEV-IV SULEV100	
L2OP	California LEV-II LEV Optional		L4SULEV125	California LEV-IV SULEV125	
U2	California LEV-II ULEV		L4SULEV15	California LEV-IV SULEV15	
S2	California LEV-II SULEV		L4SULEV150	California LEV-IV SULEV150	
ZEV	California ZEV		L4SULEV170	California LEV-IV SULEV170	
OT	Other		L4SULEV175	California LEV-IV SULEV175	
T1	Federal Tier 1		L4SULEV20	California LEV-IV SULEV20	
PZEV	California PZEV		L4SULEV200	California LEV-IV SULEV200	
L2LEV160	California LEV-II LEV160		L4SULEV230	California LEV-IV SULEV230	
L2ULEV125	California LEV-II ULEV125		L4SULEV25	California LEV-IV SULEV25	
L2SULEV30	California LEV-II SULEV30		L4SULEV30	California LEV-IV SULEV30	
L2LEV395	California LEV-II LEV395		L4SULEV75	California LEV-IV SULEV75	

Certification Summary Information Report

Test Group		VFMXT03.0JP1	Evaporative/Refueling Family	VFMXR0185NDG
L2ULEV340	California LEV-II ULEV340		L4SULEV85	California LEV-IV SULEV85
L2LEV630	California LEV-II LEV630		L4ULEV125	California LEV-IV ULEV125
L2ULEV570	California LEV-II ULEV570		L4ULEV200	California LEV-IV ULEV200
L3LEV160	California LEV-III LEV160		L4ULEV250	California LEV-IV ULEV250
L3ULEV125	California LEV-III ULEV125		L4ULEV270	California LEV-IV ULEV270
L3ULEV70	California LEV-III ULEV70		L4ULEV40	California LEV-IV ULEV40
L3ULEV50	California LEV-III ULEV50		L4ULEV400	California LEV-IV ULEV400
L3SULEV30	California LEV-III SULEV30		L4ULEV50	California LEV-IV ULEV50
L3SULEV20	California LEV-III SULEV20		L4ULEV60	California LEV-IV ULEV60
L3LEV395	California LEV-III LEV395		L4ULEV70	California LEV-IV ULEV70
L3ULEV340	California LEV-III ULEV340		T4B170	Federal Tier 4 MDV Bin 170
L3ULEV250	California LEV-III ULEV250		T4B150	Federal Tier 4 MDV Bin 150
L3ULEV200	California LEV-III ULEV200		T4B125	Federal Tier 4 MDV Bin 125
L3SULEV170	California LEV-III SULEV170		T4B100	Federal Tier 4 MDV Bin 100
L3SULEV150	California LEV-III SULEV150		T4B85	Federal Tier 4 MDV Bin 85
L3LEV630	California LEV-III LEV630		T4B75	Federal Tier 4 MDV Bin 75
L3ULEV570	California LEV-III ULEV570		T4B70	Federal Tier 4 Bin 70
L3ULEV400	California LEV-III ULEV400		T4B65	Federal Tier 4 Bin 65
L3ULEV270	California LEV-III ULEV270		T4B60	Federal Tier 4 Bin 60
L3SULEV230	California LEV-III SULEV230		T4B55	Federal Tier 4 Bin 55
L3SULEV200	California LEV-III SULEV200		T4B50	Federal Tier 4 Bin 50
T3B160	Federal Tier 3 Bin 160		T4B45	Federal Tier 4 Bin 45
T3B125	Federal Tier 3 Bin 125		T4B40	Federal Tier 4 Bin 40
T3B110	Federal Tier 3 Transitional Bin 110		T4B35	Federal Tier 4 Bin 35
T3B85	Federal Tier 3 Transitional Bin 85		T4B30	Federal Tier 4 Bin 30
T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover		T4B25	Federal Tier 4 Bin 25
T3B70	Federal Tier 3 Bin 70		T4B20	Federal Tier 4 Bin 20
T3B50	Federal Tier 3 Bin 50		T4B15	Federal Tier 4 Bin 15
T3B30	Federal Tier 3 Bin 30		T4B10	Federal Tier 4 Bin 10
T3B20	Federal Tier 3 Bin 20		T4B5	Federal Tier 4 Bin 5
T3B0	Federal Tier 3 Bin 0		T4B0	Federal Tier 4 Bin 0
HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395			
Transmission Type Code				
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual	
A	Automatic	OT	Other	
AM	Automated Manual	SA	Semi-Automatic	
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)	
Drive System Code				
4	4-Wheel Drive	P	Part-time 4-Wheel Drive	

Certification Summary Information Report

Test Group		VFMXT03.0JP1	Evaporative/Refueling Family		VFMXR0185NDG
F	2-Wheel Drive, Front		A	All Wheel Drive	
R	2-Wheel Drive, Rear				
Additional Terms and Acronyms					
AFC	Alternative Fuel Converter		ICI	Independent Commercial Importer	
CSI	Certificate Summary Information		ORVR	Onboard Refueling Vapor Recovery	
DF	Deterioration Factor		SIL	Shift Indicator Light	
Evap	Evaporation, Evaporative		Trans	Transmission	