

Certification Summary Information Report

Manufacturer	General Motors LLC	Manufacturer Code	GMX
Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E
Certificate Number	VGMXD06.6171-014	CARB Executive Order #	--
Certificate Issue Date	07/07/2026	Certificate Revision Date	--
Certificate Effective Date	07/07/2026	Conditional Certificate	No
CSI Revision #	--	CSI Submission/Revision Date	05/27/2026 11:38:17 AM
Model Year	2027		

Test Group Information

CSI Type	Update for Correction	Running Change Reference Number	--
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Combustion Engine

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Gasoline	Spark Ignition Direct fuel injection	No

Hybrid Indicator	No		
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	--
Multiple Fuel Combustion	--	Off-board Charge Capable Indicator	--
Fuel Cell Indicator	--	EPA Vehicle Class	HDV1, M6
Federal Clean Fuel Vehicle	No	Federal Clean Fuel Vehicle Standard	--
Federal Clean Fuel Vehicle ILEV	No	California Partial Zero Emissions Vehicle Indicator	No
Durability Group Name	VGMXGPGNNB66	Durability Group Equivalency Factor	1
Reduced Fee Test Group	No	Certification Region Code(s)	FA, CA
Complies with HD GHG 2b/3 regulations?	Yes		
Introduction into Commerce Date	08/31/2026	CAP2000 Conditional Certificate?	No
Independent Commercial Importer?	No	Alternative Fuel Converter Certificate?	No
SFTP Federal Composite Compliance Identifier	Tier 3	SFTP Tier 2 Composite CO Option	No
SFTP LEV-III Composite Compliance Indicator	No		
OBD Compliance Type	CARB	OBD Demonstration Vehicle Test Group	VGMXD06.6171
Test Group OBD Compliance Level	Full - no deficiencies	Number of Test Group OBD Deficiencies	0
OBD Deficiencies Comments	--		
Mfr Test Group Comments	L8T GMT610 FSV < 10K		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E
Evaporative/Refueling Family Information			
Evaporative Summary Information Type	New	Submission/Correction Date	05/15/2026 08:19:57 AM
Integrated ORVR?	Yes	Fuel(s)	Gasoline
Multiple Fuel Storage	--		
Bladder Fuel Tank?	No		
Fuel Tank Material	Plastic	Fuel Tank Material Description	Multi-layer with HDPE and EVOH
Fill Pipe Seal Type	Liquid seal		
Air Intake System Vapor Storage Device?	Yes	Air Intake System Vapor Storage Device Description	HCA
Fuel System Vapor Storage Canister?	Yes	Other Vapor Storage	--
Fuel System Vapor Storage Canister(s) Total Working Capacity (grams)	171	Number of Primary Canisters	1
Number of Bleed Canisters	0	Bleed Canister Total Working Capacity (grams)	--
Mfr Evaporative/Refueling Family Comments	--		
Leak Family Details			
Leak Family Indicator	Yes		
Canister Bleed Test Indicator	Yes	Applicability of Evaporative Canister Bleed Test	50 State
Evaporative Canister Bleed Test Comments	--		
CARB Fuel Only (Rig) Test Indicator	No	Applicability of CARB Fuel Only (Rig) Test	--
CARB Fuel Only (Rig) Test Comments	--		
Leak Family Name	Applicability of Leak Family Requirements	Leak Family Standard (inches)	Leak Family Description
VGMXR017160E-LK1	50 State	0.02	--

Certification Summary Information Report

Test Group	VGMXD06.6171		Evaporative/Refueling Family		VGMXR017160E		
Models Covered by this Certificate							
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
General Motors LLC	3 - Chevrolet	43 - G2500 EXPRESS 2WD CARGO	Federal	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	3 - Chevrolet	52 - G3500 EXPRESS 2WD PASS	Federal	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	3 - Chevrolet	27 - G3500 EXPRESS 2WD CARGO INCOM	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	4 - GMC	32 - G2500 SAVANA 2WD CARGO	Federal	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	3 - Chevrolet	56 - G3500 EXPRESS 2WD CARGO	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	4 - GMC	32 - G2500 SAVANA 2WD CARGO	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	3 - Chevrolet	41 - G2500 EXPRESS 2WD PASS	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	3 - Chevrolet	28 - G3500 EXPRESS 2WD PASS INCOM	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	4 - GMC	31 - G2500 SAVANA 2WD PASS	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	3 - Chevrolet	28 - G3500 EXPRESS 2WD PASS INCOM	Federal	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	3 - Chevrolet	41 - G2500 EXPRESS 2WD PASS	Federal	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	4 - GMC	46 - G3500 SAVANA 2WD CARGO	Federal	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	4 - GMC	961 - G2500 SAVANA 2WD CARGO INCOM	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	4 - GMC	42 - G3500 SAVANA 2WD PASS	Federal	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	4 - GMC	963 - G3500 SAVANA 2WD CARGO INCOM	Federal	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	4 - GMC	961 - G2500 SAVANA 2WD CARGO INCOM	Federal	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	3 - Chevrolet	27 - G3500 EXPRESS 2WD CARGO INCOM	Federal	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	3 - Chevrolet	25 - G2500 EXPRESS 2WD CARGO INCOM	Federal	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	4 - GMC	963 - G3500 SAVANA 2WD CARGO INCOM	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	3 - Chevrolet	43 - G2500 EXPRESS 2WD CARGO	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	4 - GMC	46 - G3500 SAVANA 2WD CARGO	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	4 - GMC	42 - G3500 SAVANA 2WD PASS	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	8	Yes

Certification Summary Information Report

Test Group		VGMXD06.6171	Evaporative/Refueling Family			VGMXR017160E	
General Motors LLC	3 - Chevrolet	52 - G3500 EXPRESS 2WD PASS	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	4 - GMC	964 - G3500 SAVANA 2WD PASS INCOM	Federal	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	4 - GMC	31 - G2500 SAVANA 2WD PASS	Federal	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	4 - GMC	964 - G3500 SAVANA 2WD PASS INCOM	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	3 - Chevrolet	56 - G3500 EXPRESS 2WD CARGO	Federal	2-Wheel Drive, Rear	Automatic	8	Yes
General Motors LLC	3 - Chevrolet	25 - G2500 EXPRESS 2WD CARGO INCOM	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	8	Yes

Engine Description

Hybrid Type

--

Hybrid Description

--

Engine Type

4-Stroke Spark Ignition

Mfr Engine Description

--

Engine Block Arrangement

V-shaped engine

Mfr Engine Block Arrangement Description

--

Camless Valvetrain Indicator

No

Oil Viscosity/Classification

5W30

Number of Cylinders/Rotors

8

Mechanically Variable Compression Ratio Indicator

N

After Treatment Device(s) (ATD)

ATD Number	ATD Type	ATD Precious Metal	Substrate Material	Substrate Construction
1	Three-way catalyst	Palladium + Rhodium	Ceramic	Monolith
2	Three-way catalyst	Palladium + Rhodium	Ceramic	Monolith
3	Three-way catalyst	Palladium + Rhodium	Ceramic	Monolith

Mfr After Treatment Device (ATD)

Comments

--

Direct Ozone Reduction (DOR) Device

Not Equipped

Mfr Emission Control Device Comments

--

Certification Summary Information Report

Test Group		VGMXD06.6171			Evaporative/Refueling Family			VGMXR017160E			
Engine Configuration Number 1											
Engine Displacement (liters)		6.6			Engine Rated Horsepower			401			
Number of Inlet Valves Per Cylinder		1			Number of Exhaust Valves Per Cylinder			1			
Air Aspiration Method		Naturally Aspirated			Number of Air Aspiration Devices			0			
Air Aspiration Device Configuration		--			Charge Air Cooler Type			N/A			
Air Aspiration Drive Method(s)		--									
Cylinder Deactivation		No									
Cylinder Deactivation Description		--									
Variable Valve Timing		Yes									
Variable Valve Timing System Description		cam phaser									
Variable Valve Lift?		No									
Variable Valve Lift System Description		--									
Number of Knock Sensors		2			Number of Air/Fuel Sensors			4			
Air/Fuel Sensor # 1 Type		Heated oxygen			Air/Fuel Sensor # 1 Description			--			
Air/Fuel Sensor # 2 Type		Heated oxygen			Air/Fuel Sensor # 2 Description			--			
Air/Fuel Sensor # 3 Type		Heated oxygen			Air/Fuel Sensor # 3 Description			--			
Air/Fuel Sensor # 4 Type		Heated oxygen			Air/Fuel Sensor # 4 Description			--			
Mfr Air/Fuel Sensor Comments		--									
Exhaust Gas Recirculation		No			Cooled Exhaust Gas Recirculation			No			
EGR Type		--			Exhaust Gas Recirculation Description if 'Other'			--			
Closed Loop Air Injection System		--									
Air Injection Type		Not Applicable			Air Injection Type if 'Other'			--			
Mfr Engine Configuration Comments		--									
Official Test Numbers											
Test Group	Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Gasoline	RGMX10079955	RGMX10079957	RGMX10079960	--	--	RGMX10079956	--	228.2	--	286.1	--

Page 6 of 42 CSI Submission/Revision Date: 05/27/2026 11:38:17 AM

Certification Summary Information Report

Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E
Emission Control Device Comments	L8T Cutaway Van &5G8		
Manufacturer Test Vehicle Comments	4K CONFIG		

Certification Summary Information Report

Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E																														
Test #	RGMX10079954	Test Procedure	52 - Fed. fuel 50 F exh.																														
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)																														
Test Date	03/01/2023	Fuel	Gasoline																														
Fuel Batch ID	000329	Fuel Calibration Number	9322																														
Vehicle Class	MDV6 (Cal. LEV 2/3/4 MDV GVW 8501-10000)	DF Type	Mfr. Determined																														
Verify Test Lab ID	Compliance and Certification																																
E10 Evaporative Test Measurement Method	--																																
Test Start Odometer Reading	3862	Odometer Units	M																														
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--																														
State of Charge Delta	No																																
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes																														
Test Results																																	
<table border="1"> <thead> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value (miles per gallon)</th> </tr> </thead> <tbody> <tr> <td>METHANE (CH4 - Methane)</td> <td>0.019518</td> <td>--</td> </tr> <tr> <td>CO (Carbon Monoxide)</td> <td>0.952154</td> <td>--</td> </tr> <tr> <td>DT-ASCR (Drive Trace Absolute Speed Change Rating)</td> <td>0.379676</td> <td>--</td> </tr> <tr> <td>DT-EER (Drive Trace Energy Economy Rating)</td> <td>0.202665</td> <td>--</td> </tr> <tr> <td>DT-IWRR (Drive Trace Inertia Work Ratio Rating)</td> <td>0.509633</td> <td>--</td> </tr> <tr> <td>NOX (Nitrogen Oxide)</td> <td>0.019755</td> <td>--</td> </tr> <tr> <td>HC-NM (Non-methane Hydrocarbon)</td> <td>0.095882</td> <td>--</td> </tr> <tr> <td>NMOG (Non-methane organic gases)</td> <td>0.105443</td> <td>--</td> </tr> <tr> <td>HC-TOTAL (Total Hydrocarbon)</td> <td>0.114756</td> <td>--</td> </tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	METHANE (CH4 - Methane)	0.019518	--	CO (Carbon Monoxide)	0.952154	--	DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.379676	--	DT-EER (Drive Trace Energy Economy Rating)	0.202665	--	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.509633	--	NOX (Nitrogen Oxide)	0.019755	--	HC-NM (Non-methane Hydrocarbon)	0.095882	--	NMOG (Non-methane organic gases)	0.105443	--	HC-TOTAL (Total Hydrocarbon)	0.114756	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)																															
METHANE (CH4 - Methane)	0.019518	--																															
CO (Carbon Monoxide)	0.952154	--																															
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.379676	--																															
DT-EER (Drive Trace Energy Economy Rating)	0.202665	--																															
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.509633	--																															
NOX (Nitrogen Oxide)	0.019755	--																															
HC-NM (Non-methane Hydrocarbon)	0.095882	--																															
NMOG (Non-methane organic gases)	0.105443	--																															
HC-TOTAL (Total Hydrocarbon)	0.114756	--																															
<table border="1"> <thead> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated CO2</th> </tr> </thead> <tbody> <tr> <td>Carbon dioxide</td> <td>758.841</td> <td>--</td> </tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated CO2	Carbon dioxide	758.841	--																								
Test Result Name	Unrounded Test Result	Verify Calculated CO2																															
Carbon dioxide	758.841	--																															
Manufacturer Test Comments	4K 50 DEG TEST																																

Certification Summary Information Report

Test Group		VGMXD06.6171				Evaporative/Refueling Family				VGMXR017160E		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
CA	4,000 miles	California LEV-III SULEV170	CO	0.95	1	--	--	--	--	1	4.2	Pass
CA	4,000 miles	California LEV-III SULEV170	NMOG	0.1054	1	--	--	--	--	0.105	99.999	Pass
CA	4,000 miles	California LEV-III SULEV170	NMOG+NOX	0.1252	1	--	--	--	--	0.125	0.340	Pass
CA	4,000 miles	California LEV-III SULEV170	NOX	0.0198	1	--	--	--	--	0.02	99.999	Pass

Certification Summary Information Report

Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E						
Emission Data Vehicle Information									
Vehicle ID / Configuration	66GGRVT786 / 1	Manufacturer Vehicle Configuration Number	1						
Original Test Group Name	RGMXD06.6170	Original Evaporative/Refueling Family	RGMXR017160E						
Original Test Vehicle Model Year	2024								
Vehicle Model									
Represented Test Vehicle Make	GMC	Represented Test Vehicle Model	G3500 SAVANA 2WD CUTAWAY CH						
Leak Family Details									
Leak Family Identifier	LK1	Leak Family Name	RGMXR017160E-LK1						
Drive Sources and Fuel System Details									
	<table border="1"> <tr> <th>Drive Source and Fuel#</th><th>Drive Source</th><th>Fuel</th></tr> <tr> <td>1</td><td>Combustion Engine</td><td>Gasoline</td></tr> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline		
Drive Source and Fuel#	Drive Source	Fuel							
1	Combustion Engine	Gasoline							
Hybrid Indicator	No								
Multiple Fuel Storage	--	Multiple Fuel Combustion	--						
Fuel Cell Indicator	--	Rechargeable Energy Storage System Indicator	--						
Rechargeable Energy Storage System	--	Rechargeable Energy Storage System, if 'Other'	--						
Off-board charge Capable Indicator	--								
Odometer Correction -- Initial	0	Odometer Correction Factor	1						
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles								
Odometer Correction Units	Miles								
Engine Code	4	Rated Horsepower	401						
Displacement (liters)	6.6								
Air Aspiration Method	Naturally Aspirated	Air Aspiration Method, if 'Other'							
Number of Air Aspiration Devices	0	Air Aspiration Device Configuration	--						
Charge Air Cooler Type	N/A	Drive Mode While Testing	2-Wheel Drive, Rear						
Shift Indicator Light Usage	Not equipped	Aged Emission Components	150,000 (mi)						
Curb Weight (lbs)	7950	Equivalent Test Weight (pounds)	9000						
GVWR (lbs)	9900	N/V Ratio	25.3						
Axle Ratio	3.42								
Transmission Type	Automatic	# of Transmission Gears	8						
Transmission Lockup	Yes	Creep Gear	No						

Page 11 of 42 CSI Submission/Revision Date: 05/27/2026 11:38:17 AM

Certification Summary Information Report

Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E
Test #	RGMX10079955	Test Procedure	31 - Federal fuel 3-day exhaust
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	03/15/2023	Fuel	Gasoline
Fuel Batch ID	000329	Fuel Calibration Number	9322
Vehicle Class	HDV1 (Federal HD chassis Class 2b GVW 8501-10000), MDV6 (Cal. LEV 2/3/4 MDV GVW 8501-10000)	DF Type	Mfr. Determined
Verify Test Lab ID	Compliance and Certification		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	3924	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	No		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			

Certification Summary Information Report

Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E																																																															
<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated FE Equivalent Value (miles per gallon)</th></tr><tr><td>CO2 BAG 1 (Bag 1 Carbon Dioxide)</td><td>737.717</td><td>--</td></tr><tr><td>FE BAG 1 (Bag 1 Fuel Economy)</td><td>11.7</td><td>11.7</td></tr><tr><td>CO2 BAG 2 (Bag 2 Carbon Dioxide)</td><td>765.483</td><td>--</td></tr><tr><td>FE BAG 2 (Bag 2 Fuel Economy)</td><td>11.4</td><td>11.4</td></tr><tr><td>CO2 BAG 3 (Bag 3 Carbon Dioxide)</td><td>688.502</td><td>--</td></tr><tr><td>FE BAG 3 (Bag 3 Fuel Economy)</td><td>12.6</td><td>12.6</td></tr><tr><td>METHANE (CH4 - Methane)</td><td>0.022418</td><td>--</td></tr><tr><td>CO (Carbon Monoxide)</td><td>0.835537</td><td>--</td></tr><tr><td>METHANE-COMB (Combined CH4 for HD 2b/3 vehicles only)</td><td>0.014615</td><td>--</td></tr><tr><td>N2O-COMB (Combined Nitrous Oxide for HD 2b/3 vehicles only)</td><td>0.00155</td><td>--</td></tr><tr><td>DT-ASCR (Drive Trace Absolute Speed Change Rating)</td><td>0.067873</td><td>--</td></tr><tr><td>DT-EER (Drive Trace Energy Economy Rating)</td><td>-0.112748</td><td>--</td></tr><tr><td>DT-IWRR (Drive Trace Inertia Work Ratio Rating)</td><td>0.280951</td><td>--</td></tr><tr><td>MFR FE (Manufacturer Fuel Economy)</td><td>11.8</td><td>11.8</td></tr><tr><td>NOX (Nitrogen Oxide)</td><td>0.026299</td><td>--</td></tr><tr><td>N2O (Nitrous Oxide)</td><td>0.002</td><td>--</td></tr><tr><td>HC-NM (Non-methane Hydrocarbon)</td><td>0.039436</td><td>--</td></tr><tr><td>NMOG (Non-methane organic gases)</td><td>0.043368</td><td>--</td></tr><tr><td>PM (Particulate Matter)</td><td>0.001664</td><td>--</td></tr><tr><td>HC-TOTAL (Total Hydrocarbon)</td><td>0.060997</td><td>--</td></tr></table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	CO2 BAG 1 (Bag 1 Carbon Dioxide)	737.717	--	FE BAG 1 (Bag 1 Fuel Economy)	11.7	11.7	CO2 BAG 2 (Bag 2 Carbon Dioxide)	765.483	--	FE BAG 2 (Bag 2 Fuel Economy)	11.4	11.4	CO2 BAG 3 (Bag 3 Carbon Dioxide)	688.502	--	FE BAG 3 (Bag 3 Fuel Economy)	12.6	12.6	METHANE (CH4 - Methane)	0.022418	--	CO (Carbon Monoxide)	0.835537	--	METHANE-COMB (Combined CH4 for HD 2b/3 vehicles only)	0.014615	--	N2O-COMB (Combined Nitrous Oxide for HD 2b/3 vehicles only)	0.00155	--	DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.067873	--	DT-EER (Drive Trace Energy Economy Rating)	-0.112748	--	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.280951	--	MFR FE (Manufacturer Fuel Economy)	11.8	11.8	NOX (Nitrogen Oxide)	0.026299	--	N2O (Nitrous Oxide)	0.002	--	HC-NM (Non-methane Hydrocarbon)	0.039436	--	NMOG (Non-methane organic gases)	0.043368	--	PM (Particulate Matter)	0.001664	--	HC-TOTAL (Total Hydrocarbon)	0.060997	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)																																																																
CO2 BAG 1 (Bag 1 Carbon Dioxide)	737.717	--																																																																
FE BAG 1 (Bag 1 Fuel Economy)	11.7	11.7																																																																
CO2 BAG 2 (Bag 2 Carbon Dioxide)	765.483	--																																																																
FE BAG 2 (Bag 2 Fuel Economy)	11.4	11.4																																																																
CO2 BAG 3 (Bag 3 Carbon Dioxide)	688.502	--																																																																
FE BAG 3 (Bag 3 Fuel Economy)	12.6	12.6																																																																
METHANE (CH4 - Methane)	0.022418	--																																																																
CO (Carbon Monoxide)	0.835537	--																																																																
METHANE-COMB (Combined CH4 for HD 2b/3 vehicles only)	0.014615	--																																																																
N2O-COMB (Combined Nitrous Oxide for HD 2b/3 vehicles only)	0.00155	--																																																																
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.067873	--																																																																
DT-EER (Drive Trace Energy Economy Rating)	-0.112748	--																																																																
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.280951	--																																																																
MFR FE (Manufacturer Fuel Economy)	11.8	11.8																																																																
NOX (Nitrogen Oxide)	0.026299	--																																																																
N2O (Nitrous Oxide)	0.002	--																																																																
HC-NM (Non-methane Hydrocarbon)	0.039436	--																																																																
NMOG (Non-methane organic gases)	0.043368	--																																																																
PM (Particulate Matter)	0.001664	--																																																																
HC-TOTAL (Total Hydrocarbon)	0.060997	--																																																																
<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CREE/OPT-CREE</th></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>741</td><td>999</td></tr></table>				Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	Carbon-Related Exhaust Emissions	741	999																																																									
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE																																																																
Carbon-Related Exhaust Emissions	741	999																																																																
<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CO2</th></tr><tr><td>Carbon dioxide</td><td>738.565</td><td>--</td></tr></table>				Test Result Name	Unrounded Test Result	Verify Calculated CO2	Carbon dioxide	738.565	--																																																									
Test Result Name	Unrounded Test Result	Verify Calculated CO2																																																																
Carbon dioxide	738.565	--																																																																
Manufacturer Test Comments	150K EMIS TEST																																																																	

Certification Summary Information Report

Test Group		VGMXD06.6171				Evaporative/Refueling Family				VGMXR017160E		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	CO	0.84	1	--	--	--	--	0.8	4.2	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	CO-COMP	0.47	1	--	--	--	--	0.5	12.0	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	CO2	999	1	--	--	0	--	999	--	--
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	METHANE	0.0224	1	--	--	--	--	0.022	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	N2O	0.002	1	--	--	--	--	0.002	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NMOG	0.0434	1	--	--	--	--	0.043	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NMOG+NOX	0.0697	1	--	--	--	--	0.07	0.170	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NMOG+NOX-COMP	0.1914	1	--	--	--	--	0.191	0.450	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NOX	0.0263	1	--	--	--	--	0.026	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	PM	0.0017	1	--	--	--	--	0.002	0.008	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	PM-COMP	0.0025	1	--	--	--	--	0.002	0.010	Pass
CA	150,000 miles	California LEV-III SULEV170	CO	0.84	1	--	--	--	--	0.8	4.2	Pass
CA	150,000 miles	California LEV-III SULEV170	CO-COMP	0.47	1	--	--	--	--	0.5	12.0	Pass
CA	150,000 miles	California LEV-III SULEV170	NMOG	0.0434	1	--	--	--	--	0.043	99.999	Pass
CA	150,000 miles	California LEV-III SULEV170	NMOG+NOX	0.0697	1	--	--	--	--	0.07	0.170	Pass
CA	150,000 miles	California LEV-III SULEV170	NMOG+NOX-COMP	0.1914	1	--	--	--	--	0.191	0.450	Pass
CA	150,000 miles	California LEV-III SULEV170	NOX	0.0263	1	--	--	--	--	0.026	99.999	Pass

Certification Summary Information Report

Test Group		VGMXD06.6171			Evaporative/Refueling Family					VGMXR017160E		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
CA	150,000 miles	California LEV-III SULEV170	PM	0.0017	1	--	--	--	--	0.002	0.008	Pass
CA	150,000 miles	California LEV-III SULEV170	PM-COMP	0.0025	1	--	--	--	--	0.002	0.010	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CO2 Emission name is a Verify-calculated value.

Certification Summary Information Report

Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E
Test #	RGMX10079958	Test Procedure	31 - Federal fuel 3-day exhaust
Exhaust Test # for this Evap Test	--	Test Fuel Type	61 - Tier 2 Cert Gasoline
Test Date	03/25/2023	Fuel	Gasoline
Fuel Batch ID	000307	Fuel Calibration Number	9320
Vehicle Class	HDV1 (Federal HD chassis Class 2b GVW 8501-10000), MDV6 (Cal. LEV 2/3/4 MDV GVW 8501-10000)	DF Type	Mfr. Determined
Verify Test Lab ID	Compliance and Certification		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4004	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	No		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	777.749	--
FE BAG 1 (Bag 1 Fuel Economy)	11.4	11.4
CO2 BAG 2 (Bag 2 Carbon Dioxide)	806.988	--
FE BAG 2 (Bag 2 Fuel Economy)	11.1	11.1
CO2 BAG 3 (Bag 3 Carbon Dioxide)	729.986	--
FE BAG 3 (Bag 3 Fuel Economy)	12.2	12.2
METHANE (CH4 - Methane)	0.025389	--
CO (Carbon Monoxide)	0.554072	--
METHANE-COMB (Combined CH4 for HD 2b/3 vehicles only)	0.018425	--
N2O-COMB (Combined Nitrous Oxide for HD 2b/3 vehicles only)	0.00164	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.11516	--
DT-EER (Drive Trace Energy Economy Rating)	-0.501164	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-0.569741	--
MFR FE (Manufacturer Fuel Economy)	11.4	11.4
NOX (Nitrogen Oxide)	0.016218	--
N2O (Nitrous Oxide)	0.001972	--
HC-NM (Non-methane Hydrocarbon)	0.02131	--
NMOG (Non-methane organic gases)	0.021953	--
PM (Particulate Matter)	0.001045	--
HC-TOTAL (Total Hydrocarbon)	0.045369	--

Certification Summary Information Report

Test Group		VGMXD06.6171				Evaporative/Refueling Family				VGMXR017160E		
		Test Result Name		Unrounded Test Result		Verify Calculated CREE/OPT-CREE						
		Carbon-Related Exhaust Emissions		781		781						
		Test Result Name		Unrounded Test Result		Verify Calculated CO2						
		Carbon dioxide		779.708		--						
Manufacturer Test Comments		150K EMIS TEST										
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	CO	0.55	1	--	--	--	--	0.6	4.2	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	CO2	781	1	--	--	0	--	781	--	--
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	METHANE	0.0254	1	--	--	--	--	0.025	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	N2O	0.002	1	--	--	--	--	0.002	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NMOG	0.022	1	--	--	--	--	0.022	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NMOG+NOX	0.0382	1	--	--	--	--	0.038	0.170	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NOX	0.0162	1	--	--	--	--	0.016	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	PM	0.001	1	--	--	--	--	0.001	0.008	Pass
CA	150,000 miles	California LEV-III SULEV170	CO	0.55	1	--	--	--	--	0.6	4.2	Pass
CA	150,000 miles	California LEV-III SULEV170	NMOG	0.022	1	--	--	--	--	0.022	99.999	Pass
CA	150,000 miles	California LEV-III SULEV170	NMOG+NOX	0.0382	1	--	--	--	--	0.038	0.170	Pass
CA	150,000 miles	California LEV-III SULEV170	NOX	0.0162	1	--	--	--	--	0.016	99.999	Pass
CA	150,000 miles	California LEV-III SULEV170	PM	0.001	1	--	--	--	--	0.001	0.008	Pass
NOTE: For Non-charge depleting tests, the Rounded Result for CO2 Emission name is a Verify-calculated value.												

Certification Summary Information Report

Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E																																				
Test #	RGMX10079956	Test Procedure	3 - HWFE																																				
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)																																				
Test Date	03/15/2023	Fuel	Gasoline																																				
Fuel Batch ID	000329	Fuel Calibration Number	9322																																				
Vehicle Class	HDV1 (Federal HD chassis Class 2b GVW 8501-10000), MDV6 (Cal. LEV 2/3/4 MDV GVW 8501-10000)	DF Type	Mfr. Determined																																				
Verify Test Lab ID	Compliance and Certification																																						
E10 Evaporative Test Measurement Method	--																																						
Test Start Odometer Reading	3936	Odometer Units	M																																				
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--																																				
State of Charge Delta	No																																						
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes																																				
Test Results																																							
<table border="1"> <thead> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value (miles per gallon)</th> </tr> </thead> <tbody> <tr> <td>METHANE (CH4 - Methane)</td> <td>0.005123</td> <td>--</td> </tr> <tr> <td>CO (Carbon Monoxide)</td> <td>0.057198</td> <td>--</td> </tr> <tr> <td>DT-ASCR (Drive Trace Absolute Speed Change Rating)</td> <td>-1.92056</td> <td>--</td> </tr> <tr> <td>DT-EER (Drive Trace Energy Economy Rating)</td> <td>-0.057125</td> <td>--</td> </tr> <tr> <td>DT-IWRR (Drive Trace Inertia Work Ratio Rating)</td> <td>-2.53778</td> <td>--</td> </tr> <tr> <td>MFR FE (Manufacturer Fuel Economy)</td> <td>16.8</td> <td>16.8</td> </tr> <tr> <td>NOX (Nitrogen Oxide)</td> <td>0.003832</td> <td>--</td> </tr> <tr> <td>N2O (Nitrous Oxide)</td> <td>0.001</td> <td>--</td> </tr> <tr> <td>HC-NM (Non-methane Hydrocarbon)</td> <td>0.000281</td> <td>--</td> </tr> <tr> <td>NMOG (Non-methane organic gases)</td> <td>0.00029</td> <td>--</td> </tr> <tr> <td>HC-TOTAL (Total Hydrocarbon)</td> <td>0.005208</td> <td>--</td> </tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	METHANE (CH4 - Methane)	0.005123	--	CO (Carbon Monoxide)	0.057198	--	DT-ASCR (Drive Trace Absolute Speed Change Rating)	-1.92056	--	DT-EER (Drive Trace Energy Economy Rating)	-0.057125	--	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-2.53778	--	MFR FE (Manufacturer Fuel Economy)	16.8	16.8	NOX (Nitrogen Oxide)	0.003832	--	N2O (Nitrous Oxide)	0.001	--	HC-NM (Non-methane Hydrocarbon)	0.000281	--	NMOG (Non-methane organic gases)	0.00029	--	HC-TOTAL (Total Hydrocarbon)	0.005208	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)																																					
METHANE (CH4 - Methane)	0.005123	--																																					
CO (Carbon Monoxide)	0.057198	--																																					
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-1.92056	--																																					
DT-EER (Drive Trace Energy Economy Rating)	-0.057125	--																																					
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-2.53778	--																																					
MFR FE (Manufacturer Fuel Economy)	16.8	16.8																																					
NOX (Nitrogen Oxide)	0.003832	--																																					
N2O (Nitrous Oxide)	0.001	--																																					
HC-NM (Non-methane Hydrocarbon)	0.000281	--																																					
NMOG (Non-methane organic gases)	0.00029	--																																					
HC-TOTAL (Total Hydrocarbon)	0.005208	--																																					
<table border="1"> <thead> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated CREE/OPT-CREE</th> </tr> </thead> <tbody> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>518</td> <td>999</td> </tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	Carbon-Related Exhaust Emissions	518	999																														
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE																																					
Carbon-Related Exhaust Emissions	518	999																																					
<table border="1"> <thead> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated CO2</th> </tr> </thead> <tbody> <tr> <td>Carbon dioxide</td> <td>517.902</td> <td>--</td> </tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated CO2	Carbon dioxide	517.902	--																														
Test Result Name	Unrounded Test Result	Verify Calculated CO2																																					
Carbon dioxide	517.902	--																																					
Manufacturer Test Comments	150K HWFE TEST																																						

Certification Summary Information Report

Test Group		VGMXD06.6171				Evaporative/Refueling Family				VGMXR017160E		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	CO2	999	1	--	--	0	--	999	--	--
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	METHANE	0.0051	1	--	--	--	--	0.005	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	N2O	0.001	1	--	--	--	--	0.001	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NMOG	0.0003	1	--	--	--	--	0	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NMOG+NOX	0.0041	1	--	--	--	--	0.004	0.170	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NOX	0.0038	1	--	--	--	--	0.004	99.999	Pass
CA	150,000 miles	California LEV-III SULEV170	NMOG	0.0003	1	--	--	--	--	0	99.999	Pass
CA	150,000 miles	California LEV-III SULEV170	NMOG+NOX	0.0041	1	--	--	--	--	0.004	0.170	Pass
CA	150,000 miles	California LEV-III SULEV170	NOX	0.0038	1	--	--	--	--	0.004	99.999	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CO2 Emission name is a Verify-calculated value.

Certification Summary Information Report

Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E
Test #	RGMX10079959	Test Procedure	3 - HWFE
Exhaust Test # for this Evap Test	--	Test Fuel Type	61 - Tier 2 Cert Gasoline
Test Date	03/26/2023	Fuel	Gasoline
Fuel Batch ID	000307	Fuel Calibration Number	9320
Vehicle Class	HDV1 (Federal HD chassis Class 2b GVW 8501-10000), MDV6 (Cal. LEV 2/3/4 MDV GVW 8501-10000)	DF Type	Mfr. Determined
Verify Test Lab ID	Compliance and Certification		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4016	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	No		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
METHANE (CH4 - Methane)	0.009926	--	
CO (Carbon Monoxide)	0.14345	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.375037	--	
DT-EER (Drive Trace Energy Economy Rating)	-0.420419	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-0.424521	--	
MFR FE (Manufacturer Fuel Economy)	16.4	16.4	
NOX (Nitrogen Oxide)	0.006892	--	
N2O (Nitrous Oxide)	0.001177	--	
HC-NM (Non-methane Hydrocarbon)	0.002121	--	
NMOG (Non-methane organic gases)	0.002185	--	
HC-TOTAL (Total Hydrocarbon)	0.011531	--	
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	
Carbon-Related Exhaust Emissions	545	545	
Test Result Name	Unrounded Test Result	Verify Calculated CO2	
Carbon dioxide	544.857	--	
Manufacturer Test Comments	150K HWFE TEST		

Certification Summary Information Report

Test Group		VGMXD06.6171				Evaporative/Refueling Family				VGMXR017160E		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	CO2	545	1	--	--	0	--	545	--	--
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	METHANE	0.0099	1	--	--	--	--	0.01	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	N2O	0.0012	1	--	--	--	--	0.001	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NMOG	0.0022	1	--	--	--	--	0.002	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NMOG+NOX	0.0091	1	--	--	--	--	0.009	0.170	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NOX	0.0069	1	--	--	--	--	0.007	99.999	Pass
CA	150,000 miles	California LEV-III SULEV170	NMOG	0.0022	1	--	--	--	--	0.002	99.999	Pass
CA	150,000 miles	California LEV-III SULEV170	NMOG+NOX	0.0091	1	--	--	--	--	0.009	0.170	Pass
CA	150,000 miles	California LEV-III SULEV170	NOX	0.0069	1	--	--	--	--	0.007	99.999	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CO2 Emission name is a Verify-calculated value.

Certification Summary Information Report

Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E
Test #	RGMX10079957	Test Procedure	90 - US06
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	03/15/2023	Fuel	Gasoline
Fuel Batch ID	000329	Fuel Calibration Number	9322
Vehicle Class	HDV1 (Federal HD chassis Class 2b GVW 8501-10000), MDV6 (Cal. LEV 2/3/4 MDV GVW 8501-10000)	DF Type	Mfr. Determined
Verify Test Lab ID	Compliance and Certification		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	3957	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	No		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
CO2 BAG 1 (Bag 1 Carbon Dioxide)	1261.31	--	
FE BAG 1 (Bag 1 Fuel Economy)	6.9	6.9	
CO2 BAG 2 (Bag 2 Carbon Dioxide)	766.005	--	
FE BAG 2 (Bag 2 Fuel Economy)	11.4	11.4	
METHANE (CH4 - Methane)	0.007928	--	
CO (Carbon Monoxide)	0.212032	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-5.73773	--	
DT-EER (Drive Trace Energy Economy Rating)	-2.028	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-9.23494	--	
MFR FE (Manufacturer Fuel Economy)	9.9	9.9	
NOX (Nitrogen Oxide)	0.578796	--	
HC-NM (Non-methane Hydrocarbon)	0.006515	--	
NMOG (Non-methane organic gases)	0.006711	--	
PM (Particulate Matter)	0.005545	--	
HC-TOTAL (Total Hydrocarbon)	0.01414	--	
Test Result Name	Unrounded Test Result	Verify Calculated CO2	
Carbon dioxide	876.333	--	
Manufacturer Test Comments	150K US06 TEST		

Certification Summary Information Report

Test Group		VGMXD06.6171				Evaporative/Refueling Family				VGMXR017160E		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	CO	0.21	1	--	--	--	--	0.2	99.9	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NMOG	0.0067	1	--	--	--	--	0.007	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NMOG+NOX	0.5855	1	--	--	--	--	0.586	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NOX	0.5788	1	--	--	--	--	0.579	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	PM	0.0055	1	--	--	--	--	0.006	99.999	Pass
CA	150,000 miles	California LEV-III SULEV170	CO	0.21	1	--	--	--	--	0.2	99.9	Pass
CA	150,000 miles	California LEV-III SULEV170	NMOG	0.0067	1	--	--	--	--	0.007	99.999	Pass
CA	150,000 miles	California LEV-III SULEV170	NMOG+NOX	0.5855	1	--	--	--	--	0.586	99.999	Pass
CA	150,000 miles	California LEV-III SULEV170	NOX	0.5788	1	--	--	--	--	0.579	99.999	Pass
CA	150,000 miles	California LEV-III SULEV170	PM	0.0055	1	--	--	--	--	0.006	99.999	Pass

Certification Summary Information Report

Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E																																				
Test #	RGMX10079960	Test Procedure	95 - SC03																																				
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)																																				
Test Date	03/22/2023	Fuel	Gasoline																																				
Fuel Batch ID	000329	Fuel Calibration Number	9322																																				
Vehicle Class	HDV1 (Federal HD chassis Class 2b GVW 8501-10000), MDV6 (Cal. LEV 2/3/4 MDV GVW 8501-10000)	DF Type	Mfr. Determined																																				
Verify Test Lab ID	Compliance and Certification																																						
E10 Evaporative Test Measurement Method	--																																						
Test Start Odometer Reading	3973	Odometer Units	M																																				
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--																																				
State of Charge Delta	No																																						
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes																																				
Test Results																																							
<table border="1"> <thead> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value (miles per gallon)</th> </tr> </thead> <tbody> <tr> <td>METHANE (CH4 - Methane)</td> <td>0.021955</td> <td>--</td> </tr> <tr> <td>CO (Carbon Monoxide)</td> <td>0.3245</td> <td>--</td> </tr> <tr> <td>DT-ASCR (Drive Trace Absolute Speed Change Rating)</td> <td>-0.98985</td> <td>--</td> </tr> <tr> <td>DT-EER (Drive Trace Energy Economy Rating)</td> <td>-0.308408</td> <td>--</td> </tr> <tr> <td>DT-IWRR (Drive Trace Inertia Work Ratio Rating)</td> <td>-1.0975</td> <td>--</td> </tr> <tr> <td>MFR FE (Manufacturer Fuel Economy)</td> <td>9.9</td> <td>9.9</td> </tr> <tr> <td>NOX (Nitrogen Oxide)</td> <td>0.008393</td> <td>--</td> </tr> <tr> <td>HC-NM (Non-methane Hydrocarbon)</td> <td>0</td> <td>--</td> </tr> <tr> <td>NMOG (Non-methane organic gases)</td> <td>0</td> <td>--</td> </tr> <tr> <td>PM (Particulate Matter)</td> <td>0.000935</td> <td>--</td> </tr> <tr> <td>HC-TOTAL (Total Hydrocarbon)</td> <td>0.018014</td> <td>--</td> </tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	METHANE (CH4 - Methane)	0.021955	--	CO (Carbon Monoxide)	0.3245	--	DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.98985	--	DT-EER (Drive Trace Energy Economy Rating)	-0.308408	--	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-1.0975	--	MFR FE (Manufacturer Fuel Economy)	9.9	9.9	NOX (Nitrogen Oxide)	0.008393	--	HC-NM (Non-methane Hydrocarbon)	0	--	NMOG (Non-methane organic gases)	0	--	PM (Particulate Matter)	0.000935	--	HC-TOTAL (Total Hydrocarbon)	0.018014	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)																																					
METHANE (CH4 - Methane)	0.021955	--																																					
CO (Carbon Monoxide)	0.3245	--																																					
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.98985	--																																					
DT-EER (Drive Trace Energy Economy Rating)	-0.308408	--																																					
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-1.0975	--																																					
MFR FE (Manufacturer Fuel Economy)	9.9	9.9																																					
NOX (Nitrogen Oxide)	0.008393	--																																					
HC-NM (Non-methane Hydrocarbon)	0	--																																					
NMOG (Non-methane organic gases)	0	--																																					
PM (Particulate Matter)	0.000935	--																																					
HC-TOTAL (Total Hydrocarbon)	0.018014	--																																					
<table border="1"> <thead> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated CO2</th> </tr> </thead> <tbody> <tr> <td>Carbon dioxide</td> <td>877.315</td> <td>--</td> </tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated CO2	Carbon dioxide	877.315	--																														
Test Result Name	Unrounded Test Result	Verify Calculated CO2																																					
Carbon dioxide	877.315	--																																					
Manufacturer Test Comments	150K SC03 TEST																																						

Certification Summary Information Report

Test Group		VGMXD06.6171				Evaporative/Refueling Family				VGMXR017160E		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	CO	0.32	1	--	--	--	--	0.3	99.9	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NMOG	0	1	--	--	--	--	0	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NMOG+NOX	0.0084	1	--	--	--	--	0.008	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	NOX	0.0084	1	--	--	--	--	0.008	99.999	Pass
Fed	150,000 miles	Federal Tier 3 HD Class 2b Bin 170	PM	0.0009	1	--	--	--	--	0.001	99.999	Pass
CA	150,000 miles	California LEV-III SULEV170	CO	0.32	1	--	--	--	--	0.3	99.9	Pass
CA	150,000 miles	California LEV-III SULEV170	NMOG	0	1	--	--	--	--	0	99.999	Pass
CA	150,000 miles	California LEV-III SULEV170	NMOG+NOX	0.0084	1	--	--	--	--	0.008	99.999	Pass
CA	150,000 miles	California LEV-III SULEV170	NOX	0.0084	1	--	--	--	--	0.008	99.999	Pass
CA	150,000 miles	California LEV-III SULEV170	PM	0.0009	1	--	--	--	--	0.001	99.999	Pass

Page 26 of 42 CSI Submission/Revision Date: 05/27/2026 11:38:17 AM

Certification Summary Information Report

Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E						
Manufacturer Test Vehicle Comments	--								
Test #	RGMX10080778	Test Procedure	23 - 2-day evap						
Exhaust Test # for this Evap Test	RGMX10080777	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)						
Test Date	04/23/2023	Fuel	Gasoline						
Fuel Batch ID	--	Fuel Calibration Number	--						
Vehicle Class	N/A	DF Type	Mfr. Determined						
Verify Test Lab ID	Compliance and Certification								
E10 Evaporative Test Measurement Method	Actual Total Hydrocarbon Equivalent Measurement (with speciation)								
Test Start Odometer Reading	4021	Odometer Units	M						
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--						
State of Charge Delta	No								
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	No						
Test Results									
<table border="1"> <thead> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value (miles per gallon)</th> </tr> </thead> <tbody> <tr> <td>HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)</td> <td>0.3629</td> <td>--</td> </tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.3629	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)							
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.3629	--							
Manufacturer Test Comments	150K EVF2 TEST								
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail	
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.3629	0	0.363	0.6	Pass	
CA	150,000 miles	California LEV-III Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.3629	0	0.363	0.6	Pass	

Certification Summary Information Report

Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E						
Test #	RGMX10080780	Test Procedure	34 - Federal fuel 3-day evap						
Exhaust Test # for this Evap Test	RGMX10080777	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)						
Test Date	05/09/2023	Fuel	Gasoline						
Fuel Batch ID	--	Fuel Calibration Number	--						
Vehicle Class	N/A	DF Type	Mfr. Determined						
Verify Test Lab ID	Compliance and Certification								
E10 Evaporative Test Measurement Method	Actual Total Hydrocarbon Equivalent Measurement (with speciation)								
Test Start Odometer Reading	4058	Odometer Units	M						
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--						
State of Charge Delta	No								
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	No						
Test Results									
<table border="1"> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value (miles per gallon)</th> </tr> <tr> <td>HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)</td> <td>0.5096</td> <td>--</td> </tr> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.5096	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)							
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.5096	--							
Manufacturer Test Comments									
150K EVF3 TEST									
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail	
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.5096	0	0.51	0.6	Pass	
CA	150,000 miles	California LEV-III Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.5096	0	0.51	0.6	Pass	

Certification Summary Information Report

Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E						
Test #	RGMX10080781	Test Procedure	24 - Federal fuel refueling test (ORVR)						
Exhaust Test # for this Evap Test	RGMX10080777	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)						
Test Date	04/21/2023	Fuel	Gasoline						
Fuel Batch ID	--	Fuel Calibration Number	--						
Vehicle Class	N/A	DF Type	Mfr. Determined						
Verify Test Lab ID	Compliance and Certification								
E10 Evaporative Test Measurement Method	Actual Total Hydrocarbon Equivalent Measurement (with speciation)								
Test Start Odometer Reading	4002	Odometer Units	M						
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--						
State of Charge Delta	No								
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	No						
Test Results									
<table border="1"> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value (miles per gallon)</th> </tr> <tr> <td>HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)</td> <td>0.0356</td> <td>--</td> </tr> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.0356	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)							
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.0356	--							
Manufacturer Test Comments 150K ORVR TEST									
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail	
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.036	0	0.04	0.2	Pass	
CA	150,000 miles	California LEV-III Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.036	0	0.04	0.2	Pass	

Certification Summary Information Report

Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E						
Test #	RGMX10080782	Test Procedure	32 - Federal Fuel Running Loss						
Exhaust Test # for this Evap Test	RGMX10080777	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)						
Test Date	05/09/2023	Fuel	Gasoline						
Fuel Batch ID	--	Fuel Calibration Number	--						
Vehicle Class	N/A	DF Type	Mfr. Determined						
Verify Test Lab ID	Compliance and Certification								
E10 Evaporative Test Measurement Method	Actual Total Hydrocarbon Equivalent Measurement (with speciation)								
Test Start Odometer Reading	4041	Odometer Units	M						
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--						
State of Charge Delta	No								
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	No						
Test Results									
<table border="1"> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value (miles per gallon)</th> </tr> <tr> <td>HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)</td> <td>0.00069</td> <td>--</td> </tr> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.00069	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)							
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.00069	--							
Manufacturer Test Comments									
150K EVFR TEST									
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail	
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.001	0	0	0.05	Pass	
CA	150,000 miles	California LEV-III Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.001	0	0	0.05	Pass	

Certification Summary Information Report

Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E						
Test #	RGMX10080779	Test Procedure	65 - Evap Canister Bleed Test						
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)						
Test Date	04/23/2023	Fuel	Gasoline						
Fuel Batch ID	--	Fuel Calibration Number	--						
Vehicle Class	N/A	DF Type	Mfr. Determined						
Verify Test Lab ID	Compliance and Certification								
E10 Evaporative Test Measurement Method	Actual Total Hydrocarbon Equivalent Measurement (with speciation)								
Test Start Odometer Reading	4021	Odometer Units	M						
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--						
State of Charge Delta	No								
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	No						
Test Results									
<table border="1"> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value (miles per gallon)</th> </tr> <tr> <td>HC-TOTAL (Total Hydrocarbon)</td> <td>0.00428</td> <td>--</td> </tr> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	HC-TOTAL (Total Hydrocarbon)	0.00428	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)							
HC-TOTAL (Total Hydrocarbon)	0.00428	--							
Manufacturer Test Comments 150K CBLD TEST									
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail	
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL	0.0043	0	0.004	0.03	Pass	
CA	150,000 miles	California LEV-III Zero Evap (Option 2)	HC-TOTAL	0.0043	0	0.004	0.03	Pass	

Certification Summary Information Report

Test Group	VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E
Fuel Properties			
Fuel Batch ID	000329	Fuel Calibration Number	9322
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	10/17/2022
Fuel Batch Calibration Effective Date	10/17/2022	Fuel Batch Calibration Ineffective Date	--
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.745
Fuel Ethanol Volume Percent (%)	9.8	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17787
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.828	Weight Fraction CO2	--
Fuel Batch ID	000307	Fuel Calibration Number	9320
Test Fuel Type	61 - Tier 2 Cert Gasoline	Fuel Batch Calibration Date	10/10/2022
Fuel Batch Calibration Effective Date	10/10/2022	Fuel Batch Calibration Ineffective Date	--
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.744
Fuel Ethanol Volume Percent (%)	--	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	18427
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.867	Weight Fraction CO2	--

Certification Summary Information Report

Test Group		VGMXD06.6171			Evaporative/Refueling Family		VGMXR017160E		
Consolidated List of Standards									
Exhaust Standards									
Cert Region		Federal			Cert/In-Use Code		Cert		
Vehicle Class		HDV1 (Federal HD chassis Class 2b GVW 8501-10000)			Standard Level		Federal Tier 3 HD Class 2b Bin 170		
Fuel		Gasoline			Test Procedure		SC03		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	1	--	--	--	--	--	99.9
150,000 miles	NMOG	--	1	--	--	--	--	--	99.999
150,000 miles	NMOG+NOX	--	1	--	--	--	1	--	99.999
150,000 miles	NOX	--	1	--	--	--	--	--	99.999
150,000 miles	PM	--	1	--	--	--	--	--	99.999
Cert Region		California + CAA Section 177 states			Cert/In-Use Code		Cert		
Vehicle Class		MDV6 (Cal. LEV 2/3/4 MDV GVW 8501-10000)			Standard Level		California LEV-III SULEV170		
Fuel		Gasoline			Test Procedure		Federal fuel 3-day exhaust		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	1	--	--	--	--	--	4.2
150,000 miles	CO-COMP	--	1	--	--	--	--	--	12.0
150,000 miles	NMOG	--	1	--	--	--	--	--	99.999
150,000 miles	NMOG+NOX	--	1	--	--	--	1	--	0.170
150,000 miles	NMOG+NOX-COMP	--	1	--	--	--	--	--	0.450
150,000 miles	NOX	--	1	--	--	--	--	--	99.999
150,000 miles	PM	--	1	--	--	--	--	--	0.008
150,000 miles	PM-COMP	--	1	--	--	--	--	--	0.010

Certification Summary Information Report

Test Group		VGMXD06.6171			Evaporative/Refueling Family			VGMXR017160E	
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		HDV1 (Federal HD chassis Class 2b GVW 8501-10000)			Standard Level			Federal Tier 3 HD Class 2b Bin 170	
Fuel		Gasoline			Test Procedure			Federal fuel 3-day exhaust	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	1	--	--	--	--	--	4.2
150,000 miles	CO-COMP	--	1	--	--	--	--	--	12.0
150,000 miles	CO2	--	1	--	--	--	--	0	999.999
150,000 miles	METHANE	--	1	--	--	--	--	--	99.999
150,000 miles	N2O	--	1	--	--	--	--	--	99.999
150,000 miles	NMOG	--	1	--	--	--	--	--	99.999
150,000 miles	NMOG+NOX	--	1	--	--	--	1	--	0.170
150,000 miles	NMOG+NOX-COMP	--	1	--	--	--	--	--	0.450
150,000 miles	NOX	--	1	--	--	--	--	--	99.999
150,000 miles	PM	--	1	--	--	--	--	--	0.008
150,000 miles	PM-COMP	--	1	--	--	--	--	--	0.010

Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		MDV6 (Cal. LEV 2/3/4 MDV GVW 8501-10000)			Standard Level			California LEV-III SULEV170	
Fuel		Gasoline			Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	1	--	--	--	--	--	99.9
150,000 miles	NMOG	--	1	--	--	--	--	--	99.999
150,000 miles	NMOG+NOX	--	1	--	--	--	1	--	99.999
150,000 miles	NOX	--	1	--	--	--	--	--	99.999
150,000 miles	PM	--	1	--	--	--	--	--	99.999

Certification Summary Information Report

Test Group	VGMXD06.6171			Evaporative/Refueling Family			VGMXR017160E		
Cert Region	Federal			Cert/In-Use Code			Cert		
Vehicle Class	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)			Standard Level			Federal Tier 3 HD Class 2b Bin 170		
Fuel	Gasoline			Test Procedure			US06		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	1	--	--	--	--	--	99.9
150,000 miles	NMOG	--	1	--	--	--	--	--	99.999
150,000 miles	NMOG+NOX	--	1	--	--	--	1	--	99.999
150,000 miles	NOX	--	1	--	--	--	--	--	99.999
150,000 miles	PM	--	1	--	--	--	--	--	99.999

Cert Region	California + CAA Section 177 states			Cert/In-Use Code			Cert		
Vehicle Class	MDV6 (Cal. LEV 2/3/4 MDV GVW 8501-10000)			Standard Level			California LEV-III SULEV170		
Fuel	Gasoline			Test Procedure			SC03		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	1	--	--	--	--	--	99.9
150,000 miles	NMOG	--	1	--	--	--	--	--	99.999
150,000 miles	NMOG+NOX	--	1	--	--	--	1	--	99.999
150,000 miles	NOX	--	1	--	--	--	--	--	99.999
150,000 miles	PM	--	1	--	--	--	--	--	99.999

Cert Region	California + CAA Section 177 states			Cert/In-Use Code			Cert		
Vehicle Class	MDV6 (Cal. LEV 2/3/4 MDV GVW 8501-10000)			Standard Level			California LEV-III SULEV170		
Fuel	Gasoline			Test Procedure			HWFE		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	NMOG	--	1	--	--	--	--	--	99.999
150,000 miles	NMOG+NOX	--	1	--	--	--	1	--	0.170
150,000 miles	NOX	--	1	--	--	--	--	--	99.999

Certification Summary Information Report

Test Group		VGMXD06.6171			Evaporative/Refueling Family			VGMXR017160E	
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		HDV1 (Federal HD chassis Class 2b GVW 8501-10000)			Standard Level			Federal Tier 3 HD Class 2b Bin 170	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO2	--	1	--	--	--	--	0	999.999
150,000 miles	METHANE	--	1	--	--	--	--	--	99.999
150,000 miles	N2O	--	1	--	--	--	--	--	99.999
150,000 miles	NMOG	--	1	--	--	--	--	--	99.999
150,000 miles	NMOG+NOX	--	1	--	--	--	1	--	0.170
150,000 miles	NOX	--	1	--	--	--	--	--	99.999

Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		MDV6 (Cal. LEV 2/3/4 MDV GVW 8501-10000)			Standard Level			California LEV-III SULEV170	
Fuel		Gasoline			Test Procedure			Fed. fuel 50 F exh.	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
4,000 miles	CO	--	1	--	--	--	--	--	4.2
4,000 miles	NMOG	--	1	--	--	--	--	--	99.999
4,000 miles	NMOG+NOX	--	1	--	--	--	1	--	0.340
4,000 miles	NOX	--	1	--	--	--	--	--	99.999

Evaporative/Refueling Standards

Evaporative/Refueling Family		VGMXR017160E		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Cert		Standard Level		California LEV-III Zero Evap (Option 2)	
Test Procedure		Federal Fuel Running Loss					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.05	0		

Certification Summary Information Report

Test Group		VGMXD06.6171		Evaporative/Refueling Family		VGMXR017160E	
Evaporative/Refueling Family		VGMXR017160E		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal fuel 3-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.600	0		
Evaporative/Refueling Family		VGMXR017160E		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Cert		Standard Level		California LEV-III Zero Evap (Option 2)	
Test Procedure		Evap Canister Bleed Test					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL	--	0.030	0		
Evaporative/Refueling Family		VGMXR017160E		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal Fuel Running Loss					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.05	0		
Evaporative/Refueling Family		VGMXR017160E		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		2-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.600	0		
Evaporative/Refueling Family		VGMXR017160E		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Cert		Standard Level		California LEV-III Zero Evap (Option 2)	
Test Procedure		Federal fuel 3-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.600	0		

Certification Summary Information Report

Test Group		VGMXD06.6171		Evaporative/Refueling Family		VGMXR017160E	
Evaporative/Refueling Family		VGMXR017160E		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Cert		Standard Level		California LEV-III Zero Evap (Option 2)	
Test Procedure		Federal fuel refueling test (ORVR)					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.20	0		
Evaporative/Refueling Family		VGMXR017160E		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal fuel refueling test (ORVR)					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.20	0		
Evaporative/Refueling Family		VGMXR017160E		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		Evap Canister Bleed Test					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL	--	0.030	0		
Evaporative/Refueling Family		VGMXR017160E		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Cert		Standard Level		California LEV-III Zero Evap (Option 2)	
Test Procedure		2-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.600	0		

Certification Summary Information Report

Test Group		VGMXD06.6171	Evaporative/Refueling Family	VGMXR017160E
Glossary				
Useful Life				
4	4,000 miles	120	120,000 miles	
50	50,000 miles	150	150,000 miles	
100	100,000 miles			
Emission Name				
HC-TOTAL	Total Hydrocarbon	COMB-CREE	Combined Carbon-Related Exhaust Emissions	
CO	Carbon Monoxide	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions	
CO2	Carbon dioxide	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only	
CREE	Carbon-Related Exhaust Emissions	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only	
OPT-CREE	Optional Carbon-Related Exhaust Emissions	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only	
NOX	Nitrogen Oxide	LEAK-DIA	Effective Leak Diameter (inches)	
PM	Particulate Matter	LEAK-GAS CAP	Gas Cap Leakage (cc/min)	
PM-COMP	SFTP Composite Particulate Matter	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only	
HC-NM	Non-methane Hydrocarbon	KW-HRS	Integrated DC KW-HRS	
OMHCE	Organic material Hydrocarbon Equivalent	CH4 BAG 1	Bag 1 Methane	
OMNMHCE	Organic material non-methane HC equivalent	CH4 BAG 2	Bag 2 Methane	
NMOG	Non-methane organic gases	CH4 BAG 3	Bag 3 Methane	
HCHO	Formaldehyde	CH4 BAG 4	Bag 4 Methane	
H3C2HO	Acetaldehyde	CO BAG 1	Bag 1 Carbon Monoxide	
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	CO BAG 2	Bag 2 Carbon Monoxide	
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	CO BAG 3	Bag 3 Carbon Monoxide	
CO-COMP	SFTP Composite Carbon Monoxide	CO BAG 4	Bag 4 Carbon Monoxide	
ETHANOL	C2H5OH - Ethanol	NMOG BAG 1	Bag 1 Non-methane organic gases	
FE BAG 1	Bag 1 Fuel Economy	NMOG BAG 2	Bag 2 Non-methane organic gases	
FE BAG 2	Bag 2 Fuel Economy	NMOG BAG 3	Bag 3 Non-methane organic gases	
FE BAG 3	Bag 3 Fuel Economy	NMOG BAG 4	Bag 4 Non-methane organic gases	
FE BAG 4	Bag 4 Fuel Economy	ACT-DISTANCE BAG 1	Bag 1 Actual Distance	
MFR FE	Manufacturer Fuel Economy	ACT-DISTANCE BAG 2	Bag 2 Actual Distance	
HC	Hydrocarbon for Running Loss and ORVR	ACT-DISTANCE BAG 3	Bag 3 Actual Distance	
METHANE	CH4 - Methane	ACT-DISTANCE BAG 4	Bag 4 Actual Distance	
METHANOL	CH3OH - Methanol	HC-TOTAL BAG 1	Bag 1 Total Hydrocarbon	
N2O	Nitrous Oxide	HC-TOTAL BAG 2	Bag 2 Total Hydrocarbon	
SPITBACK	Spitback Hydrocarbon in grams	HC-TOTAL BAG 3	Bag 3 Total Hydrocarbon	
AMP-HRS	Integrated Amp-hours	HC-TOTAL BAG 4	Bag 4 Total Hydrocarbon	
START-SOC	System Start State of Charge Watt-hours	WATT-HRS BAG 1	Bag 1 Watt Hours	
END-SOC	System End State of Charge Watt-hours	WATT-HRS BAG 2	Bag 2 Watt Hours	

Certification Summary Information Report

Test Group		VGMXD06.6171	Evaporative/Refueling Family		VGMXR017160E
ACT-DISTANCE	Actual Distance Driven (miles)		WATT-HRS BAG 3	Bag 3 Watt Hours	
AS-VOLT	Average System Voltage		WATT-HRS BAG 4	Bag 4 Watt Hours	
CO2 BAG 1	Bag 1 Carbon Dioxide		WATT-HRS	Watt Hours	
CO2 BAG 2	Bag 2 Carbon Dioxide		HC-NM BAG 1	Bag 1 Non-methane Hydrocarbon	
CO2 BAG 3	Bag 3 Carbon Dioxide		HC-NM BAG 2	Bag 2 Non-methane Hydrocarbon	
CO2 BAG 4	Bag 4 Carbon Dioxide		HC-NM BAG 3	Bag 3 Non-methane Hydrocarbon	
NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides		HC-NM BAG 4	Bag 4 Non-methane Hydrocarbon	
NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides		N2O BAG 1	Bag 1 Nitrous Oxide	
DT-IWRR	Drive Trace Inertia Work Ratio Rating		N2O BAG 2	Bag 2 Nitrous Oxide	
DT-ASCR	Drive Trace Absolute Speed Change Rating		N2O BAG 3	Bag 3 Nitrous Oxide	
DT-EER	Drive Trace Energy Economy Rating		N2O BAG 4	Bag 4 Nitrous Oxide	
Certification Region					
CA	California + CAA Section 177 states		FA	Federal	
Exhaust Emission Standard Level					
B1	Federal Tier 2 Bin 1		HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
B2	Federal Tier 2 Bin 2		HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
B3	Federal Tier 2 Bin 3		HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
B4	Federal Tier 2 Bin 4		HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
B5	Federal Tier 2 Bin 5		HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
B6	Federal Tier 2 Bin 6		HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
B7	Federal Tier 2 Bin 7		HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
B8	Federal Tier 2 Bin 8		HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
B9	Federal Tier 2 Bin 9		HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
B10	Federal Tier 2 Bin 10		HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
B11	Federal Tier 2 Bin 11		HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)		HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)		HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
L2	California LEV-II LEV		L4SULEV100	California LEV-IV SULEV100	
L2OP	California LEV-II LEV Optional		L4SULEV125	California LEV-IV SULEV125	
U2	California LEV-II ULEV		L4SULEV15	California LEV-IV SULEV15	
S2	California LEV-II SULEV		L4SULEV150	California LEV-IV SULEV150	
ZEV	California ZEV		L4SULEV170	California LEV-IV SULEV170	
OT	Other		L4SULEV175	California LEV-IV SULEV175	
T1	Federal Tier 1		L4SULEV20	California LEV-IV SULEV20	
PZEV	California PZEV		L4SULEV200	California LEV-IV SULEV200	
L2LEV160	California LEV-II LEV160		L4SULEV230	California LEV-IV SULEV230	
L2ULEV125	California LEV-II ULEV125		L4SULEV25	California LEV-IV SULEV25	
L2SULEV30	California LEV-II SULEV30		L4SULEV30	California LEV-IV SULEV30	
L2LEV395	California LEV-II LEV395		L4SULEV75	California LEV-IV SULEV75	

Certification Summary Information Report

Test Group		VGMXD06.6171	Evaporative/Refueling Family		VGMXR017160E
L2ULEV340	California LEV-II ULEV340		L4SULEV85	California LEV-IV SULEV85	
L2LEV630	California LEV-II LEV630		L4ULEV125	California LEV-IV ULEV125	
L2ULEV570	California LEV-II ULEV570		L4ULEV200	California LEV-IV ULEV200	
L3LEV160	California LEV-III LEV160		L4ULEV250	California LEV-IV ULEV250	
L3ULEV125	California LEV-III ULEV125		L4ULEV270	California LEV-IV ULEV270	
L3ULEV70	California LEV-III ULEV70		L4ULEV40	California LEV-IV ULEV40	
L3ULEV50	California LEV-III ULEV50		L4ULEV400	California LEV-IV ULEV400	
L3SULEV30	California LEV-III SULEV30		L4ULEV50	California LEV-IV ULEV50	
L3SULEV20	California LEV-III SULEV20		L4ULEV60	California LEV-IV ULEV60	
L3LEV395	California LEV-III LEV395		L4ULEV70	California LEV-IV ULEV70	
L3ULEV340	California LEV-III ULEV340		T4B170	Federal Tier 4 MDV Bin 170	
L3ULEV250	California LEV-III ULEV250		T4B150	Federal Tier 4 MDV Bin 150	
L3ULEV200	California LEV-III ULEV200		T4B125	Federal Tier 4 MDV Bin 125	
L3SULEV170	California LEV-III SULEV170		T4B100	Federal Tier 4 MDV Bin 100	
L3SULEV150	California LEV-III SULEV150		T4B85	Federal Tier 4 MDV Bin 85	
L3LEV630	California LEV-III LEV630		T4B75	Federal Tier 4 MDV Bin 75	
L3ULEV570	California LEV-III ULEV570		T4B70	Federal Tier 4 Bin 70	
L3ULEV400	California LEV-III ULEV400		T4B65	Federal Tier 4 Bin 65	
L3ULEV270	California LEV-III ULEV270		T4B60	Federal Tier 4 Bin 60	
L3SULEV230	California LEV-III SULEV230		T4B55	Federal Tier 4 Bin 55	
L3SULEV200	California LEV-III SULEV200		T4B50	Federal Tier 4 Bin 50	
T3B160	Federal Tier 3 Bin 160		T4B45	Federal Tier 4 Bin 45	
T3B125	Federal Tier 3 Bin 125		T4B40	Federal Tier 4 Bin 40	
T3B110	Federal Tier 3 Transitional Bin 110		T4B35	Federal Tier 4 Bin 35	
T3B85	Federal Tier 3 Transitional Bin 85		T4B30	Federal Tier 4 Bin 30	
T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover		T4B25	Federal Tier 4 Bin 25	
T3B70	Federal Tier 3 Bin 70		T4B20	Federal Tier 4 Bin 20	
T3B50	Federal Tier 3 Bin 50		T4B15	Federal Tier 4 Bin 15	
T3B30	Federal Tier 3 Bin 30		T4B10	Federal Tier 4 Bin 10	
T3B20	Federal Tier 3 Bin 20		T4B5	Federal Tier 4 Bin 5	
T3B0	Federal Tier 3 Bin 0		T4B0	Federal Tier 4 Bin 0	
HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395				
Transmission Type Code					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual		
A	Automatic	OT	Other		
AM	Automated Manual	SA	Semi-Automatic		
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)		
Drive System Code					
4	4-Wheel Drive	P	Part-time 4-Wheel Drive		

Certification Summary Information Report

Test Group		VGMXD06.6171	Evaporative/Refueling Family		VGMXR017160E
F	2-Wheel Drive, Front		A	All Wheel Drive	
R	2-Wheel Drive, Rear				
Additional Terms and Acronyms					
AFC	Alternative Fuel Converter		ICI	Independent Commercial Importer	
CSI	Certificate Summary Information		ORVR	Onboard Refueling Vapor Recovery	
DF	Deterioration Factor		SIL	Shift Indicator Light	
Evap	Evaporation, Evaporative		Trans	Transmission	