Certification Summary Information Report

Manufacturer	Maserati North America, Inc.	**Manufacturer Code**	MAX
Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--
Certificate Number	VMAXT00.0182-001	**CARB Executive Order #**	--
Certificate Issue Date	05/28/2026	**Certificate Revision Date**	--
Certificate Effective Date	05/28/2026	**Conditional Certificate**	No
CSI Revision #	--	**CSI Submission/Revision Date**	05/18/2026 12:26:30 PM
Model Year	2027		

Test Group Information

CSI Type	New	**Running Change Reference Number**	--
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Electric Motor

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Electricity	--	--

Hybrid Indicator	No		
Multiple Fuel Storage	--	**Rechargeable Energy Storage System Indicator**	Yes
Multiple Fuel Combustion	--	**Off-board Charge Capable Indicator**	Yes
Fuel Cell Indicator	No	**EPA Vehicle Class**	LDT4
Federal Clean Fuel Vehicle	Yes	**Federal Clean Fuel Vehicle Standard**	ZEV
Federal Clean Fuel Vehicle ILEV	Yes	**California Partial Zero Emissions Vehicle Indicator**	--
Durability Group Name	VMAXEEVNNM02	**Durability Group Equivalency Factor**	1
Reduced Fee Test Group	No	**Certification Region Code(s)**	FA, CA
Complies with HD GHG 2b/3 regulations?	No		
Introduction into Commerce Date	09/07/2026	**CAP2000 Conditional Certificate?**	No
Independent Commercial Importer?	No	**Alternative Fuel Converter Certificate?**	No
SFTP Federal Composite Compliance Identifier	Not Applicable	**SFTP Tier 2 Composite CO Option**	No
SFTP LEV-III Composite Compliance Indicator	No		
OBD Compliance Type	CARB	**OBD Demonstration Vehicle Test Group**	VMAXT00.0182
Test Group OBD Compliance Level	Full - no deficiencies	**Number of Test Group OBD Deficiencies**	0
OBD Deficiencies Comments	BEV, NO OBD		
Mfr Test Group Comments	This test group is being certified to Tier 4 Interim standards. Maserati North America, Inc. agrees to meet the Tier 4i BIN 0 standards and the regulations applicable to such vehicles during the full useful lives of the vehicles in test group VMAXT00.0182.		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group	VMAXT00.0182	Evaporative/Refueling Family	--

Models Covered by this Certificate

Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
Maserati North America, Inc.	1 - MASERATI	64 - Grecale Folgore (21 inch Wheels)	Federal	All Wheel Drive	Automatic	1	No
Maserati North America, Inc.	1 - MASERATI	67 - Grecale Folgore (19 inch Wheels)	Federal	All Wheel Drive	Automatic	1	No
Maserati North America, Inc.	1 - MASERATI	67 - Grecale Folgore (19 inch Wheels)	California + CAA Section 177 states	All Wheel Drive	Automatic	1	No
Maserati North America, Inc.	1 - MASERATI	63 - Grecale Folgore (20 inch Wheels)	Federal	All Wheel Drive	Automatic	1	No
Maserati North America, Inc.	1 - MASERATI	63 - Grecale Folgore (20 inch Wheels)	California + CAA Section 177 states	All Wheel Drive	Automatic	1	No
Maserati North America, Inc.	1 - MASERATI	64 - Grecale Folgore (21 inch Wheels)	California + CAA Section 177 states	All Wheel Drive	Automatic	1	No

Engine Description

Hybrid Type	--	**Hybrid Description**	--
Engine Type	--	**Mfr Engine Description**	--
Engine Block Arrangement	--	**Mfr Engine Block Arrangement Description**	--
Camless Valvetrain Indicator	--	**Oil Viscosity/Classification**	
Number of Cylinders/Rotors	--	**Mechanically Variable Compression Ratio Indicator**	--

After Treatment Device(s) (ATD)

Mfr After Treatment Device (ATD) Comments	--
Direct Ozone Reduction (DOR) Device	--
Mfr Emission Control Device Comments	--

Official Test Numbers

Test Group Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Electricity	--	--	--	--	--	--	--	--	--	--

SFTP LEV-III Official Test Numbers

Test Group Fuel	FTP	US06	SC03
Electricity	--	--	--

Official Charge Depleting Test Numbers

Test Group Fuel	UDDS	Highway
Electricity	--	--

Certification Summary Information Report

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Hybrid Electric Vehicle And Fuel Cell Information

Rechargable Energy Storage System	Battery(s)	**Rechargable Energy Storage System, if Other**	--
Battery Type	Lithium Ion	**Number of Battery Packs**	1
Total Voltage of Battery Packs	400	**Battery Energy Capacity**	288
Battery Specific Energy	160	**Battery Charger Type**	On-Board
Number of Capacitors	--	**Capacitor Rating (In Farads)**	--
Mfr Capacitor Comments	--		
Hydraulic System Description	--		
Regenerative Braking Type	Electrical Regen Brake		
Regenerative Braking Source	Both	**Driver Controlled Regenerative Braking**	Yes
Mfr Regenerative Braking Description	--		
Drive Motor(s)/Generator(s)	2		
Motor/Generator Type 1	DC Permanent Magnet, brushless	**Rated Motor/Generator Power**	205
Motor/Generator Type 2	DC Permanent Magnet, brushless	**Rated Motor/Generator Power**	205
Mfr Fuel Cell Description	--		
Fuel Cell On-Board H2 Storage Capacity (kg)	--	**Usable H2 Fill Capacity (kg)**	--
Mfr Hybrid Electric/ Electric Vehicle Comments	--		

Certification Summary Information Report

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Emission Data Vehicle Information

Vehicle ID / Configuration	460728 / 0	**Manufacturer Vehicle Configuration Number**	0
Original Test Group Name	TMAXT00.0182	**Original Evaporative/Refueling Family**	--
Original Test Vehicle Model Year	2026		

Vehicle Model

Represented Test Vehicle Make	Maserati	**Represented Test Vehicle Model**	Grecale Folgore (21 inch Wheels, Summer Tires)

Leak Family Details

Leak Family Identifier	--	**Leak Family Name**	--

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Electric Motor	Electricity

Hybrid Indicator	No		
Multiple Fuel Storage	--	**Multiple Fuel Combustion**	--
Fuel Cell Indicator	No	**Rechargeable Energy Storage System Indicator**	Yes
Rechargeable Energy Storage System	Battery(s)	**Rechargeable Energy Storage System, if 'Other'**	--
Off-board charge Capable Indicator	Yes		
Odometer Correction -- Initial	0	**Odometer Correction Factor**	0
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles		
Odometer Correction Units	Miles		
Engine Code	TMAX20	**Rated Horsepower**	550
Displacement (liters)	0.001		
Air Aspiration Method	Naturally Aspirated	**Air Aspiration Method, if 'Other'**	
Number of Air Aspiration Devices	--	**Air Aspiration Device Configuration**	--
Charge Air Cooler Type	--	**Drive Mode While Testing**	All Wheel Drive
Shift Indicator Light Usage	Not eqipped	**Aged Emission Components**	4,000 (mi)
Curb Weight (lbs)	5745	**Equivalent Test Weight (pounds)**	6000
GVWR (lbs)	--	**N/V Ratio**	999
Axle Ratio	9.99		
Transmission Type	single gear	**# of Transmission Gears**	1
Transmission Lockup	No	**Creeper Gear**	No

Certification Summary Information Report

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Dynamometer Coefficients:

Coefficient Category	Target Coefficients A (lbf)	Target Coefficients B (lbf/mph)	Target Coefficients C (lbf/mph**2)	Set Coefficients A (lbf)	Set Coefficients B (lbf/mph)	Set Coefficients C (lbf/mph**2)	EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
City/Highway/Evap	65.44	0.3765	0.02117	10.41	-0.031	0.0226	18.3
US06	65.44	0.3765	0.02117	10.41	-0.031	0.0226	N/A

Emission Control Device Comments --

Manufacturer Test Vehicle Comments EDV Configuration (R21 Summer tires) Additional Detail on Axle ratio: 10.09 Front - 10.09 Rear 02/06/2026: ABC Coefficients (Target & Set) corrected to match the right configuration.

Certification Summary Information Report

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Test #	**TMAX10091794**	**Test Procedure**	**77 - Multi-Cycle Test (MCT)**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	62 - Electricity
Test Date	05/29/2025	**Fuel**	Electricity
Fuel Batch ID	--	**Fuel Calibration Number**	--
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	**DF Type**	Mfr. Determined
Verify Test Lab ID	Maserati Test Laboratory		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	5141	**Odometer Units**	M
4WD Test Dyno	Yes	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	Yes

PHEV/EV Charge Depleting Test Information

Recharge Event Voltage	220	**Recharge Event Energy (kiloWatt-hours)**	111.94
Charge Depleting Range (Calculated miles)	330.324	**Charge Depleting Range (Actual miles)**	330.324
Charge Depleting Range Highway (Calculated miles)	304.026	**Derived 5-Cycle Coefficient Model Year**	--
All Electric Range Unadjusted (miles)	--	**Equivalent All Electric Range (miles)**	330.3
Number of Charge Depleting Bags/Phases Conducted	8	**Transition Bag/Phase Number**	--

Charge Depleting Bag/Phase #1

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.417
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	1.4048
Drive Trace Energy Economy Rating	-0.779
Drive Trace Inertia Work Ratio Rating	1.8841
Integrated DC KW-HRS	2.4253
Manufacturer Fuel Economy	32.6992

Charge Depleting Bag/Phase #2

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.235
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	2.667
Drive Trace Energy Economy Rating	0.5039
Drive Trace Inertia Work Ratio Rating	3.6077
Integrated DC KW-HRS	3.2932
Manufacturer Fuel Economy	32.1759

Charge Depleting Bag/Phase #3

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.434
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	0.9826
Drive Trace Energy Economy Rating	-0.3254
Drive Trace Inertia Work Ratio Rating	1.6367
Integrated DC KW-HRS	2.2348
Manufacturer Fuel Economy	30.0619

Charge Depleting Bag/Phase #4

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	200.332
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	20.2998
Drive Trace Energy Economy Rating	1.417
Drive Trace Inertia Work Ratio Rating	40.5899
Integrated DC KW-HRS	76.457
Manufacturer Fuel Economy	38.1651

Charge Depleting Bag/Phase #5

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.481
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-0.1777
Drive Trace Energy Economy Rating	-0.3578
Drive Trace Inertia Work Ratio Rating	0.3096
Integrated DC KW-HRS	2.1589
Manufacturer Fuel Economy	28.8584

Charge Depleting Bag/Phase #6

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.272
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	5.2271
Drive Trace Energy Economy Rating	-0.7396
Drive Trace Inertia Work Ratio Rating	7.3732
Integrated DC KW-HRS	3.1998
Manufacturer Fuel Economy	31.1507

Charge Depleting Bag/Phase #7

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.503
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	1.158
Drive Trace Energy Economy Rating	-1.534
Drive Trace Inertia Work Ratio Rating	2.2638
Integrated DC KW-HRS	2.1182
Manufacturer Fuel Economy	28.2314

Charge Depleting Bag/Phase #8

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	11.228
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	99.99
Drive Trace Energy Economy Rating	-0.9395
Drive Trace Inertia Work Ratio Rating	46.6646
Integrated DC KW-HRS	4.3775
Manufacturer Fuel Economy	38.9874

Manufacturer Test Comments --

Certification Summary Information Report

Test Group VMAXT00.0182 **Evaporative/Refueling Family** --

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--

Certification Summary Information Report

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Emission Data Vehicle Information

Vehicle ID / Configuration	460728 / 1	**Manufacturer Vehicle Configuration Number**	0
Original Test Group Name	TMAXT00.0182	**Original Evaporative/Refueling Family**	--
Original Test Vehicle Model Year	2026		

Vehicle Model

Represented Test Vehicle Make	Maserati	**Represented Test Vehicle Model**	Grecale Folgore (19 inch Wheels)

Leak Family Details

Leak Family Identifier	--	**Leak Family Name**	--

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Electric Motor	Electricity

Hybrid Indicator	No		
Multiple Fuel Storage	--	**Multiple Fuel Combustion**	--
Fuel Cell Indicator	No	**Rechargeable Energy Storage System Indicator**	Yes
Rechargeable Energy Storage System	Battery(s)	**Rechargeable Energy Storage System, if 'Other'**	--
Off-board charge Capable Indicator	Yes		
Odometer Correction -- Initial	0	**Odometer Correction Factor**	0
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles		
Odometer Correction Units	Miles		
Engine Code	TMAX20	**Rated Horsepower**	550
Displacement (liters)	0.001		
Air Aspiration Method	Naturally Aspirated	**Air Aspiration Method, if 'Other'**	
Number of Air Aspiration Devices	--	**Air Aspiration Device Configuration**	--
Charge Air Cooler Type	--	**Drive Mode While Testing**	All Wheel Drive
Shift Indicator Light Usage	Not eqipped	**Aged Emission Components**	4,000 (mi)
Curb Weight (lbs)	5745	**Equivalent Test Weight (pounds)**	6000
GVWR (lbs)	--	**N/V Ratio**	999
Axle Ratio	9.99		
Transmission Type	single gear	**# of Transmission Gears**	1
Transmission Lockup	No	**Creeper Gear**	No

Dynamometer Coefficients:

	Target Coefficients			Set Coefficients			
Coefficient Category	**A (lbf)**	**B (lbf/mph)**	**C (lbf/mph**2)**	**A (lbf)**	**B (lbf/mph)**	**C (lbf/mph**2)**	**EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients**
City/Highway/Evap	52.54	0.0376	0.0238	12.68	-0.464	0.0261	15.2
US06	52.54	0.0376	0.0238	12.68	-0.464	0.0261	N/A

Certification Summary Information Report

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Emission Control Device Comments	--
Manufacturer Test Vehicle Comments	FEDV Configuration Additional Detail on Axle ratio: 10.09 Front - 10.09 Rear 02/06/2026: Vehicle config number updated. Additional precision added on the B & C target coefficients.

Certification Summary Information Report

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Test #	**TMAX10091792**	**Test Procedure**	**77 - Multi-Cycle Test (MCT)**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	62 - Electricity
Test Date	05/14/2025	**Fuel**	Electricity
Fuel Batch ID	--	**Fuel Calibration Number**	--
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	**DF Type**	Mfr. Determined
Verify Test Lab ID	Maserati Test Laboratory		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4253	**Odometer Units**	M
4WD Test Dyno	Yes	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	Yes

PHEV/EV Charge Depleting Test Information

Recharge Event Voltage	220	**Recharge Event Energy (kiloWatt-hours)**	111.53
Charge Depleting Range (Calculated miles)	393.354	**Charge Depleting Range (Actual miles)**	393.354
Charge Depleting Range Highway (Calculated miles)	368.604	**Derived 5-Cycle Coefficient Model Year**	--
All Electric Range Unadjusted (miles)	--	**Equivalent All Electric Range (miles)**	393.4
Number of Charge Depleting Bags/Phases Conducted	8	**Transition Bag/Phase Number**	--

Charge Depleting Bag/Phase #1

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.395
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-1.806
Drive Trace Energy Economy Rating	2.0562
Drive Trace Inertia Work Ratio Rating	-3.1787
Integrated DC KW-HRS	2.0132
Manufacturer Fuel Economy	27.2238

Charge Depleting Bag/Phase #2

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.209
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	0.8691
Drive Trace Energy Economy Rating	0.6829
Drive Trace Inertia Work Ratio Rating	0.99152
Integrated DC KW-HRS	2.7369
Manufacturer Fuel Economy	26.8087

Charge Depleting Bag/Phase #3

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.383
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-1.6806
Drive Trace Energy Economy Rating	1.4249
Drive Trace Inertia Work Ratio Rating	-2.571
Integrated DC KW-HRS	1.8591
Manufacturer Fuel Economy	25.1808

Charge Depleting Bag/Phase #4

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	235.823
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	12.2614
Drive Trace Energy Economy Rating	0.9655
Drive Trace Inertia Work Ratio Rating	24.2788
Integrated DC KW-HRS	78.3277
Manufacturer Fuel Economy	33.2146

Charge Depleting Bag/Phase #5

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.479
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	1.1608
Drive Trace Energy Economy Rating	-0.4115
Drive Trace Inertia Work Ratio Rating	1.6833
Integrated DC KW-HRS	1.8147
Manufacturer Fuel Economy	24.2639

Charge Depleting Bag/Phase #6

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.224
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	0.078
Drive Trace Energy Economy Rating	0.1233
Drive Trace Inertia Work Ratio Rating	0.3365
Integrated DC KW-HRS	2.6356
Manufacturer Fuel Economy	25.7786

Charge Depleting Bag/Phase #7

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.518
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	2.2667
Drive Trace Energy Economy Rating	-2.1311
Drive Trace Inertia Work Ratio Rating	3.55745
Integrated DC KW-HRS	1.8275
Manufacturer Fuel Economy	24.3083

Charge Depleting Bag/Phase #8

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	16.388
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	99.99
Drive Trace Energy Economy Rating	-0.4538
Drive Trace Inertia Work Ratio Rating	78.7692
Integrated DC KW-HRS	5.7046
Manufacturer Fuel Economy	34.8096

Manufacturer Test Comments --

Certification Summary Information Report

Test Group VMAXT00.0182 **Evaporative/Refueling Family** --

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Emission Data Vehicle Information

Vehicle ID / Configuration	460728 / 2	**Manufacturer Vehicle Configuration Number**	0
Original Test Group Name	TMAXT00.0182	**Original Evaporative/Refueling Family**	--
Original Test Vehicle Model Year	2026		

Vehicle Model

Represented Test Vehicle Make	Maserati	**Represented Test Vehicle Model**	Grecale Folgore (21 inch Wheels, All Season Tires)

Leak Family Details

Leak Family Identifier	--	**Leak Family Name**	--

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Electric Motor	Electricity

Hybrid Indicator	No		
Multiple Fuel Storage	--	**Multiple Fuel Combustion**	--
Fuel Cell Indicator	No	**Rechargeable Energy Storage System Indicator**	Yes
Rechargeable Energy Storage System	Battery(s)	**Rechargeable Energy Storage System, if 'Other'**	--
Off-board charge Capable Indicator	Yes		
Odometer Correction -- Initial	0	**Odometer Correction Factor**	0
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles		
Odometer Correction Units	Miles		
Engine Code	TMAX20	**Rated Horsepower**	550
Displacement (liters)	0.001		
Air Aspiration Method	Naturally Aspirated	**Air Aspiration Method, if 'Other'**	
Number of Air Aspiration Devices	--	**Air Aspiration Device Configuration**	--
Charge Air Cooler Type	--	**Drive Mode While Testing**	All Wheel Drive
Shift Indicator Light Usage	Not eqipped	**Aged Emission Components**	4,000 (mi)
Curb Weight (lbs)	5745	**Equivalent Test Weight (pounds)**	6000
GVWR (lbs)	--	**N/V Ratio**	999
Axle Ratio	9.99		
Transmission Type	single gear	**# of Transmission Gears**	1
Transmission Lockup	No	**Creeper Gear**	No

Certification Summary Information Report

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Dynamometer Coefficients:

Coefficient Category	Target Coefficients A (lbf)	Target Coefficients B (lbf/mph)	Target Coefficients C (lbf/mph**2)	Set Coefficients A (lbf)	Set Coefficients B (lbf/mph)	Set Coefficients C (lbf/mph**2)	EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
City/Highway/Evap	56.52	0.3765	0.02118	8.59	-0.024	0.0223	17.1
US06	56.52	0.3765	0.02118	8.59	-0.024	0.0223	N/A

Emission Control Device Comments --

Manufacturer Test Vehicle Comments Grecale Folgore R21 inch Wheels, All Season Tires Configuration Additional Detail on Axle ratio: 10.09 Front - 10.09 Rear 02/06/2026: ABC Coefficients (Target & Set) corrected to match the right configuration.

Certification Summary Information Report

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Test #	**TMAX10091795**	**Test Procedure**	**77 - Multi-Cycle Test (MCT)**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	62 - Electricity
Test Date	07/01/2025	**Fuel**	Electricity
Fuel Batch ID	--	**Fuel Calibration Number**	--
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	**DF Type**	Mfr. Determined
Verify Test Lab ID	Maserati Test Laboratory		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	5472	**Odometer Units**	M
4WD Test Dyno	Yes	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	Yes

PHEV/EV Charge Depleting Test Information

Recharge Event Voltage	220	**Recharge Event Energy (kiloWatt-hours)**	111.19
Charge Depleting Range (Calculated miles)	353.166	**Charge Depleting Range (Actual miles)**	353.166
Charge Depleting Range Highway (Calculated miles)	326.075	**Derived 5-Cycle Coefficient Model Year**	--
All Electric Range Unadjusted (miles)	--	**Equivalent All Electric Range (miles)**	353.2
Number of Charge Depleting Bags/Phases Conducted	8	**Transition Bag/Phase Number**	--

Charge Depleting Bag/Phase #1

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.427
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	1.7692
Drive Trace Energy Economy Rating	-1.693
Drive Trace Inertia Work Ratio Rating	2.1165
Integrated DC KW-HRS	2.1753
Manufacturer Fuel Economy	29.2891

Charge Depleting Bag/Phase #2

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.203
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	0.9569
Drive Trace Energy Economy Rating	0.7382
Drive Trace Inertia Work Ratio Rating	1.2614
Integrated DC KW-HRS	3.0592
Manufacturer Fuel Economy	29.9833

Charge Depleting Bag/Phase #3

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.398
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	1.5556
Drive Trace Energy Economy Rating	-1.1815
Drive Trace Inertia Work Ratio Rating	1.4951
Integrated DC KW-HRS	2.0534
Manufacturer Fuel Economy	27.7562

Charge Depleting Bag/Phase #4

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	199.192
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	1.4737
Drive Trace Energy Economy Rating	0.5674
Drive Trace Inertia Work Ratio Rating	1.3809
Integrated DC KW-HRS	73.9396
Manufacturer Fuel Economy	37.1198

Charge Depleting Bag/Phase #5

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.543
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	1.1899
Drive Trace Energy Economy Rating	-0.639
Drive Trace Inertia Work Ratio Rating	1.5441
Integrated DC KW-HRS	2.0402
Manufacturer Fuel Economy	27.0476

Charge Depleting Bag/Phase #6

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.24
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	1.4712
Drive Trace Energy Economy Rating	1.0286
Drive Trace Inertia Work Ratio Rating	2.7198
Integrated DC KW-HRS	2.984
Manufacturer Fuel Economy	29.1406

Charge Depleting Bag/Phase #7

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.509
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	1.7019
Drive Trace Energy Economy Rating	-0.8425
Drive Trace Inertia Work Ratio Rating	2.2952
Integrated DC KW-HRS	2.023
Manufacturer Fuel Economy	26.941

Charge Depleting Bag/Phase #8

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	22.144
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	99.99
Drive Trace Energy Economy Rating	-1.1686
Drive Trace Inertia Work Ratio Rating	74.9134
Integrated DC KW-HRS	8.1194
Manufacturer Fuel Economy	36.6664

Manufacturer Test Comments --

Certification Summary Information Report

Test Group VMAXT00.0182 **Evaporative/Refueling Family** --

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	1	0	--	--

Fuel Properties

Certification Summary Information Report

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Consolidated List of Standards

Exhaust Standards

Cert Region	California + CAA Section 177 states	**Cert/In-Use Code**	Cert
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	**Standard Level**	California ZEV
Fuel	Electricity	**Test Procedure**	Multi-Cycle Test (MCT)

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	1	0	0
150,000 miles	CREE	--	--	--	--	--	1	0	0

Cert Region	Federal	**Cert/In-Use Code**	Cert
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	**Standard Level**	Federal Tier 3 Bin 0
Fuel	Electricity	**Test Procedure**	Multi-Cycle Test (MCT)

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	1	0	0
150,000 miles	CREE	--	--	--	--	--	1	0	0

Cert Region	Federal	**Cert/In-Use Code**	Cert
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	**Standard Level**	Federal Tier 3 Bin 0
Fuel	Electricity	**Test Procedure**	CVS 75 and later (w/o can. load)

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CREE	--	--	--	0	0	1	0	0

Certification Summary Information Report

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--
Cert Region	California + CAA Section 177 states	**Cert/In-Use Code**	Cert
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	**Standard Level**	California ZEV
Fuel	Electricity	**Test Procedure**	CVS 75 and later (w/o can. load)

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CREE	--	--	--	0	0	1	0	0

Certification Summary Information Report

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--

Glossary

Useful Life			
4	4,000 miles	120	120,000 miles
50	50,000 miles	150	150,000 miles
100	100,000 miles		

Emission Name			
HC-TOTAL	Total Hydrocarbon	COMB-CREE	Combined Carbon-Related Exhaust Emissions
CO	Carbon Monoxide	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions
CO2	Carbon dioxide	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only
CREE	Carbon-Related Exhaust Emissions	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only
OPT-CREE	Optional Carbon-Related Exhaust Emissions	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only
NOX	Nitrogen Oxide	LEAK-DIA	Effective Leak Diameter (inches)
PM	Particulate Matter	LEAK-GAS CAP	Gas Cap Leakage (cc/min)
PM-COMP	SFTP Composite Particulate Matter	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only
HC-NM	Non-methane Hydrocarbon	KW-HRS	Integrated DC KW-HRS
OMHCE	Organic material Hydrocarbon Equivalent	CH4 BAG 1	Bag 1 Methane
OMNMHCE	Organic material non-methane HC equivalent	CH4 BAG 2	Bag 2 Methane
NMOG	Non-methane organic gases	CH4 BAG 3	Bag 3 Methane
HCHO	Formaldehyde	CH4 BAG 4	Bag 4 Methane
H3C2HO	Acetaldehyde	CO BAG 1	Bag 1 Carbon Monoxide
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	CO BAG 2	Bag 2 Carbon Monoxide
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	CO BAG 3	Bag 3 Carbon Monoxide
CO-COMP	SFTP Composite Carbon Monoxide	CO BAG 4	Bag 4 Carbon Monoxide
ETHANOL	C2H5OH - Ethanol	NMOG BAG 1	Bag 1 Non-methane organic gases
FE BAG 1	Bag 1 Fuel Economy	NMOG BAG 2	Bag 2 Non-methane organic gases
FE BAG 2	Bag 2 Fuel Economy	NMOG BAG 3	Bag 3 Non-methane organic gases
FE BAG 3	Bag 3 Fuel Economy	NMOG BAG 4	Bag 4 Non-methane organic gases
FE BAG 4	Bag 4 Fuel Economy	ACT-DISTANCE BAG 1	Bag 1 Actual Distance
MFR FE	Manufacturer Fuel Economy	ACT-DISTANCE BAG 2	Bag 2 Actual Distance
HC	Hydrocarbon for Running Loss and ORVR	ACT-DISTANCE BAG 3	Bag 3 Actual Distance
METHANE	CH4 - Methane	ACT-DISTANCE BAG 4	Bag 4 Actual Distance
METHANOL	CH3OH - Methanol	HC-TOTAL BAG 1	Bag 1 Total Hydrocarbon
N2O	Nitrous Oxide	HC-TOTAL BAG 2	Bag 2 Total Hydrocarbon
SPITBACK	Spitback Hydrocarbon in grams	HC-TOTAL BAG 3	Bag 3 Total Hydrocarbon
AMP-HRS	Integrated Amp-hours	HC-TOTAL BAG 4	Bag 4 Total Hydrocarbon
START-SOC	System Start State of Charge Watt-hours	WATT-HRS BAG 1	Bag 1 Watt Hours
END-SOC	System End State of Charge Watt-hours	WATT-HRS BAG 2	Bag 2 Watt Hours

Certification Summary Information Report

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--
ACT-DISTANCE	Actual Distance Driven (miles)	WATT-HRS BAG 3	Bag 3 Watt Hours
AS-VOLT	Average System Voltage	WATT-HRS BAG 4	Bag 4 Watt Hours
CO2 BAG 1	Bag 1 Carbon Dioxide	WATT-HRS	Watt Hours
CO2 BAG 2	Bag 2 Carbon Dioxide	HC-NM BAG 1	Bag 1 Non-methane Hydrocarbon
CO2 BAG 3	Bag 3 Carbon Dioxide	HC-NM BAG 2	Bag 2 Non-methane Hydrocarbon
CO2 BAG 4	Bag 4 Carbon Dioxide	HC-NM BAG 3	Bag 3 Non-methane Hydrocarbon
NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides	HC-NM BAG 4	Bag 4 Non-methane Hydrocarbon
NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides	N2O BAG 1	Bag 1 Nitrous Oxide
DT-IWRR	Drive Trace Inertia Work Ratio Rating	N2O BAG 2	Bag 2 Nitrous Oxide
DT-ASCR	Drive Trace Absolute Speed Change Rating	N2O BAG 3	Bag 3 Nitrous Oxide
DT-EER	Drive Trace Energy Economy Rating	N2O BAG 4	Bag 4 Nitrous Oxide

Certification Region			
CA	California + CAA Section 177 states	FA	Federal

Exhaust Emission Standard Level			
B1	Federal Tier 2 Bin 1	HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340
B2	Federal Tier 2 Bin 2	HDV2B250	Federal Tier 3 HD Class 2b Bin 250
B3	Federal Tier 2 Bin 3	HDV2B200	Federal Tier 3 HD Class 2b Bin 200
B4	Federal Tier 2 Bin 4	HDV2B170	Federal Tier 3 HD Class 2b Bin 170
B5	Federal Tier 2 Bin 5	HDV2B150	Federal Tier 3 HD Class 2b Bin 150
B6	Federal Tier 2 Bin 6	HDV2B0	Federal Tier 3 HD Class 2b Bin 0
B7	Federal Tier 2 Bin 7	HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630
B8	Federal Tier 2 Bin 8	HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570
B9	Federal Tier 2 Bin 9	HDV3B400	Federal Tier 3 HD Class 3 Bin 400
B10	Federal Tier 2 Bin 10	HDV3B270	Federal Tier 3 HD Class 3 Bin 270
B11	Federal Tier 2 Bin 11	HDV3B230	Federal Tier 3 HD Class 3 Bin 230
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	HDV3B200	Federal Tier 3 HD Class 3 Bin 200
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)	HDV3B0	Federal Tier 3 HD Class 3 Bin 0
L2	California LEV-II LEV	L4SULEV100	California LEV-IV SULEV100
L2OP	California LEV-II LEV Optional	L4SULEV125	California LEV-IV SULEV125
U2	California LEV-II ULEV	L4SULEV15	California LEV-IV SULEV15
S2	California LEV-II SULEV	L4SULEV150	California LEV-IV SULEV150
ZEV	California ZEV	L4SULEV170	California LEV-IV SULEV170
OT	Other	L4SULEV175	California LEV-IV SULEV175
T1	Federal Tier 1	L4SULEV20	California LEV-IV SULEV20
PZEV	California PZEV	L4SULEV200	California LEV-IV SULEV200
L2LEV160	California LEV-II LEV160	L4SULEV230	California LEV-IV SULEV230
L2ULEV125	California LEV-II ULEV125	L4SULEV25	California LEV-IV SULEV25
L2SULEV30	California LEV-II SULEV30	L4SULEV30	California LEV-IV SULEV30
L2LEV395	California LEV-II LEV395	L4SULEV75	California LEV-IV SULEV75

Certification Summary Information Report

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--
L2ULEV340	California LEV-II ULEV340	L4SULEV85	California LEV-IV SULEV85
L2LEV630	California LEV-II LEV630	L4ULEV125	California LEV-IV ULEV125
L2ULEV570	California LEV-II ULEV570	L4ULEV200	California LEV-IV ULEV200
L3LEV160	California LEV-III LEV160	L4ULEV250	California LEV-IV ULEV250
L3ULEV125	California LEV-III ULEV125	L4ULEV270	California LEV-IV ULEV270
L3ULEV70	California LEV-III ULEV70	L4ULEV40	California LEV-IV ULEV40
L3ULEV50	California LEV-III ULEV50	L4ULEV400	California LEV-IV ULEV400
L3SULEV30	California LEV-III SULEV30	L4ULEV50	California LEV-IV ULEV50
L3SULEV20	California LEV-III SULEV20	L4ULEV60	California LEV-IV ULEV60
L3LEV395	California LEV-III LEV395	L4ULEV70	California LEV-IV ULEV70
L3ULEV340	California LEV-III ULEV340	T4B170	Federal Tier 4 MDV Bin 170
L3ULEV250	California LEV-III ULEV250	T4B150	Federal Tier 4 MDV Bin 150
L3ULEV200	California LEV-III ULEV200	T4B125	Federal Tier 4 MDV Bin 125
L3SULEV170	California LEV-III SULEV170	T4B100	Federal Tier 4 MDV Bin 100
L3SULEV150	California LEV-III SULEV150	T4B85	Federal Tier 4 MDV Bin 85
L3LEV630	California LEV-III LEV630	T4B75	Federal Tier 4 MDV Bin 75
L3ULEV570	California LEV-III ULEV570	T4B70	Federal Tier 4 Bin 70
L3ULEV400	California LEV-III ULEV400	T4B65	Federal Tier 4 Bin 65
L3ULEV270	California LEV-III ULEV270	T4B60	Federal Tier 4 Bin 60
L3SULEV230	California LEV-III SULEV230	T4B55	Federal Tier 4 Bin 55
L3SULEV200	California LEV-III SULEV200	T4B50	Federal Tier 4 Bin 50
T3B160	Federal Tier 3 Bin 160	T4B45	Federal Tier 4 Bin 45
T3B125	Federal Tier 3 Bin 125	T4B40	Federal Tier 4 Bin 40
T3B110	Federal Tier 3 Transitional Bin 110	T4B35	Federal Tier 4 Bin 35
T3B85	Federal Tier 3 Transitional Bin 85	T4B30	Federal Tier 4 Bin 30
T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover	T4B25	Federal Tier 4 Bin 25
T3B70	Federal Tier 3 Bin 70	T4B20	Federal Tier 4 Bin 20
T3B50	Federal Tier 3 Bin 50	T4B15	Federal Tier 4 Bin 15
T3B30	Federal Tier 3 Bin 30	T4B10	Federal Tier 4 Bin 10
T3B20	Federal Tier 3 Bin 20	T4B5	Federal Tier 4 Bin 5
T3B0	Federal Tier 3 Bin 0	T4B0	Federal Tier 4 Bin 0
HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395		

Transmission Type Code			
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual
A	Automatic	OT	Other
AM	Automated Manual	SA	Semi-Automatic
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)

Drive System Code			
4	4-Wheel Drive	P	Part-time 4-Wheel Drive

Certification Summary Information Report

Test Group	VMAXT00.0182	**Evaporative/Refueling Family**	--
F	2-Wheel Drive, Front	A	All Wheel Drive
R	2-Wheel Drive, Rear		

Additional Terms and Acronyms

AFC	Alternative Fuel Converter	ICI	Independent Commercial Importer
CSI	Certificate Summary Information	ORVR	Onboard Refueling Vapor Recovery
DF	Deterioration Factor	SIL	Shift Indicator Light
Evap	Evaporation, Evaporative	Trans	Transmission