Certification Summary Information Report

Manufacturer	Nissan Motor Co., Ltd.	**Manufacturer Code**	NSX
Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB
Certificate Number	VNSXT03.8FRM-013	**CARB Executive Order #**	--
Certificate Issue Date	07/01/2026	**Certificate Revision Date**	--
Certificate Effective Date	07/01/2026	**Conditional Certificate**	No
CSI Revision #	--	**CSI Submission/Revision Date**	06/05/2026 03:22:42 AM
Model Year	2027		

Test Group Information

CSI Type	Update for Correction	**Running Change Reference Number**	--
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Combustion Engine

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Gasoline	Spark Ignition Direct fuel injection	No

Hybrid Indicator	No		
Multiple Fuel Storage	--	**Rechargeable Energy Storage System Indicator**	--
Multiple Fuel Combustion	--	**Off-board Charge Capable Indicator**	--
Fuel Cell Indicator	--	**EPA Vehicle Class**	LDT3
Federal Clean Fuel Vehicle	No	**Federal Clean Fuel Vehicle Standard**	--
Federal Clean Fuel Vehicle ILEV	No	**California Partial Zero Emissions Vehicle Indicator**	No
Durability Group Name	VNSXGPGNNAAM	**Durability Group Equivalency Factor**	1.8
Reduced Fee Test Group	No	**Certification Region Code(s)**	FA, CA
Complies with HD GHG 2b/3 regulations?	No		
Introduction into Commerce Date	08/31/2026	**CAP2000 Conditional Certificate?**	No
Independent Commercial Importer?	No	**Alternative Fuel Converter Certificate?**	No
SFTP Federal Composite Compliance Identifier	Tier 3	**SFTP Tier 2 Composite CO Option**	No
SFTP LEV-III Composite Compliance Indicator	Yes		
OBD Compliance Type	CARB	**OBD Demonstration Vehicle Test Group**	VNSXT01.53CF
Test Group OBD Compliance Level	Partial - with deficiencies	**Number of Test Group OBD Deficiencies**	2
OBD Deficiencies Comments	Deficiency: Lack of MIL Illumination for Some Safety-related Components and SAE J1979-2 Implementation Deficiency. Other OBD Demonstration Vehicle Test Group(s) : VNSXJ02.0FVM.		
Mfr Test Group Comments	Nissan conducted FTP, HWY, US06, and SC03 using Tier3 E10 gasoline and Cold using Cold E10 gasoline for Litmus. Litmus result(Value / Threshold) City: 15.3 / 14.7 HWY: 19.2 / 18.4 Test No: VNSX10093918(FTP), VNSX10093886(HWY), VNSX10093920(US06), VNSX10093887(SC03), VNSX10093899(Cold)		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Evaporative/Refueling Family Information

Evaporative Summary Information Type	New	**Submission/Correction Date**	05/06/2026 09:48:19 PM
Integrated ORVR?	Yes	**Fuel(s)**	Gasoline
Multiple Fuel Storage	--		
Bladder Fuel Tank?	No		
Fuel Tank Material	Plastic	**Fuel Tank Material Description**	Plastic
Fill Pipe Seal Type	Liquid seal		
Air Intake System Vapor Storage Device?	No	**Air Intake System Vapor Storage Device Description**	--
Fuel System Vapor Storage Canister?	Yes	**Other Vapor Storage**	--
Fuel System Vapor Storage Canister(s) Total Working Capacity (grams)	155	**Number of Primary Canisters**	1
Number of Bleed Canisters	1	**Bleed Canister Total Working Capacity (grams)**	3
Mfr Evaporative/Refueling Family Comments	--		

Leak Family Details

Leak Family Indicator	Yes		
Canister Bleed Test Indicator	Yes	**Applicability of Evaporative Canister Bleed Test**	50 State
Evaporative Canister Bleed Test Comments	--		
CARB Fuel Only (Rig) Test Indicator	No	**Applicability of CARB Fuel Only (Rig) Test**	--
CARB Fuel Only (Rig) Test Comments	--		

Leak Family Name	Applicability of Leak Family Requirements	Leak Family Standard (inches)	Leak Family Description
VNSXR0155PMB-001	50 State	0.02	Based on our engineering evaluation, this vehicle comply with the leak standard.

Models Covered by this Certificate

Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
Nissan Motor Co., Ltd.	1 - NISSAN	108 - FRONTIER 2WD	California + CAA Section 177 states	2-Wheel Drive, Rear	Semi-Automatic	9	Yes
Nissan Motor Co., Ltd.	1 - NISSAN	109 - FRONTIER 4WD	California + CAA Section 177 states	Part-time 4-Wheel Drive	Semi-Automatic	9	Yes
Nissan Motor Co., Ltd.	1 - NISSAN	109 - FRONTIER 4WD	Federal	Part-time 4-Wheel Drive	Semi-Automatic	9	Yes
Nissan Motor Co., Ltd.	1 - NISSAN	112 - FRONTIER 4WD PRO-4X	California + CAA Section 177 states	Part-time 4-Wheel Drive	Semi-Automatic	9	Yes
Nissan Motor Co., Ltd.	1 - NISSAN	108 - FRONTIER 2WD	Federal	2-Wheel Drive, Rear	Semi-Automatic	9	Yes
Nissan Motor Co., Ltd.	1 - NISSAN	112 - FRONTIER 4WD PRO-4X	Federal	Part-time 4-Wheel Drive	Semi-Automatic	9	Yes

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Engine Description

Hybrid Type	--	**Hybrid Description**	--
Engine Type	4-Stroke Spark Ignition	**Mfr Engine Description**	--
Engine Block Arrangement	V-shaped engine	**Mfr Engine Block Arrangement Description**	--
Camless Valvetrain Indicator	No	**Oil Viscosity/Classification**	SAE 0W-20
Number of Cylinders/Rotors	6	**Mechanically Variable Compression Ratio Indicator**	N

After Treatment Device(s) (ATD)

ATD Number	ATD Type	ATD Precious Metal	Substrate Material	Substrate Construction
1	Three-way catalyst	Palladium + Rhodium	Ceramic	Monolith
2	Three-way catalyst	Palladium + Rhodium	Ceramic	Monolith
3	Three-way catalyst	Platinum + Rhodium	Ceramic	Monolith
4	Three-way catalyst	Platinum + Rhodium	Ceramic	Monolith

Mfr After Treatment Device (ATD) Comments	--
Direct Ozone Reduction (DOR) Device	Not Equipped
Mfr Emission Control Device Comments	--

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Engine Configuration Number 1

Engine Displacement (liters)	3.8	**Engine Rated Horsepower**	310
Number of Inlet Valves Per Cylinder	2	**Number of Exhaust Valves Per Cylinder**	2
Air Aspiration Method	Naturally Aspirated	**Number of Air Aspiration Devices**	--
Air Aspiration Device Configuration	--	**Charge Air Cooler Type**	N/A
Air Aspiration Drive Method(s)	--		
Cylinder Deactivation	No		
Cylinder Deactivation Description	--		
Variable Valve Timing	Yes		
Variable Valve Timing System Description	INT;ECM and VTC controller controlled, Electric driven EXH;ECM controlled, Oil pressure driven		
Variable Valve Lift?	No		
Variable Valve Lift System Description	--		
Number of Knock Sensors	2	**Number of Air/Fuel Sensors**	4
Air/Fuel Sensor # 1 Type	Air fuel	**Air/Fuel Sensor # 1 Description**	--
Air/Fuel Sensor # 2 Type	Air fuel	**Air/Fuel Sensor # 2 Description**	--
Air/Fuel Sensor # 3 Type	Heated oxygen	**Air/Fuel Sensor # 3 Description**	--
Air/Fuel Sensor # 4 Type	Heated oxygen	**Air/Fuel Sensor # 4 Description**	--
Mfr Air/Fuel Sensor Comments	--		
Exhaust Gas Recirculation	No	**Cooled Exhaust Gas Recirculation**	No
EGR Type	--	**Exhaust Gas Recirculation Description if 'Other'**	--
Closed Loop Air Injection System	No		
Air Injection Type	--	**Air Injection Type if 'Other'**	--
Mfr Engine Configuration Comments	--		

Official Test Numbers

Test Group Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Gasoline	VNSX10093918	VNSX10093920	VNSX10093887	VNSX10093899	VNSX10093886	15.3	14.9	19.2	18.6	--

SFTP LEV-III Official Test Numbers

Test Group Fuel	FTP	US06	SC03
Gasoline	VNSX10093918	VNSX10093920	VNSX10093887

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Emission Data Vehicle Information

Vehicle ID / Configuration	SRB854 / 0	**Manufacturer Vehicle Configuration Number**	0
Original Test Group Name	LNSXT03.8PRA	**Original Evaporative/Refueling Family**	LNSXR0155PFB
Original Test Vehicle Model Year	2020		

Vehicle Model

Represented Test Vehicle Make	NISSAN	**Represented Test Vehicle Model**	FRONTIER 4WD SV

Leak Family Details

Leak Family Identifier	001	**Leak Family Name**	LNSXR0155PFB-001

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Combustion Engine	Gasoline

Hybrid Indicator	No		
Multiple Fuel Storage	--	**Multiple Fuel Combustion**	--
Fuel Cell Indicator	--	**Rechargeable Energy Storage System Indicator**	--
Rechargeable Energy Storage System	--	**Rechargeable Energy Storage System, if 'Other'**	--
Off-board charge Capable Indicator	--		
Odometer Correction -- Initial	1	**Odometer Correction Factor**	1.02
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor		
Odometer Correction Units	Miles		
Engine Code	AQ38DAA2	**Rated Horsepower**	310
Displacement (liters)	3.8		
Air Aspiration Method	Naturally Aspirated	**Air Aspiration Method, if 'Other'**	
Number of Air Aspiration Devices	--	**Air Aspiration Device Configuration**	--
Charge Air Cooler Type	N/A	**Drive Mode While Testing**	2-Wheel Drive, Rear
Shift Indicator Light Usage	Not eqipped	**Aged Emission Components**	4,000 (mi)
Curb Weight (lbs)	4633	**Equivalent Test Weight (pounds)**	5250
GVWR (lbs)	6012	**N/V Ratio**	24.1
Axle Ratio	3.69		
Transmission Type	Semi-Automatic	**# of Transmission Gears**	9
Transmission Lockup	Yes	**Creeper Gear**	No

Certification Summary Information Report

Test Group	VNSXT03.8FRM	Evaporative/Refueling Family	VNSXR0155PMB

Dynamometer Coefficients:

Coefficient Category	Target Coefficients A (lbf)	Target Coefficients B (lbf/mph)	Target Coefficients C (lbf/mph**2)	Set Coefficients A (lbf)	Set Coefficients B (lbf/mph)	Set Coefficients C (lbf/mph**2)	EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
City/Highway/Evap	49.7	0.732	0.02137	27.32	0.4929	0.02088	18.6
Cold CO	55.22	0.8133	0.02374	29.83	0.488	0.02356	N/A
US06	49.7	0.732	0.02137	27.32	0.4929	0.02088	N/A

Emission Control Device Comments --

Manufacturer Test Vehicle Comments 4WD H VDC OFF

Test #	**LNSX10062777**	**Test Procedure**	**38 - CA fuel 3-day evap.**
Exhaust Test # for this Evap Test	LNSX10062774	**Test Fuel Type**	46 - CARB LEV3 E10 Regular Gasoline
Test Date	11/28/2019	**Fuel**	Gasoline
Fuel Batch ID	WH9-12	**Fuel Calibration Number**	1
Vehicle Class	N/A	**DF Type**	Mfr. Determined
Verify Test Lab ID	560-2 Okatsukoku		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	4541	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	**Road Speed Fan Usage**	No

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.289	--

Manufacturer Test Comments --

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.289	0	0.289	0.5	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.289	0	0.289	0.5	Pass

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Test #	**LNSX91004619**	**Test Procedure**	**23 - 2-day evap**
Exhaust Test # for this Evap Test	LNSX91004616	**Test Fuel Type**	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	02/28/2020	**Fuel**	Gasoline
Fuel Batch ID	27723	**Fuel Calibration Number**	1
Vehicle Class	N/A	**DF Type**	Mfr. Determined
Verify Test Lab ID	--		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	5327.1	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	No

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.192281	--

Manufacturer Test Comments Hot_Soak_HC_(g) = 0.031580, Diurnal (gHC) = 0.160701

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.1923	0	0.192	0.5	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.1923	0	0.192	0.5	Pass

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Test #	**LNSX10062776**	**Test Procedure**	**37 - California Fuel Running Loss**
Exhaust Test # for this Evap Test	LNSX10062774	**Test Fuel Type**	46 - CARB LEV3 E10 Regular Gasoline
Test Date	11/28/2019	**Fuel**	Gasoline
Fuel Batch ID	WH9-12	**Fuel Calibration Number**	1
Vehicle Class	N/A	**DF Type**	Mfr. Determined
Verify Test Lab ID	560-2 Okatsukoku		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	4524	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	**Road Speed Fan Usage**	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0	--

Manufacturer Test Comments --

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0	0	0	0.05	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0	0	0	0.01	Pass

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Test #	**LNSX10062811**	**Test Procedure**	**65 - Evap Canister Bleed Test**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	46 - CARB LEV3 E10 Regular Gasoline
Test Date	11/08/2019	**Fuel**	Gasoline
Fuel Batch ID	WD9-06	**Fuel Calibration Number**	9999
Vehicle Class	N/A	**DF Type**	Mfr. Determined
Verify Test Lab ID	560-2 Okatsukoku		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	9999	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	**Road Speed Fan Usage**	No

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.0075	--

Manufacturer Test Comments Vehicl ID, Vehicle Configuration Number and Drive Cycle Speed Tolerance Criteria are EDV information. Test Start Odometer Reading is entered for dummy.

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.0075	0	0.008	0.02	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.0075	0	0.008	0.02	Pass

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Emission Data Vehicle Information

Vehicle ID / Configuration	SRB854 / 1	**Manufacturer Vehicle Configuration Number**	1
Original Test Group Name	LNSXT03.8PRA	**Original Evaporative/Refueling Family**	LNSXR0155PFB
Original Test Vehicle Model Year	2020		

Vehicle Model

Represented Test Vehicle Make	NISSAN	**Represented Test Vehicle Model**	FRONTIER 4WD SV

Leak Family Details

Leak Family Identifier	001	**Leak Family Name**	LNSXR0155PFB-001

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Combustion Engine	Gasoline

Hybrid Indicator	No		
Multiple Fuel Storage	--	**Multiple Fuel Combustion**	--
Fuel Cell Indicator	--	**Rechargeable Energy Storage System Indicator**	--
Rechargeable Energy Storage System	--	**Rechargeable Energy Storage System, if 'Other'**	--
Off-board charge Capable Indicator	--		
Odometer Correction -- Initial	1	**Odometer Correction Factor**	1.02
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor		
Odometer Correction Units	Miles		
Engine Code	AQ38DAA2	**Rated Horsepower**	310
Displacement (liters)	3.8		
Air Aspiration Method	Naturally Aspirated	**Air Aspiration Method, if 'Other'**	
Number of Air Aspiration Devices	--	**Air Aspiration Device Configuration**	--
Charge Air Cooler Type	N/A	**Drive Mode While Testing**	2-Wheel Drive, Rear
Shift Indicator Light Usage	Not eqipped	**Aged Emission Components**	4,000 (mi)
Curb Weight (lbs)	4633	**Equivalent Test Weight (pounds)**	5250
GVWR (lbs)	6012	**N/V Ratio**	24.1
Axle Ratio	3.69		
Transmission Type	Semi-Automatic	**# of Transmission Gears**	9
Transmission Lockup	Yes	**Creeper Gear**	No

Dynamometer Coefficients:

	Target Coefficients			Set Coefficients			
Coefficient Category	**A (lbf)**	**B (lbf/mph)**	**C (lbf/mph**2)**	**A (lbf)**	**B (lbf/mph)**	**C (lbf/mph**2)**	**EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients**
City/Highway/Evap	49.7	0.732	0.02137	27.32	0.4929	0.02088	18.6

Emission Control Device Comments --

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Manufacturer Test Vehicle Comments 4WD H VDC OFF

Test #	**LNSX10062767**	**Test Procedure**	**24 - Federal fuel refueling test (ORVR)**
Exhaust Test # for this Evap Test	LNSX10062766	**Test Fuel Type**	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	11/15/2019	**Fuel**	Gasoline
Fuel Batch ID	WL8-04	**Fuel Calibration Number**	1
Vehicle Class	N/A	**DF Type**	Mfr. Determined
Verify Test Lab ID	560-2 Okatsukoku		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	4251	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	**Road Speed Fan Usage**	No

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.048	--

Manufacturer Test Comments --

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.048	0.019	0.07	0.2	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.048	0.019	0.07	0.2	Pass

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Emission Data Vehicle Information

Vehicle ID / Configuration	TFD480 / 0	**Manufacturer Vehicle Configuration Number**	0
Original Test Group Name	VNSXT03.8FRM	**Original Evaporative/Refueling Family**	VNSXR0155PMB
Original Test Vehicle Model Year	2027		

Vehicle Model

Represented Test Vehicle Make	NISSAN	**Represented Test Vehicle Model**	FRONTIER 4WD PRO-4X R

Leak Family Details

Leak Family Identifier	001	**Leak Family Name**	VNSXR0155PMB-001

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Combustion Engine	Gasoline

Hybrid Indicator	No		
Multiple Fuel Storage	--	**Multiple Fuel Combustion**	--
Fuel Cell Indicator	--	**Rechargeable Energy Storage System Indicator**	--
Rechargeable Energy Storage System	--	**Rechargeable Energy Storage System, if 'Other'**	--
Off-board charge Capable Indicator	--		
Odometer Correction -- Initial	30	**Odometer Correction Factor**	1
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor		
Odometer Correction Units	Miles		
Engine Code	AQ38DAAE	**Rated Horsepower**	310
Displacement (liters)	3.8		
Air Aspiration Method	Naturally Aspirated	**Air Aspiration Method, if 'Other'**	
Number of Air Aspiration Devices	--	**Air Aspiration Device Configuration**	--
Charge Air Cooler Type	N/A	**Drive Mode While Testing**	2-Wheel Drive, Rear
Shift Indicator Light Usage	Not eqipped	**Aged Emission Components**	4,000 (mi)
Curb Weight (lbs)	4899	**Equivalent Test Weight (pounds)**	5250
GVWR (lbs)	6012	**N/V Ratio**	24.6
Axle Ratio	3.69		
Transmission Type	Semi-Automatic	**# of Transmission Gears**	9
Transmission Lockup	Yes	**Creeper Gear**	No

Certification Summary Information Report

Test Group	VNSXT03.8FRM	Evaporative/Refueling Family	VNSXR0155PMB

Dynamometer Coefficients:

Coefficient Category	Target Coefficients A (lbf)	Target Coefficients B (lbf/mph)	Target Coefficients C (lbf/mph**2)	Set Coefficients A (lbf)	Set Coefficients B (lbf/mph)	Set Coefficients C (lbf/mph**2)	EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
City/Highway/Evap	71.76	0.5229	0.026	53.26	0.3032	0.02589	21.7
Cold CO	79.73	0.581	0.02889	54.54	0.3044	0.02854	N/A
US06	71.76	0.5229	0.026	53.26	0.3032	0.02589	N/A

Emission Control Device Comments --

Manufacturer Test Vehicle Comments 4WD High, D, VDC Off.

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Test #	**VNSX10093889**	**Test Procedure**	**52 - Fed. fuel 50 F exh.**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	02/18/2026	**Fuel**	Gasoline
Fuel Batch ID	480555	**Fuel Calibration Number**	2
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**DF Type**	Mfr. Determined
Verify Test Lab ID	560-2 Okatsukoku		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4164	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	No

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0.0026645	--
CO (Carbon Monoxide)	0.2688502	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	4.09	--
DT-EER (Drive Trace Energy Economy Rating)	1.71	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	5.63	--
MFR FE (Manufacturer Fuel Economy)	18.2	18.2
NOX (Nitrogen Oxide)	0.0027391	--
HC-NM (Non-methane Hydrocarbon)	0.0157659	--
NMOG (Non-methane organic gases)	0.0173166	--
HC-TOTAL (Total Hydrocarbon)	0.0179127	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	477.9365859	--

Manufacturer Test Comments --

Certification Summary Information Report

Test Group VNSXT03.8FRM **Evaporative/Refueling Family** VNSXR0155PMB

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NMHC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
CA	4,000 miles	California LEV-IV ULEV40	CO	0.27	--	--	--	0	--	0.3	1.7	Pass
CA	4,000 miles	California LEV-IV ULEV40	NMOG	0.0173	1	1.09836	--	0	--	0.017	999.999	Pass
CA	4,000 miles	California LEV-IV ULEV40	NMOG+NOX	0.02	--	--	--	--	--	0.02	0.080	Pass
CA	4,000 miles	California LEV-IV ULEV40	NOX	0.0027	--	--	--	0	--	0.003	999.999	Pass

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Test #	**VNSX10093899**	**Test Procedure**	**11 - Cold CO**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	28 - Cold CO E10 Regular Gasoline (Tier 3)
Test Date	02/04/2026	**Fuel**	Gasoline
Fuel Batch ID	280406	**Fuel Calibration Number**	2
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**DF Type**	Mfr. Determined
Verify Test Lab ID	560-2 Okatsukoku		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4119	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	No

Test Results

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	633.1827952	--
CO BAG 1 (Bag 1 Carbon Monoxide)	3.3267926	--
FE BAG 1 (Bag 1 Fuel Economy)	13.5	13.5
CH4 BAG 1 (Bag 1 Methane)	0.0375784	--
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.4087729	--
CO2 BAG 2 (Bag 2 Carbon Dioxide)	536.0770154	--
CO BAG 2 (Bag 2 Carbon Monoxide)	0.0147195	--
FE BAG 2 (Bag 2 Fuel Economy)	16.1	16.1
CH4 BAG 2 (Bag 2 Methane)	0	--
NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0000888	--
CO2 BAG 3 (Bag 3 Carbon Dioxide)	469.8574906	--
CO BAG 3 (Bag 3 Carbon Monoxide)	0.1347701	--
FE BAG 3 (Bag 3 Fuel Economy)	18.3	18.3
CH4 BAG 3 (Bag 3 Methane)	0.0013889	--
NMOG BAG 3 (Bag 3 Non-methane organic gases)	0	--
METHANE (CH4 - Methane)	0.008163	--
CO (Carbon Monoxide)	0.7335377	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	3.67	--
DT-EER (Drive Trace Energy Economy Rating)	1.09	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	5.16	--
MFR FE (Manufacturer Fuel Economy)	16	16
HC-NM (Non-methane Hydrocarbon)	0.0769127	--
NMOG (Non-methane organic gases)	0.0846963	--
HC-TOTAL (Total Hydrocarbon)	0.0837445	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	538.0153837	--

Manufacturer Test Comments --

Certification Summary Information Report

Test Group VNSXT03.8FRM **Evaporative/Refueling Family** VNSXR0155PMB

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	50,000 miles	Federal Tier 3 Bin 50	CO	0.73	--	--	--	0.02	--	0.8	12.5	Pass
Fed	120,000 miles	Federal Tier 3 Bin 50	HC-NM	0.08	--	--	--	0	--	0.1	0.5	Pass
CA	50,000 miles	California LEV-IV ULEV40	CO	0.73	--	--	--	0.02	--	0.8	12.5	Pass

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Test #	**VNSX10093918**	**Test Procedure**	**31 - Federal fuel 3-day exhaust**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	03/20/2026	**Fuel**	Gasoline
Fuel Batch ID	480555	**Fuel Calibration Number**	2
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**DF Type**	Mfr. Determined
Verify Test Lab ID	560-2 Okatsukoku		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4243	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	No

Test Results

Certification Summary Information Report

Test Group	VNSXT03.8FRM	Evaporative/Refueling Family	VNSXR0155PMB

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	445.5199632	--
CO BAG 1 (Bag 1 Carbon Monoxide)	0.7203219	--
FE BAG 1 (Bag 1 Fuel Economy)	19.5	19.5
CH4 BAG 1 (Bag 1 Methane)	0.00603	--
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0410394	--
CO2 BAG 2 (Bag 2 Carbon Dioxide)	478.2552527	--
CO BAG 2 (Bag 2 Carbon Monoxide)	0.003633	--
FE BAG 2 (Bag 2 Fuel Economy)	18.2	18.2
CH4 BAG 2 (Bag 2 Methane)	0.0002975	--
NMOG BAG 2 (Bag 2 Non-methane organic gases)	0	--
CO2 BAG 3 (Bag 3 Carbon Dioxide)	445.7537626	--
CO BAG 3 (Bag 3 Carbon Monoxide)	0.0055109	--
FE BAG 3 (Bag 3 Fuel Economy)	19.5	19.5
CH4 BAG 3 (Bag 3 Methane)	0.0015833	--
NMOG BAG 3 (Bag 3 Non-methane organic gases)	0	--
METHANE (CH4 - Methane)	0.0025915	--
CO (Carbon Monoxide)	0.2387933	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.37	--
DT-EER (Drive Trace Energy Economy Rating)	0.34	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.01	--
HCHO (Formaldehyde)	0.0000171	--
MFR FE (Manufacturer Fuel Economy)	19	19
NOX (Nitrogen Oxide)	0.0041897	--
N2O (Nitrous Oxide)	0.0014864	--
HC-NM (Non-methane Hydrocarbon)	0.0120091	--
NMOG (Non-methane organic gases)	0.0131903	--
PM (Particulate Matter)	0.0010146	--
HC-TOTAL (Total Hydrocarbon)	0.0145666	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	457.4213213	457

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	456.9770561	--

Certification Summary Information Report

Test Group VNSXT03.8FRM **Evaporative/Refueling Family** VNSXR0155PMB

Manufacturer Test Comments --

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NMHC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 50	CREE	457	--	--	--	0.067229	--	457	--	--
Fed	120,000 miles	Federal Tier 3 Bin 50	METHANE	0.0026	--	--	--	0.001	--	0.004	0.030	Pass
Fed	120,000 miles	Federal Tier 3 Bin 50	N2O	0.0015	--	--	--	0	--	0.002	0.010	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	CO	0.24	--	--	--	0.05	--	0.3	1.7	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	CO-COMP	0.43	--	--	--	0	--	0.4	4.2	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG	0.0132	1	1.09836	--	0.0011	--	0.014	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG+NOX	0.0174	--	--	--	--	--	0.019	0.050	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG+NOX-COMP	0.0148	--	--	--	0	--	0.015	0.080	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NOX	0.0042	--	--	--	0.0003	--	0.004	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	PM	0.001	--	--	--	0.0002	--	0.001	0.003	Pass
CA	150,000 miles	California LEV-IV ULEV40	CO	0.24	--	--	--	0.05	--	0.3	1.7	Pass
CA	150,000 miles	California LEV-IV ULEV40	METHANE	0.0026	--	--	--	0.0013	--	0.004	0.030	Pass
CA	150,000 miles	California LEV-IV ULEV40	N2O	0.0015	--	--	--	0	--	0.002	0.010	Pass
CA	150,000 miles	California LEV-IV ULEV40	NMOG	0.0132	1	1.09836	--	0.0011	--	0.014	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV40	NMOG+NOX	0.0174	--	--	--	--	--	0.019	0.040	Pass
CA	150,000 miles	California LEV-IV ULEV40	NOX	0.0042	--	--	--	0.0003	--	0.004	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV40	PM	0.001	--	--	--	0.0002	--	0.001	0.003	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Test #	**VNSX10093919**	**Test Procedure**	**49 - Quick-Driveway (QD)**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	03/06/2026	**Fuel**	Gasoline
Fuel Batch ID	480555	**Fuel Calibration Number**	2
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**DF Type**	Mfr. Determined
Verify Test Lab ID	560-2 Okatsukoku		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4182	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	No

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0.0018713	--
CO (Carbon Monoxide)	0.1626132	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	2.18	--
DT-EER (Drive Trace Energy Economy Rating)	0.75	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.63	--
MFR FE (Manufacturer Fuel Economy)	19	19
NOX (Nitrogen Oxide)	0.0043989	--
HC-NM (Non-methane Hydrocarbon)	0.0082071	--
NMOG (Non-methane organic gases)	0.0090144	--
HC-TOTAL (Total Hydrocarbon)	0.0100538	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	457.2686882	--

Manufacturer Test Comments --

Certification Summary Information Report

Test Group VNSXT03.8FRM **Evaporative/Refueling Family** VNSXR0155PMB

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NMHC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
CA	150,000 miles	California LEV-IV ULEV40	NMOG	0.009	1	1.09836	--	0.0011	--	0.01	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV40	NMOG+NOX	0.0134	--	--	--	--	--	0.015	0.052	Pass
CA	150,000 miles	California LEV-IV ULEV40	NOX	0.0044	--	--	--	0.0003	--	0.005	999.999	Pass

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Test #	**VNSX10093886**	**Test Procedure**	**3 - HWFE**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	03/21/2026	**Fuel**	Gasoline
Fuel Batch ID	480555	**Fuel Calibration Number**	2
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**DF Type**	Mfr. Determined
Verify Test Lab ID	560-2 Okatsukoku		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4254	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	No

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0.0006188	--
CO (Carbon Monoxide)	0.0456756	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.48	--
DT-EER (Drive Trace Energy Economy Rating)	-0.13	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.82	--
MFR FE (Manufacturer Fuel Economy)	26.8	26.8
NOX (Nitrogen Oxide)	0.0026756	--
HC-NM (Non-methane Hydrocarbon)	0.0004807	--
NMOG (Non-methane organic gases)	0.0004951	--
HC-TOTAL (Total Hydrocarbon)	0.0010915	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	325.0818863	325

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	325.0732076	--

Manufacturer Test Comments --

Certification Summary Information Report

Test Group VNSXT03.8FRM **Evaporative/Refueling Family** VNSXR0155PMB

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 50	CREE	325	--	--	--	0.067229	--	325	--	--
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG	0.0005	1	1.03	--	0.0011	--	0.002	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG+NOX	0.0032	--	--	--	--	--	0.005	0.050	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NOX	0.0027	--	--	--	0.0003	--	0.003	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV40	NMOG	0.0005	1	1.03	--	0.0011	--	0.002	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV40	NMOG+NOX	0.0032	--	--	--	--	--	0.005	0.040	Pass
CA	150,000 miles	California LEV-IV ULEV40	NOX	0.0027	--	--	--	0.0003	--	0.003	999.999	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Test #	**VNSX10093920**	**Test Procedure**	**90 - US06**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	03/21/2026	**Fuel**	Gasoline
Fuel Batch ID	480555	**Fuel Calibration Number**	2
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**DF Type**	Mfr. Determined
Verify Test Lab ID	560-2 Okatsukoku		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4275	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	No

Test Results

Certification Summary Information Report

Test Group	VNSXT03.8FRM	Evaporative/Refueling Family	VNSXR0155PMB

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	712.4528889	--
CO BAG 1 (Bag 1 Carbon Monoxide)	0.6927499	--
FE BAG 1 (Bag 1 Fuel Economy)	12.2	12.2
CH4 BAG 1 (Bag 1 Methane)	0.0017326	--
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0041131	--
CO2 BAG 2 (Bag 2 Carbon Dioxide)	423.9632499	--
CO BAG 2 (Bag 2 Carbon Monoxide)	0.1541175	--
FE BAG 2 (Bag 2 Fuel Economy)	20.5	20.5
CH4 BAG 2 (Bag 2 Methane)	0.0004468	--
NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0009355	--
METHANE (CH4 - Methane)	0.0007319	--
CO (Carbon Monoxide)	0.2735409	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-3.12	--
DT-EER (Drive Trace Energy Economy Rating)	-1.32	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-6.43	--
MFR FE (Manufacturer Fuel Economy)	17.8	17.8
NOX (Nitrogen Oxide)	0.0184498	--
HC-NM (Non-methane Hydrocarbon)	0.0015922	--
NMOG (Non-methane organic gases)	0.00164	--
PM (Particulate Matter)	0.0016739	--
HC-TOTAL (Total Hydrocarbon)	0.0023145	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	487.9260009	--

Manufacturer Test Comments --

Certification Summary Information Report

Test Group VNSXT03.8FRM **Evaporative/Refueling Family** VNSXR0155PMB

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 50	CO	0.2735	--	--	--	0.05	--	0.324	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG	0.0016	1	1.03	--	0.0011	--	0.003	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NOX	0.0184	--	--	--	0.0003	--	0.019	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	PM	0.0017	--	--	--	0.0002	--	0.002	0.006	Pass
CA	150,000 miles	California LEV-IV ULEV40	CO	0.27	--	--	--	0.05	--	0.3	9.6	Pass
CA	150,000 miles	California LEV-IV ULEV40	NMOG	0.0016	1	1.03	--	0.0011	--	0.003	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV40	NMOG+NOX	0.02	--	--	--	--	--	0.021	0.040	Pass
CA	150,000 miles	California LEV-IV ULEV40	NOX	0.0184	--	--	--	0.0003	--	0.019	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV40	PM	0.0017	--	--	--	0.0002	--	0.002	0.006	Pass

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Test #	**VNSX10093887**	**Test Procedure**	**95 - SC03**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	01/24/2026	**Fuel**	Gasoline
Fuel Batch ID	480555	**Fuel Calibration Number**	2
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**DF Type**	Mfr. Determined
Verify Test Lab ID	560-2 Okatsukoku		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4019	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0.0018433	--
CO (Carbon Monoxide)	0.5951147	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.8	--
DT-EER (Drive Trace Energy Economy Rating)	0.98	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.99	--
MFR FE (Manufacturer Fuel Economy)	16.6	16.6
NOX (Nitrogen Oxide)	0.0042607	--
HC-NM (Non-methane Hydrocarbon)	0.0001907	--
NMOG (Non-methane organic gases)	0.0001964	--
HC-TOTAL (Total Hydrocarbon)	0.0020097	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	524.9992033	--

Manufacturer Test Comments --

Certification Summary Information Report

Test Group VNSXT03.8FRM **Evaporative/Refueling Family** VNSXR0155PMB

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NMHC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 50	CO	0.5951	--	--	--	0.05	--	0.645	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG	0.0002	1	1.03	--	0.0011	--	0.001	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NOX	0.0043	--	--	--	0.0003	--	0.005	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV40	CO	0.6	--	--	--	0.05	--	0.6	1.7	Pass
CA	150,000 miles	California LEV-IV ULEV40	NMOG	0.0002	1	1.03	--	0.0011	--	0.001	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV40	NMOG+NOX	0.0045	--	--	--	--	--	0.006	0.040	Pass
CA	150,000 miles	California LEV-IV ULEV40	NOX	0.0043	--	--	--	0.0003	--	0.005	999.999	Pass

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Emission Data Vehicle Information

Vehicle ID / Configuration	TFD480 / 1	**Manufacturer Vehicle Configuration Number**	1
Original Test Group Name	VNSXT03.8FRM	**Original Evaporative/Refueling Family**	VNSXR0155PMB
Original Test Vehicle Model Year	2027		

Vehicle Model

Represented Test Vehicle Make	NISSAN	**Represented Test Vehicle Model**	FRONTIER 4WD PRO-4X R

Leak Family Details

Leak Family Identifier	001	**Leak Family Name**	VNSXR0155PMB-001

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Combustion Engine	Gasoline

Hybrid Indicator	No		
Multiple Fuel Storage	--	**Multiple Fuel Combustion**	--
Fuel Cell Indicator	--	**Rechargeable Energy Storage System Indicator**	--
Rechargeable Energy Storage System	--	**Rechargeable Energy Storage System, if 'Other'**	--
Off-board charge Capable Indicator	--		
Odometer Correction -- Initial	30	**Odometer Correction Factor**	1
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor		
Odometer Correction Units	Miles		
Engine Code	AQ38DAAE	**Rated Horsepower**	310
Displacement (liters)	3.8		
Air Aspiration Method	Naturally Aspirated	**Air Aspiration Method, if 'Other'**	
Number of Air Aspiration Devices	--	**Air Aspiration Device Configuration**	--
Charge Air Cooler Type	N/A	**Drive Mode While Testing**	2-Wheel Drive, Rear
Shift Indicator Light Usage	Not eqipped	**Aged Emission Components**	4,000 (mi)
Curb Weight (lbs)	4899	**Equivalent Test Weight (pounds)**	5250
GVWR (lbs)	6012	**N/V Ratio**	24.6
Axle Ratio	3.69		
Transmission Type	Semi-Automatic	**# of Transmission Gears**	9
Transmission Lockup	Yes	**Creeper Gear**	No

Dynamometer Coefficients:

	Target Coefficients			Set Coefficients			
Coefficient Category	**A (lbf)**	**B (lbf/mph)**	**C (lbf/mph**2)**	**A (lbf)**	**B (lbf/mph)**	**C (lbf/mph**2)**	**EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients**
City/Highway/Evap	71.76	0.5229	0.026	53.26	0.3032	0.02589	21.7
US06	71.76	0.5229	0.026	53.26	0.3032	0.02589	N/A

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Emission Control Device Comments	--
Manufacturer Test Vehicle Comments	2WD D, VDC Off.

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Test #	**VNSX10093891**	**Test Procedure**	**21 - Federal fuel 2-day exhaust (w/can load)**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	61 - Tier 2 Cert Gasoline
Test Date	03/19/2026	**Fuel**	Gasoline
Fuel Batch ID	610586	**Fuel Calibration Number**	1
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**DF Type**	Mfr. Determined
Verify Test Lab ID	560-2 Okatsukoku		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4204	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	No

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0.0035609	--
CO (Carbon Monoxide)	0.2473525	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.51	--
DT-EER (Drive Trace Energy Economy Rating)	0.07	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-1.26	--
MFR FE (Manufacturer Fuel Economy)	20.7	20.7
NOX (Nitrogen Oxide)	0.007328	--
HC-NM (Non-methane Hydrocarbon)	0.0155131	--
NMOG (Non-methane organic gases)	0.0159816	--
HC-TOTAL (Total Hydrocarbon)	0.0190273	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	429.4530211	429

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	429.2529535	--

Manufacturer Test Comments --

Certification Summary Information Report

Test Group VNSXT03.8FRM **Evaporative/Refueling Family** VNSXR0155PMB

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 50	CREE	429	--	--	--	0.067229	--	429	--	--

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Test #	**VNSX10093893**	**Test Procedure**	**3 - HWFE**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	61 - Tier 2 Cert Gasoline
Test Date	03/19/2026	**Fuel**	Gasoline
Fuel Batch ID	610586	**Fuel Calibration Number**	1
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**DF Type**	Mfr. Determined
Verify Test Lab ID	560-2 Okatsukoku		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4215	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	No

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0.0007374	--
CO (Carbon Monoxide)	0.0837056	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-1.67	--
DT-EER (Drive Trace Energy Economy Rating)	-0.56	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-1.92	--
MFR FE (Manufacturer Fuel Economy)	27.5	27.5
NOX (Nitrogen Oxide)	0.0029258	--
HC-NM (Non-methane Hydrocarbon)	0.0013553	--
NMOG (Non-methane organic gases)	0.001396	--
HC-TOTAL (Total Hydrocarbon)	0.002083	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	323.1323415	323

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	323.381119	--

Manufacturer Test Comments --

Certification Summary Information Report

Test Group VNSXT03.8FRM **Evaporative/Refueling Family** VNSXR0155PMB

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 50	CREE	323	--	--	--	0.067229	--	323	--	--
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG	0.0014	1	1.03	--	0.0011	--	0.002	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG+NOX	0.0043	--	--	--	--	--	0.006	0.050	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NOX	0.0029	--	--	--	0.0003	--	0.003	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV40	NMOG	0.0014	1	1.03	--	0.0011	--	0.002	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV40	NMOG+NOX	0.0043	--	--	--	--	--	0.006	0.040	Pass
CA	150,000 miles	California LEV-IV ULEV40	NOX	0.0029	--	--	--	0.0003	--	0.003	999.999	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Fuel Properties

Fuel Batch ID	**480555**	**Fuel Calibration Number**	**2**
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	**Fuel Batch Calibration Date**	11/01/2025
Fuel Batch Calibration Effective Date	11/01/2025	**Fuel Batch Calibration Ineffective Date**	--
Carbon Weight Fraction NMHC	--	**Carbon Weight Fraction HC**	--
Exhaust Carbon Weight Fraction	--	**Fuel Methanol Volume Fraction**	--
Fuel Density (grams/cubic ft)	--	**Fuel Specific Gravity**	0.745
Fuel Ethanol Volume Percent (%)	9.6	**Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)**	--
Fuel Net Heat of Combustion (E10) (MJ/kg)	41.414	**Fuel Carbon Mass Fraction (E10)**	0.828
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	--	**Weight Fraction CO2**	--

Fuel Batch ID	**280406**	**Fuel Calibration Number**	**2**
Test Fuel Type	28 - Cold CO E10 Regular Gasoline (Tier 3)	**Fuel Batch Calibration Date**	12/16/2024
Fuel Batch Calibration Effective Date	12/16/2024	**Fuel Batch Calibration Ineffective Date**	--
Carbon Weight Fraction NMHC	--	**Carbon Weight Fraction HC**	--
Exhaust Carbon Weight Fraction	--	**Fuel Methanol Volume Fraction**	--
Fuel Density (grams/cubic ft)	--	**Fuel Specific Gravity**	0.743
Fuel Ethanol Volume Percent (%)	10	**Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)**	--
Fuel Net Heat of Combustion (E10) (MJ/kg)	41.728	**Fuel Carbon Mass Fraction (E10)**	0.825
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	--	**Weight Fraction CO2**	--

Fuel Batch ID	**27723**	**Fuel Calibration Number**	**1**
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	**Fuel Batch Calibration Date**	05/09/2019
Fuel Batch Calibration Effective Date	05/09/2019	**Fuel Batch Calibration Ineffective Date**	--
Carbon Weight Fraction NMHC	--	**Carbon Weight Fraction HC**	--
Exhaust Carbon Weight Fraction	--	**Fuel Methanol Volume Fraction**	--
Fuel Density (grams/cubic ft)	--	**Fuel Specific Gravity**	0.747
Fuel Ethanol Volume Percent (%)	9.5	**Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)**	17954
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	**Fuel Carbon Mass Fraction (E10)**	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.827	**Weight Fraction CO2**	--

Fuel Batch ID	**610586**	**Fuel Calibration Number**	**1**
Test Fuel Type	61 - Tier 2 Cert Gasoline	**Fuel Batch Calibration Date**	09/15/2025
Fuel Batch Calibration Effective Date	09/15/2025	**Fuel Batch Calibration Ineffective Date**	--
Carbon Weight Fraction NMHC	--	**Carbon Weight Fraction HC**	--

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB
Exhaust Carbon Weight Fraction	--	**Fuel Methanol Volume Fraction**	--
Fuel Density (grams/cubic ft)	--	**Fuel Specific Gravity**	0.742
Fuel Ethanol Volume Percent (%)	--	**Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)**	18454
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	**Fuel Carbon Mass Fraction (E10)**	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.866	**Weight Fraction CO2**	--
Fuel Batch ID	**WL8-04**	**Fuel Calibration Number**	**1**
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	**Fuel Batch Calibration Date**	10/14/2019
Fuel Batch Calibration Effective Date	10/14/2019	**Fuel Batch Calibration Ineffective Date**	--
Carbon Weight Fraction NMHC	--	**Carbon Weight Fraction HC**	--
Exhaust Carbon Weight Fraction	--	**Fuel Methanol Volume Fraction**	--
Fuel Density (grams/cubic ft)	--	**Fuel Specific Gravity**	0.739
Fuel Ethanol Volume Percent (%)	9.9	**Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)**	17815
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	**Fuel Carbon Mass Fraction (E10)**	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.826	**Weight Fraction CO2**	--
Fuel Batch ID	**WD9-06**	**Fuel Calibration Number**	**9999**
Test Fuel Type	46 - CARB LEV3 E10 Regular Gasoline	**Fuel Batch Calibration Date**	04/10/2019
Fuel Batch Calibration Effective Date	04/10/2019	**Fuel Batch Calibration Ineffective Date**	--
Carbon Weight Fraction NMHC	--	**Carbon Weight Fraction HC**	--
Exhaust Carbon Weight Fraction	--	**Fuel Methanol Volume Fraction**	--
Fuel Density (grams/cubic ft)	--	**Fuel Specific Gravity**	--
Fuel Ethanol Volume Percent (%)	9.6	**Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)**	--
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	**Fuel Carbon Mass Fraction (E10)**	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	--	**Weight Fraction CO2**	--
Fuel Batch ID	**WH9-12**	**Fuel Calibration Number**	**1**
Test Fuel Type	46 - CARB LEV3 E10 Regular Gasoline	**Fuel Batch Calibration Date**	11/19/2019
Fuel Batch Calibration Effective Date	11/19/2019	**Fuel Batch Calibration Ineffective Date**	--
Carbon Weight Fraction NMHC	--	**Carbon Weight Fraction HC**	--
Exhaust Carbon Weight Fraction	--	**Fuel Methanol Volume Fraction**	--
Fuel Density (grams/cubic ft)	--	**Fuel Specific Gravity**	0.743
Fuel Ethanol Volume Percent (%)	9.9	**Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)**	17851
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	**Fuel Carbon Mass Fraction (E10)**	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.824	**Weight Fraction CO2**	--

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Consolidated List of Standards

Exhaust Standards

Cert Region	California + CAA Section 177 states	**Cert/In-Use Code**	Cert
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**Standard Level**	California LEV-IV ULEV40
Fuel	Gasoline	**Test Procedure**	US06

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.05	9.6
150,000 miles	NMOG	--	1	1.03	--	--	--	0.0011	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0	0.040
150,000 miles	NOX	--	--	--	--	--	--	0.0003	999.999
150,000 miles	PM	--	--	--	--	--	--	0.0002	0.006

Cert Region	Federal	**Cert/In-Use Code**	Cert
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**Standard Level**	Federal Tier 3 Bin 50
Fuel	Gasoline	**Test Procedure**	SC03

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.05	999.999
150,000 miles	NMOG	--	1	1.03	--	--	--	0.0011	999.999
150,000 miles	NOX	--	--	--	--	--	--	0.0003	999.999

Cert Region	Federal	**Cert/In-Use Code**	Cert
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**Standard Level**	Federal Tier 3 Bin 50
Fuel	Gasoline	**Test Procedure**	US06

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.05	999.999
150,000 miles	NMOG	--	1	1.03	--	--	--	0.0011	999.999
150,000 miles	NOX	--	--	--	--	--	--	0.0003	999.999
150,000 miles	PM	--	--	--	--	--	--	0.0002	0.006

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB
Cert Region	California + CAA Section 177 states	**Cert/In-Use Code**	Cert
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**Standard Level**	California LEV-IV ULEV40
Fuel	Gasoline	**Test Procedure**	SC03

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.05	1.7
150,000 miles	NMOG	--	1	1.03	--	--	--	0.0011	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0	0.040
150,000 miles	NOX	--	--	--	--	--	--	0.0003	999.999

Cert Region	California + CAA Section 177 states	**Cert/In-Use Code**	Cert
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**Standard Level**	California LEV-IV ULEV40
Fuel	Gasoline	**Test Procedure**	Federal fuel 3-day exhaust

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.05	1.7
150,000 miles	METHANE	--	--	--	--	--	--	0.0013	0.030
150,000 miles	N2O	--	--	--	--	--	--	0	0.010
150,000 miles	NMOG	--	1	1.09836	--	--	--	0.0011	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0	0.040
150,000 miles	NOX	--	--	--	--	--	--	0.0003	999.999
150,000 miles	PM	--	--	--	--	--	--	0.0002	0.003

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB
Cert Region	Federal	**Cert/In-Use Code**	Cert
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**Standard Level**	Federal Tier 3 Bin 50
Fuel	Gasoline	**Test Procedure**	Federal fuel 3-day exhaust

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles	CREE	--	--	--	--	--	--	0.067229	999.999
120,000 miles	METHANE	--	--	--	--	--	--	0.001	0.030
120,000 miles	N2O	--	--	--	--	--	--	0	0.010
150,000 miles	CO	--	--	--	--	--	--	0.05	1.7
150,000 miles	CO-COMP	--	--	--	--	--	--	0	4.2
150,000 miles	NMOG	--	1	1.09836	--	--	--	0.0011	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0	0.050
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	0	0.080
150,000 miles	NOX	--	--	--	--	--	--	0.0003	999.999
150,000 miles	PM	--	--	--	--	--	--	0.0002	0.003

Cert Region	California + CAA Section 177 states	**Cert/In-Use Code**	Cert
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**Standard Level**	California LEV-IV ULEV40
Fuel	Gasoline	**Test Procedure**	Fed. fuel 50 F exh.

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
4,000 miles	CO	--	--	--	--	--	--	0	1.7
4,000 miles	NMOG	--	1	1.09836	--	--	--	0	999.999
4,000 miles	NMOG+NOX	--	--	--	--	--	--	0	0.080
4,000 miles	NOX	--	--	--	--	--	--	0	999.999

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB
Cert Region	Federal	**Cert/In-Use Code**	Cert
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**Standard Level**	Federal Tier 3 Bin 50
Fuel	Gasoline	**Test Procedure**	HWFE

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles	CREE	--	--	--	--	--	--	0.067229	999.999
150,000 miles	NMOG	--	1	1.03	--	--	--	0.0011	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0	0.050
150,000 miles	NOX	--	--	--	--	--	--	0.0003	999.999

Cert Region	California + CAA Section 177 states	**Cert/In-Use Code**	Cert
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**Standard Level**	California LEV-IV ULEV40
Fuel	Gasoline	**Test Procedure**	Cold CO

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	0.02	12.5

Cert Region	Federal	**Cert/In-Use Code**	Cert
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**Standard Level**	Federal Tier 3 Bin 50
Fuel	Gasoline	**Test Procedure**	Cold CO

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	0.02	12.5
120,000 miles	HC-NM	--	--	--	--	--	--	0	0.5

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB
Cert Region	California + CAA Section 177 states	**Cert/In-Use Code**	Cert
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**Standard Level**	California LEV-IV ULEV40
Fuel	Gasoline	**Test Procedure**	Quick-Driveway (QD)

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	NMOG	--	1	1.09836	--	--	--	0.0011	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0	0.052
150,000 miles	NOX	--	--	--	--	--	--	0.0003	999.999

Cert Region	California + CAA Section 177 states	**Cert/In-Use Code**	Cert
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**Standard Level**	California LEV-IV ULEV40
Fuel	Gasoline	**Test Procedure**	HWFE

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	NMOG	--	1	1.03	--	--	--	0.0011	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0	0.040
150,000 miles	NOX	--	--	--	--	--	--	0.0003	999.999

Cert Region	Federal	**Cert/In-Use Code**	Cert
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**Standard Level**	Federal Tier 3 Bin 50
Fuel	Gasoline	**Test Procedure**	Federal fuel 2-day exhaust (w/can load)

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles	CREE	--	--	--	--	--	--	0.067229	999.999

Evaporative/Refueling Standards

Evaporative/Refueling Family	VNSXR0155PMB	**Cert Region**	Federal
Cert/In-Use Code	Cert	**Standard Level**	Federal Tier 3 Evap
Test Procedure	CA fuel 3-day evap.		

Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.500	0

Certification Summary Information Report

Test Group	VNSXT03.8FRM	Evaporative/Refueling Family	VNSXR0155PMB

Evaporative/Refueling Family VNSXR0155PMB
Cert Region California + CAA Section 177 states
Cert/In-Use Code Cert
Standard Level California LEV-IV Zero Evap (Option 2)
Test Procedure Evap Canister Bleed Test

Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.020	0

Evaporative/Refueling Family VNSXR0155PMB
Cert Region California + CAA Section 177 states
Cert/In-Use Code Cert
Standard Level California LEV-IV Zero Evap (Option 2)
Test Procedure 2-day evap

Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.500	0

Evaporative/Refueling Family VNSXR0155PMB
Cert Region Federal
Cert/In-Use Code Cert
Standard Level Federal Tier 3 Evap
Test Procedure California Fuel Running Loss

Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.05	0

Evaporative/Refueling Family VNSXR0155PMB
Cert Region California + CAA Section 177 states
Cert/In-Use Code Cert
Standard Level California LEV-IV Zero Evap (Option 2)
Test Procedure Federal fuel refueling test (ORVR)

Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.20	0.019

Evaporative/Refueling Family VNSXR0155PMB
Cert Region Federal
Cert/In-Use Code Cert
Standard Level Federal Tier 3 Evap
Test Procedure Federal fuel refueling test (ORVR)

Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.20	0.019

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Evaporative/Refueling Family	VNSXR0155PMB	**Cert Region**	Federal
Cert/In-Use Code	Cert	**Standard Level**	Federal Tier 3 Evap
Test Procedure	Evap Canister Bleed Test		

Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.020	0

Evaporative/Refueling Family	VNSXR0155PMB	**Cert Region**	Federal
Cert/In-Use Code	Cert	**Standard Level**	Federal Tier 3 Evap
Test Procedure	2-day evap		

Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.500	0

Evaporative/Refueling Family	VNSXR0155PMB	**Cert Region**	California + CAA Section 177 states
Cert/In-Use Code	Cert	**Standard Level**	California LEV-IV Zero Evap (Option 2)
Test Procedure	California Fuel Running Loss		

Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.01	0

Evaporative/Refueling Family	VNSXR0155PMB	**Cert Region**	California + CAA Section 177 states
Cert/In-Use Code	Cert	**Standard Level**	California LEV-IV Zero Evap (Option 2)
Test Procedure	CA fuel 3-day evap.		

Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.500	0

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB

Glossary

Useful Life

4	4,000 miles	120	120,000 miles
50	50,000 miles	150	150,000 miles
100	100,000 miles		

Emission Name

HC-TOTAL	Total Hydrocarbon	COMB-CREE	Combined Carbon-Related Exhaust Emissions
CO	Carbon Monoxide	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions
CO2	Carbon dioxide	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only
CREE	Carbon-Related Exhaust Emissions	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only
OPT-CREE	Optional Carbon-Related Exhaust Emissions	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only
NOX	Nitrogen Oxide	LEAK-DIA	Effective Leak Diameter (inches)
PM	Particulate Matter	LEAK-GAS CAP	Gas Cap Leakage (cc/min)
PM-COMP	SFTP Composite Particulate Matter	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only
HC-NM	Non-methane Hydrocarbon	KW-HRS	Integrated DC KW-HRS
OMHCE	Organic material Hydrocarbon Equivalent	CH4 BAG 1	Bag 1 Methane
OMNMHCE	Organic material non-methane HC equivalent	CH4 BAG 2	Bag 2 Methane
NMOG	Non-methane organic gases	CH4 BAG 3	Bag 3 Methane
HCHO	Formaldehyde	CH4 BAG 4	Bag 4 Methane
H3C2HO	Acetaldehyde	CO BAG 1	Bag 1 Carbon Monoxide
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	CO BAG 2	Bag 2 Carbon Monoxide
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	CO BAG 3	Bag 3 Carbon Monoxide
CO-COMP	SFTP Composite Carbon Monoxide	CO BAG 4	Bag 4 Carbon Monoxide
ETHANOL	C2H5OH - Ethanol	NMOG BAG 1	Bag 1 Non-methane organic gases
FE BAG 1	Bag 1 Fuel Economy	NMOG BAG 2	Bag 2 Non-methane organic gases
FE BAG 2	Bag 2 Fuel Economy	NMOG BAG 3	Bag 3 Non-methane organic gases
FE BAG 3	Bag 3 Fuel Economy	NMOG BAG 4	Bag 4 Non-methane organic gases
FE BAG 4	Bag 4 Fuel Economy	ACT-DISTANCE BAG 1	Bag 1 Actual Distance
MFR FE	Manufacturer Fuel Economy	ACT-DISTANCE BAG 2	Bag 2 Actual Distance
HC	Hydrocarbon for Running Loss and ORVR	ACT-DISTANCE BAG 3	Bag 3 Actual Distance
METHANE	CH4 - Methane	ACT-DISTANCE BAG 4	Bag 4 Actual Distance
METHANOL	CH3OH - Methanol	HC-TOTAL BAG 1	Bag 1 Total Hydrocarbon
N2O	Nitrous Oxide	HC-TOTAL BAG 2	Bag 2 Total Hydrocarbon
SPITBACK	Spitback Hydrocarbon in grams	HC-TOTAL BAG 3	Bag 3 Total Hydrocarbon
AMP-HRS	Integrated Amp-hours	HC-TOTAL BAG 4	Bag 4 Total Hydrocarbon
START-SOC	System Start State of Charge Watt-hours	WATT-HRS BAG 1	Bag 1 Watt Hours
END-SOC	System End State of Charge Watt-hours	WATT-HRS BAG 2	Bag 2 Watt Hours

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB
ACT-DISTANCE	Actual Distance Driven (miles)	WATT-HRS BAG 3	Bag 3 Watt Hours
AS-VOLT	Average System Voltage	WATT-HRS BAG 4	Bag 4 Watt Hours
CO2 BAG 1	Bag 1 Carbon Dioxide	WATT-HRS	Watt Hours
CO2 BAG 2	Bag 2 Carbon Dioxide	HC-NM BAG 1	Bag 1 Non-methane Hydrocarbon
CO2 BAG 3	Bag 3 Carbon Dioxide	HC-NM BAG 2	Bag 2 Non-methane Hydrocarbon
CO2 BAG 4	Bag 4 Carbon Dioxide	HC-NM BAG 3	Bag 3 Non-methane Hydrocarbon
NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides	HC-NM BAG 4	Bag 4 Non-methane Hydrocarbon
NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides	N2O BAG 1	Bag 1 Nitrous Oxide
DT-IWRR	Drive Trace Inertia Work Ratio Rating	N2O BAG 2	Bag 2 Nitrous Oxide
DT-ASCR	Drive Trace Absolute Speed Change Rating	N2O BAG 3	Bag 3 Nitrous Oxide
DT-EER	Drive Trace Energy Economy Rating	N2O BAG 4	Bag 4 Nitrous Oxide
Certification Region			
CA	California + CAA Section 177 states	FA	Federal
Exhaust Emission Standard Level			
B1	Federal Tier 2 Bin 1	HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340
B2	Federal Tier 2 Bin 2	HDV2B250	Federal Tier 3 HD Class 2b Bin 250
B3	Federal Tier 2 Bin 3	HDV2B200	Federal Tier 3 HD Class 2b Bin 200
B4	Federal Tier 2 Bin 4	HDV2B170	Federal Tier 3 HD Class 2b Bin 170
B5	Federal Tier 2 Bin 5	HDV2B150	Federal Tier 3 HD Class 2b Bin 150
B6	Federal Tier 2 Bin 6	HDV2B0	Federal Tier 3 HD Class 2b Bin 0
B7	Federal Tier 2 Bin 7	HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630
B8	Federal Tier 2 Bin 8	HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570
B9	Federal Tier 2 Bin 9	HDV3B400	Federal Tier 3 HD Class 3 Bin 400
B10	Federal Tier 2 Bin 10	HDV3B270	Federal Tier 3 HD Class 3 Bin 270
B11	Federal Tier 2 Bin 11	HDV3B230	Federal Tier 3 HD Class 3 Bin 230
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	HDV3B200	Federal Tier 3 HD Class 3 Bin 200
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)	HDV3B0	Federal Tier 3 HD Class 3 Bin 0
L2	California LEV-II LEV	L4SULEV100	California LEV-IV SULEV100
L2OP	California LEV-II LEV Optional	L4SULEV125	California LEV-IV SULEV125
U2	California LEV-II ULEV	L4SULEV15	California LEV-IV SULEV15
S2	California LEV-II SULEV	L4SULEV150	California LEV-IV SULEV150
ZEV	California ZEV	L4SULEV170	California LEV-IV SULEV170
OT	Other	L4SULEV175	California LEV-IV SULEV175
T1	Federal Tier 1	L4SULEV20	California LEV-IV SULEV20
PZEV	California PZEV	L4SULEV200	California LEV-IV SULEV200
L2LEV160	California LEV-II LEV160	L4SULEV230	California LEV-IV SULEV230
L2ULEV125	California LEV-II ULEV125	L4SULEV25	California LEV-IV SULEV25
L2SULEV30	California LEV-II SULEV30	L4SULEV30	California LEV-IV SULEV30
L2LEV395	California LEV-II LEV395	L4SULEV75	California LEV-IV SULEV75

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB
L2ULEV340	California LEV-II ULEV340	L4SULEV85	California LEV-IV SULEV85
L2LEV630	California LEV-II LEV630	L4ULEV125	California LEV-IV ULEV125
L2ULEV570	California LEV-II ULEV570	L4ULEV200	California LEV-IV ULEV200
L3LEV160	California LEV-III LEV160	L4ULEV250	California LEV-IV ULEV250
L3ULEV125	California LEV-III ULEV125	L4ULEV270	California LEV-IV ULEV270
L3ULEV70	California LEV-III ULEV70	L4ULEV40	California LEV-IV ULEV40
L3ULEV50	California LEV-III ULEV50	L4ULEV400	California LEV-IV ULEV400
L3SULEV30	California LEV-III SULEV30	L4ULEV50	California LEV-IV ULEV50
L3SULEV20	California LEV-III SULEV20	L4ULEV60	California LEV-IV ULEV60
L3LEV395	California LEV-III LEV395	L4ULEV70	California LEV-IV ULEV70
L3ULEV340	California LEV-III ULEV340	T4B170	Federal Tier 4 MDV Bin 170
L3ULEV250	California LEV-III ULEV250	T4B150	Federal Tier 4 MDV Bin 150
L3ULEV200	California LEV-III ULEV200	T4B125	Federal Tier 4 MDV Bin 125
L3SULEV170	California LEV-III SULEV170	T4B100	Federal Tier 4 MDV Bin 100
L3SULEV150	California LEV-III SULEV150	T4B85	Federal Tier 4 MDV Bin 85
L3LEV630	California LEV-III LEV630	T4B75	Federal Tier 4 MDV Bin 75
L3ULEV570	California LEV-III ULEV570	T4B70	Federal Tier 4 Bin 70
L3ULEV400	California LEV-III ULEV400	T4B65	Federal Tier 4 Bin 65
L3ULEV270	California LEV-III ULEV270	T4B60	Federal Tier 4 Bin 60
L3SULEV230	California LEV-III SULEV230	T4B55	Federal Tier 4 Bin 55
L3SULEV200	California LEV-III SULEV200	T4B50	Federal Tier 4 Bin 50
T3B160	Federal Tier 3 Bin 160	T4B45	Federal Tier 4 Bin 45
T3B125	Federal Tier 3 Bin 125	T4B40	Federal Tier 4 Bin 40
T3B110	Federal Tier 3 Transitional Bin 110	T4B35	Federal Tier 4 Bin 35
T3B85	Federal Tier 3 Transitional Bin 85	T4B30	Federal Tier 4 Bin 30
T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover	T4B25	Federal Tier 4 Bin 25
T3B70	Federal Tier 3 Bin 70	T4B20	Federal Tier 4 Bin 20
T3B50	Federal Tier 3 Bin 50	T4B15	Federal Tier 4 Bin 15
T3B30	Federal Tier 3 Bin 30	T4B10	Federal Tier 4 Bin 10
T3B20	Federal Tier 3 Bin 20	T4B5	Federal Tier 4 Bin 5
T3B0	Federal Tier 3 Bin 0	T4B0	Federal Tier 4 Bin 0
HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395		

Transmission Type Code			
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual
A	Automatic	OT	Other
AM	Automated Manual	SA	Semi-Automatic
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)

Drive System Code			
4	4-Wheel Drive	P	Part-time 4-Wheel Drive

Certification Summary Information Report

Test Group	VNSXT03.8FRM	**Evaporative/Refueling Family**	VNSXR0155PMB
F	2-Wheel Drive, Front	A	All Wheel Drive
R	2-Wheel Drive, Rear		

Additional Terms and Acronyms

AFC	Alternative Fuel Converter	ICI	Independent Commercial Importer
CSI	Certificate Summary Information	ORVR	Onboard Refueling Vapor Recovery
DF	Deterioration Factor	SIL	Shift Indicator Light
Evap	Evaporation, Evaporative	Trans	Transmission