



### Certification Summary Information Report

<b>Test Group</b>	VPABT00.0ZPH	<b>Evaporative/Refueling Family</b>	--
-------------------	--------------	-------------------------------------	----

**Models Covered by this Certificate**

Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
Polestar Performance AB	1 - Polestar Automotive USA Inc	291 - Polestar 3 Rear Motor (21in Wheels)	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	1	No
Polestar Performance AB	1 - Polestar Automotive USA Inc	291 - Polestar 3 Rear Motor (21in Wheels)	Federal	2-Wheel Drive, Rear	Automatic	1	No
Polestar Performance AB	1 - Polestar Automotive USA Inc	290 - Polestar 3 Rear Motor (20in Wheels)	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	1	No
Polestar Performance AB	1 - Polestar Automotive USA Inc	290 - Polestar 3 Rear Motor (20in Wheels)	Federal	2-Wheel Drive, Rear	Automatic	1	No

**Engine Description**

<b>Hybrid Type</b>	--	<b>Hybrid Description</b>	--
<b>Engine Type</b>	--	<b>Mfr Engine Description</b>	--
<b>Engine Block Arrangement</b>	--	<b>Mfr Engine Block Arrangement Description</b>	--
<b>Camless Valvetrain Indicator</b>	--	<b>Oil Viscosity/Classification</b>	
<b>Number of Cylinders/Rotors</b>	--	<b>Mechanically Variable Compression Ratio Indicator</b>	--

**After Treatment Device(s) (ATD)**

<b>Mfr After Treatment Device (ATD) Comments</b>	--
<b>Direct Ozone Reduction (DOR) Device</b>	--
<b>Mfr Emission Control Device Comments</b>	--

**Official Test Numbers**

Test Group Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Electricity	--	--	--	--	--	--	--	--	--	--

**SFTP LEV-III Official Test Numbers**

Test Group Fuel	FTP	US06	SC03
Electricity	--	--	--

**Official Charge Depleting Test Numbers**

Test Group Fuel	UDDS	Highway
Electricity	--	--
Electricity	--	--

## Certification Summary Information Report

Test Group	VPABT00.0ZPH	Evaporative/Refueling Family	--
<b>Hybrid Electric Vehicle And Fuel Cell Information</b>			
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if Other	--
Battery Type	Lithium Ion	Number of Battery Packs	1
Total Voltage of Battery Packs	628	Battery Energy Capacity	147
Battery Specific Energy	158	Battery Charger Type	On-Board
Number of Capacitors	--	Capacitor Rating (In Farads)	--
Mfr Capacitor Comments	--		
Hydraulic System Description	--		
Regenerative Braking Type	Electrical Regen Brake		
Regenerative Braking Source	Rear Wheels	Driver Controlled Regenerative Braking	Yes
Mfr Regenerative Braking Description	--		
Drive Motor(s)/Generator(s)	1		
Motor/Generator Type 1	PMSM	Rated Motor/Generator Power	245
Mfr Fuel Cell Description	--		
Fuel Cell On-Board H2 Storage Capacity (kg)	--	Usable H2 Fill Capacity (kg)	--
Mfr Hybrid Electric/ Electric Vehicle Comments	Rear drive Motor PMSM = Permanent Magnet Synch Machine		



### Certification Summary Information Report

<b>Test Group</b>	VPABT00.0ZPH	<b>Evaporative/Refueling Family</b>	--
-------------------	--------------	-------------------------------------	----

**Dynamometer Coefficients:**

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
<b>City/Highway/Evap</b>	38.99	0.165	0.02136	15.4	0.188	0.0208	13.4
<b>Cold CO</b>	42.89	0.1815	0.0235	0	0	0	N/A
<b>US06</b>	38.99	0.165	0.02136	15.4	0.188	0.0208	N/A

**Emission Control Device Comments**      Electric vehicle  
**Manufacturer Test Vehicle Comments**      Tested on 20 inch tire.

**Certification Summary Information Report**

<b>Test Group</b>	VPABT00.0ZPH	<b>Evaporative/Refueling Family</b>	--
<b>Test #</b>	<b>VPAB10094174</b>	<b>Test Procedure</b>	<b>77 - Multi-Cycle Test (MCT)</b>
<b>Exhaust Test # for this Evap Test</b>	--	<b>Test Fuel Type</b>	62 - Electricity
<b>Test Date</b>	08/20/2025	<b>Fuel</b>	Electricity
<b>Fuel Batch ID</b>	--	<b>Fuel Calibration Number</b>	--
<b>Vehicle Class</b>	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	<b>DF Type</b>	Mfr. Determined
<b>Verify Test Lab ID</b>	Volvo Car Corporation		
<b>E10 Evaporative Test Measurement Method</b>	--		
<b>Test Start Odometer Reading</b>	4804	<b>Odometer Units</b>	K
<b>4WD Test Dyno</b>	Yes	<b>Diesel Adjustment Factor Usage</b>	--
<b>State of Charge Delta</b>	Yes		
<b>Drive Cycle Speed Tolerance Criteria</b>	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	<b>Road Speed Fan Usage</b>	Yes

**PHEV/EV Charge Depleting Test Information**

<b>Recharge Event Voltage</b>	236	<b>Recharge Event Energy (kiloWatt-hours)</b>	100.817
<b>Charge Depleting Range (Calculated miles)</b>	436.028	<b>Charge Depleting Range (Actual miles)</b>	436.028
<b>Charge Depleting Range Highway (Calculated miles)</b>	373.884	<b>Derived 5-Cycle Coefficient Model Year</b>	--
<b>All Electric Range Unadjusted (miles)</b>	--	<b>Equivalent All Electric Range (miles)</b>	436.028
<b>Number of Charge Depleting Bags/Phases Conducted</b>	8	<b>Transition Bag/Phase Number</b>	--

**Charge Depleting Bag/Phase #1**

<b>Test Result/Emission Name</b>	<b>Unrounded Test Result</b>
Actual Distance Driven (miles)	7.456
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-2.15
Drive Trace Energy Economy Rating	-3.44
Drive Trace Inertia Work Ratio Rating	-3.44
Integrated DC KW-HRS	1.6316
Manufacturer Fuel Economy	21.883

**Charge Depleting Bag/Phase #2**

## Certification Summary Information Report

Test Group	VPABT00.0ZPH	Evaporative/Refueling Family	--																
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.24</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.73</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.6</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-0.59</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.4702</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>24.123</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.24	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.73	Drive Trace Energy Economy Rating	-1.6	Drive Trace Inertia Work Ratio Rating	-0.59	Integrated DC KW-HRS	2.4702	Manufacturer Fuel Economy	24.123
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	10.24																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-0.73																		
Drive Trace Energy Economy Rating	-1.6																		
Drive Trace Inertia Work Ratio Rating	-0.59																		
Integrated DC KW-HRS	2.4702																		
Manufacturer Fuel Economy	24.123																		
<b>Charge Depleting Bag/Phase #3</b>																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.453</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.07</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-2.56</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-1.32</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.5463</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>20.747</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.453	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.07	Drive Trace Energy Economy Rating	-2.56	Drive Trace Inertia Work Ratio Rating	-1.32	Integrated DC KW-HRS	1.5463	Manufacturer Fuel Economy	20.747
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.453																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-1.07																		
Drive Trace Energy Economy Rating	-2.56																		
Drive Trace Inertia Work Ratio Rating	-1.32																		
Integrated DC KW-HRS	1.5463																		
Manufacturer Fuel Economy	20.747																		
<b>Charge Depleting Bag/Phase #4</b>																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>219.74</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.01</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>0.15</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0.01</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>67.9547</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>30.925</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	219.74	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.01	Drive Trace Energy Economy Rating	0.15	Drive Trace Inertia Work Ratio Rating	0.01	Integrated DC KW-HRS	67.9547	Manufacturer Fuel Economy	30.925
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	219.74																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	0.01																		
Drive Trace Energy Economy Rating	0.15																		
Drive Trace Inertia Work Ratio Rating	0.01																		
Integrated DC KW-HRS	67.9547																		
Manufacturer Fuel Economy	30.925																		
<b>Charge Depleting Bag/Phase #5</b>																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.463</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.51</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-3.18</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-2.11</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.5259</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>20.446</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.463	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.51	Drive Trace Energy Economy Rating	-3.18	Drive Trace Inertia Work Ratio Rating	-2.11	Integrated DC KW-HRS	1.5259	Manufacturer Fuel Economy	20.446
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.463																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-1.51																		
Drive Trace Energy Economy Rating	-3.18																		
Drive Trace Inertia Work Ratio Rating	-2.11																		
Integrated DC KW-HRS	1.5259																		
Manufacturer Fuel Economy	20.446																		
<b>Charge Depleting Bag/Phase #6</b>																			

## Certification Summary Information Report

<b>Test Group</b>	VPABT00.0ZPH	<b>Evaporative/Refueling Family</b>	--
-------------------	--------------	-------------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.243
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-0.69
Drive Trace Energy Economy Rating	-1.83
Drive Trace Inertia Work Ratio Rating	-0.68
Integrated DC KW-HRS	2.443
Manufacturer Fuel Economy	23.85

**Charge Depleting Bag/Phase #7**

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.473
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-1.81
Drive Trace Energy Economy Rating	-3.25
Drive Trace Inertia Work Ratio Rating	-2.81
Integrated DC KW-HRS	1.5273
Manufacturer Fuel Economy	20.438

**Charge Depleting Bag/Phase #8**

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	34.397
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	0.01
Drive Trace Energy Economy Rating	-1.36
Drive Trace Inertia Work Ratio Rating	0.01
Integrated DC KW-HRS	10.5836
Manufacturer Fuel Economy	30.769

**Manufacturer Test Comments**

Multi cycle test method used. Polestar 3 Rear Motor (20 Inch Wheels)

### Certification Summary Information Report

Test Group		VPABT00.0ZPH				Evaporative/Refueling Family					--	
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--



### Certification Summary Information Report

<b>Test Group</b>	VPABT00.0ZPH	<b>Evaporative/Refueling Family</b>	--
-------------------	--------------	-------------------------------------	----

**Dynamometer Coefficients:**

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
<b>City/Highway/Evap</b>	36.08	0.165	0.02136	14.6	0.182	0.0208	13
<b>Cold CO</b>	39.67	0.1815	0.0235	0	0	0	N/A
<b>US06</b>	36.08	0.165	0.02136	14.6	0.182	0.0208	N/A

**Emission Control Device Comments**      Electric vehicle  
**Manufacturer Test Vehicle Comments**      Tested on 21 inch tire.

## Certification Summary Information Report

Test Group	VPABT00.0ZPH	Evaporative/Refueling Family	--
<b>Test #</b>	<b>VPAB10094175</b>	<b>Test Procedure</b>	<b>77 - Multi-Cycle Test (MCT)</b>
<b>Exhaust Test # for this Evap Test</b>	--	<b>Test Fuel Type</b>	62 - Electricity
<b>Test Date</b>	08/14/2025	<b>Fuel</b>	Electricity
<b>Fuel Batch ID</b>	--	<b>Fuel Calibration Number</b>	--
<b>Vehicle Class</b>	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	<b>DF Type</b>	Mfr. Determined
<b>Verify Test Lab ID</b>	Volvo Car Corporation		
<b>E10 Evaporative Test Measurement Method</b>	--		
<b>Test Start Odometer Reading</b>	3965	<b>Odometer Units</b>	K
<b>4WD Test Dyno</b>	Yes	<b>Diesel Adjustment Factor Usage</b>	--
<b>State of Charge Delta</b>	Yes		
<b>Drive Cycle Speed Tolerance Criteria</b>	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	<b>Road Speed Fan Usage</b>	Yes
<b>PHEV/EV Charge Depleting Test Information</b>			
<b>Recharge Event Voltage</b>	235	<b>Recharge Event Energy (kiloWatt-hours)</b>	100.54
<b>Charge Depleting Range (Calculated miles)</b>	445.676	<b>Charge Depleting Range (Actual miles)</b>	445.676
<b>Charge Depleting Range Highway (Calculated miles)</b>	379.899	<b>Derived 5-Cycle Coefficient Model Year</b>	--
<b>All Electric Range Unadjusted (miles)</b>	--	<b>Equivalent All Electric Range (miles)</b>	445.676
<b>Number of Charge Depleting Bags/Phases Conducted</b>	8	<b>Transition Bag/Phase Number</b>	--
<b>Charge Depleting Bag/Phase #1</b>			
<b>Test Result/Emission Name</b>		<b>Unrounded Test Result</b>	
Actual Distance Driven (miles)		7.467	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		-1.28	
Drive Trace Energy Economy Rating		-2.62	
Drive Trace Inertia Work Ratio Rating		-1.77	
Integrated DC KW-HRS		1.5737	
Manufacturer Fuel Economy		21.075	
<b>Charge Depleting Bag/Phase #2</b>			

## Certification Summary Information Report

Test Group	VPABT00.0ZPH	Evaporative/Refueling Family	--																
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.256</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.07</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.46</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-1.18</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.4235</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>23.63</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.256	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.07	Drive Trace Energy Economy Rating	-1.46	Drive Trace Inertia Work Ratio Rating	-1.18	Integrated DC KW-HRS	2.4235	Manufacturer Fuel Economy	23.63
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	10.256																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-1.07																		
Drive Trace Energy Economy Rating	-1.46																		
Drive Trace Inertia Work Ratio Rating	-1.18																		
Integrated DC KW-HRS	2.4235																		
Manufacturer Fuel Economy	23.63																		
<b>Charge Depleting Bag/Phase #3</b>																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.465</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.02</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-2.15</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-0.18</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.5037</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>20.143</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.465	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.02	Drive Trace Energy Economy Rating	-2.15	Drive Trace Inertia Work Ratio Rating	-0.18	Integrated DC KW-HRS	1.5037	Manufacturer Fuel Economy	20.143
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.465																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-0.02																		
Drive Trace Energy Economy Rating	-2.15																		
Drive Trace Inertia Work Ratio Rating	-0.18																		
Integrated DC KW-HRS	1.5037																		
Manufacturer Fuel Economy	20.143																		
<b>Charge Depleting Bag/Phase #4</b>																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>229.604</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.01</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>1.88</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0.01</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>71.0223</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>30.933</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	229.604	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.01	Drive Trace Energy Economy Rating	1.88	Drive Trace Inertia Work Ratio Rating	0.01	Integrated DC KW-HRS	71.0223	Manufacturer Fuel Economy	30.933
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	229.604																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	0.01																		
Drive Trace Energy Economy Rating	1.88																		
Drive Trace Inertia Work Ratio Rating	0.01																		
Integrated DC KW-HRS	71.0223																		
Manufacturer Fuel Economy	30.933																		
<b>Charge Depleting Bag/Phase #5</b>																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.467</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.39</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-2.39</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-0.46</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.4946</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>20.016</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.467	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.39	Drive Trace Energy Economy Rating	-2.39	Drive Trace Inertia Work Ratio Rating	-0.46	Integrated DC KW-HRS	1.4946	Manufacturer Fuel Economy	20.016
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.467																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-0.39																		
Drive Trace Energy Economy Rating	-2.39																		
Drive Trace Inertia Work Ratio Rating	-0.46																		
Integrated DC KW-HRS	1.4946																		
Manufacturer Fuel Economy	20.016																		
<b>Charge Depleting Bag/Phase #6</b>																			

## Certification Summary Information Report

<b>Test Group</b>	VPABT00.0ZPH	<b>Evaporative/Refueling Family</b>	--
-------------------	--------------	-------------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.256
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	2.91
Drive Trace Energy Economy Rating	-1.31
Drive Trace Inertia Work Ratio Rating	3.59
Integrated DC KW-HRS	2.4098
Manufacturer Fuel Economy	23.496

**Charge Depleting Bag/Phase #7**

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.448
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-1.45
Drive Trace Energy Economy Rating	-2.79
Drive Trace Inertia Work Ratio Rating	-2.32
Integrated DC KW-HRS	1.4929
Manufacturer Fuel Economy	20.044

**Charge Depleting Bag/Phase #8**

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	24.67
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	0.01
Drive Trace Energy Economy Rating	-0.41
Drive Trace Inertia Work Ratio Rating	0.01
Integrated DC KW-HRS	7.5962
Manufacturer Fuel Economy	30.791

**Manufacturer Test Comments**

Multi cycle test method used. Polestar 3 Rear Motor (21 Inch Wheels)

### Certification Summary Information Report

Test Group		VPABT00.0ZPH				Evaporative/Refueling Family				--		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--

**Fuel Properties**

### Certification Summary Information Report

<b>Test Group</b>	VPABT00.0ZPH	<b>Evaporative/Refueling Family</b>	--						
<b>Consolidated List of Standards</b>									
<b>Exhaust Standards</b>									
<b>Cert Region</b>	Federal	<b>Cert/In-Use Code</b>	Cert						
<b>Vehicle Class</b>	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	<b>Standard Level</b>	Federal Tier 3 Bin 0						
<b>Fuel</b>	Electricity	<b>Test Procedure</b>	CVS 75 and later (w/o can. load)						
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>
150,000 miles	CO	--	--	--	--	--	--	0	0
<b>Cert Region</b>				Federal	<b>Cert/In-Use Code</b>	Both			
<b>Vehicle Class</b>				LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	<b>Standard Level</b>	Federal Tier 3 Bin 0			
<b>Fuel</b>				Electricity	<b>Test Procedure</b>	Multi-Cycle Test (MCT)			
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>
120,000 miles	CREE	--	--	--	--	--	--	0	0
150,000 miles	CO	--	--	--	--	--	--	0	0
<b>Cert Region</b>				California + CAA Section 177 states	<b>Cert/In-Use Code</b>	Cert			
<b>Vehicle Class</b>				LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	<b>Standard Level</b>	California ZEV			
<b>Fuel</b>				Electricity	<b>Test Procedure</b>	CVS 75 and later (w/o can. load)			
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>
150,000 miles	CO	--	--	--	--	--	--	0	0

### Certification Summary Information Report

<b>Test Group</b>		VPABT00.0ZPH			<b>Evaporative/Refueling Family</b>			--			
<b>Cert Region</b>		California + CAA Section 177 states			<b>Cert/In-Use Code</b>			Both			
<b>Vehicle Class</b>		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			<b>Standard Level</b>			California ZEV			
<b>Fuel</b>		Electricity			<b>Test Procedure</b>			Multi-Cycle Test (MCT)			
<b>Useful Life</b>		<b>Emission Name</b>		<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>
120,000 miles		CREE		--	--	--	--	--	--	0	0
150,000 miles		CO		--	--	--	--	--	--	0	0

## Certification Summary Information Report

Test Group	VPABT00.0ZPH	Evaporative/Refueling Family	--
<b>Glossary</b>			
<b>Useful Life</b>			
4	4,000 miles	120	120,000 miles
50	50,000 miles	150	150,000 miles
100	100,000 miles		
<b>Emission Name</b>			
HC-TOTAL	Total Hydrocarbon	COMB-CREE	Combined Carbon-Related Exhaust Emissions
CO	Carbon Monoxide	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions
CO2	Carbon dioxide	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only
CREE	Carbon-Related Exhaust Emissions	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only
OPT-CREE	Optional Carbon-Related Exhaust Emissions	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only
NOX	Nitrogen Oxide	LEAK-DIA	Effective Leak Diameter (inches)
PM	Particulate Matter	LEAK-GAS CAP	Gas Cap Leakage (cc/min)
PM-COMP	SFTP Composite Particulate Matter	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only
HC-NM	Non-methane Hydrocarbon	KW-HRS	Integrated DC KW-HRS
OMHCE	Organic material Hydrocarbon Equivalent	CH4 BAG 1	Bag 1 Methane
OMNMHCE	Organic material non-methane HC equivalent	CH4 BAG 2	Bag 2 Methane
NMOG	Non-methane organic gases	CH4 BAG 3	Bag 3 Methane
HCHO	Formaldehyde	CH4 BAG 4	Bag 4 Methane
H3C2HO	Acetaldehyde	CO BAG 1	Bag 1 Carbon Monoxide
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	CO BAG 2	Bag 2 Carbon Monoxide
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	CO BAG 3	Bag 3 Carbon Monoxide
CO-COMP	SFTP Composite Carbon Monoxide	CO BAG 4	Bag 4 Carbon Monoxide
ETHANOL	C2H5OH - Ethanol	NMOG BAG 1	Bag 1 Non-methane organic gases
FE BAG 1	Bag 1 Fuel Economy	NMOG BAG 2	Bag 2 Non-methane organic gases
FE BAG 2	Bag 2 Fuel Economy	NMOG BAG 3	Bag 3 Non-methane organic gases
FE BAG 3	Bag 3 Fuel Economy	NMOG BAG 4	Bag 4 Non-methane organic gases
FE BAG 4	Bag 4 Fuel Economy	ACT-DISTANCE BAG 1	Bag 1 Actual Distance
MFR FE	Manufacturer Fuel Economy	ACT-DISTANCE BAG 2	Bag 2 Actual Distance
HC	Hydrocarbon for Running Loss and ORVR	ACT-DISTANCE BAG 3	Bag 3 Actual Distance
METHANE	CH4 - Methane	ACT-DISTANCE BAG 4	Bag 4 Actual Distance
METHANOL	CH3OH - Methanol	HC-TOTAL BAG 1	Bag 1 Total Hydrocarbon
N2O	Nitrous Oxide	HC-TOTAL BAG 2	Bag 2 Total Hydrocarbon
SPITBACK	Spitback Hydrocarbon in grams	HC-TOTAL BAG 3	Bag 3 Total Hydrocarbon
AMP-HRS	Integrated Amp-hours	HC-TOTAL BAG 4	Bag 4 Total Hydrocarbon
START-SOC	System Start State of Charge Watt-hours	WATT-HRS BAG 1	Bag 1 Watt Hours
END-SOC	System End State of Charge Watt-hours	WATT-HRS BAG 2	Bag 2 Watt Hours

## Certification Summary Information Report

Test Group		VPABT00.0ZPH	Evaporative/Refueling Family		--
ACT-DISTANCE	Actual Distance Driven (miles)		WATT-HRS BAG 3	Bag 3 Watt Hours	
AS-VOLT	Average System Voltage		WATT-HRS BAG 4	Bag 4 Watt Hours	
CO2 BAG 1	Bag 1 Carbon Dioxide		WATT-HRS	Watt Hours	
CO2 BAG 2	Bag 2 Carbon Dioxide		HC-NM BAG 1	Bag 1 Non-methane Hydrocarbon	
CO2 BAG 3	Bag 3 Carbon Dioxide		HC-NM BAG 2	Bag 2 Non-methane Hydrocarbon	
CO2 BAG 4	Bag 4 Carbon Dioxide		HC-NM BAG 3	Bag 3 Non-methane Hydrocarbon	
NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides		HC-NM BAG 4	Bag 4 Non-methane Hydrocarbon	
NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides		N2O BAG 1	Bag 1 Nitrous Oxide	
DT-IWRR	Drive Trace Inertia Work Ratio Rating		N2O BAG 2	Bag 2 Nitrous Oxide	
DT-ASCR	Drive Trace Absolute Speed Change Rating		N2O BAG 3	Bag 3 Nitrous Oxide	
DT-EER	Drive Trace Energy Economy Rating		N2O BAG 4	Bag 4 Nitrous Oxide	
<b>Certification Region</b>					
CA	California + CAA Section 177 states		FA	Federal	
<b>Exhaust Emission Standard Level</b>					
B1	Federal Tier 2 Bin 1		HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
B2	Federal Tier 2 Bin 2		HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
B3	Federal Tier 2 Bin 3		HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
B4	Federal Tier 2 Bin 4		HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
B5	Federal Tier 2 Bin 5		HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
B6	Federal Tier 2 Bin 6		HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
B7	Federal Tier 2 Bin 7		HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
B8	Federal Tier 2 Bin 8		HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
B9	Federal Tier 2 Bin 9		HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
B10	Federal Tier 2 Bin 10		HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
B11	Federal Tier 2 Bin 11		HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)		HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)		HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
L2	California LEV-II LEV		L4SULEV100	California LEV-IV SULEV100	
L2OP	California LEV-II LEV Optional		L4SULEV125	California LEV-IV SULEV125	
U2	California LEV-II ULEV		L4SULEV15	California LEV-IV SULEV15	
S2	California LEV-II SULEV		L4SULEV150	California LEV-IV SULEV150	
ZEV	California ZEV		L4SULEV170	California LEV-IV SULEV170	
OT	Other		L4SULEV175	California LEV-IV SULEV175	
T1	Federal Tier 1		L4SULEV20	California LEV-IV SULEV20	
PZEV	California PZEV		L4SULEV200	California LEV-IV SULEV200	
L2LEV160	California LEV-II LEV160		L4SULEV230	California LEV-IV SULEV230	
L2ULEV125	California LEV-II ULEV125		L4SULEV25	California LEV-IV SULEV25	
L2SULEV30	California LEV-II SULEV30		L4SULEV30	California LEV-IV SULEV30	
L2LEV395	California LEV-II LEV395		L4SULEV75	California LEV-IV SULEV75	

## Certification Summary Information Report

Test Group	VPABT00.0ZPH	Evaporative/Refueling Family	--
L2ULEV340	California LEV-II ULEV340	L4SULEV85	California LEV-IV SULEV85
L2LEV630	California LEV-II LEV630	L4ULEV125	California LEV-IV ULEV125
L2ULEV570	California LEV-II ULEV570	L4ULEV200	California LEV-IV ULEV200
L3LEV160	California LEV-III LEV160	L4ULEV250	California LEV-IV ULEV250
L3ULEV125	California LEV-III ULEV125	L4ULEV270	California LEV-IV ULEV270
L3ULEV70	California LEV-III ULEV70	L4ULEV40	California LEV-IV ULEV40
L3ULEV50	California LEV-III ULEV50	L4ULEV400	California LEV-IV ULEV400
L3SULEV30	California LEV-III SULEV30	L4ULEV50	California LEV-IV ULEV50
L3SULEV20	California LEV-III SULEV20	L4ULEV60	California LEV-IV ULEV60
L3LEV395	California LEV-III LEV395	L4ULEV70	California LEV-IV ULEV70
L3ULEV340	California LEV-III ULEV340	T4B170	Federal Tier 4 MDV Bin 170
L3ULEV250	California LEV-III ULEV250	T4B150	Federal Tier 4 MDV Bin 150
L3ULEV200	California LEV-III ULEV200	T4B125	Federal Tier 4 MDV Bin 125
L3SULEV170	California LEV-III SULEV170	T4B100	Federal Tier 4 MDV Bin 100
L3SULEV150	California LEV-III SULEV150	T4B85	Federal Tier 4 MDV Bin 85
L3LEV630	California LEV-III LEV630	T4B75	Federal Tier 4 MDV Bin 75
L3ULEV570	California LEV-III ULEV570	T4B70	Federal Tier 4 Bin 70
L3ULEV400	California LEV-III ULEV400	T4B65	Federal Tier 4 Bin 65
L3ULEV270	California LEV-III ULEV270	T4B60	Federal Tier 4 Bin 60
L3SULEV230	California LEV-III SULEV230	T4B55	Federal Tier 4 Bin 55
L3SULEV200	California LEV-III SULEV200	T4B50	Federal Tier 4 Bin 50
T3B160	Federal Tier 3 Bin 160	T4B45	Federal Tier 4 Bin 45
T3B125	Federal Tier 3 Bin 125	T4B40	Federal Tier 4 Bin 40
T3B110	Federal Tier 3 Transitional Bin 110	T4B35	Federal Tier 4 Bin 35
T3B85	Federal Tier 3 Transitional Bin 85	T4B30	Federal Tier 4 Bin 30
T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover	T4B25	Federal Tier 4 Bin 25
T3B70	Federal Tier 3 Bin 70	T4B20	Federal Tier 4 Bin 20
T3B50	Federal Tier 3 Bin 50	T4B15	Federal Tier 4 Bin 15
T3B30	Federal Tier 3 Bin 30	T4B10	Federal Tier 4 Bin 10
T3B20	Federal Tier 3 Bin 20	T4B5	Federal Tier 4 Bin 5
T3B0	Federal Tier 3 Bin 0	T4B0	Federal Tier 4 Bin 0
HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395		
<b>Transmission Type Code</b>			
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual
A	Automatic	OT	Other
AM	Automated Manual	SA	Semi-Automatic
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)
<b>Drive System Code</b>			
4	4-Wheel Drive	P	Part-time 4-Wheel Drive

**Certification Summary Information Report**

<b>Test Group</b>	VPABT00.0ZPH	<b>Evaporative/Refueling Family</b>		--
F	2-Wheel Drive, Front	A	All Wheel Drive	
R	2-Wheel Drive, Rear			
<b>Additional Terms and Acronyms</b>				
AFC	Alternative Fuel Converter	ICI	Independent Commercial Importer	
CSI	Certificate Summary Information	ORVR	Onboard Refueling Vapor Recovery	
DF	Deterioration Factor	SIL	Shift Indicator Light	
Evap	Evaporation, Evaporative	Trans	Transmission	