

Certification Summary Information Report

Manufacturer	Rolls-Royce Motor Cars Limited	Manufacturer Code	RRG
Test Group	VRRGV00.0R2B	Evaporative/Refueling Family	--
Certificate Number	VRRGV00.0R2B-002	CARB Executive Order #	--
Certificate Issue Date	05/14/2026	Certificate Revision Date	--
Certificate Effective Date	05/14/2026	Conditional Certificate	No
CSI Revision #	--	CSI Submission/Revision Date	04/24/2026 09:35:22 AM
Model Year	2027		

Test Group Information

CSI Type	New	Running Change Reference Number	--
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Electric Motor

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Electricity	--	--

Hybrid Indicator	No		
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	Yes
Multiple Fuel Combustion	--	Off-board Charge Capable Indicator	Yes
Fuel Cell Indicator	No	EPA Vehicle Class	LDV
Federal Clean Fuel Vehicle	Yes	Federal Clean Fuel Vehicle Standard	ZEV
Federal Clean Fuel Vehicle ILEV	No	California Partial Zero Emissions Vehicle Indicator	--
Durability Group Name	VRRGEEVNNBEV	Durability Group Equivalency Factor	1
Reduced Fee Test Group	No	Certification Region Code(s)	FA
Complies with HD GHG 2b/3 regulations?	No		
Introduction into Commerce Date	08/01/2026	CAP2000 Conditional Certificate?	No
Independent Commercial Importer?	No	Alternative Fuel Converter Certificate?	No
SFTP Federal Composite Compliance Identifier	Not Applicable	SFTP Tier 2 Composite CO Option	No
SFTP LEV-III Composite Compliance Indicator	No		
OBD Compliance Type	CARB	OBD Demonstration Vehicle Test Group	VRRGV00.0R2B
Test Group OBD Compliance Level	Full - no deficiencies	Number of Test Group OBD Deficiencies	0
OBD Deficiencies Comments	--		
Mfr Test Group Comments	--		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group		VRRGV00.0R2B		Evaporative/Refueling Family		--					
Models Covered by this Certificate											
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup				
Rolls-Royce Motor Cars Limited	1 - Rolls-Royce Motor Cars Limited	28 - Black Badge Spectre (22" Wheels)	Federal	All Wheel Drive	Automatic	1	No				
Rolls-Royce Motor Cars Limited	1 - Rolls-Royce Motor Cars Limited	27 - Spectre (23" Wheels)	Federal	All Wheel Drive	Automatic	1	No				
Rolls-Royce Motor Cars Limited	1 - Rolls-Royce Motor Cars Limited	26 - Spectre (22" Wheels)	Federal	All Wheel Drive	Automatic	1	No				
Rolls-Royce Motor Cars Limited	1 - Rolls-Royce Motor Cars Limited	29 - Black Badge Spectre (23" Wheels)	Federal	All Wheel Drive	Automatic	1	No				
Engine Description											
Hybrid Type		--		Hybrid Description		--					
Engine Type		--		Mfr Engine Description		--					
Engine Block Arrangement		--		Mfr Engine Block Arrangement Description		--					
Camless Valvetrain Indicator		--		Oil Viscosity/Classification							
Number of Cylinders/Rotors		--		Mechanically Variable Compression Ratio Indicator		--					
After Treatment Device(s) (ATD)											
Mfr After Treatment Device (ATD) Comments		--									
Direct Ozone Reduction (DOR) Device		--									
Mfr Emission Control Device Comments		--									
Official Test Numbers											
Test Group	Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Electricity		--	--	--	--	--	--	--	--	--	--

Certification Summary Information Report

Test Group		VRRGV00.0R2B	Evaporative/Refueling Family	--
Hybrid Electric Vehicle And Fuel Cell Information				
Rechargeable Energy Storage System	Battery(s)		Rechargeable Energy Storage System, if Other	--
Battery Type	Lithium Ion		Number of Battery Packs	1
Total Voltage of Battery Packs	364		Battery Energy Capacity	324.5
Battery Specific Energy	169		Battery Charger Type	On-Board
Number of Capacitors	--		Capacitor Rating (In Farads)	--
Mfr Capacitor Comments	--			
Hydraulic System Description	--			
Regenerative Braking Type	Electrical Regen Brake			
Regenerative Braking Source	Both		Driver Controlled Regenerative Braking	No
Mfr Regenerative Braking Description	--			
Drive Motor(s)/Generator(s)	2			
Motor/Generator Type 1	EESM		Rated Motor/Generator Power	190
Motor/Generator Type 2	EESM		Rated Motor/Generator Power	360
Mfr Fuel Cell Description	--			
Fuel Cell On-Board H2 Storage Capacity (kg)	--		Usable H2 Fill Capacity (kg)	--
Mfr Hybrid Electric/ Electric Vehicle Comments	Motor/Generator Type: externally excited synchronuous machine (EESM)			

Certification Summary Information Report

Test Group	VRRGV00.0R2B	Evaporative/Refueling Family	--																														
Emission Data Vehicle Information																																	
Vehicle ID / Configuration	U234147 / 0	Manufacturer Vehicle Configuration Number	0																														
Original Test Group Name	VRRGV00.0R2B	Original Evaporative/Refueling Family	--																														
Original Test Vehicle Model Year	2027																																
Vehicle Model																																	
Represented Test Vehicle Make	Rolls Royce	Represented Test Vehicle Model	Black Badge Spectre (23" Wheels)																														
Leak Family Details																																	
Leak Family Identifier	--	Leak Family Name	--																														
Drive Sources and Fuel System Details																																	
	<table border="1"> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity																										
Drive Source and Fuel#	Drive Source	Fuel																															
1	Electric Motor	Electricity																															
Hybrid Indicator	No																																
Multiple Fuel Storage	--	Multiple Fuel Combustion	--																														
Fuel Cell Indicator	No	Rechargeable Energy Storage System Indicator	Yes																														
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if 'Other'	--																														
Off-board charge Capable Indicator	Yes																																
Odometer Correction -- Initial	0	Odometer Correction Factor	1																														
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles																																
Odometer Correction Units	Miles																																
Engine Code	XE2A03N1RR25X1	Rated Horsepower	1																														
Displacement (liters)	0.001																																
Air Aspiration Method	Naturally Aspirated	Air Aspiration Method, if 'Other'																															
Number of Air Aspiration Devices	--	Air Aspiration Device Configuration	--																														
Charge Air Cooler Type	--	Drive Mode While Testing	All Wheel Drive																														
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)																														
Curb Weight (lbs)	6521	Equivalent Test Weight (pounds)	7000																														
GVWR (lbs)	7540	N/V Ratio	1																														
Axle Ratio	1																																
Transmission Type	Automatic	# of Transmission Gears	1																														
Transmission Lockup	No	Creep Gear	No																														
Dynamometer Coefficients:																																	
	<table border="1"> <thead> <tr> <th colspan="3">Target Coefficients</th> <th colspan="3">Set Coefficients</th> <th rowspan="2">EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients</th> </tr> <tr> <th>Coefficient Category</th> <th>A (lbf)</th> <th>B (lbf/mph)</th> <th>C (lbf/mph**2)</th> <th>A (lbf)</th> <th>B (lbf/mph)</th> <th>C (lbf/mph**2)</th> </tr> </thead> <tbody> <tr> <td>City/Highway/Evap</td> <td>47.9</td> <td>0.217</td> <td>0.01943</td> <td>4.4</td> <td>-0.079</td> <td>0.01951</td> <td>14.3</td> </tr> <tr> <td>US06</td> <td>47.9</td> <td>0.217</td> <td>0.01943</td> <td>4.4</td> <td>-0.079</td> <td>0.01951</td> <td>N/A</td> </tr> </tbody> </table>			Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	City/Highway/Evap	47.9	0.217	0.01943	4.4	-0.079	0.01951	14.3	US06	47.9	0.217	0.01943	4.4	-0.079	0.01951	N/A
Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients																											
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)		C (lbf/mph**2)																										
City/Highway/Evap	47.9	0.217	0.01943	4.4	-0.079	0.01951	14.3																										
US06	47.9	0.217	0.01943	4.4	-0.079	0.01951	N/A																										

Certification Summary Information Report

Test Group	VRRGV00.0R2B	Evaporative/Refueling Family	--
Emission Control Device Comments	--		
Manufacturer Test Vehicle Comments	vi_U234147_00_FEDV_Black Badge Spectre (23" Wheels)_A_ETW-7000_RG22_default mode_D_on; Axle Ratio front: 8.77; Axle Ratio rear: 8.76; N/V ratio front: 97.6; N/V ratio rear: 97.5; Power (peak) front: 190 kW; Power (peak) rear: 360 kW		

Certification Summary Information Report

Test Group	VRRGV00.0R2B	Evaporative/Refueling Family	--
Test #	VRRG10093963	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	04/07/2026	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Assigned
Verify Test Lab ID	EETZ		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	5516	Odometer Units	K
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	230	Recharge Event Energy (kiloWatt-hours)	133.154
Charge Depleting Range (Calculated miles)	432.517	Charge Depleting Range (Actual miles)	432.517
Charge Depleting Range Highway (Calculated miles)	450.395	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	432.517
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase #1			
Test Result/Emission Name		Unrounded Test Result	
Actual Distance Driven (miles)		7.465	
Carbon dioxide		0	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		-0.329	
Drive Trace Energy Economy Rating		-0.432	
Drive Trace Inertia Work Ratio Rating		-0.235	
Integrated DC KW-HRS		2.2249	
Manufacturer Fuel Economy		29.8038	
Charge Depleting Bag/Phase #2			

Certification Summary Information Report

Test Group	VRRGV00.0R2B	Evaporative/Refueling Family	--
		Test Result/Emission Name	Unrounded Test Result
		Actual Distance Driven (miles)	10.294
		Carbon dioxide	0
		Carbon-Related Exhaust Emissions	0
		Drive Trace Absolute Speed Change Rating	0.213
		Drive Trace Energy Economy Rating	0.061
		Drive Trace Inertia Work Ratio Rating	0.621
		Integrated DC KW-HRS	2.7542
		Manufacturer Fuel Economy	26.755
Charge Depleting Bag/Phase #3			
		Test Result/Emission Name	Unrounded Test Result
		Actual Distance Driven (miles)	7.465
		Carbon dioxide	0
		Carbon-Related Exhaust Emissions	0
		Drive Trace Absolute Speed Change Rating	-0.356
		Drive Trace Energy Economy Rating	-0.393
		Drive Trace Inertia Work Ratio Rating	-0.168
		Integrated DC KW-HRS	2.091
		Manufacturer Fuel Economy	28.0103
Charge Depleting Bag/Phase #4			
		Test Result/Emission Name	Unrounded Test Result
		Actual Distance Driven (miles)	299.711
		Carbon dioxide	0
		Carbon-Related Exhaust Emissions	0
		Drive Trace Absolute Speed Change Rating	99.99
		Drive Trace Energy Economy Rating	99.99
		Drive Trace Inertia Work Ratio Rating	99.99
		Integrated DC KW-HRS	91.6599
		Manufacturer Fuel Economy	30.5827
Charge Depleting Bag/Phase #5			

Certification Summary Information Report

Test Group	VRRGV00.0R2B	Evaporative/Refueling Family	--																		
	<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>7.453</td></tr><tr><td>Carbon dioxide</td><td>0</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>-0.436</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>-0.496</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>-0.448</td></tr><tr><td>Integrated DC KW-HRS</td><td>1.9499</td></tr><tr><td>Manufacturer Fuel Economy</td><td>26.163</td></tr></table>	Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.453	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.436	Drive Trace Energy Economy Rating	-0.496	Drive Trace Inertia Work Ratio Rating	-0.448	Integrated DC KW-HRS	1.9499	Manufacturer Fuel Economy	26.163		
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.453																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.436																				
Drive Trace Energy Economy Rating	-0.496																				
Drive Trace Inertia Work Ratio Rating	-0.448																				
Integrated DC KW-HRS	1.9499																				
Manufacturer Fuel Economy	26.163																				
Charge Depleting Bag/Phase #6																					
	<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>10.29</td></tr><tr><td>Carbon dioxide</td><td>0</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>0.251</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>0.048</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>0.668</td></tr><tr><td>Integrated DC KW-HRS</td><td>2.596</td></tr><tr><td>Manufacturer Fuel Economy</td><td>25.2286</td></tr></table>	Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.29	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.251	Drive Trace Energy Economy Rating	0.048	Drive Trace Inertia Work Ratio Rating	0.668	Integrated DC KW-HRS	2.596	Manufacturer Fuel Economy	25.2286		
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.29																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	0.251																				
Drive Trace Energy Economy Rating	0.048																				
Drive Trace Inertia Work Ratio Rating	0.668																				
Integrated DC KW-HRS	2.596																				
Manufacturer Fuel Economy	25.2286																				
Charge Depleting Bag/Phase #7																					
	<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>7.456</td></tr><tr><td>Carbon dioxide</td><td>0</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>-0.433</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>-0.55</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>-0.46</td></tr><tr><td>Integrated DC KW-HRS</td><td>2.0031</td></tr><tr><td>Manufacturer Fuel Economy</td><td>26.866</td></tr></table>	Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.456	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.433	Drive Trace Energy Economy Rating	-0.55	Drive Trace Inertia Work Ratio Rating	-0.46	Integrated DC KW-HRS	2.0031	Manufacturer Fuel Economy	26.866		
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.456																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.433																				
Drive Trace Energy Economy Rating	-0.55																				
Drive Trace Inertia Work Ratio Rating	-0.46																				
Integrated DC KW-HRS	2.0031																				
Manufacturer Fuel Economy	26.866																				
Charge Depleting Bag/Phase #8																					

Certification Summary Information Report

Test Group		VRRGV00.0R2B		Evaporative/Refueling Family				--			

Certification Summary Information Report

Test Group	VRRGV00.0R2B	Evaporative/Refueling Family	--																														
Emission Data Vehicle Information																																	
Vehicle ID / Configuration	U234147 / 1	Manufacturer Vehicle Configuration Number	0																														
Original Test Group Name	VRRGV00.0R2B	Original Evaporative/Refueling Family	--																														
Original Test Vehicle Model Year	2027																																
Vehicle Model																																	
Represented Test Vehicle Make	Rolls Royce	Represented Test Vehicle Model	Black Badge Spectre (22" Wheels)																														
Leak Family Details																																	
Leak Family Identifier	--	Leak Family Name	--																														
Drive Sources and Fuel System Details																																	
	<table border="1"> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity																										
Drive Source and Fuel#	Drive Source	Fuel																															
1	Electric Motor	Electricity																															
Hybrid Indicator	No	Multiple Fuel Combustion	--																														
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	Yes																														
Fuel Cell Indicator	No	Rechargeable Energy Storage System, if 'Other'	--																														
Rechargeable Energy Storage System	Battery(s)																																
Off-board charge Capable Indicator	Yes	Odometer Correction Factor	1																														
Odometer Correction -- Initial	0																																
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles																																
Odometer Correction Units	Miles																																
Engine Code	XE2A03N1RR25X1	Rated Horsepower	1																														
Displacement (liters)	0.001	Air Aspiration Method, if 'Other'																															
Air Aspiration Method	Naturally Aspirated	Air Aspiration Device Configuration	--																														
Number of Air Aspiration Devices	--	Drive Mode While Testing	All Wheel Drive																														
Charge Air Cooler Type	--	Aged Emission Components	4,000 (mi)																														
Shift Indicator Light Usage	Not equipped	Equivalent Test Weight (pounds)	7000																														
Curb Weight (lbs)	6521	N/V Ratio	1																														
GVWR (lbs)	7540																																
Axle Ratio	1	# of Transmission Gears	1																														
Transmission Type	Automatic	Creep Gear	No																														
Transmission Lockup	No																																
Dynamometer Coefficients:																																	
	<table border="1"> <thead> <tr> <th colspan="3">Target Coefficients</th> <th colspan="3">Set Coefficients</th> <th rowspan="2">EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients</th> </tr> <tr> <th>Coefficient Category</th> <th>A (lbf)</th> <th>B (lbf/mph)</th> <th>C (lbf/mph**2)</th> <th>A (lbf)</th> <th>B (lbf/mph)</th> <th>C (lbf/mph**2)</th> </tr> </thead> <tbody> <tr> <td>City/Highway/Evap</td> <td>44.5</td> <td>0.208</td> <td>0.01781</td> <td>1.5</td> <td>-0.067</td> <td>0.01761</td> <td>13.3</td> </tr> <tr> <td>US06</td> <td>44.5</td> <td>0.208</td> <td>0.01781</td> <td>1.5</td> <td>-0.067</td> <td>0.01761</td> <td>N/A</td> </tr> </tbody> </table>			Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	City/Highway/Evap	44.5	0.208	0.01781	1.5	-0.067	0.01761	13.3	US06	44.5	0.208	0.01781	1.5	-0.067	0.01761	N/A
Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients																											
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)		C (lbf/mph**2)																										
City/Highway/Evap	44.5	0.208	0.01781	1.5	-0.067	0.01761	13.3																										
US06	44.5	0.208	0.01781	1.5	-0.067	0.01761	N/A																										

Certification Summary Information Report

Test Group	VRRGV00.0R2B	Evaporative/Refueling Family	--
Emission Control Device Comments	--		
Manufacturer Test Vehicle Comments	vi_U234147_01_FEDV_Black Badge Spectre (22" Wheels)_A_ETW-7000_RG21_default mode_D_on; Axle Ratio front: 8.77; Axle Ratio rear: 8.76; N/V ratio front: 97.6; N/V ratio rear: 97.5; Power (peak) front: 190 kW; Power (peak) rear: 360 kW		

Certification Summary Information Report

Test Group	VRRGV00.0R2B	Evaporative/Refueling Family	--																		
Test #	VRRG10093964	Test Procedure	77 - Multi-Cycle Test (MCT)																		
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity																		
Test Date	03/27/2026	Fuel	Electricity																		
Fuel Batch ID	--	Fuel Calibration Number	--																		
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Assigned																		
Verify Test Lab ID	EETZ																				
E10 Evaporative Test Measurement Method	--																				
Test Start Odometer Reading	4842	Odometer Units	K																		
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--																		
State of Charge Delta	Yes																				
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes																		
PHEV/EV Charge Depleting Test Information																					
Recharge Event Voltage	230	Recharge Event Energy (kiloWatt-hours)	131.909																		
Charge Depleting Range (Calculated miles)	451.904	Charge Depleting Range (Actual miles)	451.904																		
Charge Depleting Range Highway (Calculated miles)	475.691	Derived 5-Cycle Coefficient Model Year	--																		
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	451.904																		
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--																		
Charge Depleting Bag/Phase #1																					
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>7.459</td></tr><tr><td>Carbon dioxide</td><td>0</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>-0.462</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>-0.618</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>-0.454</td></tr><tr><td>Integrated DC KW-HRS</td><td>2.1637</td></tr><tr><td>Manufacturer Fuel Economy</td><td>29.0076</td></tr></table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.459	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.462	Drive Trace Energy Economy Rating	-0.618	Drive Trace Inertia Work Ratio Rating	-0.454	Integrated DC KW-HRS	2.1637	Manufacturer Fuel Economy	29.0076
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.459																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.462																				
Drive Trace Energy Economy Rating	-0.618																				
Drive Trace Inertia Work Ratio Rating	-0.454																				
Integrated DC KW-HRS	2.1637																				
Manufacturer Fuel Economy	29.0076																				
Charge Depleting Bag/Phase #2																					

Certification Summary Information Report

Test Group	VRRGV00.0R2B	Evaporative/Refueling Family	--																		
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>10.293</td></tr><tr><td>Carbon dioxide</td><td>0</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>0.288</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>0.02</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>0.698</td></tr><tr><td>Integrated DC KW-HRS</td><td>2.5967</td></tr><tr><td>Manufacturer Fuel Economy</td><td>25.2277</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.293	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.288	Drive Trace Energy Economy Rating	0.02	Drive Trace Inertia Work Ratio Rating	0.698	Integrated DC KW-HRS	2.5967	Manufacturer Fuel Economy	25.2277		
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.293																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	0.288																				
Drive Trace Energy Economy Rating	0.02																				
Drive Trace Inertia Work Ratio Rating	0.698																				
Integrated DC KW-HRS	2.5967																				
Manufacturer Fuel Economy	25.2277																				
Charge Depleting Bag/Phase #3																					
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>7.465</td></tr><tr><td>Carbon dioxide</td><td>0</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>-0.364</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>-0.46</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>-0.209</td></tr><tr><td>Integrated DC KW-HRS</td><td>1.9887</td></tr><tr><td>Manufacturer Fuel Economy</td><td>26.6405</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.465	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.364	Drive Trace Energy Economy Rating	-0.46	Drive Trace Inertia Work Ratio Rating	-0.209	Integrated DC KW-HRS	1.9887	Manufacturer Fuel Economy	26.6405		
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.465																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.364																				
Drive Trace Energy Economy Rating	-0.46																				
Drive Trace Inertia Work Ratio Rating	-0.209																				
Integrated DC KW-HRS	1.9887																				
Manufacturer Fuel Economy	26.6405																				
Charge Depleting Bag/Phase #4																					
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>321.115</td></tr><tr><td>Carbon dioxide</td><td>0</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>99.99</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>99.99</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>99.99</td></tr><tr><td>Integrated DC KW-HRS</td><td>91.8708</td></tr><tr><td>Manufacturer Fuel Economy</td><td>28.6099</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	321.115	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	99.99	Drive Trace Energy Economy Rating	99.99	Drive Trace Inertia Work Ratio Rating	99.99	Integrated DC KW-HRS	91.8708	Manufacturer Fuel Economy	28.6099		
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	321.115																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	99.99																				
Drive Trace Energy Economy Rating	99.99																				
Drive Trace Inertia Work Ratio Rating	99.99																				
Integrated DC KW-HRS	91.8708																				
Manufacturer Fuel Economy	28.6099																				
Charge Depleting Bag/Phase #5																					

Certification Summary Information Report

Test Group	VRRGV00.0R2B	Evaporative/Refueling Family	--																		
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>7.451</td></tr><tr><td>Carbon dioxide</td><td>0</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>-0.55</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>-0.598</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>-0.591</td></tr><tr><td>Integrated DC KW-HRS</td><td>1.8763</td></tr><tr><td>Manufacturer Fuel Economy</td><td>25.1824</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.451	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.55	Drive Trace Energy Economy Rating	-0.598	Drive Trace Inertia Work Ratio Rating	-0.591	Integrated DC KW-HRS	1.8763	Manufacturer Fuel Economy	25.1824		
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.451																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.55																				
Drive Trace Energy Economy Rating	-0.598																				
Drive Trace Inertia Work Ratio Rating	-0.591																				
Integrated DC KW-HRS	1.8763																				
Manufacturer Fuel Economy	25.1824																				
Charge Depleting Bag/Phase #6																					
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>10.286</td></tr><tr><td>Carbon dioxide</td><td>0</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>0.167</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>-0.048</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>0.506</td></tr><tr><td>Integrated DC KW-HRS</td><td>2.4642</td></tr><tr><td>Manufacturer Fuel Economy</td><td>23.9569</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.286	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.167	Drive Trace Energy Economy Rating	-0.048	Drive Trace Inertia Work Ratio Rating	0.506	Integrated DC KW-HRS	2.4642	Manufacturer Fuel Economy	23.9569		
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.286																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	0.167																				
Drive Trace Energy Economy Rating	-0.048																				
Drive Trace Inertia Work Ratio Rating	0.506																				
Integrated DC KW-HRS	2.4642																				
Manufacturer Fuel Economy	23.9569																				
Charge Depleting Bag/Phase #7																					
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>7.456</td></tr><tr><td>Carbon dioxide</td><td>0</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>-0.432</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>-0.485</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>-0.373</td></tr><tr><td>Integrated DC KW-HRS</td><td>1.9133</td></tr><tr><td>Manufacturer Fuel Economy</td><td>25.6611</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.456	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.432	Drive Trace Energy Economy Rating	-0.485	Drive Trace Inertia Work Ratio Rating	-0.373	Integrated DC KW-HRS	1.9133	Manufacturer Fuel Economy	25.6611		
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.456																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.432																				
Drive Trace Energy Economy Rating	-0.485																				
Drive Trace Inertia Work Ratio Rating	-0.373																				
Integrated DC KW-HRS	1.9133																				
Manufacturer Fuel Economy	25.6611																				
Charge Depleting Bag/Phase #8																					

Certification Summary Information Report

Test Group				VRRGV00.0R2B				Evaporative/Refueling Family				--																																																																									
<table><tr><th colspan="4">Test Result/Emission Name</th><th colspan="4">Unrounded Test Result</th></tr><tr><td colspan="4">Actual Distance Driven (miles)</td><td colspan="4">41.718</td></tr><tr><td colspan="4">Carbon dioxide</td><td colspan="4">0</td></tr><tr><td colspan="4">Carbon-Related Exhaust Emissions</td><td colspan="4">0</td></tr><tr><td colspan="4">Drive Trace Absolute Speed Change Rating</td><td colspan="4">99.99</td></tr><tr><td colspan="4">Drive Trace Energy Economy Rating</td><td colspan="4">99.99</td></tr><tr><td colspan="4">Drive Trace Inertia Work Ratio Rating</td><td colspan="4">99.99</td></tr><tr><td colspan="4">Integrated DC KW-HRS</td><td colspan="4">12.1098</td></tr><tr><td colspan="4">Manufacturer Fuel Economy</td><td colspan="4">29.0277</td></tr></table>														Test Result/Emission Name				Unrounded Test Result				Actual Distance Driven (miles)				41.718				Carbon dioxide				0				Carbon-Related Exhaust Emissions				0				Drive Trace Absolute Speed Change Rating				99.99				Drive Trace Energy Economy Rating				99.99				Drive Trace Inertia Work Ratio Rating				99.99				Integrated DC KW-HRS				12.1098				Manufacturer Fuel Economy				29.0277			
Test Result/Emission Name				Unrounded Test Result																																																																																	
Actual Distance Driven (miles)				41.718																																																																																	
Carbon dioxide				0																																																																																	
Carbon-Related Exhaust Emissions				0																																																																																	
Drive Trace Absolute Speed Change Rating				99.99																																																																																	
Drive Trace Energy Economy Rating				99.99																																																																																	
Drive Trace Inertia Work Ratio Rating				99.99																																																																																	
Integrated DC KW-HRS				12.1098																																																																																	
Manufacturer Fuel Economy				29.0277																																																																																	
Manufacturer Test Comments				01_MCT_U234147_01_FEDV_Black Badge Spectre (22" Wheels)_A_ETW-7000_RG21_default mode_D; MCT UBE energy = 116984 Wh																																																																																	
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail																																																																									
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	--	1	0	--	--																																																																									
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	--	1	0	--	--																																																																									
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	--	1	0	--	--																																																																									
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	--	1	0	--	--																																																																									
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	--	1	0	--	--																																																																									
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	--	1	0	--	--																																																																									
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	--	1	0	--	--																																																																									
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	--	1	0	--	--																																																																									

Fuel Properties

Certification Summary Information Report

Test Group		VRRGV00.0R2B			Evaporative/Refueling Family		--		
Consolidated List of Standards									
Exhaust Standards									
Cert Region		Federal			Cert/In-Use Code		Cert		
Vehicle Class		LDV/Passenger Car			Standard Level		Federal Tier 4 Bin 0		
Fuel		Electricity			Test Procedure		Multi-Cycle Test (MCT)		

Certification Summary Information Report

Test Group		VRRGV00.0R2B	Evaporative/Refueling Family		--
Glossary					
Useful Life					
4	4,000 miles		120	120,000 miles	
50	50,000 miles		150	150,000 miles	
100	100,000 miles				
Emission Name					
HC-TOTAL	Total Hydrocarbon		COMB-CREE	Combined Carbon-Related Exhaust Emissions	
CO	Carbon Monoxide		COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions	
CO2	Carbon dioxide		HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only	
CREE	Carbon-Related Exhaust Emissions		METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only	
OPT-CREE	Optional Carbon-Related Exhaust Emissions		N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only	
NOX	Nitrogen Oxide		LEAK-DIA	Effective Leak Diameter (inches)	
PM	Particulate Matter		LEAK-GAS CAP	Gas Cap Leakage (cc/min)	
PM-COMP	SFTP Composite Particulate Matter		CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only	
HC-NM	Non-methane Hydrocarbon		KW-HRS	Integrated DC KW-HRS	
OMHCE	Organic material Hydrocarbon Equivalent		CH4 BAG 1	Bag 1 Methane	
OMNMHCE	Organic material non-methane HC equivalent		CH4 BAG 2	Bag 2 Methane	
NMOG	Non-methane organic gases		CH4 BAG 3	Bag 3 Methane	
HCHO	Formaldehyde		CH4 BAG 4	Bag 4 Methane	
H3C2HO	Acetaldehyde		CO BAG 1	Bag 1 Carbon Monoxide	
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03		CO BAG 2	Bag 2 Carbon Monoxide	
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides		CO BAG 3	Bag 3 Carbon Monoxide	
CO-COMP	SFTP Composite Carbon Monoxide		CO BAG 4	Bag 4 Carbon Monoxide	
ETHANOL	C2H5OH - Ethanol		NMOG BAG 1	Bag 1 Non-methane organic gases	
FE BAG 1	Bag 1 Fuel Economy		NMOG BAG 2	Bag 2 Non-methane organic gases	
FE BAG 2	Bag 2 Fuel Economy		NMOG BAG 3	Bag 3 Non-methane organic gases	
FE BAG 3	Bag 3 Fuel Economy		NMOG BAG 4	Bag 4 Non-methane organic gases	
FE BAG 4	Bag 4 Fuel Economy		ACT-DISTANCE BAG 1	Bag 1 Actual Distance	
MFR FE	Manufacturer Fuel Economy		ACT-DISTANCE BAG 2	Bag 2 Actual Distance	
HC	Hydrocarbon for Running Loss and ORVR		ACT-DISTANCE BAG 3	Bag 3 Actual Distance	
METHANE	CH4 - Methane		ACT-DISTANCE BAG 4	Bag 4 Actual Distance	
METHANOL	CH3OH - Methanol		HC-TOTAL BAG 1	Bag 1 Total Hydrocarbon	
N2O	Nitrous Oxide		HC-TOTAL BAG 2	Bag 2 Total Hydrocarbon	
SPITBACK	Spitback Hydrocarbon in grams		HC-TOTAL BAG 3	Bag 3 Total Hydrocarbon	
AMP-HRS	Integrated Amp-hours		HC-TOTAL BAG 4	Bag 4 Total Hydrocarbon	
START-SOC	System Start State of Charge Watt-hours		WATT-HRS BAG 1	Bag 1 Watt Hours	
END-SOC	System End State of Charge Watt-hours		WATT-HRS BAG 2	Bag 2 Watt Hours	

Certification Summary Information Report

Test Group		VRRGV00.0R2B	Evaporative/Refueling Family		--
ACT-DISTANCE	Actual Distance Driven (miles)		WATT-HRS BAG 3	Bag 3 Watt Hours	
AS-VOLT	Average System Voltage		WATT-HRS BAG 4	Bag 4 Watt Hours	
CO2 BAG 1	Bag 1 Carbon Dioxide		WATT-HRS	Watt Hours	
CO2 BAG 2	Bag 2 Carbon Dioxide		HC-NM BAG 1	Bag 1 Non-methane Hydrocarbon	
CO2 BAG 3	Bag 3 Carbon Dioxide		HC-NM BAG 2	Bag 2 Non-methane Hydrocarbon	
CO2 BAG 4	Bag 4 Carbon Dioxide		HC-NM BAG 3	Bag 3 Non-methane Hydrocarbon	
NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides		HC-NM BAG 4	Bag 4 Non-methane Hydrocarbon	
NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides		N2O BAG 1	Bag 1 Nitrous Oxide	
DT-IWRR	Drive Trace Inertia Work Ratio Rating		N2O BAG 2	Bag 2 Nitrous Oxide	
DT-ASCR	Drive Trace Absolute Speed Change Rating		N2O BAG 3	Bag 3 Nitrous Oxide	
DT-EER	Drive Trace Energy Economy Rating		N2O BAG 4	Bag 4 Nitrous Oxide	
Certification Region					
CA	California + CAA Section 177 states		FA	Federal	
Exhaust Emission Standard Level					
B1	Federal Tier 2 Bin 1		HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
B2	Federal Tier 2 Bin 2		HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
B3	Federal Tier 2 Bin 3		HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
B4	Federal Tier 2 Bin 4		HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
B5	Federal Tier 2 Bin 5		HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
B6	Federal Tier 2 Bin 6		HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
B7	Federal Tier 2 Bin 7		HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
B8	Federal Tier 2 Bin 8		HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
B9	Federal Tier 2 Bin 9		HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
B10	Federal Tier 2 Bin 10		HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
B11	Federal Tier 2 Bin 11		HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)		HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)		HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
L2	California LEV-II LEV		L4SULEV100	California LEV-IV SULEV100	
L2OP	California LEV-II LEV Optional		L4SULEV125	California LEV-IV SULEV125	
U2	California LEV-II ULEV		L4SULEV15	California LEV-IV SULEV15	
S2	California LEV-II SULEV		L4SULEV150	California LEV-IV SULEV150	
ZEV	California ZEV		L4SULEV170	California LEV-IV SULEV170	
OT	Other		L4SULEV175	California LEV-IV SULEV175	
T1	Federal Tier 1		L4SULEV20	California LEV-IV SULEV20	
PZEV	California PZEV		L4SULEV200	California LEV-IV SULEV200	
L2LEV160	California LEV-II LEV160		L4SULEV230	California LEV-IV SULEV230	
L2ULEV125	California LEV-II ULEV125		L4SULEV25	California LEV-IV SULEV25	
L2SULEV30	California LEV-II SULEV30		L4SULEV30	California LEV-IV SULEV30	
L2LEV395	California LEV-II LEV395		L4SULEV75	California LEV-IV SULEV75	

Certification Summary Information Report

Test Group		VRRGV00.0R2B	Evaporative/Refueling Family		--
L2ULEV340	California LEV-II ULEV340		L4SULEV85	California LEV-IV SULEV85	
L2LEV630	California LEV-II LEV630		L4ULEV125	California LEV-IV ULEV125	
L2ULEV570	California LEV-II ULEV570		L4ULEV200	California LEV-IV ULEV200	
L3LEV160	California LEV-III LEV160		L4ULEV250	California LEV-IV ULEV250	
L3ULEV125	California LEV-III ULEV125		L4ULEV270	California LEV-IV ULEV270	
L3ULEV70	California LEV-III ULEV70		L4ULEV40	California LEV-IV ULEV40	
L3ULEV50	California LEV-III ULEV50		L4ULEV400	California LEV-IV ULEV400	
L3SULEV30	California LEV-III SULEV30		L4ULEV50	California LEV-IV ULEV50	
L3SULEV20	California LEV-III SULEV20		L4ULEV60	California LEV-IV ULEV60	
L3LEV395	California LEV-III LEV395		L4ULEV70	California LEV-IV ULEV70	
L3ULEV340	California LEV-III ULEV340		T4B170	Federal Tier 4 MDV Bin 170	
L3ULEV250	California LEV-III ULEV250		T4B150	Federal Tier 4 MDV Bin 150	
L3ULEV200	California LEV-III ULEV200		T4B125	Federal Tier 4 MDV Bin 125	
L3SULEV170	California LEV-III SULEV170		T4B100	Federal Tier 4 MDV Bin 100	
L3SULEV150	California LEV-III SULEV150		T4B85	Federal Tier 4 MDV Bin 85	
L3LEV630	California LEV-III LEV630		T4B75	Federal Tier 4 MDV Bin 75	
L3ULEV570	California LEV-III ULEV570		T4B70	Federal Tier 4 Bin 70	
L3ULEV400	California LEV-III ULEV400		T4B65	Federal Tier 4 Bin 65	
L3ULEV270	California LEV-III ULEV270		T4B60	Federal Tier 4 Bin 60	
L3SULEV230	California LEV-III SULEV230		T4B55	Federal Tier 4 Bin 55	
L3SULEV200	California LEV-III SULEV200		T4B50	Federal Tier 4 Bin 50	
T3B160	Federal Tier 3 Bin 160		T4B45	Federal Tier 4 Bin 45	
T3B125	Federal Tier 3 Bin 125		T4B40	Federal Tier 4 Bin 40	
T3B110	Federal Tier 3 Transitional Bin 110		T4B35	Federal Tier 4 Bin 35	
T3B85	Federal Tier 3 Transitional Bin 85		T4B30	Federal Tier 4 Bin 30	
T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover		T4B25	Federal Tier 4 Bin 25	
T3B70	Federal Tier 3 Bin 70		T4B20	Federal Tier 4 Bin 20	
T3B50	Federal Tier 3 Bin 50		T4B15	Federal Tier 4 Bin 15	
T3B30	Federal Tier 3 Bin 30		T4B10	Federal Tier 4 Bin 10	
T3B20	Federal Tier 3 Bin 20		T4B5	Federal Tier 4 Bin 5	
T3B0	Federal Tier 3 Bin 0		T4B0	Federal Tier 4 Bin 0	
HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395				
Transmission Type Code					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual		
A	Automatic	OT	Other		
AM	Automated Manual	SA	Semi-Automatic		
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)		
Drive System Code					
4	4-Wheel Drive	P	Part-time 4-Wheel Drive		

Certification Summary Information Report

Test Group		VRRGV00.0R2B	Evaporative/Refueling Family		--
F	2-Wheel Drive, Front		A	All Wheel Drive	
R	2-Wheel Drive, Rear				
Additional Terms and Acronyms					
AFC	Alternative Fuel Converter		ICI	Independent Commercial Importer	
CSI	Certificate Summary Information		ORVR	Onboard Refueling Vapor Recovery	
DF	Deterioration Factor		SIL	Shift Indicator Light	
Evap	Evaporation, Evaporative		Trans	Transmission	