Certification Summary Information Report

Manufacturer	Mazda Motor Corporation	**Manufacturer Code**	TKX
Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ
Certificate Number	VTKXT03.3DNB-002	**CARB Executive Order #**	--
Certificate Issue Date	09/08/2026	**Certificate Revision Date**	--
Certificate Effective Date	09/08/2026	**Conditional Certificate**	No
CSI Revision #	--	**CSI Submission/Revision Date**	07/07/2026 02:19:35 AM
Model Year	2027		

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ

Test Group Information

CSI Type	Update for Correction	**Running Change Reference Number**	--
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Electric Motor

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Electricity	--	--

Drive Source #2: Combustion Engine

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Gasoline	Spark Ignition Direct fuel injection	No

Hybrid Indicator	Yes		
Multiple Fuel Storage	--	**Rechargeable Energy Storage System Indicator**	Yes
Multiple Fuel Combustion	--	**Off-board Charge Capable Indicator**	No
Fuel Cell Indicator	No	**EPA Vehicle Class**	LDT4, LDT3
Federal Clean Fuel Vehicle	No	**Federal Clean Fuel Vehicle Standard**	--
Federal Clean Fuel Vehicle ILEV	--	**California Partial Zero Emissions Vehicle Indicator**	No
Durability Group Name	VTKXGPGNNAA7	**Durability Group Equivalency Factor**	1.0
Reduced Fee Test Group	No	**Certification Region Code(s)**	FA
Complies with HD GHG 2b/3 regulations?	No		
Introduction into Commerce Date	11/14/2026	**CAP2000 Conditional Certificate?**	No
Independent Commercial Importer?	No	**Alternative Fuel Converter Certificate?**	No
SFTP Federal Composite Compliance Identifier	Tier 3	**SFTP Tier 2 Composite CO Option**	--
SFTP LEV-III Composite Compliance Indicator	No		
OBD Compliance Type	CARB	**OBD Demonstration Vehicle Test Group**	VTKXT02.5CDB
Test Group OBD Compliance Level	Full - no deficiencies	**Number of Test Group OBD Deficiencies**	0
OBD Deficiencies Comments	The test group: VTKXT03.3DNB is not selected as OBD demonstrationvehicle. OBD Demonstration Vehicle Test Group above is required field. Therefore,2027MY MAZDA CX-90 2.5L-DI PHEV selected as OBD demonstrationvehicle is indicated.		
Mfr Test Group Comments	Durability group equivalency factor = ABC/SRC. Federal exhaust emission standard level of this Test Group is Interim Tier4 Bin50.		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ

Evaporative/Refueling Family Information

Evaporative Summary Information Type	New	**Submission/Correction Date**	06/22/2026 12:48:45 AM
Integrated ORVR?	Yes	**Fuel(s)**	Gasoline
Multiple Fuel Storage	--		
Bladder Fuel Tank?	No		
Fuel Tank Material	Plastic	**Fuel Tank Material Description**	High Density PolyEthylene
Fill Pipe Seal Type	Liquid seal		
Air Intake System Vapor Storage Device?	Yes	**Air Intake System Vapor Storage Device Description**	Carbon HC trap in air induction system, HC absorber
Fuel System Vapor Storage Canister?	Yes	**Other Vapor Storage**	--
Fuel System Vapor Storage Canister(s) Total Working Capacity (grams)	132	**Number of Primary Canisters**	1
Number of Bleed Canisters	0	**Bleed Canister Total Working Capacity (grams)**	--
Mfr Evaporative/Refueling Family Comments	--		

Leak Family Details

Leak Family Indicator	No		
Canister Bleed Test Indicator	Yes	**Applicability of Evaporative Canister Bleed Test**	Federal Only
Evaporative Canister Bleed Test Comments	--		
CARB Fuel Only (Rig) Test Indicator	No	**Applicability of CARB Fuel Only (Rig) Test**	--
CARB Fuel Only (Rig) Test Comments	--		

Models Covered by this Certificate

Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
Mazda Motor Corporation	1 - MAZDA	61 - MAZDA CX-90 4WD	Federal	4-Wheel Drive	Semi-Automatic	8	No
Mazda Motor Corporation	1 - MAZDA	62 - MAZDA CX-70 4WD	Federal	4-Wheel Drive	Semi-Automatic	8	No

Engine Description

Hybrid Type	IC Engine/Electric Motor	**Hybrid Description**	--
Engine Type	4-Stroke Spark Ignition	**Mfr Engine Description**	--
Engine Block Arrangement	Inline	**Mfr Engine Block Arrangement Description**	--
Camless Valvetrain Indicator	No	**Oil Viscosity/Classification**	GF-6 0W-20
Number of Cylinders/Rotors	6	**Mechanically Variable Compression Ratio Indicator**	N

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ

After Treatment Device(s) (ATD)

ATD Number	ATD Type	ATD Precious Metal	Substrate Material	Substrate Construction
1	Three-way catalyst	Palladium + Rhodium	Ceramic	Monolith
2	Three-way catalyst	Palladium + Rhodium	Ceramic	Monolith

Mfr After Treatment Device (ATD) Comments	--
Direct Ozone Reduction (DOR) Device	Not Equipped
Mfr Emission Control Device Comments	--

Engine Configuration Number 1

Engine Displacement (liters)	3.3	**Engine Rated Horsepower**	280
Number of Inlet Valves Per Cylinder	2	**Number of Exhaust Valves Per Cylinder**	2
Air Aspiration Method	Turbocharged	**Number of Air Aspiration Devices**	1
Air Aspiration Device Configuration	Single	**Charge Air Cooler Type**	Liquid
Air Aspiration Drive Method(s)	Mechanical		
Cylinder Deactivation	No		
Cylinder Deactivation Description	--		
Variable Valve Timing	Yes		
Variable Valve Timing System Description	This technology optimizes the valve timing by using computer control to continuously switch the intake and exhaust valve opening/closing timing according to driving conditions.		
Variable Valve Lift?	No		
Variable Valve Lift System Description	--		
Number of Knock Sensors	2	**Number of Air/Fuel Sensors**	2
Air/Fuel Sensor # 1 Type	Heated air fuel	**Air/Fuel Sensor # 1 Description**	--
Air/Fuel Sensor # 2 Type	Heated oxygen	**Air/Fuel Sensor # 2 Description**	--
Mfr Air/Fuel Sensor Comments	--		
Exhaust Gas Recirculation	Yes	**Cooled Exhaust Gas Recirculation**	Yes
EGR Type	Electronic/Electric	**Exhaust Gas Recirculation Description if 'Other'**	--
Closed Loop Air Injection System	No		
Air Injection Type	Not Applicable	**Air Injection Type if 'Other'**	--
Mfr Engine Configuration Comments	--		

Official Test Numbers

Test Group Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Gasoline	VTKX10094503	VTKX10094505	VTKX10094506	VTKX10094507	VTKX10094504	18.9	18.1	24.4	22.8	--
Electricity	VTKX10094503	VTKX10094505	VTKX10094506	VTKX10094507	VTKX10094504	--	--	--	--	--

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ

Hybrid Electric Vehicle And Fuel Cell Information

Rechargable Energy Storage System	Battery(s)	**Rechargable Energy Storage System, if Other**	--
Battery Type	Lithium Ion	**Number of Battery Packs**	1
Total Voltage of Battery Packs	44	**Battery Energy Capacity**	8
Battery Specific Energy	23.1	**Battery Charger Type**	On-Board
Number of Capacitors	--	**Capacitor Rating (In Farads)**	--
Mfr Capacitor Comments	--		
Hydraulic System Description	--		
Regenerative Braking Type	Electrical Regen Brake		
Regenerative Braking Source	Both	**Driver Controlled Regenerative Braking**	No
Mfr Regenerative Braking Description	--		
Drive Motor(s)/Generator(s)	1		
Motor/Generator Type 1	Permanent magnet synchronous	**Rated Motor/Generator Power**	11
Mfr Fuel Cell Description	--		
Fuel Cell On-Board H2 Storage Capacity (kg)	--	**Usable H2 Fill Capacity (kg)**	--
Mfr Hybrid Electric/ Electric Vehicle Comments	--		

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ

Emission Data Vehicle Information

Vehicle ID / Configuration	4DBH3TG1-013 / 0	**Manufacturer Vehicle Configuration Number**	0
Original Test Group Name	RTKXT03.3DHA	**Original Evaporative/Refueling Family**	RTKXR0132GDQ
Original Test Vehicle Model Year	2024		

Vehicle Model

Represented Test Vehicle Make	MAZDA	**Represented Test Vehicle Model**	MAZDA CX-90

Leak Family Details

Leak Family Identifier	--	**Leak Family Name**	--

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Electric Motor	Electricity
2	Combustion Engine	Gasoline

Hybrid Indicator	Yes		
Multiple Fuel Storage	--	**Multiple Fuel Combustion**	--
Fuel Cell Indicator	No	**Rechargeable Energy Storage System Indicator**	Yes
Rechargeable Energy Storage System	Battery(s)	**Rechargeable Energy Storage System, if 'Other'**	--
Off-board charge Capable Indicator	No		
Odometer Correction -- Initial	0	**Odometer Correction Factor**	1.006
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor		
Odometer Correction Units	Miles		
Engine Code	4H3TGAAA	**Rated Horsepower**	340
Displacement (liters)	3.3		
Air Aspiration Method	Turbocharged	**Air Aspiration Method, if 'Other'**	
Number of Air Aspiration Devices	1	**Air Aspiration Device Configuration**	Single
Charge Air Cooler Type	Liquid	**Drive Mode While Testing**	2-Wheel Drive, Rear
Shift Indicator Light Usage	Not eqipped	**Aged Emission Components**	150,000 (mi)
Curb Weight (lbs)	4903	**Equivalent Test Weight (pounds)**	5250
GVWR (lbs)	6854	**N/V Ratio**	26.1
Axle Ratio	3.69		
Transmission Type	Automatic	**# of Transmission Gears**	8
Transmission Lockup	No	**Creeper Gear**	No

Dynamometer Coefficients:

	Target Coefficients			Set Coefficients			
Coefficient Category	**A (lbf)**	**B (lbf/mph)**	**C (lbf/mph**2)**	**A (lbf)**	**B (lbf/mph)**	**C (lbf/mph**2)**	**EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients**
City/Highway/Evap	44.683	0.28102	0.024875	25.779	-0.12038	0.027077	16.1

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ

Emission Control Device Comments --

Manufacturer Test Vehicle Comments 24MY MAZDA CX-90 3.3L-DI-TC M Hybrid Boost High Power 4WD ETW 5250 S8 275/45 R21 0 EVAP EM

Test #	**RTKX10077843**	**Test Procedure**	**38 - CA fuel 3-day evap.**
Exhaust Test # for this Evap Test	RTKX10077832	**Test Fuel Type**	46 - CARB LEV3 E10 Regular Gasoline
Test Date	10/27/2022	**Fuel**	Gasoline
Fuel Batch ID	2213G3	**Fuel Calibration Number**	1
Vehicle Class	N/A	**DF Type**	Mfr. Determined
Verify Test Lab ID	Mazda Miyoshi Test Lab		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	17046	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.2146135	--

Manufacturer Test Comments 24MY MAZDA CX-90 3.3L-DI-TC M Hybrid Boost High Power 4WD ETW 5250 S8 275/45 R21 0 Evap 150K 3day-EVAP EM

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.2146	--	0.215	0.5	Pass

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ

Test #	**RTKX10077844**	**Test Procedure**	**37 - California Fuel Running Loss**
Exhaust Test # for this Evap Test	RTKX10077832	**Test Fuel Type**	46 - CARB LEV3 E10 Regular Gasoline
Test Date	10/27/2022	**Fuel**	Gasoline
Fuel Batch ID	2213G3	**Fuel Calibration Number**	1
Vehicle Class	N/A	**DF Type**	Mfr. Determined
Verify Test Lab ID	Mazda Miyoshi Test Lab		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	17029	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0	--

Manufacturer Test Comments 24MY MAZDA CX-90 3.3L-DI-TC M Hybrid Boost High Power 4WD ETW 5250 S8 275/45 R21 0 Evap 150K Running Loss EM

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0	--	0	0.05	Pass

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ

Test #	**RTKX10077845**	**Test Procedure**	**24 - Federal fuel refueling test (ORVR)**
Exhaust Test # for this Evap Test	RTKX10077841	**Test Fuel Type**	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	11/04/2022	**Fuel**	Gasoline
Fuel Batch ID	2202T3	**Fuel Calibration Number**	1
Vehicle Class	N/A	**DF Type**	Mfr. Determined
Verify Test Lab ID	Mazda Miyoshi Test Lab		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	17082	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	No

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.019667	--

Manufacturer Test Comments 24MY MAZDA CX-90 3.3L-DI-TC M Hybrid Boost High Power 4WD ETW 5250 S8 275/45 R21 0 Evapo 150K ORVR EM

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.02	--	0.02	0.2	Pass

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ

Emission Data Vehicle Information

Vehicle ID / Configuration	4EBH3TG2-017 / 3	**Manufacturer Vehicle Configuration Number**	3
Original Test Group Name	RTKXT03.3DHB	**Original Evaporative/Refueling Family**	RTKXR0132GDQ
Original Test Vehicle Model Year	2024		

Vehicle Model

Represented Test Vehicle Make	MAZDA	**Represented Test Vehicle Model**	MAZDA CX-90

Leak Family Details

Leak Family Identifier	--	**Leak Family Name**	--

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Electric Motor	Electricity
2	Combustion Engine	Gasoline

Hybrid Indicator	Yes		
Multiple Fuel Storage	--	**Multiple Fuel Combustion**	--
Fuel Cell Indicator	No	**Rechargeable Energy Storage System Indicator**	Yes
Rechargeable Energy Storage System	Battery(s)	**Rechargeable Energy Storage System, if 'Other'**	--
Off-board charge Capable Indicator	No		
Odometer Correction -- Initial	0	**Odometer Correction Factor**	0.97
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor		
Odometer Correction Units	Miles		
Engine Code	4H3TGAAB	**Rated Horsepower**	280
Displacement (liters)	3.3		
Air Aspiration Method	Turbocharged	**Air Aspiration Method, if 'Other'**	
Number of Air Aspiration Devices	1	**Air Aspiration Device Configuration**	Single
Charge Air Cooler Type	Liquid	**Drive Mode While Testing**	4-Wheel Drive
Shift Indicator Light Usage	Not eqipped	**Aged Emission Components**	4,000 (mi)
Curb Weight (lbs)	4780	**Equivalent Test Weight (pounds)**	5000
GVWR (lbs)	6418	**N/V Ratio**	26.8
Axle Ratio	3.69		
Transmission Type	Automatic	**# of Transmission Gears**	8
Transmission Lockup	No	**Creeper Gear**	No

Certification Summary Information Report

Test Group	VTKXT03.3DNB	Evaporative/Refueling Family	VTKXR0132GDQ

Dynamometer Coefficients:

Coefficient Category	Target Coefficients A (lbf)	Target Coefficients B (lbf/mph)	Target Coefficients C (lbf/mph**2)	Set Coefficients A (lbf)	Set Coefficients B (lbf/mph)	Set Coefficients C (lbf/mph**2)	EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
City/Highway/Evap	43.67	0.4072	0.024037	3.359	-0.12345	0.026119	16.5
Cold CO	48.522	0.45244	0.026708	-0.556	-0.35041	0.030889	N/A
US06	43.67	0.4072	0.024037	3.359	-0.12345	0.026119	N/A

Emission Control Device Comments --

Manufacturer Test Vehicle Comments 24MY MAZDA CX-90 3.3L-DI-TC M Hybrid Boost Low Power 4WD ETW 5000 S8 P255/60 R18 3 EM

Test #	**RTKX10077846**	**Test Procedure**	**65 - Evap Canister Bleed Test**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	46 - CARB LEV3 E10 Regular Gasoline
Test Date	09/05/2022	**Fuel**	Gasoline
Fuel Batch ID	2211G3	**Fuel Calibration Number**	1
Vehicle Class	N/A	**DF Type**	Mfr. Determined
Verify Test Lab ID	MAHLE		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4000	**Odometer Units**	M
4WD Test Dyno	No	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	No

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL (Total Hydrocarbon)	0.007	--

Manufacturer Test Comments 24MY MAZDA CX-90 3.3L-DI-TC M Hybrid Boost Low Power 4WD ETW 5000 S8 P255/60 R18 3 LEV3 ULEV50 BETP EM

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL	0.007	0	0.007	0.02	Pass

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ

Emission Data Vehicle Information

Vehicle ID / Configuration	7EBH3TG2-002 / 0	**Manufacturer Vehicle Configuration Number**	0
Original Test Group Name	VTKXT03.3DNA	**Original Evaporative/Refueling Family**	VTKXR0132GDQ
Original Test Vehicle Model Year	2027		

Vehicle Model

Represented Test Vehicle Make	MAZDA	**Represented Test Vehicle Model**	MAZDA CX-90

Leak Family Details

Leak Family Identifier	--	**Leak Family Name**	--

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Combustion Engine	Gasoline
2	Electric Motor	Electricity

Hybrid Indicator	Yes		
Multiple Fuel Storage	--	**Multiple Fuel Combustion**	--
Fuel Cell Indicator	No	**Rechargeable Energy Storage System Indicator**	Yes
Rechargeable Energy Storage System	Battery(s)	**Rechargeable Energy Storage System, if 'Other'**	--
Off-board charge Capable Indicator	No		
Odometer Correction -- Initial	0	**Odometer Correction Factor**	0.997
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor		
Odometer Correction Units	Miles		
Engine Code	7H3TGAAA	**Rated Horsepower**	340
Displacement (liters)	3.3		
Air Aspiration Method	Turbocharged	**Air Aspiration Method, if 'Other'**	
Number of Air Aspiration Devices	1	**Air Aspiration Device Configuration**	Single
Charge Air Cooler Type	Liquid	**Drive Mode While Testing**	4-Wheel Drive
Shift Indicator Light Usage	Not eqipped	**Aged Emission Components**	4,000 (mi)
Curb Weight (lbs)	4923	**Equivalent Test Weight (pounds)**	5250
GVWR (lbs)	6854	**N/V Ratio**	26.1
Axle Ratio	3.69		
Transmission Type	Automatic	**# of Transmission Gears**	8
Transmission Lockup	No	**Creeper Gear**	No

Certification Summary Information Report

Test Group	VTKXT03.3DNB	Evaporative/Refueling Family	VTKXR0132GDQ

Dynamometer Coefficients:

Coefficient Category	Target Coefficients A (lbf)	Target Coefficients B (lbf/mph)	Target Coefficients C (lbf/mph**2)	Set Coefficients A (lbf)	Set Coefficients B (lbf/mph)	Set Coefficients C (lbf/mph**2)	EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
City/Highway/Evap	44.683	0.28101	0.024873	5.021	-0.2415	0.027112	16.1
Cold CO	49.151	0.30911	0.027361	-0.159	-0.42752	0.030635	N/A
US06	44.683	0.28101	0.024873	5.021	-0.2415	0.027112	N/A

Emission Control Device Comments --

Manufacturer Test Vehicle Comments 27MY MAZDA CX-90 3.3L-DI-TC M Hybrid Boost High Power 4WD ETW 5250 S8 275/45 R21 0 EM

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ

Test #	**VTKX10094503**	**Test Procedure**	**21 - Federal fuel 2-day exhaust (w/can load)**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	05/14/2026	**Fuel**	Gasoline
Fuel Batch ID	2601T3	**Fuel Calibration Number**	1
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000), LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	**DF Type**	Mfr. Determined
Verify Test Lab ID	Mazda Miyoshi Test Lab		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	2091	**Odometer Units**	M
4WD Test Dyno	Yes	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	Yes

Test Results

Certification Summary Information Report

Test Group	VTKXT03.3DNB	Evaporative/Refueling Family	VTKXR0132GDQ

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
ACT-DISTANCE (Actual Distance Driven (miles))	14.887	--
ACT-DISTANCE BAG 1 (Bag 1 Actual Distance)	3.586	--
CO2 BAG 1 (Bag 1 Carbon Dioxide)	387.245	--
CO BAG 1 (Bag 1 Carbon Monoxide)	0.91857	--
FE BAG 1 (Bag 1 Fuel Economy)	22.4674	22.4674
CH4 BAG 1 (Bag 1 Methane)	0.0136057	--
N2O BAG 1 (Bag 1 Nitrous Oxide)	0.0008673	--
HC-NM BAG 1 (Bag 1 Non-methane Hydrocarbon)	0.030923	--
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0339843	--
HC-TOTAL BAG 1 (Bag 1 Total Hydrocarbon)	0.043918	--
WATT-HRS BAG 1 (Bag 1 Watt Hours)	15.4455	--
ACT-DISTANCE BAG 2 (Bag 2 Actual Distance)	3.855	--
CO2 BAG 2 (Bag 2 Carbon Dioxide)	385.899	--
CO BAG 2 (Bag 2 Carbon Monoxide)	0.03087	--
FE BAG 2 (Bag 2 Fuel Economy)	22.615	22.615
CH4 BAG 2 (Bag 2 Methane)	0.0009857	--
N2O BAG 2 (Bag 2 Nitrous Oxide)	0.0001453	--
HC-NM BAG 2 (Bag 2 Non-methane Hydrocarbon)	0	--
NMOG BAG 2 (Bag 2 Non-methane organic gases)	0	--
HC-TOTAL BAG 2 (Bag 2 Total Hydrocarbon)	0.000013	--
WATT-HRS BAG 2 (Bag 2 Watt Hours)	-6.5955	--
ACT-DISTANCE BAG 3 (Bag 3 Actual Distance)	3.588	--
CO2 BAG 3 (Bag 3 Carbon Dioxide)	330.895	--
CO BAG 3 (Bag 3 Carbon Monoxide)	0.0248	--
FE BAG 3 (Bag 3 Fuel Economy)	26.3729	26.3729
CH4 BAG 3 (Bag 3 Methane)	0.0025	--
N2O BAG 3 (Bag 3 Nitrous Oxide)	0.0003623	--
HC-NM BAG 3 (Bag 3 Non-methane Hydrocarbon)	0	--
NMOG BAG 3 (Bag 3 Non-methane organic gases)	0	--
HC-TOTAL BAG 3 (Bag 3 Total Hydrocarbon)	0.001527	--
WATT-HRS BAG 3 (Bag 3 Watt Hours)	17.604	--

Certification Summary Information Report

Test Group	VTKXT03.3DNB	Evaporative/Refueling Family	VTKXR0132GDQ

ACT-DISTANCE BAG 4 (Bag 4 Actual Distance)	3.858	--
CO2 BAG 4 (Bag 4 Carbon Dioxide)	381.394	--
CO BAG 4 (Bag 4 Carbon Monoxide)	0.02151	--
FE BAG 4 (Bag 4 Fuel Economy)	22.9126	22.9126
CH4 BAG 4 (Bag 4 Methane)	0.0006039	--
N2O BAG 4 (Bag 4 Nitrous Oxide)	0.0001244	--
HC-NM BAG 4 (Bag 4 Non-methane Hydrocarbon)	0	--
NMOG BAG 4 (Bag 4 Non-methane organic gases)	0	--
HC-TOTAL BAG 4 (Bag 4 Total Hydrocarbon)	0	--
WATT-HRS BAG 4 (Bag 4 Watt Hours)	-7.9272	--
METHANE (CH4 - Methane)	0.0039041	--
CO (Carbon Monoxide)	0.2104	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.5988819	--
DT-EER (Drive Trace Energy Economy Rating)	0.4625291	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.3832754	--
MFR FE (Manufacturer Fuel Economy)	23.5728	23.5728
NOX (Nitrogen Oxide)	0.0065047	--
N2O (Nitrous Oxide)	0.0003483	--
HC-NM (Non-methane Hydrocarbon)	0.0064081	--
NMOG (Non-methane organic gases)	0.0070425	--
PM (Particulate Matter)	0.0004366	--
HC-TOTAL (Total Hydrocarbon)	0.009523	--
WATT-HRS (Watt Hours)	18.5268	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	370.3540619	370

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	369.74	--

Manufacturer Test Comments 27MY MAZDA CX-90 3.3L-DI-TC M Hybrid Boost High Power 4WD ETW 5250 S8 275/45 R21 0 EM

Certification Summary Information Report

Test Group VTKXT03.3DNB **Evaporative/Refueling Family** VTKXR0132GDQ

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NMHC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 50	CREE	370	--	--	--	0	--	370	--	--
Fed	120,000 miles	Federal Tier 3 Bin 50	CREE	370	--	--	--	0	--	370	--	--
Fed	120,000 miles	Federal Tier 3 Bin 50	METHANE	0.0039	--	--	--	0.0074	--	0.011	0.035	Pass
Fed	120,000 miles	Federal Tier 3 Bin 50	METHANE	0.0039	--	--	--	0.0074	--	0.011	0.035	Pass
Fed	120,000 miles	Federal Tier 3 Bin 50	N2O	0.0003	--	--	--	0.0007	--	0.001	0.020	Pass
Fed	120,000 miles	Federal Tier 3 Bin 50	N2O	0.0003	--	--	--	0.0007	--	0.001	0.020	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	CO	0.21	--	--	--	0.16	--	0.4	1.7	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	CO	0.21	--	--	--	0.16	--	0.4	1.7	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	CO-COMP	0.34	--	--	--	0.16	--	0.3	4.2	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	CO-COMP	0.34	--	--	--	0.16	--	0.3	4.2	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG	0.007	--	--	--	0.0089	--	0.016	99.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG	0.007	--	--	--	0.0089	--	0.016	99.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG+NOX	0.0135	--	--	--	--	--	0.029	0.050	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG+NOX	0.0135	--	--	--	--	--	0.029	0.050	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG+NOX-COMP	0.0253	--	--	--	0	--	0.025	0.050	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG+NOX-COMP	0.0253	--	--	--	0	--	0.025	0.050	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NOX	0.0065	--	--	--	0.0069	--	0.013	99.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NOX	0.0065	--	--	--	0.0069	--	0.013	99.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	PM	0.0004	--	--	--	0.0003	--	0.001	0.003	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	PM	0.0004	--	--	--	0.0003	--	0.001	0.003	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ

Test #	**VTKX10094507**	**Test Procedure**	**11 - Cold CO**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	28 - Cold CO E10 Regular Gasoline (Tier 3)
Test Date	05/20/2026	**Fuel**	Gasoline
Fuel Batch ID	2601CX	**Fuel Calibration Number**	1
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000), LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	**DF Type**	Mfr. Determined
Verify Test Lab ID	Mazda Miyoshi Test Lab		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	2181	**Odometer Units**	M
4WD Test Dyno	Yes	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	Yes

Test Results

Certification Summary Information Report

Test Group	VTKXT03.3DNB	Evaporative/Refueling Family	VTKXR0132GDQ

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
ACT-DISTANCE (Actual Distance Driven (miles))	11.04	--
ACT-DISTANCE BAG 1 (Bag 1 Actual Distance)	3.592	--
CO2 BAG 1 (Bag 1 Carbon Dioxide)	462.492	--
CO BAG 1 (Bag 1 Carbon Monoxide)	1.31125	--
FE BAG 1 (Bag 1 Fuel Economy)	18.6737	18.6737
CH4 BAG 1 (Bag 1 Methane)	0.0393569	--
N2O BAG 1 (Bag 1 Nitrous Oxide)	0.0016899	--
HC-NM BAG 1 (Bag 1 Non-methane Hydrocarbon)	0.1914449	--
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.2108191	--
HC-TOTAL BAG 1 (Bag 1 Total Hydrocarbon)	0.228736	--
WATT-HRS BAG 1 (Bag 1 Watt Hours)	7.0192	--
ACT-DISTANCE BAG 2 (Bag 2 Actual Distance)	3.857	--
CO2 BAG 2 (Bag 2 Carbon Dioxide)	430.71	--
CO BAG 2 (Bag 2 Carbon Monoxide)	0.06871	--
FE BAG 2 (Bag 2 Fuel Economy)	20.1318	20.1318
CH4 BAG 2 (Bag 2 Methane)	0.0004615	--
N2O BAG 2 (Bag 2 Nitrous Oxide)	0.0001789	--
HC-NM BAG 2 (Bag 2 Non-methane Hydrocarbon)	0	--
NMOG BAG 2 (Bag 2 Non-methane organic gases)	0	--
HC-TOTAL BAG 2 (Bag 2 Total Hydrocarbon)	0.000319	--
WATT-HRS BAG 2 (Bag 2 Watt Hours)	-3.5072	--
ACT-DISTANCE BAG 3 (Bag 3 Actual Distance)	3.591	--
CO2 BAG 3 (Bag 3 Carbon Dioxide)	356.452	--
CO BAG 3 (Bag 3 Carbon Monoxide)	0.0039	--
FE BAG 3 (Bag 3 Fuel Economy)	24.3788	24.3788
CH4 BAG 3 (Bag 3 Methane)	0.0021303	--
N2O BAG 3 (Bag 3 Nitrous Oxide)	0.0002089	--
HC-NM BAG 3 (Bag 3 Non-methane Hydrocarbon)	0	--
NMOG BAG 3 (Bag 3 Non-methane organic gases)	0	--
HC-TOTAL BAG 3 (Bag 3 Total Hydrocarbon)	0.001649	--
WATT-HRS BAG 3 (Bag 3 Watt Hours)	18.92	--

Certification Summary Information Report

Test Group	VTKXT03.3DNB	Evaporative/Refueling Family	VTKXR0132GDQ

METHANE (CH4 - Methane)	0.0089851	--
CO (Carbon Monoxide)	0.30854	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.6998008	--
DT-EER (Drive Trace Energy Economy Rating)	0.3609575	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.8898429	--
MFR FE (Manufacturer Fuel Economy)	20.7812	20.7812
NOX (Nitrogen Oxide)	0.0087333	--
N2O (Nitrous Oxide)	0.0005004	--
HC-NM (Non-methane Hydrocarbon)	0.0396963	--
NMOG (Non-methane organic gases)	0.0437136	--
HC-TOTAL (Total Hydrocarbon)	0.048047	--
WATT-HRS (Watt Hours)	22.432	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	416.892	--

Manufacturer Test Comments 27MY MAZDA CX-90 3.3L-DI-TC M Hybrid Boost High Power 4WD ETW 5250 S8 275/45 R21 0 EM

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	50,000 miles	Federal Tier 3 Bin 50	CO	0.31	--	--	--	0.05	--	0.4	12.5	Pass
Fed	50,000 miles	Federal Tier 3 Bin 50	CO	0.31	--	--	--	0.05	--	0.4	12.5	Pass
Fed	120,000 miles	Federal Tier 3 Bin 50	HC-NM	0.04	--	--	--	0.01	--	0	0.5	Pass
Fed	120,000 miles	Federal Tier 3 Bin 50	HC-NM	0.04	--	--	--	0.01	--	0	0.5	Pass

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ

Test #	**VTKX10094504**	**Test Procedure**	**3 - HWFE**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	05/14/2026	**Fuel**	Gasoline
Fuel Batch ID	2601T3	**Fuel Calibration Number**	1
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000), LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	**DF Type**	Mfr. Determined
Verify Test Lab ID	Mazda Miyoshi Test Lab		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	2106	**Odometer Units**	M
4WD Test Dyno	Yes	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
ACT-DISTANCE (Actual Distance Driven (miles))	10.264	--
METHANE (CH4 - Methane)	0.000228	--
CO (Carbon Monoxide)	0.05427	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	1.2964285	--
DT-EER (Drive Trace Energy Economy Rating)	0.3830607	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	1.7019058	--
MFR FE (Manufacturer Fuel Economy)	33.4399	33.4399
NOX (Nitrogen Oxide)	0.0013883	--
N2O (Nitrous Oxide)	0.0001559	--
HC-NM (Non-methane Hydrocarbon)	0	--
NMOG (Non-methane organic gases)	0	--
HC-TOTAL (Total Hydrocarbon)	0	--
WATT-HRS (Watt Hours)	3.043779	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	261.0786998	261

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	260.708	--

Manufacturer Test Comments 27MY MAZDA CX-90 3.3L-DI-TC M Hybrid Boost High Power 4WD ETW 5250 S8 275/45 R21 0 EM

Certification Summary Information Report

Test Group VTKXT03.3DNB **Evaporative/Refueling Family** VTKXR0132GDQ

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NMHC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 50	CREE	261	--	--	--	0	--	261	--	--
Fed	120,000 miles	Federal Tier 3 Bin 50	CREE	261	--	--	--	0	--	261	--	--
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG	0	--	1.03	--	0	--	0	99.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG	0	--	1.03	--	0	--	0	99.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG+NOX	0.0014	--	1.03	--	--	--	0.002	0.050	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NMOG+NOX	0.0014	--	1.03	--	--	--	0.002	0.050	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NOX	0.0014	--	--	--	0.0009	--	0.002	99.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	NOX	0.0014	--	--	--	0.0009	--	0.002	99.999	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ

Test #	**VTKX10094505**	**Test Procedure**	**90 - US06**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	05/14/2026	**Fuel**	Gasoline
Fuel Batch ID	2601T3	**Fuel Calibration Number**	1
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000), LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	**DF Type**	Mfr. Determined
Verify Test Lab ID	Mazda Miyoshi Test Lab		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	2133	**Odometer Units**	M
4WD Test Dyno	Yes	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	Yes

Test Results

Certification Summary Information Report

Test Group	VTKXT03.3DNB	Evaporative/Refueling Family	VTKXR0132GDQ

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
ACT-DISTANCE (Actual Distance Driven (miles))	8.005	--
ACT-DISTANCE BAG 1 (Bag 1 Actual Distance)	1.77	--
CO2 BAG 1 (Bag 1 Carbon Dioxide)	602.062	--
CO BAG 1 (Bag 1 Carbon Monoxide)	0.22994	--
FE BAG 1 (Bag 1 Fuel Economy)	14.4935	14.4935
CH4 BAG 1 (Bag 1 Methane)	0.0012429	--
N2O BAG 1 (Bag 1 Nitrous Oxide)	0.0002881	--
HC-NM BAG 1 (Bag 1 Non-methane Hydrocarbon)	0.0016215	--
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0016701	--
HC-TOTAL BAG 1 (Bag 1 Total Hydrocarbon)	0.002814	--
WATT-HRS BAG 1 (Bag 1 Watt Hours)	64.5337	--
ACT-DISTANCE BAG 2 (Bag 2 Actual Distance)	6.235	--
CO2 BAG 2 (Bag 2 Carbon Dioxide)	330.624	--
CO BAG 2 (Bag 2 Carbon Monoxide)	0.42326	--
FE BAG 2 (Bag 2 Fuel Economy)	26.323	26.323
CH4 BAG 2 (Bag 2 Methane)	0.0011997	--
N2O BAG 2 (Bag 2 Nitrous Oxide)	0.0002101	--
HC-NM BAG 2 (Bag 2 Non-methane Hydrocarbon)	0.0007265	--
NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0007483	--
HC-TOTAL BAG 2 (Bag 2 Total Hydrocarbon)	0.001873	--
WATT-HRS BAG 2 (Bag 2 Watt Hours)	-58.0191	--
METHANE (CH4 - Methane)	0.0012092	--
CO (Carbon Monoxide)	0.38051	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	1.1909234	--
DT-EER (Drive Trace Energy Economy Rating)	0.3582526	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	1.7966894	--
MFR FE (Manufacturer Fuel Economy)	22.2941	22.2941
NOX (Nitrogen Oxide)	0.007253	--
N2O (Nitrous Oxide)	0.0002274	--
HC-NM (Non-methane Hydrocarbon)	0.0009244	--
NMOG (Non-methane organic gases)	0.0009521	--

Certification Summary Information Report

Test Group VTKXT03.3DNB **Evaporative/Refueling Family** VTKXR0132GDQ

PM (Particulate Matter)	0.0016378	--
HC-NM+NOX (SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03)	0.0081774	--
HC-TOTAL (Total Hydrocarbon)	0.002081	--
WATT-HRS (Watt Hours)	6.5146	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	390.642	--

Manufacturer Test Comments 27MY MAZDA CX-90 3.3L-DI-TC M Hybrid Boost High Power 4WD ETW 5250 S8 275/45 R21 0 EM

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 50	PM	0.0016	--	--	--	0.0003	--	0.002	0.006	Pass
Fed	150,000 miles	Federal Tier 3 Bin 50	PM	0.0016	--	--	--	0.0003	--	0.002	0.006	Pass

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ

Test #	**VTKX10094506**	**Test Procedure**	**95 - SC03**
Exhaust Test # for this Evap Test	--	**Test Fuel Type**	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	05/15/2026	**Fuel**	N/A
Fuel Batch ID	2601T3	**Fuel Calibration Number**	1
Vehicle Class	N/A	**DF Type**	Mfr. Determined
Verify Test Lab ID	Mazda Miyoshi Test Lab		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	2152	**Odometer Units**	M
4WD Test Dyno	Yes	**Diesel Adjustment Factor Usage**	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	**Road Speed Fan Usage**	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
ACT-DISTANCE (Actual Distance Driven (miles))	3.576	--
METHANE (CH4 - Methane)	0.003585	--
CO (Carbon Monoxide)	0.00531	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.5432574	--
DT-EER (Drive Trace Energy Economy Rating)	0.5529542	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.5478098	--
MFR FE (Manufacturer Fuel Economy)	20.6381	20.6381
NOX (Nitrogen Oxide)	0.0066751	--
N2O (Nitrous Oxide)	0.0001706	--
HC-NM (Non-methane Hydrocarbon)	0	--
NMOG (Non-methane organic gases)	0	--
HC-NM+NOX (SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03)	0.0066751	--
HC-TOTAL (Total Hydrocarbon)	0.002917	--
WATT-HRS (Watt Hours)	0.4380165	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	422.732	--

Manufacturer Test Comments 27MY MAZDA CX-90 3.3L-DI-TC M Hybrid Boost High Power 4WD ETW 5250 S8 275/45 R21 0 EM

Certification Summary Information Report

Test Group	VTKXT03.3DNB	Evaporative/Refueling Family	VTKXR0132GDQ

Fuel Properties

Fuel Batch ID	**2211G3**	**Fuel Calibration Number**	**1**
Test Fuel Type	46 - CARB LEV3 E10 Regular Gasoline	**Fuel Batch Calibration Date**	06/14/2022
Fuel Batch Calibration Effective Date	09/09/2022	**Fuel Batch Calibration Ineffective Date**	03/08/2023
Carbon Weight Fraction NMHC	--	**Carbon Weight Fraction HC**	--
Exhaust Carbon Weight Fraction	--	**Fuel Methanol Volume Fraction**	--
Fuel Density (grams/cubic ft)	--	**Fuel Specific Gravity**	0.74
Fuel Ethanol Volume Percent (%)	9.8	**Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)**	17831
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	**Fuel Carbon Mass Fraction (E10)**	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.826	**Weight Fraction CO2**	--

Fuel Batch ID	**2601CX**	**Fuel Calibration Number**	**1**
Test Fuel Type	28 - Cold CO E10 Regular Gasoline (Tier 3)	**Fuel Batch Calibration Date**	11/28/2022
Fuel Batch Calibration Effective Date	05/15/2026	**Fuel Batch Calibration Ineffective Date**	11/14/2026
Carbon Weight Fraction NMHC	--	**Carbon Weight Fraction HC**	--
Exhaust Carbon Weight Fraction	--	**Fuel Methanol Volume Fraction**	--
Fuel Density (grams/cubic ft)	--	**Fuel Specific Gravity**	0.743
Fuel Ethanol Volume Percent (%)	10	**Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)**	17790
Fuel Net Heat of Combustion (E10) (MJ/kg)	41.353	**Fuel Carbon Mass Fraction (E10)**	0.826
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.826	**Weight Fraction CO2**	--

Fuel Batch ID	**2601T3**	**Fuel Calibration Number**	**1**
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	**Fuel Batch Calibration Date**	11/02/2019
Fuel Batch Calibration Effective Date	05/01/2026	**Fuel Batch Calibration Ineffective Date**	11/01/2026
Carbon Weight Fraction NMHC	--	**Carbon Weight Fraction HC**	--
Exhaust Carbon Weight Fraction	--	**Fuel Methanol Volume Fraction**	--
Fuel Density (grams/cubic ft)	--	**Fuel Specific Gravity**	0.751
Fuel Ethanol Volume Percent (%)	9.7	**Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)**	17816
Fuel Net Heat of Combustion (E10) (MJ/kg)	41.413	**Fuel Carbon Mass Fraction (E10)**	0.828
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.828	**Weight Fraction CO2**	--

Fuel Batch ID	**2213G3**	**Fuel Calibration Number**	**1**
Test Fuel Type	46 - CARB LEV3 E10 Regular Gasoline	**Fuel Batch Calibration Date**	12/02/2021
Fuel Batch Calibration Effective Date	10/24/2022	**Fuel Batch Calibration Ineffective Date**	04/23/2023
Carbon Weight Fraction NMHC	--	**Carbon Weight Fraction HC**	--
Exhaust Carbon Weight Fraction	--	**Fuel Methanol Volume Fraction**	--

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ
Fuel Density (grams/cubic ft)	--	**Fuel Specific Gravity**	0.753
Fuel Ethanol Volume Percent (%)	9.6	**Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)**	17798
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	**Fuel Carbon Mass Fraction (E10)**	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.83	**Weight Fraction CO2**	--
Fuel Batch ID	**2202T3**	**Fuel Calibration Number**	**1**
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	**Fuel Batch Calibration Date**	11/29/2019
Fuel Batch Calibration Effective Date	10/31/2021	**Fuel Batch Calibration Ineffective Date**	04/30/2023
Carbon Weight Fraction NMHC	--	**Carbon Weight Fraction HC**	--
Exhaust Carbon Weight Fraction	--	**Fuel Methanol Volume Fraction**	--
Fuel Density (grams/cubic ft)	--	**Fuel Specific Gravity**	0.751
Fuel Ethanol Volume Percent (%)	9.7	**Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)**	17816
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	**Fuel Carbon Mass Fraction (E10)**	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.828	**Weight Fraction CO2**	--

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ

Consolidated List of Standards

Exhaust Standards

Cert Region	Federal	**Cert/In-Use Code**	Both
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**Standard Level**	Federal Tier 3 Bin 50
Fuel	Gasoline	**Test Procedure**	Federal fuel 2-day exhaust (w/can load)

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles	CREE	--	--	--	--	--	--	0	999.9999
120,000 miles	METHANE	--	--	--	--	--	--	0.0074	0.035
120,000 miles	N2O	--	--	--	--	--	--	0.0007	0.020
150,000 miles	CO	--	--	--	--	--	--	0.16	1.7
150,000 miles	CO-COMP	--	--	--	--	--	--	0.16	4.2
150,000 miles	NMOG	--	--	--	--	--	--	0.0089	99.999
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0	0.050
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	0	0.050
150,000 miles	NOX	--	--	--	--	--	--	0.0069	99.999
150,000 miles	PM	--	--	--	--	--	--	0.0003	0.003

Cert Region	Federal	**Cert/In-Use Code**	Both
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	**Standard Level**	Federal Tier 3 Bin 50
Fuel	Gasoline	**Test Procedure**	Federal fuel 2-day exhaust (w/can load)

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles	CREE	--	--	--	--	--	--	0	999.9999
120,000 miles	METHANE	--	--	--	--	--	--	0.0074	0.035
120,000 miles	N2O	--	--	--	--	--	--	0.0007	0.020
150,000 miles	CO	--	--	--	--	--	--	0.16	1.7
150,000 miles	CO-COMP	--	--	--	--	--	--	0.16	4.2
150,000 miles	NMOG	--	--	--	--	--	--	0.0089	99.999
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0	0.050
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	0	0.050
150,000 miles	NOX	--	--	--	--	--	--	0.0069	99.999
150,000 miles	PM	--	--	--	--	--	--	0.0003	0.003

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ
Cert Region	Federal	**Cert/In-Use Code**	Both
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	**Standard Level**	Federal Tier 3 Bin 50
Fuel	Gasoline	**Test Procedure**	US06

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	PM	--	--	--	--	--	--	0.0003	0.006

Cert Region	Federal	**Cert/In-Use Code**	Both
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	**Standard Level**	Federal Tier 3 Bin 50
Fuel	Gasoline	**Test Procedure**	Cold CO

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	0.05	12.5
120,000 miles	HC-NM	--	--	--	--	--	--	0.01	0.5

Cert Region	Federal	**Cert/In-Use Code**	Both
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**Standard Level**	Federal Tier 3 Bin 50
Fuel	Gasoline	**Test Procedure**	US06

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	PM	--	--	--	--	--	--	0.0003	0.006

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ
Cert Region	Federal	**Cert/In-Use Code**	Both
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**Standard Level**	Federal Tier 3 Bin 50
Fuel	Gasoline	**Test Procedure**	HWFE

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles	CREE	--	--	--	--	--	--	0	999.9999
150,000 miles	NMOG	--	--	1.03	--	--	--	0	99.999
150,000 miles	NMOG+NOX	--	--	1.03	--	--	--	0	0.050
150,000 miles	NOX	--	--	--	--	--	--	0.0009	99.999

Cert Region	Federal	**Cert/In-Use Code**	Both
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	**Standard Level**	Federal Tier 3 Bin 50
Fuel	Gasoline	**Test Procedure**	HWFE

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles	CREE	--	--	--	--	--	--	0	999.9999
150,000 miles	NMOG	--	--	1.03	--	--	--	0	99.999
150,000 miles	NMOG+NOX	--	--	1.03	--	--	--	0	0.050
150,000 miles	NOX	--	--	--	--	--	--	0.0009	99.999

Cert Region	Federal	**Cert/In-Use Code**	Both
Vehicle Class	LDT3 (ALVW 3751-5750, LVW 0-3750, GVW > 6000)	**Standard Level**	Federal Tier 3 Bin 50
Fuel	Gasoline	**Test Procedure**	Cold CO

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	0.05	12.5
120,000 miles	HC-NM	--	--	--	--	--	--	0.01	0.5

Evaporative/Refueling Standards

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ

Evaporative/Refueling Family VTKXR0132GDQ
Cert/In-Use Code Both
Test Procedure Evap Canister Bleed Test
Cert Region Federal
Standard Level Federal Tier 3 Evap

Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL	--	0.020	0

Evaporative/Refueling Family VTKXR0132GDQ
Cert/In-Use Code Both
Test Procedure CA fuel 3-day evap.
Cert Region Federal
Standard Level Federal Tier 3 Evap

Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.500	--

Evaporative/Refueling Family VTKXR0132GDQ
Cert/In-Use Code Both
Test Procedure Federal fuel refueling test (ORVR)
Cert Region Federal
Standard Level Federal Tier 3 Evap

Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.20	--

Evaporative/Refueling Family VTKXR0132GDQ
Cert/In-Use Code Both
Test Procedure California Fuel Running Loss
Cert Region Federal
Standard Level Federal Tier 3 Evap

Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.05	--

Certification Summary Information Report

Test Group	VTKXT03.3DNB	Evaporative/Refueling Family	VTKXR0132GDQ

Glossary

Useful Life

4	4,000 miles	120	120,000 miles
50	50,000 miles	150	150,000 miles
100	100,000 miles		

Emission Name

HC-TOTAL	Total Hydrocarbon	COMB-CREE	Combined Carbon-Related Exhaust Emissions
CO	Carbon Monoxide	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions
CO2	Carbon dioxide	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only
CREE	Carbon-Related Exhaust Emissions	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only
OPT-CREE	Optional Carbon-Related Exhaust Emissions	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only
NOX	Nitrogen Oxide	LEAK-DIA	Effective Leak Diameter (inches)
PM	Particulate Matter	LEAK-GAS CAP	Gas Cap Leakage (cc/min)
PM-COMP	SFTP Composite Particulate Matter	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only
HC-NM	Non-methane Hydrocarbon	KW-HRS	Integrated DC KW-HRS
OMHCE	Organic material Hydrocarbon Equivalent	CH4 BAG 1	Bag 1 Methane
OMNMHCE	Organic material non-methane HC equivalent	CH4 BAG 2	Bag 2 Methane
NMOG	Non-methane organic gases	CH4 BAG 3	Bag 3 Methane
HCHO	Formaldehyde	CH4 BAG 4	Bag 4 Methane
H3C2HO	Acetaldehyde	CO BAG 1	Bag 1 Carbon Monoxide
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	CO BAG 2	Bag 2 Carbon Monoxide
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	CO BAG 3	Bag 3 Carbon Monoxide
CO-COMP	SFTP Composite Carbon Monoxide	CO BAG 4	Bag 4 Carbon Monoxide
ETHANOL	C2H5OH - Ethanol	NMOG BAG 1	Bag 1 Non-methane organic gases
FE BAG 1	Bag 1 Fuel Economy	NMOG BAG 2	Bag 2 Non-methane organic gases
FE BAG 2	Bag 2 Fuel Economy	NMOG BAG 3	Bag 3 Non-methane organic gases
FE BAG 3	Bag 3 Fuel Economy	NMOG BAG 4	Bag 4 Non-methane organic gases
FE BAG 4	Bag 4 Fuel Economy	ACT-DISTANCE BAG 1	Bag 1 Actual Distance
MFR FE	Manufacturer Fuel Economy	ACT-DISTANCE BAG 2	Bag 2 Actual Distance
HC	Hydrocarbon for Running Loss and ORVR	ACT-DISTANCE BAG 3	Bag 3 Actual Distance
METHANE	CH4 - Methane	ACT-DISTANCE BAG 4	Bag 4 Actual Distance
METHANOL	CH3OH - Methanol	HC-TOTAL BAG 1	Bag 1 Total Hydrocarbon
N2O	Nitrous Oxide	HC-TOTAL BAG 2	Bag 2 Total Hydrocarbon
SPITBACK	Spitback Hydrocarbon in grams	HC-TOTAL BAG 3	Bag 3 Total Hydrocarbon
AMP-HRS	Integrated Amp-hours	HC-TOTAL BAG 4	Bag 4 Total Hydrocarbon
START-SOC	System Start State of Charge Watt-hours	WATT-HRS BAG 1	Bag 1 Watt Hours
END-SOC	System End State of Charge Watt-hours	WATT-HRS BAG 2	Bag 2 Watt Hours

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ
ACT-DISTANCE	Actual Distance Driven (miles)	WATT-HRS BAG 3	Bag 3 Watt Hours
AS-VOLT	Average System Voltage	WATT-HRS BAG 4	Bag 4 Watt Hours
CO2 BAG 1	Bag 1 Carbon Dioxide	WATT-HRS	Watt Hours
CO2 BAG 2	Bag 2 Carbon Dioxide	HC-NM BAG 1	Bag 1 Non-methane Hydrocarbon
CO2 BAG 3	Bag 3 Carbon Dioxide	HC-NM BAG 2	Bag 2 Non-methane Hydrocarbon
CO2 BAG 4	Bag 4 Carbon Dioxide	HC-NM BAG 3	Bag 3 Non-methane Hydrocarbon
NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides	HC-NM BAG 4	Bag 4 Non-methane Hydrocarbon
NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides	N2O BAG 1	Bag 1 Nitrous Oxide
DT-IWRR	Drive Trace Inertia Work Ratio Rating	N2O BAG 2	Bag 2 Nitrous Oxide
DT-ASCR	Drive Trace Absolute Speed Change Rating	N2O BAG 3	Bag 3 Nitrous Oxide
DT-EER	Drive Trace Energy Economy Rating	N2O BAG 4	Bag 4 Nitrous Oxide

Certification Region			
CA	California + CAA Section 177 states	FA	Federal

Exhaust Emission Standard Level			
B1	Federal Tier 2 Bin 1	HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340
B2	Federal Tier 2 Bin 2	HDV2B250	Federal Tier 3 HD Class 2b Bin 250
B3	Federal Tier 2 Bin 3	HDV2B200	Federal Tier 3 HD Class 2b Bin 200
B4	Federal Tier 2 Bin 4	HDV2B170	Federal Tier 3 HD Class 2b Bin 170
B5	Federal Tier 2 Bin 5	HDV2B150	Federal Tier 3 HD Class 2b Bin 150
B6	Federal Tier 2 Bin 6	HDV2B0	Federal Tier 3 HD Class 2b Bin 0
B7	Federal Tier 2 Bin 7	HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630
B8	Federal Tier 2 Bin 8	HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570
B9	Federal Tier 2 Bin 9	HDV3B400	Federal Tier 3 HD Class 3 Bin 400
B10	Federal Tier 2 Bin 10	HDV3B270	Federal Tier 3 HD Class 3 Bin 270
B11	Federal Tier 2 Bin 11	HDV3B230	Federal Tier 3 HD Class 3 Bin 230
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	HDV3B200	Federal Tier 3 HD Class 3 Bin 200
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)	HDV3B0	Federal Tier 3 HD Class 3 Bin 0
L2	California LEV-II LEV	L4SULEV100	California LEV-IV SULEV100
L2OP	California LEV-II LEV Optional	L4SULEV125	California LEV-IV SULEV125
U2	California LEV-II ULEV	L4SULEV15	California LEV-IV SULEV15
S2	California LEV-II SULEV	L4SULEV150	California LEV-IV SULEV150
ZEV	California ZEV	L4SULEV170	California LEV-IV SULEV170
OT	Other	L4SULEV175	California LEV-IV SULEV175
T1	Federal Tier 1	L4SULEV20	California LEV-IV SULEV20
PZEV	California PZEV	L4SULEV200	California LEV-IV SULEV200
L2LEV160	California LEV-II LEV160	L4SULEV230	California LEV-IV SULEV230
L2ULEV125	California LEV-II ULEV125	L4SULEV25	California LEV-IV SULEV25
L2SULEV30	California LEV-II SULEV30	L4SULEV30	California LEV-IV SULEV30
L2LEV395	California LEV-II LEV395	L4SULEV75	California LEV-IV SULEV75

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ
L2ULEV340	California LEV-II ULEV340	L4SULEV85	California LEV-IV SULEV85
L2LEV630	California LEV-II LEV630	L4ULEV125	California LEV-IV ULEV125
L2ULEV570	California LEV-II ULEV570	L4ULEV200	California LEV-IV ULEV200
L3LEV160	California LEV-III LEV160	L4ULEV250	California LEV-IV ULEV250
L3ULEV125	California LEV-III ULEV125	L4ULEV270	California LEV-IV ULEV270
L3ULEV70	California LEV-III ULEV70	L4ULEV40	California LEV-IV ULEV40
L3ULEV50	California LEV-III ULEV50	L4ULEV400	California LEV-IV ULEV400
L3SULEV30	California LEV-III SULEV30	L4ULEV50	California LEV-IV ULEV50
L3SULEV20	California LEV-III SULEV20	L4ULEV60	California LEV-IV ULEV60
L3LEV395	California LEV-III LEV395	L4ULEV70	California LEV-IV ULEV70
L3ULEV340	California LEV-III ULEV340	T4B170	Federal Tier 4 MDV Bin 170
L3ULEV250	California LEV-III ULEV250	T4B150	Federal Tier 4 MDV Bin 150
L3ULEV200	California LEV-III ULEV200	T4B125	Federal Tier 4 MDV Bin 125
L3SULEV170	California LEV-III SULEV170	T4B100	Federal Tier 4 MDV Bin 100
L3SULEV150	California LEV-III SULEV150	T4B85	Federal Tier 4 MDV Bin 85
L3LEV630	California LEV-III LEV630	T4B75	Federal Tier 4 MDV Bin 75
L3ULEV570	California LEV-III ULEV570	T4B70	Federal Tier 4 Bin 70
L3ULEV400	California LEV-III ULEV400	T4B65	Federal Tier 4 Bin 65
L3ULEV270	California LEV-III ULEV270	T4B60	Federal Tier 4 Bin 60
L3SULEV230	California LEV-III SULEV230	T4B55	Federal Tier 4 Bin 55
L3SULEV200	California LEV-III SULEV200	T4B50	Federal Tier 4 Bin 50
T3B160	Federal Tier 3 Bin 160	T4B45	Federal Tier 4 Bin 45
T3B125	Federal Tier 3 Bin 125	T4B40	Federal Tier 4 Bin 40
T3B110	Federal Tier 3 Transitional Bin 110	T4B35	Federal Tier 4 Bin 35
T3B85	Federal Tier 3 Transitional Bin 85	T4B30	Federal Tier 4 Bin 30
T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover	T4B25	Federal Tier 4 Bin 25
T3B70	Federal Tier 3 Bin 70	T4B20	Federal Tier 4 Bin 20
T3B50	Federal Tier 3 Bin 50	T4B15	Federal Tier 4 Bin 15
T3B30	Federal Tier 3 Bin 30	T4B10	Federal Tier 4 Bin 10
T3B20	Federal Tier 3 Bin 20	T4B5	Federal Tier 4 Bin 5
T3B0	Federal Tier 3 Bin 0	T4B0	Federal Tier 4 Bin 0
HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395		

Transmission Type Code			
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual
A	Automatic	OT	Other
AM	Automated Manual	SA	Semi-Automatic
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)

Drive System Code			
4	4-Wheel Drive	P	Part-time 4-Wheel Drive

Certification Summary Information Report

Test Group	VTKXT03.3DNB	**Evaporative/Refueling Family**	VTKXR0132GDQ
F	2-Wheel Drive, Front	A	All Wheel Drive
R	2-Wheel Drive, Rear		

Additional Terms and Acronyms

AFC	Alternative Fuel Converter	ICI	Independent Commercial Importer
CSI	Certificate Summary Information	ORVR	Onboard Refueling Vapor Recovery
DF	Deterioration Factor	SIL	Shift Indicator Light
Evap	Evaporation, Evaporative	Trans	Transmission