

Certification Summary Information Report

Manufacturer	Toyota Motor Corporation	Manufacturer Code	TYX
Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42
Certificate Number	VTYXV02.0V2W-004	CARB Executive Order #	--
Certificate Issue Date	05/14/2026	Certificate Revision Date	--
Certificate Effective Date	05/14/2026	Conditional Certificate	No
CSI Revision #	--	CSI Submission/Revision Date	03/24/2026 07:11:08 AM
Model Year	2027		

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42						
Test Group Information									
CSI Type	New	Running Change Reference Number	--						
GHG Exempt Status	Not Exempt								
Drive Sources and Fuel(s)									
Drive Source #1:	Combustion Engine								
	<table border="1"> <tr> <th>Fuel</th><th>Basic Fuel Metering System</th><th>Lean Burn Strategy Indicator</th></tr> <tr> <td>Gasoline</td><td>Spark Ignition direct & ported injection</td><td>No</td></tr> </table>	Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator	Gasoline	Spark Ignition direct & ported injection	No		
Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator							
Gasoline	Spark Ignition direct & ported injection	No							
Drive Source #2:	Electric Motor								
	<table border="1"> <tr> <th>Fuel</th><th>Basic Fuel Metering System</th><th>Lean Burn Strategy Indicator</th></tr> <tr> <td>Electricity</td><td>--</td><td>No</td></tr> </table>	Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator	Electricity	--	No		
Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator							
Electricity	--	No							
Hybrid Indicator	Yes								
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	Yes						
Multiple Fuel Combustion	--	Off-board Charge Capable Indicator	Yes						
Fuel Cell Indicator	No	EPA Vehicle Class	LDV						
Federal Clean Fuel Vehicle	No	Federal Clean Fuel Vehicle Standard	--						
Federal Clean Fuel Vehicle ILEV	No	California Partial Zero Emissions Vehicle Indicator	No						
Durability Group Name	VTYXHHGNNE28	Durability Group Equivalency Factor	0.5						
Reduced Fee Test Group	No	Certification Region Code(s)	FA, CA						
Complies with HD GHG 2b/3 regulations?	No								
Introduction into Commerce Date	07/01/2026	CAP2000 Conditional Certificate?	No						
Independent Commercial Importer?	No	Alternative Fuel Converter Certificate?	No						
SFTP Federal Composite Compliance Identifier	Tier 3	SFTP Tier 2 Composite CO Option	No						
SFTP LEV-III Composite Compliance Indicator	Yes								
OBD Compliance Type	CARB	OBD Demonstration Vehicle Test Group	VTYXT02.4H3A						
Test Group OBD Compliance Level	Full - no deficiencies	Number of Test Group OBD Deficiencies	0						
OBD Deficiencies Comments	--								
Mfr Test Group Comments	--								
Mfr Exhaust / Evap Standards Comments	--								

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42				
Evaporative/Refueling Family Information							
Evaporative Summary Information Type	New	Submission/Correction Date	03/16/2026 05:40:14 AM				
Integrated ORVR?	No	Fuel(s)	Gasoline, Electricity				
Multiple Fuel Storage	Fuels Stored Together						
Bladder Fuel Tank?	No						
Fuel Tank Material	Plastic	Fuel Tank Material Description	EVOH				
Fill Pipe Seal Type	Liquid seal						
Air Intake System Vapor Storage Device?	No	Air Intake System Vapor Storage Device Description	--				
Fuel System Vapor Storage Canister?	Yes	Other Vapor Storage	--				
Fuel System Vapor Storage Canister(s) Total Working Capacity (grams)	120	Number of Primary Canisters	1				
Number of Bleed Canisters	0	Bleed Canister Total Working Capacity (grams)	--				
Mfr Evaporative/Refueling Family Comments	--						
Leak Family Details							
Leak Family Indicator	No						
Canister Bleed Test Indicator	No	Applicability of Evaporative Canister Bleed Test	--				
Evaporative Canister Bleed Test Comments	--						
CARB Fuel Only (Rig) Test Indicator	No	Applicability of CARB Fuel Only (Rig) Test	--				
CARB Fuel Only (Rig) Test Comments	--						
Models Covered by this Certificate							
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
Toyota Motor Corporation	1 - TOYOTA	69 - PRIUS PHEV	Federal	2-Wheel Drive, Front	Continuously Variable	1	No
Toyota Motor Corporation	1 - TOYOTA	68 - PRIUS PHEV SE	Federal	2-Wheel Drive, Front	Continuously Variable	1	No
Toyota Motor Corporation	1 - TOYOTA	68 - PRIUS PHEV SE	California + CAA Section 177 states	2-Wheel Drive, Front	Continuously Variable	1	No
Toyota Motor Corporation	1 - TOYOTA	69 - PRIUS PHEV	California + CAA Section 177 states	2-Wheel Drive, Front	Continuously Variable	1	No
Engine Description							
Hybrid Type	IC Engine/Electric Motor			Hybrid Description	--		
Engine Type	4-Stroke Spark Ignition			Mfr Engine Description	--		
Engine Block Arrangement	Inline			Mfr Engine Block Arrangement Description	--		
Camless Valvetrain Indicator	No			Oil Viscosity/Classification	0W-8		
Number of Cylinders/Rotors	4			Mechanically Variable Compression Ratio Indicator	N		

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42								
After Treatment Device(s) (ATD)											
ATD Number	ATD Type	ATD Precious Metal	Substrate Material	Substrate Construction							
1	Three-way catalyst	Palladium + Rhodium	Ceramic	Monolith							
2	Three-way catalyst	Platinum + Rhodium	Ceramic	Monolith							
Mfr After Treatment Device (ATD) Comments											
--											
Direct Ozone Reduction (DOR) Device											
Not Equipped											
Mfr Emission Control Device Comments											
--											
Engine Configuration Number 1											
Engine Displacement (liters)	2.0	Engine Rated Horsepower	152								
Number of Inlet Valves Per Cylinder	2	Number of Exhaust Valves Per Cylinder	2								
Air Aspiration Method	Naturally Aspirated	Number of Air Aspiration Devices	--								
Air Aspiration Device Configuration	--	Charge Air Cooler Type	N/A								
Air Aspiration Drive Method(s)	--										
Cylinder Deactivation	No										
Cylinder Deactivation Description	--										
Variable Valve Timing	Yes										
Variable Valve Timing System Description	Intake and exhaust										
Variable Valve Lift?	No										
Variable Valve Lift System Description	--										
Number of Knock Sensors	1	Number of Air/Fuel Sensors	2								
Air/Fuel Sensor # 1 Type	Heated air fuel	Air/Fuel Sensor # 1 Description	--								
Air/Fuel Sensor # 2 Type	Heated air fuel	Air/Fuel Sensor # 2 Description	--								
Mfr Air/Fuel Sensor Comments	--										
Exhaust Gas Recirculation	Yes	Cooled Exhaust Gas Recirculation	Yes								
EGR Type	Electronic/Electric	Exhaust Gas Recirculation Description if 'Other'	--								
Closed Loop Air Injection System	No										
Air Injection Type	Not Applicable	Air Injection Type if 'Other'	--								
Mfr Engine Configuration Comments	--										
Official Test Numbers											
Test Group	Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Gasoline	VTYX10093260	VTYX10093261	VTYX10093271	VTYX10093262	VTYX10093269	222.3	46.2	180.1	42.1	--	
Electricity	VTYX10093260	VTYX10093261	VTYX10093271	VTYX10093262	VTYX10093269	--	--	--	--	--	

Certification Summary Information Report

Test Group		VTYXV02.0V2W		Evaporative/Refueling Family		VTYXR0120J42	
SFTP LEV-III Official Test Numbers							
Test Group Fuel		FTP		US06		SC03	
Electricity		VTYX10093260		VTYX10093261		VTYX10093271	
Gasoline		VTYX10093260		VTYX10093261		VTYX10093271	
Hybrid Electric Vehicle And Fuel Cell Information							
Rechargeable Energy Storage System		Battery(s)		Rechargeable Energy Storage System, if Other		--	
Battery Type		Lithium Ion		Number of Battery Packs		1	
Total Voltage of Battery Packs		266		Battery Energy Capacity		49	
Battery Specific Energy		209.6		Battery Charger Type		On-Board	
Number of Capacitors		--		Capacitor Rating (In Farads)		--	
Mfr Capacitor Comments		--					
Hydraulic System Description		--					
Regenerative Braking Type		Electrical Regen Brake					
Regenerative Braking Source		Front Wheels		Driver Controlled Regenerative Braking		No	
Mfr Regenerative Braking Description		--					
Drive Motor(s)/Generator(s)		1					
Motor/Generator Type 1		AC SYNCHRONOUS		Rated Motor/Generator Power		120	
Mfr Fuel Cell Description		--					
Fuel Cell On-Board H2 Storage Capacity (kg)		--		Usable H2 Fill Capacity (kg)		--	
Mfr Hybrid Electric/ Electric Vehicle Comments		--					

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42									
Emission Data Vehicle Information												
Vehicle ID / Configuration	23-MX2H / 0	Manufacturer Vehicle Configuration Number	0									
Original Test Group Name	PTYXV02.0P35	Original Evaporative/Refueling Family	PTYXR0120J72									
Original Test Vehicle Model Year	2023											
Vehicle Model												
Represented Test Vehicle Make	TOYOTA	Represented Test Vehicle Model	PRIUS PRIME									
Leak Family Details												
Leak Family Identifier	--	Leak Family Name	--									
Drive Sources and Fuel System Details												
<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th><th>Drive Source</th><th>Fuel</th></tr> </thead> <tbody> <tr> <td>1</td><td>Combustion Engine</td><td>Gasoline</td></tr> <tr> <td>2</td><td>Electric Motor</td><td>Electricity</td></tr> </tbody> </table>				Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline	2	Electric Motor	Electricity
Drive Source and Fuel#	Drive Source	Fuel										
1	Combustion Engine	Gasoline										
2	Electric Motor	Electricity										
Hybrid Indicator	Yes											
Multiple Fuel Storage	--	Multiple Fuel Combustion	--									
Fuel Cell Indicator	No	Rechargeable Energy Storage System Indicator	Yes									
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if 'Other'	--									
Off-board charge Capable Indicator	Yes											
Odometer Correction -- Initial	8	Odometer Correction Factor	1									
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor											
Odometer Correction Units	Miles											
Engine Code	01	Rated Horsepower	150									
Displacement (liters)	1.987											
Air Aspiration Method	Naturally Aspirated	Air Aspiration Method, if 'Other'										
Number of Air Aspiration Devices	--	Air Aspiration Device Configuration	--									
Charge Air Cooler Type	N/A	Drive Mode While Testing	2-Wheel Drive, Front									
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)									
Curb Weight (lbs)	3545	Equivalent Test Weight (pounds)	3875									
GVWR (lbs)	--	N/V Ratio	21.7									
Axle Ratio	3.61											
Transmission Type	Continuously Variable	# of Transmission Gears	1									
Transmission Lockup	No	Creep Gear	No									

Certification Summary Information Report

Test Group		VTYXV02.0V2W			Evaporative/Refueling Family		VTYXR0120J42	
Dynamometer Coefficients:								
Target Coefficients				Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)		
City/Highway/Evap	22.892	0.39705	0.01384	8.45	0.12613	0.016051	10.3	
US06	22.892	0.39705	0.01384	8.45	0.12613	0.016051	N/A	
Emission Control Device Comments		--						
Manufacturer Test Vehicle Comments		DRIVE MODE IS SPORT						

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42
Test #	PTYX10078091	Test Procedure	23 - 2-day evap
Exhaust Test # for this Evap Test	PTYX10078041	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	11/16/2022	Fuel	Gasoline
Fuel Batch ID	2F2A12	Fuel Calibration Number	6
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	Toyota Motor Corporation		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	3872	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	0	--
FE BAG 1 (Bag 1 Fuel Economy)	999	999
CO2 BAG 2 (Bag 2 Carbon Dioxide)	0	--
FE BAG 2 (Bag 2 Fuel Economy)	999	999
CO2 BAG 3 (Bag 3 Carbon Dioxide)	0	--
FE BAG 3 (Bag 3 Fuel Economy)	999	999
MFR FE (Manufacturer Fuel Economy)	999	999
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.1994	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	0	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	0	--

Manufacturer Test Comments HSL=0.0110, 1ST DBL=0.1830, 2ND DBL=0.1884, 1ST DBL IS ADDED KEY OFF MONITOR LOSS(0.0222GRAM)

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.1994	0	0.199	0.3	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.1994	0	0.199	0.3	Pass

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42
Test #	PTYX10078804	Test Procedure	38 - CA fuel 3-day evap.
Exhaust Test # for this Evap Test	PTYX10078791	Test Fuel Type	46 - CARB LEV3 E10 Regular Gasoline
Test Date	02/07/2023	Fuel	Gasoline
Fuel Batch ID	2L2-10	Fuel Calibration Number	1
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	Toyota Motor Corporation		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	4168	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	0	--
FE BAG 1 (Bag 1 Fuel Economy)	999	999
CO2 BAG 2 (Bag 2 Carbon Dioxide)	0	--
FE BAG 2 (Bag 2 Fuel Economy)	999	999
CO2 BAG 3 (Bag 3 Carbon Dioxide)	0	--
FE BAG 3 (Bag 3 Fuel Economy)	999	999
MFR FE (Manufacturer Fuel Economy)	999	999
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.1793	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	0	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	0	--

Manufacturer Test Comments HSL=0.0265, 1ST DBL=0.1528, 2ND DBL=0.1184, 3RD DBL=0.1126, 1ST DBL IS ADDED KEY OFF MONITOR LOSS(0.0222GRAM)

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.1793	0	0.179	0.3	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.1793	0	0.179	0.3	Pass

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42
Test #	PTYX10078094	Test Procedure	24 - Federal fuel refueling test (ORVR)
Exhaust Test # for this Evap Test	PTYX10078041	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	11/16/2022	Fuel	Gasoline
Fuel Batch ID	2F2A12	Fuel Calibration Number	6
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	Toyota Motor Corporation		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	3872	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	0	--
FE BAG 1 (Bag 1 Fuel Economy)	999	999
CO2 BAG 2 (Bag 2 Carbon Dioxide)	0	--
FE BAG 2 (Bag 2 Fuel Economy)	999	999
CO2 BAG 3 (Bag 3 Carbon Dioxide)	0	--
FE BAG 3 (Bag 3 Fuel Economy)	999	999
MFR FE (Manufacturer Fuel Economy)	999	999
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.0074	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	0	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	0	--

Manufacturer Test Comments --

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.007	0	0.01	0.2	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.007	0	0.01	0.2	Pass

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42
Test #	PTYX10078792	Test Procedure	37 - California Fuel Running Loss
Exhaust Test # for this Evap Test	PTYX10078791	Test Fuel Type	46 - CARB LEV3 E10 Regular Gasoline
Test Date	02/07/2023	Fuel	Gasoline
Fuel Batch ID	2L2-10	Fuel Calibration Number	1
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	Toyota Motor Corporation		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	4168	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
CO2 BAG 1 (Bag 1 Carbon Dioxide)	0	--	
CO BAG 1 (Bag 1 Carbon Monoxide)	0	--	
FE BAG 1 (Bag 1 Fuel Economy)	999	999	
CH4 BAG 1 (Bag 1 Methane)	0	--	
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0	--	
CO2 BAG 2 (Bag 2 Carbon Dioxide)	0	--	
CO BAG 2 (Bag 2 Carbon Monoxide)	0	--	
FE BAG 2 (Bag 2 Fuel Economy)	999	999	
CH4 BAG 2 (Bag 2 Methane)	0	--	
NMOG BAG 2 (Bag 2 Non-methane organic gases)	0	--	
CO2 BAG 3 (Bag 3 Carbon Dioxide)	0	--	
CO BAG 3 (Bag 3 Carbon Monoxide)	0	--	
FE BAG 3 (Bag 3 Fuel Economy)	999	999	
CH4 BAG 3 (Bag 3 Methane)	0	--	
NMOG BAG 3 (Bag 3 Non-methane organic gases)	0	--	
MFR FE (Manufacturer Fuel Economy)	999	999	
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.0000415	--	
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	
Carbon-Related Exhaust Emissions	0	--	

Certification Summary Information Report

Test Group		VTYXV02.0V2W		Evaporative/Refueling Family		VTYXR0120J42		
Test Result Name			Unrounded Test Result		Verify Calculated CO2			
Carbon dioxide			0		--			
Manufacturer Test Comments			--					
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0	0	0	0.05	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0	0	0	0.01	Pass

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42									
Emission Data Vehicle Information												
Vehicle ID / Configuration	27-MW4H / 0	Manufacturer Vehicle Configuration Number	0									
Original Test Group Name	VTYXV02.0V2W	Original Evaporative/Refueling Family	VTYXR0120J42									
Original Test Vehicle Model Year	2027											
Vehicle Model												
Represented Test Vehicle Make	TOYOTA	Represented Test Vehicle Model	PRIUS PHEV									
Leak Family Details												
Leak Family Identifier	--	Leak Family Name	--									
Drive Sources and Fuel System Details												
	<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th><th>Drive Source</th><th>Fuel</th></tr> </thead> <tbody> <tr> <td>1</td><td>Combustion Engine</td><td>Gasoline</td></tr> <tr> <td>2</td><td>Electric Motor</td><td>Electricity</td></tr> </tbody> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline	2	Electric Motor	Electricity		
Drive Source and Fuel#	Drive Source	Fuel										
1	Combustion Engine	Gasoline										
2	Electric Motor	Electricity										
Hybrid Indicator	Yes											
Multiple Fuel Storage	--	Multiple Fuel Combustion	--									
Fuel Cell Indicator	No	Rechargeable Energy Storage System Indicator	Yes									
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if 'Other'	--									
Off-board charge Capable Indicator	Yes											
Odometer Correction -- Initial	0	Odometer Correction Factor	1									
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor											
Odometer Correction Units	Miles											
Engine Code	01	Rated Horsepower	152									
Displacement (liters)	1.987											
Air Aspiration Method	Naturally Aspirated	Air Aspiration Method, if 'Other'										
Number of Air Aspiration Devices	--	Air Aspiration Device Configuration	--									
Charge Air Cooler Type	N/A	Drive Mode While Testing	2-Wheel Drive, Front									
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)									
Curb Weight (lbs)	3545	Equivalent Test Weight (pounds)	3875									
GVWR (lbs)	4475	N/V Ratio	21.7									
Axle Ratio	3.61											
Transmission Type	Continuously Variable	# of Transmission Gears	1									
Transmission Lockup	No	Creeper Gear	No									

Certification Summary Information Report

Test Group		VTYXV02.0V2W			Evaporative/Refueling Family		VTYXR0120J42	
Dynamometer Coefficients:								
Target Coefficients				Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)		
City/Highway/Evap	22.892	0.39705	0.01384	9.254	0.09816	0.016603	10.3	
Cold CO	25.181	0.43676	0.015224	7.633	0.09777	0.017962	N/A	
US06	22.892	0.39705	0.01384	9.254	0.09816	0.016603	N/A	
Emission Control Device Comments		--						
Manufacturer Test Vehicle Comments		DRIVE MODE IS SPORTS						

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42
Test #	VTYX10093260	Test Procedure	21 - Federal fuel 2-day exhaust (w/can load)
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	12/11/2025	Fuel	Gasoline
Fuel Batch ID	2D5-02	Fuel Calibration Number	2
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Determined
Verify Test Lab ID	Toyota Motor Corporation		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4110	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
CO2 BAG 1 (Bag 1 Carbon Dioxide)	183.6386965	--	
CO BAG 1 (Bag 1 Carbon Monoxide)	0.2331905	--	
FE BAG 1 (Bag 1 Fuel Economy)	999	999	
CH4 BAG 1 (Bag 1 Methane)	0.00302	--	
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0305622	--	
CO2 BAG 2 (Bag 2 Carbon Dioxide)	87.8402059	--	
CO BAG 2 (Bag 2 Carbon Monoxide)	0.021864	--	
FE BAG 2 (Bag 2 Fuel Economy)	999	999	
CH4 BAG 2 (Bag 2 Methane)	0.0017564	--	
NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0005888	--	
CO2 BAG 3 (Bag 3 Carbon Dioxide)	154.2207624	--	
CO BAG 3 (Bag 3 Carbon Monoxide)	0.0413617	--	
FE BAG 3 (Bag 3 Fuel Economy)	999	999	
CH4 BAG 3 (Bag 3 Methane)	0.0023154	--	
NMOG BAG 3 (Bag 3 Non-methane organic gases)	0.0022163	--	
CO2 BAG 4 (Bag 4 Carbon Dioxide)	83.0811804	--	
CO BAG 4 (Bag 4 Carbon Monoxide)	0.0167746	--	
FE BAG 4 (Bag 4 Fuel Economy)	999	999	
CH4 BAG 4 (Bag 4 Methane)	0.002118	--	
NMOG BAG 4 (Bag 4 Non-methane organic gases)	0.0002538	--	
METHANE (CH4 - Methane)	0.0022785	--	
CO (Carbon Monoxide)	0.0694944	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.59	--	
DT-EER (Drive Trace Energy Economy Rating)	0.12	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.72	--	
MFR FE (Manufacturer Fuel Economy)	999	999	
NOX (Nitrogen Oxide)	0.0005547	--	
N2O (Nitrous Oxide)	0	--	
HC-NM (Non-methane Hydrocarbon)	0.0064997	--	
NMOG (Non-methane organic gases)	0.0071575	--	
PM (Particulate Matter)	0.0001327	--	
HC-TOTAL (Total Hydrocarbon)	0.0085824	--	

Certification Summary Information Report

Test Group		VTYXV02.0V2W			Evaporative/Refueling Family				VTYXR0120J42			
		Test Result Name		Unrounded Test Result			Verify Calculated CREE/OPT-CREE					
		Carbon-Related Exhaust Emissions		0			125					
		Test Result Name		Unrounded Test Result			Verify Calculated CO2					
		Carbon dioxide		124.5188321			--					
Manufacturer Test Comments		NMOG = HC-NM x 1.1012, Bag1:NMOG = HC-NM x 1.1036, Bag2 Bag4:NMOG = HC-NM x 1.1235, Bag3:NMOG = HC-NM x 1.0505										
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 20	CO	0.07	--	--	--	0.01	--	0.1	1.0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 20	CO-COMP	0.14	--	--	--	0.01	--	0.1	4.2	Pass
Fed	150,000 miles	Federal Tier 3 Bin 20	CREE	125	--	--	--	0.014	--	125	--	--
Fed	150,000 miles	Federal Tier 3 Bin 20	METHANE	0.0023	--	--	--	0.0025	--	0.005	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 20	N2O	0	--	--	--	0	--	0	0.010	Pass
Fed	150,000 miles	Federal Tier 3 Bin 20	NMOG	0.0072	1	1.1	--	0.0022	--	0.009	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 20	NMOG+NOX	0.0078	1	1.1	--	--	--	0.01	0.020	Pass
Fed	150,000 miles	Federal Tier 3 Bin 20	NMOG+NOX-COMP	0.0093	1	1.03	--	0.0025	--	0.009	0.050	Pass
Fed	150,000 miles	Federal Tier 3 Bin 20	NOX	0.0006	--	--	--	0.0003	--	0.001	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 20	PM	0.0001	--	--	--	0.0001	--	0	0.001	Pass
CA	150,000 miles	California LEV-IV SULEV20	CO	0.07	--	--	--	0.01	--	0.1	1.0	Pass
CA	150,000 miles	California LEV-IV SULEV20	NMOG	0.0072	1	1.1	--	0.0022	--	0.009	999.999	Pass
CA	150,000 miles	California LEV-IV SULEV20	NMOG+NOX	0.0078	1	1.1	--	--	--	0.01	0.020	Pass
CA	150,000 miles	California LEV-IV SULEV20	NOX	0.0006	--	--	--	0.0003	--	0.001	999.999	Pass
CA	150,000 miles	California LEV-IV SULEV20	PM	0.0001	--	--	--	0.0001	--	0	0.001	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42
Test #	VTYX10093262	Test Procedure	11 - Cold CO
Exhaust Test # for this Evap Test	--	Test Fuel Type	28 - Cold CO E10 Regular Gasoline (Tier 3)
Test Date	01/15/2026	Fuel	Gasoline
Fuel Batch ID	2M3A01	Fuel Calibration Number	21
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Determined
Verify Test Lab ID	Toyota Motor Corporation		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4278	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
CO2 BAG 1 (Bag 1 Carbon Dioxide)	284.2316271	--	
CO BAG 1 (Bag 1 Carbon Monoxide)	1.2444695	--	
FE BAG 1 (Bag 1 Fuel Economy)	999	999	
CH4 BAG 1 (Bag 1 Methane)	0.0195646	--	
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.4116229	--	
CO2 BAG 2 (Bag 2 Carbon Dioxide)	104.297562	--	
CO BAG 2 (Bag 2 Carbon Monoxide)	0.0968118	--	
FE BAG 2 (Bag 2 Fuel Economy)	999	999	
CH4 BAG 2 (Bag 2 Methane)	0.0017465	--	
NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0017052	--	
CO2 BAG 3 (Bag 3 Carbon Dioxide)	200.3212387	--	
CO BAG 3 (Bag 3 Carbon Monoxide)	0.1532843	--	
FE BAG 3 (Bag 3 Fuel Economy)	999	999	
CH4 BAG 3 (Bag 3 Methane)	0.0011634	--	
NMOG BAG 3 (Bag 3 Non-methane organic gases)	0.0007834	--	
CO2 BAG 4 (Bag 4 Carbon Dioxide)	103.9645055	--	
CO BAG 4 (Bag 4 Carbon Monoxide)	0.0615237	--	
CH4 BAG 4 (Bag 4 Methane)	0.0011913	--	
NMOG BAG 4 (Bag 4 Non-methane organic gases)	0.000372	--	
METHANE (CH4 - Methane)	0.0051174	--	
CO (Carbon Monoxide)	0.3399092	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.72	--	
DT-EER (Drive Trace Energy Economy Rating)	0.54	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	1.03	--	
MFR FE (Manufacturer Fuel Economy)	999	999	
NOX (Nitrogen Oxide)	0.0196038	--	
N2O (Nitrous Oxide)	0.0019203	--	
HC-NM (Non-methane Hydrocarbon)	0.077989	--	
NMOG (Non-methane organic gases)	0.0860664	--	
HC-TOTAL (Total Hydrocarbon)	0.0825652	--	
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	
Carbon-Related Exhaust Emissions	0	--	

Certification Summary Information Report

Test Group		VTYXV02.0V2W				Evaporative/Refueling Family				VTYXR0120J42			
		Test Result Name		Unrounded Test Result			Verify Calculated CO2						
		Carbon dioxide		167.8971061			--						
Manufacturer Test Comments		Bag1:NMOG = HC-NM x 1.1036, Bag2 Bag4:NMOG = HC-NM x 1.1235, Bag3:NMOG = HC-NM x 1.0505											
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail	
Fed	50,000 miles	Federal Tier 3 Bin 20	CO	0.34	--	--	--	0	--	0.3	10.0	Pass	
Fed	120,000 miles	Federal Tier 3 Bin 20	HC-NM	0.08	--	--	--	0	--	0.1	0.2	Pass	
CA	50,000 miles	California LEV-IV SULEV20	CO	0.34	--	--	--	0	--	0.3	10.0	Pass	

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42
Test #	VTYX10093269	Test Procedure	3 - HWFE
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	12/11/2025	Fuel	Gasoline
Fuel Batch ID	2D5-02	Fuel Calibration Number	2
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Determined
Verify Test Lab ID	Toyota Motor Corporation		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4125	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	129.6144426	--
CO BAG 1 (Bag 1 Carbon Monoxide)	0.0682847	--
CH4 BAG 1 (Bag 1 Methane)	0.000303	--
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0002554	--
METHANE (CH4 - Methane)	0.000303	--
CO (Carbon Monoxide)	0.0682847	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.29	--
DT-EER (Drive Trace Energy Economy Rating)	0.2	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.42	--
MFR FE (Manufacturer Fuel Economy)	999	999
NOX (Nitrogen Oxide)	0.0001778	--
N2O (Nitrous Oxide)	0	--
HC-NM (Non-methane Hydrocarbon)	0.000248	--
NMOG (Non-methane organic gases)	0.0002554	--
HC-TOTAL (Total Hydrocarbon)	0.000525	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	0	130

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	129.6144426	--

Certification Summary Information Report

Test Group		VTYXV02.0V2W				Evaporative/Refueling Family				VTYXR0120J42		
Manufacturer Test Comments		NMOG = HC-NM x 1.03										
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 20	CREE	130	--	--	--	0.014	--	130	--	--
Fed	150,000 miles	Federal Tier 3 Bin 20	NMOG	0.0003	1	1.03	--	0.0022	--	0.002	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 20	NMOG+NOX	0.0005	1	1.03	--	--	--	0.003	0.020	Pass
Fed	150,000 miles	Federal Tier 3 Bin 20	NOX	0.0002	--	--	--	0.0003	--	0	999.999	Pass
CA	150,000 miles	California LEV-IV SULEV20	NMOG	0.0003	1	1.03	--	0.0022	--	0.002	999.999	Pass
CA	150,000 miles	California LEV-IV SULEV20	NMOG+NOX	0.0005	1	1.03	--	--	--	0.003	0.020	Pass
CA	150,000 miles	California LEV-IV SULEV20	NOX	0.0002	--	--	--	0.0003	--	0	999.999	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42
Test #	VTYX10093261	Test Procedure	90 - US06
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	12/11/2025	Fuel	Gasoline
Fuel Batch ID	2D5-02	Fuel Calibration Number	2
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Determined
Verify Test Lab ID	Toyota Motor Corporation		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4145	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42																																																																					
	<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated FE Equivalent Value (miles per gallon)</th></tr><tr><td>CO2 BAG 1 (Bag 1 Carbon Dioxide)</td><td>269.3546189</td><td>--</td></tr><tr><td>CO BAG 1 (Bag 1 Carbon Monoxide)</td><td>0.3825279</td><td>--</td></tr><tr><td>FE BAG 1 (Bag 1 Fuel Economy)</td><td>999</td><td>999</td></tr><tr><td>CH4 BAG 1 (Bag 1 Methane)</td><td>0.0025391</td><td>--</td></tr><tr><td>NMOG BAG 1 (Bag 1 Non-methane organic gases)</td><td>0.0181776</td><td>--</td></tr><tr><td>CO2 BAG 2 (Bag 2 Carbon Dioxide)</td><td>172.0972554</td><td>--</td></tr><tr><td>CO BAG 2 (Bag 2 Carbon Monoxide)</td><td>0.1400512</td><td>--</td></tr><tr><td>FE BAG 2 (Bag 2 Fuel Economy)</td><td>999</td><td>999</td></tr><tr><td>CH4 BAG 2 (Bag 2 Methane)</td><td>0.0013249</td><td>--</td></tr><tr><td>NMOG BAG 2 (Bag 2 Non-methane organic gases)</td><td>0.0034189</td><td>--</td></tr><tr><td>METHANE (CH4 - Methane)</td><td>0.0015937</td><td>--</td></tr><tr><td>CO (Carbon Monoxide)</td><td>0.1937369</td><td>--</td></tr><tr><td>DT-ASCR (Drive Trace Absolute Speed Change Rating)</td><td>0.54</td><td>--</td></tr><tr><td>DT-EER (Drive Trace Energy Economy Rating)</td><td>0.1</td><td>--</td></tr><tr><td>DT-IWRR (Drive Trace Inertia Work Ratio Rating)</td><td>0.22</td><td>--</td></tr><tr><td>MFR FE (Manufacturer Fuel Economy)</td><td>999</td><td>999</td></tr><tr><td>NOX (Nitrogen Oxide)</td><td>0.0053468</td><td>--</td></tr><tr><td>N2O (Nitrous Oxide)</td><td>0.0000904</td><td>--</td></tr><tr><td>HC-NM (Non-methane Hydrocarbon)</td><td>0.0064918</td><td>--</td></tr><tr><td>NMOG (Non-methane organic gases)</td><td>0.0066866</td><td>--</td></tr><tr><td>PM (Particulate Matter)</td><td>0.0001657</td><td>--</td></tr><tr><td>HC-TOTAL (Total Hydrocarbon)</td><td>0.0079486</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	CO2 BAG 1 (Bag 1 Carbon Dioxide)	269.3546189	--	CO BAG 1 (Bag 1 Carbon Monoxide)	0.3825279	--	FE BAG 1 (Bag 1 Fuel Economy)	999	999	CH4 BAG 1 (Bag 1 Methane)	0.0025391	--	NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0181776	--	CO2 BAG 2 (Bag 2 Carbon Dioxide)	172.0972554	--	CO BAG 2 (Bag 2 Carbon Monoxide)	0.1400512	--	FE BAG 2 (Bag 2 Fuel Economy)	999	999	CH4 BAG 2 (Bag 2 Methane)	0.0013249	--	NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0034189	--	METHANE (CH4 - Methane)	0.0015937	--	CO (Carbon Monoxide)	0.1937369	--	DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.54	--	DT-EER (Drive Trace Energy Economy Rating)	0.1	--	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.22	--	MFR FE (Manufacturer Fuel Economy)	999	999	NOX (Nitrogen Oxide)	0.0053468	--	N2O (Nitrous Oxide)	0.0000904	--	HC-NM (Non-methane Hydrocarbon)	0.0064918	--	NMOG (Non-methane organic gases)	0.0066866	--	PM (Particulate Matter)	0.0001657	--	HC-TOTAL (Total Hydrocarbon)	0.0079486	--		
	Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)																																																																					
	CO2 BAG 1 (Bag 1 Carbon Dioxide)	269.3546189	--																																																																					
	CO BAG 1 (Bag 1 Carbon Monoxide)	0.3825279	--																																																																					
	FE BAG 1 (Bag 1 Fuel Economy)	999	999																																																																					
	CH4 BAG 1 (Bag 1 Methane)	0.0025391	--																																																																					
	NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0181776	--																																																																					
	CO2 BAG 2 (Bag 2 Carbon Dioxide)	172.0972554	--																																																																					
	CO BAG 2 (Bag 2 Carbon Monoxide)	0.1400512	--																																																																					
	FE BAG 2 (Bag 2 Fuel Economy)	999	999																																																																					
	CH4 BAG 2 (Bag 2 Methane)	0.0013249	--																																																																					
	NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0034189	--																																																																					
	METHANE (CH4 - Methane)	0.0015937	--																																																																					
	CO (Carbon Monoxide)	0.1937369	--																																																																					
	DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.54	--																																																																					
	DT-EER (Drive Trace Energy Economy Rating)	0.1	--																																																																					
	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.22	--																																																																					
	MFR FE (Manufacturer Fuel Economy)	999	999																																																																					
	NOX (Nitrogen Oxide)	0.0053468	--																																																																					
	N2O (Nitrous Oxide)	0.0000904	--																																																																					
	HC-NM (Non-methane Hydrocarbon)	0.0064918	--																																																																					
	NMOG (Non-methane organic gases)	0.0066866	--																																																																					
	PM (Particulate Matter)	0.0001657	--																																																																					
	HC-TOTAL (Total Hydrocarbon)	0.0079486	--																																																																					
		<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CREE/OPT-CREE</th></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	Carbon-Related Exhaust Emissions	0	--																																																																
	Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE																																																																					
	Carbon-Related Exhaust Emissions	0	--																																																																					
		<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CO2</th></tr><tr><td>Carbon dioxide</td><td>193.6306047</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated CO2	Carbon dioxide	193.6306047	--																																																																
Test Result Name	Unrounded Test Result	Verify Calculated CO2																																																																						
Carbon dioxide	193.6306047	--																																																																						
Manufacturer Test Comments	NMOG = HC-NM x 1.0300																																																																							

Certification Summary Information Report

Test Group		VTYXV02.0V2W				Evaporative/Refueling Family				VTYXR0120J42		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 20	PM	0.0002	--	--	--	0.0001	--	0	0.001	Pass
CA	150,000 miles	California LEV-IV SULEV20	CO	0.19	--	--	--	0.01	--	0.2	9.6	Pass
CA	150,000 miles	California LEV-IV SULEV20	NMOG	0.0067	1	1.03	--	0.0022	--	0.009	999.999	Pass
CA	150,000 miles	California LEV-IV SULEV20	NMOG+NOX	0.012	1	1.03	--	--	--	0.014	0.030	Pass
CA	150,000 miles	California LEV-IV SULEV20	NOX	0.0053	--	--	--	0.0003	--	0.006	999.999	Pass
CA	150,000 miles	California LEV-IV SULEV20	PM	0.0002	--	--	--	0.0001	--	0	0.003	Pass

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42
Test #	VTYX10093271	Test Procedure	95 - SC03
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	11/18/2025	Fuel	Gasoline
Fuel Batch ID	2D5-02	Fuel Calibration Number	1
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Determined
Verify Test Lab ID	Toyota Motor Corporation		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4037	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	194.1860939	--
CO BAG 1 (Bag 1 Carbon Monoxide)	0.1512855	--
CH4 BAG 1 (Bag 1 Methane)	0.0018648	--
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0009378	--
METHANE (CH4 - Methane)	0.0018648	--
CO (Carbon Monoxide)	0.1512855	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.84	--
DT-EER (Drive Trace Energy Economy Rating)	0.76	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	1.3	--
MFR FE (Manufacturer Fuel Economy)	999	999
NOX (Nitrogen Oxide)	0.0009128	--
N2O (Nitrous Oxide)	0	--
HC-NM (Non-methane Hydrocarbon)	0.0009105	--
NMOG (Non-methane organic gases)	0.0009378	--
HC-TOTAL (Total Hydrocarbon)	0.0026507	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	0	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	194.1860939	--

Certification Summary Information Report

Test Group		VTYXV02.0V2W				Evaporative/Refueling Family				VTYXR0120J42		
Manufacturer Test Comments		NMOG = HC-NM x 1.03										
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
CA	150,000 miles	California LEV-IV SULEV20	CO	0.15	--	--	--	0.01	--	0.2	1.0	Pass
CA	150,000 miles	California LEV-IV SULEV20	NMOG	0.0009	1	1.03	--	0.0022	--	0.003	999.999	Pass
CA	150,000 miles	California LEV-IV SULEV20	NMOG+NOX	0.0018	1	1.03	--	--	--	0.004	0.020	Pass
CA	150,000 miles	California LEV-IV SULEV20	NOX	0.0009	--	--	--	0.0003	--	0.001	999.999	Pass

Certification Summary Information Report

Test Group	VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42
Fuel Properties			
Fuel Batch ID	2D5-02	Fuel Calibration Number	2
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	04/03/2025
Fuel Batch Calibration Effective Date	12/01/2025	Fuel Batch Calibration Ineffective Date	12/31/2025
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.74
Fuel Ethanol Volume Percent (%)	9.9	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	--
Fuel Net Heat of Combustion (E10) (MJ/kg)	41.528	Fuel Carbon Mass Fraction (E10)	0.825
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	--	Weight Fraction CO2	--
Fuel Batch ID	2D5-02	Fuel Calibration Number	1
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	04/03/2025
Fuel Batch Calibration Effective Date	11/07/2025	Fuel Batch Calibration Ineffective Date	11/30/2025
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.74
Fuel Ethanol Volume Percent (%)	9.9	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	--
Fuel Net Heat of Combustion (E10) (MJ/kg)	41.528	Fuel Carbon Mass Fraction (E10)	0.825
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	--	Weight Fraction CO2	--
Fuel Batch ID	2L2-10	Fuel Calibration Number	1
Test Fuel Type	46 - CARB LEV3 E10 Regular Gasoline	Fuel Batch Calibration Date	11/18/2022
Fuel Batch Calibration Effective Date	02/01/2023	Fuel Batch Calibration Ineffective Date	02/28/2023
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.74
Fuel Ethanol Volume Percent (%)	9.9	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17848
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.825	Weight Fraction CO2	--
Fuel Batch ID	2F2A12	Fuel Calibration Number	6
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	06/09/2022
Fuel Batch Calibration Effective Date	11/15/2022	Fuel Batch Calibration Ineffective Date	11/30/2022

Certification Summary Information Report

Test Group		VTYXV02.0V2W	Evaporative/Refueling Family	VTYXR0120J42
Carbon Weight Fraction NMHC	--		Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--		Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--		Fuel Specific Gravity	0.74
Fuel Ethanol Volume Percent (%)	10		Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17820
Fuel Net Heat of Combustion (E10) (MJ/kg)	--		Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.825		Weight Fraction CO2	--
Fuel Batch ID	2M3A01		Fuel Calibration Number	21
Test Fuel Type	28 - Cold CO E10 Regular Gasoline (Tier 3)		Fuel Batch Calibration Date	12/22/2023
Fuel Batch Calibration Effective Date	01/06/2026		Fuel Batch Calibration Ineffective Date	01/31/2026
Carbon Weight Fraction NMHC	--		Carbon Weight Fraction HC	0.825
Exhaust Carbon Weight Fraction	--		Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--		Fuel Specific Gravity	0.735
Fuel Ethanol Volume Percent (%)	9.6		Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	--
Fuel Net Heat of Combustion (E10) (MJ/kg)	41.552		Fuel Carbon Mass Fraction (E10)	0.825
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	--		Weight Fraction CO2	--

Certification Summary Information Report

Test Group		VTYXV02.0V2W			Evaporative/Refueling Family			VTYXR0120J42	
Consolidated List of Standards									
Exhaust Standards									
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDV/Passenger Car			Standard Level			Federal Tier 3 Bin 20	
Fuel		Gasoline			Test Procedure			Federal fuel 2-day exhaust (w/can load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.01	1.0
150,000 miles	CO-COMP	--	--	--	--	--	--	0.01	4.2
150,000 miles	CREE	--	--	--	--	--	--	0.014	999.999
150,000 miles	HCHO	--	--	--	--	--	--	--	0.004
150,000 miles	METHANE	--	--	--	--	--	--	0.0025	0.030
150,000 miles	N2O	--	--	--	--	--	--	0	0.010
150,000 miles	NMOG	--	1	1.1	--	--	--	0.0022	999.999
150,000 miles	NMOG+NOX	--	1	1.1	--	--	--	0.0025	0.020
150,000 miles	NMOG+NOX-COMP	--	1	1.03	--	--	--	0.0025	0.050
150,000 miles	NOX	--	--	--	--	--	--	0.0003	999.999
150,000 miles	PM	--	--	--	--	--	--	0.0001	0.001
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDV/Passenger Car			Standard Level			Federal Tier 3 Bin 20	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CREE	--	--	--	--	--	--	0.014	999.999
150,000 miles	NMOG	--	1	1.03	--	--	--	0.0022	999.999
150,000 miles	NMOG+NOX	--	1	1.03	--	--	--	0.0025	0.020
150,000 miles	NOX	--	--	--	--	--	--	0.0003	999.999

Certification Summary Information Report

Test Group	VTYXV02.0V2W				Evaporative/Refueling Family			VTYXR0120J42	
Cert Region	California + CAA Section 177 states				Cert/In-Use Code			Cert	
Vehicle Class	LDV/Passenger Car				Standard Level			California LEV-IV SULEV20	
Fuel	Gasoline				Test Procedure			Federal fuel 2-day exhaust (w/can load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.01	1.0
150,000 miles	HCHO	--	--	--	--	--	--	--	0.004
150,000 miles	NMOG	--	1	1.1	--	--	--	0.0022	999.999
150,000 miles	NMOG+NOX	--	1	1.1	--	--	--	0.0025	0.020
150,000 miles	NOX	--	--	--	--	--	--	0.0003	999.999
150,000 miles	PM	--	--	--	--	--	--	0.0001	0.001

Cert Region	California + CAA Section 177 states				Cert/In-Use Code			Cert	
Vehicle Class	LDV/Passenger Car				Standard Level			California LEV-IV SULEV20	
Fuel	Gasoline				Test Procedure			SC03	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.01	1.0
150,000 miles	NMOG	--	1	1.03	--	--	--	0.0022	999.999
150,000 miles	NMOG+NOX	--	1	1.03	--	--	--	0.0025	0.020
150,000 miles	NOX	--	--	--	--	--	--	0.0003	999.999

Cert Region	California + CAA Section 177 states				Cert/In-Use Code			Cert	
Vehicle Class	LDV/Passenger Car				Standard Level			California LEV-IV SULEV20	
Fuel	Gasoline				Test Procedure			CA fuel 50 Deg(F) exhaust test	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
4,000 miles	CO	--	--	--	--	--	--	--	1.0
4,000 miles	HCHO	--	--	--	--	--	--	--	0.008
4,000 miles	NMOG	--	1	1.1	--	--	--	--	999.999
4,000 miles	NMOG+NOX	--	1	1.1	--	--	1	--	0.060
4,000 miles	NOX	--	--	--	--	--	--	--	999.999

Certification Summary Information Report

Test Group		VTYXV02.0V2W			Evaporative/Refueling Family			VTYXR0120J42	
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDV/Passenger Car			Standard Level			Federal Tier 3 Bin 20	
Fuel		Gasoline			Test Procedure			Cold CO	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	0	10.0
120,000 miles	HC-NM	--	--	--	--	--	--	0	0.2

Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDV/Passenger Car			Standard Level			California LEV-IV SULEV20	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	NMOG	--	1	1.03	--	--	--	0.0022	999.999
150,000 miles	NMOG+NOX	--	1	1.03	--	--	--	0.0025	0.020
150,000 miles	NOX	--	--	--	--	--	--	0.0003	999.999

Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDV/Passenger Car			Standard Level			California LEV-IV SULEV20	
Fuel		Gasoline			Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.01	9.6
150,000 miles	NMOG	--	1	1.03	--	--	--	0.0022	999.999
150,000 miles	NMOG+NOX	--	1	1.03	--	--	--	0.0025	0.030
150,000 miles	NOX	--	--	--	--	--	--	0.0003	999.999
150,000 miles	PM	--	--	--	--	--	--	0.0001	0.003

Certification Summary Information Report

Test Group		VTYXV02.0V2W			Evaporative/Refueling Family			VTYXR0120J42	
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDV/Passenger Car			Standard Level			Federal Tier 3 Bin 20	
Fuel		Gasoline			Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	PM	--	--	--	--	--	--	0.0001	0.001

Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDV/Passenger Car			Standard Level			California LEV-IV SULEV20	
Fuel		Gasoline			Test Procedure			Cold CO	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	0	10.0

Evaporative/Refueling Standards

Evaporative/Refueling Family		VTYXR0120J42		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal fuel refueling test (ORVR)					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.20	0		

Evaporative/Refueling Family		VTYXR0120J42		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Cert		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		2-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.300	0		

Evaporative/Refueling Family		VTYXR0120J42		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		CA fuel 3-day evap.					
Fuel	Useful Life	Emission Name	Rounded Result		Std	Add DF	
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--		0.300	0	

Certification Summary Information Report

Test Group		VTYXV02.0V2W		Evaporative/Refueling Family		VTYXR0120J42	
Evaporative/Refueling Family		VTYXR0120J42		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		California Fuel Running Loss					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.05	0		
Evaporative/Refueling Family		VTYXR0120J42		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Cert		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		Federal fuel refueling test (ORVR)					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.20	0		
Evaporative/Refueling Family		VTYXR0120J42		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		2-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.300	0		
Evaporative/Refueling Family		VTYXR0120J42		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		Spitback					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	4,000 miles	SPITBACK	--	1.0	--		
Evaporative/Refueling Family		VTYXR0120J42		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Cert		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		CA fuel 3-day evap.					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.300	0		

Certification Summary Information Report

Test Group		VTYXV02.0V2W		Evaporative/Refueling Family		VTYXR0120J42	
Evaporative/Refueling Family		VTYXR0120J42		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Cert		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		California Fuel Running Loss					
Fuel		Useful Life		Emission Name		Rounded Result	
Std		Add DF					
Gasoline		150,000 miles		HC-TOTAL-EQUIV		--	
						0.01	
						0	

Certification Summary Information Report

Test Group		VTYXV02.0V2W	Evaporative/Refueling Family		VTYXR0120J42
Glossary					
Useful Life					
4	4,000 miles		120	120,000 miles	
50	50,000 miles		150	150,000 miles	
100	100,000 miles				
Emission Name					
HC-TOTAL	Total Hydrocarbon		COMB-CREE	Combined Carbon-Related Exhaust Emissions	
CO	Carbon Monoxide		COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions	
CO2	Carbon dioxide		HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only	
CREE	Carbon-Related Exhaust Emissions		METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only	
OPT-CREE	Optional Carbon-Related Exhaust Emissions		N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only	
NOX	Nitrogen Oxide		LEAK-DIA	Effective Leak Diameter (inches)	
PM	Particulate Matter		LEAK-GAS CAP	Gas Cap Leakage (cc/min)	
PM-COMP	SFTP Composite Particulate Matter		CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only	
HC-NM	Non-methane Hydrocarbon		KW-HRS	Integrated DC KW-HRS	
OMHCE	Organic material Hydrocarbon Equivalent		CH4 BAG 1	Bag 1 Methane	
OMNMHCE	Organic material non-methane HC equivalent		CH4 BAG 2	Bag 2 Methane	
NMOG	Non-methane organic gases		CH4 BAG 3	Bag 3 Methane	
HCHO	Formaldehyde		CH4 BAG 4	Bag 4 Methane	
H3C2HO	Acetaldehyde		CO BAG 1	Bag 1 Carbon Monoxide	
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03		CO BAG 2	Bag 2 Carbon Monoxide	
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides		CO BAG 3	Bag 3 Carbon Monoxide	
CO-COMP	SFTP Composite Carbon Monoxide		CO BAG 4	Bag 4 Carbon Monoxide	
ETHANOL	C2H5OH - Ethanol		NMOG BAG 1	Bag 1 Non-methane organic gases	
FE BAG 1	Bag 1 Fuel Economy		NMOG BAG 2	Bag 2 Non-methane organic gases	
FE BAG 2	Bag 2 Fuel Economy		NMOG BAG 3	Bag 3 Non-methane organic gases	
FE BAG 3	Bag 3 Fuel Economy		NMOG BAG 4	Bag 4 Non-methane organic gases	
FE BAG 4	Bag 4 Fuel Economy		ACT-DISTANCE BAG 1	Bag 1 Actual Distance	
MFR FE	Manufacturer Fuel Economy		ACT-DISTANCE BAG 2	Bag 2 Actual Distance	
HC	Hydrocarbon for Running Loss and ORVR		ACT-DISTANCE BAG 3	Bag 3 Actual Distance	
METHANE	CH4 - Methane		ACT-DISTANCE BAG 4	Bag 4 Actual Distance	
METHANOL	CH3OH - Methanol		HC-TOTAL BAG 1	Bag 1 Total Hydrocarbon	
N2O	Nitrous Oxide		HC-TOTAL BAG 2	Bag 2 Total Hydrocarbon	
SPITBACK	Spitback Hydrocarbon in grams		HC-TOTAL BAG 3	Bag 3 Total Hydrocarbon	
AMP-HRS	Integrated Amp-hours		HC-TOTAL BAG 4	Bag 4 Total Hydrocarbon	
START-SOC	System Start State of Charge Watt-hours		WATT-HRS BAG 1	Bag 1 Watt Hours	
END-SOC	System End State of Charge Watt-hours		WATT-HRS BAG 2	Bag 2 Watt Hours	

Certification Summary Information Report

Test Group		VTYXV02.0V2W	Evaporative/Refueling Family		VTYXR0120J42
ACT-DISTANCE	Actual Distance Driven (miles)		WATT-HRS BAG 3	Bag 3 Watt Hours	
AS-VOLT	Average System Voltage		WATT-HRS BAG 4	Bag 4 Watt Hours	
CO2 BAG 1	Bag 1 Carbon Dioxide		WATT-HRS	Watt Hours	
CO2 BAG 2	Bag 2 Carbon Dioxide		HC-NM BAG 1	Bag 1 Non-methane Hydrocarbon	
CO2 BAG 3	Bag 3 Carbon Dioxide		HC-NM BAG 2	Bag 2 Non-methane Hydrocarbon	
CO2 BAG 4	Bag 4 Carbon Dioxide		HC-NM BAG 3	Bag 3 Non-methane Hydrocarbon	
NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides		HC-NM BAG 4	Bag 4 Non-methane Hydrocarbon	
NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides		N2O BAG 1	Bag 1 Nitrous Oxide	
DT-IWRR	Drive Trace Inertia Work Ratio Rating		N2O BAG 2	Bag 2 Nitrous Oxide	
DT-ASCR	Drive Trace Absolute Speed Change Rating		N2O BAG 3	Bag 3 Nitrous Oxide	
DT-EER	Drive Trace Energy Economy Rating		N2O BAG 4	Bag 4 Nitrous Oxide	
Certification Region					
CA	California + CAA Section 177 states		FA	Federal	
Exhaust Emission Standard Level					
B1	Federal Tier 2 Bin 1		HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
B2	Federal Tier 2 Bin 2		HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
B3	Federal Tier 2 Bin 3		HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
B4	Federal Tier 2 Bin 4		HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
B5	Federal Tier 2 Bin 5		HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
B6	Federal Tier 2 Bin 6		HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
B7	Federal Tier 2 Bin 7		HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
B8	Federal Tier 2 Bin 8		HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
B9	Federal Tier 2 Bin 9		HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
B10	Federal Tier 2 Bin 10		HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
B11	Federal Tier 2 Bin 11		HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)		HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)		HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
L2	California LEV-II LEV		L4SULEV100	California LEV-IV SULEV100	
L2OP	California LEV-II LEV Optional		L4SULEV125	California LEV-IV SULEV125	
U2	California LEV-II ULEV		L4SULEV15	California LEV-IV SULEV15	
S2	California LEV-II SULEV		L4SULEV150	California LEV-IV SULEV150	
ZEV	California ZEV		L4SULEV170	California LEV-IV SULEV170	
OT	Other		L4SULEV175	California LEV-IV SULEV175	
T1	Federal Tier 1		L4SULEV20	California LEV-IV SULEV20	
PZEV	California PZEV		L4SULEV200	California LEV-IV SULEV200	
L2LEV160	California LEV-II LEV160		L4SULEV230	California LEV-IV SULEV230	
L2ULEV125	California LEV-II ULEV125		L4SULEV25	California LEV-IV SULEV25	
L2SULEV30	California LEV-II SULEV30		L4SULEV30	California LEV-IV SULEV30	
L2LEV395	California LEV-II LEV395		L4SULEV75	California LEV-IV SULEV75	

Certification Summary Information Report

Test Group		VTYXV02.0V2W	Evaporative/Refueling Family		VTYXR0120J42
L2ULEV340	California LEV-II ULEV340		L4SULEV85	California LEV-IV SULEV85	
L2LEV630	California LEV-II LEV630		L4ULEV125	California LEV-IV ULEV125	
L2ULEV570	California LEV-II ULEV570		L4ULEV200	California LEV-IV ULEV200	
L3LEV160	California LEV-III LEV160		L4ULEV250	California LEV-IV ULEV250	
L3ULEV125	California LEV-III ULEV125		L4ULEV270	California LEV-IV ULEV270	
L3ULEV70	California LEV-III ULEV70		L4ULEV40	California LEV-IV ULEV40	
L3ULEV50	California LEV-III ULEV50		L4ULEV400	California LEV-IV ULEV400	
L3SULEV30	California LEV-III SULEV30		L4ULEV50	California LEV-IV ULEV50	
L3SULEV20	California LEV-III SULEV20		L4ULEV60	California LEV-IV ULEV60	
L3LEV395	California LEV-III LEV395		L4ULEV70	California LEV-IV ULEV70	
L3ULEV340	California LEV-III ULEV340		T4B170	Federal Tier 4 MDV Bin 170	
L3ULEV250	California LEV-III ULEV250		T4B150	Federal Tier 4 MDV Bin 150	
L3ULEV200	California LEV-III ULEV200		T4B125	Federal Tier 4 MDV Bin 125	
L3SULEV170	California LEV-III SULEV170		T4B100	Federal Tier 4 MDV Bin 100	
L3SULEV150	California LEV-III SULEV150		T4B85	Federal Tier 4 MDV Bin 85	
L3LEV630	California LEV-III LEV630		T4B75	Federal Tier 4 MDV Bin 75	
L3ULEV570	California LEV-III ULEV570		T4B70	Federal Tier 4 Bin 70	
L3ULEV400	California LEV-III ULEV400		T4B65	Federal Tier 4 Bin 65	
L3ULEV270	California LEV-III ULEV270		T4B60	Federal Tier 4 Bin 60	
L3SULEV230	California LEV-III SULEV230		T4B55	Federal Tier 4 Bin 55	
L3SULEV200	California LEV-III SULEV200		T4B50	Federal Tier 4 Bin 50	
T3B160	Federal Tier 3 Bin 160		T4B45	Federal Tier 4 Bin 45	
T3B125	Federal Tier 3 Bin 125		T4B40	Federal Tier 4 Bin 40	
T3B110	Federal Tier 3 Transitional Bin 110		T4B35	Federal Tier 4 Bin 35	
T3B85	Federal Tier 3 Transitional Bin 85		T4B30	Federal Tier 4 Bin 30	
T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover		T4B25	Federal Tier 4 Bin 25	
T3B70	Federal Tier 3 Bin 70		T4B20	Federal Tier 4 Bin 20	
T3B50	Federal Tier 3 Bin 50		T4B15	Federal Tier 4 Bin 15	
T3B30	Federal Tier 3 Bin 30		T4B10	Federal Tier 4 Bin 10	
T3B20	Federal Tier 3 Bin 20		T4B5	Federal Tier 4 Bin 5	
T3B0	Federal Tier 3 Bin 0		T4B0	Federal Tier 4 Bin 0	
HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395				
Transmission Type Code					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual		
A	Automatic	OT	Other		
AM	Automated Manual	SA	Semi-Automatic		
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)		
Drive System Code					
4	4-Wheel Drive	P	Part-time 4-Wheel Drive		

Certification Summary Information Report

Test Group		VTYXV02.0V2W		Evaporative/Refueling Family		VTYXR0120J42	
F	2-Wheel Drive, Front			A	All Wheel Drive		
R	2-Wheel Drive, Rear						
Additional Terms and Acronyms							
AFC	Alternative Fuel Converter			ICI	Independent Commercial Importer		
CSI	Certificate Summary Information			ORVR	Onboard Refueling Vapor Recovery		
DF	Deterioration Factor			SIL	Shift Indicator Light		
Evap	Evaporation, Evaporative			Trans	Transmission		