

Certification Summary Information Report

Manufacturer	Volkswagen Group of America, Inc.	Manufacturer Code	VGA
Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
Certificate Number	VVGAT02.0A3C-019-R01	CARB Executive Order #	--
Certificate Issue Date	07/06/2026	Certificate Revision Date	07/24/2026
Certificate Effective Date	07/06/2026	Conditional Certificate	No
CSI Revision #	--	CSI Submission/Revision Date	07/09/2026 03:20:08 PM
Model Year	2027		

Test Group Information

CSI Type	Update for Correction	Running Change Reference Number	--
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Combustion Engine

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Gasoline	Spark Ignition Direct fuel injection	No

Hybrid Indicator	No		
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	No
Multiple Fuel Combustion	--	Off-board Charge Capable Indicator	No
Fuel Cell Indicator	No	EPA Vehicle Class	LDT2
Federal Clean Fuel Vehicle	No	Federal Clean Fuel Vehicle Standard	--
Federal Clean Fuel Vehicle ILEV	No	California Partial Zero Emissions Vehicle Indicator	--
Durability Group Name	VVGAGPGNNA3C	Durability Group Equivalency Factor	2.2
Reduced Fee Test Group	No	Certification Region Code(s)	FA, CA
Complies with HD GHG 2b/3 regulations?	No		
Introduction into Commerce Date	08/03/2026	CAP2000 Conditional Certificate?	No
Independent Commercial Importer?	No	Alternative Fuel Converter Certificate?	No
SFTP Federal Composite Compliance Identifier	Tier 3	SFTP Tier 2 Composite CO Option	No
SFTP LEV-III Composite Compliance Indicator	No		
OBD Compliance Type	CARB	OBD Demonstration Vehicle Test Group	RVGAT02.0V7A
Test Group OBD Compliance Level	Partial - with deficiencies	Number of Test Group OBD Deficiencies	2
OBD Deficiencies Comments	CARB OBD Approval Reference No. E-26-049, 2 Deficiencies - 1) SAE J1979-2 implementation, 2) Diagnostic or Emission Critical Electronic Control Unit (DEC ECU) requirements for Steering Column Control Module (SCCM)		
Mfr Test Group Comments	--		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
-------------------	--------------	-------------------------------------	--------------

Evaporative/Refueling Family Information			
Evaporative Summary Information Type	New	Submission/Correction Date	06/16/2026 09:14:04 AM
Integrated ORVR?	Yes	Fuel(s)	Gasoline
Multiple Fuel Storage	--		
Bladder Fuel Tank?	No		
Fuel Tank Material	Plastic	Fuel Tank Material Description	HDPE
Fill Pipe Seal Type	Liquid seal		
Air Intake System Vapor Storage Device?	No	Air Intake System Vapor Storage Device Description	--
Fuel System Vapor Storage Canister?	Yes	Other Vapor Storage	--
Fuel System Vapor Storage Canister(s) Total Working Capacity (grams)	157	Number of Primary Canisters	1
Number of Bleed Canisters	2	Bleed Canister Total Working Capacity (grams)	4
Mfr Evaporative/Refueling Family Comments MY27 Q3 FEL 350			
Leak Family Details			
Leak Family Indicator	Yes		
Canister Bleed Test Indicator	Yes	Applicability of Evaporative Canister Bleed Test	50 State
Evaporative Canister Bleed Test Comments	--		
CARB Fuel Only (Rig) Test Indicator	No	Applicability of CARB Fuel Only (Rig) Test	--
CARB Fuel Only (Rig) Test Comments	--		

Leak Family Name	Applicability of Leak Family Requirements	Leak Family Standard (inches)	Leak Family Description
VVGAR0157AEP-001	50 State	0.02	--

Models Covered by this Certificate							
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
Volkswagen Group of America, Inc.	2 - Audi	62 - Q3	California + CAA Section 177 states	All Wheel Drive	Automated Manual-Selectable (e.g. Automated Manual with paddles)	7	No
Volkswagen Group of America, Inc.	2 - Audi	62 - Q3	Federal	All Wheel Drive	Automated Manual-Selectable (e.g. Automated Manual with paddles)	7	No

Engine Description			
Hybrid Type	--	Hybrid Description	--
Engine Type	4-Stroke Spark Ignition	Mfr Engine Description	--
Engine Block Arrangement	Inline	Mfr Engine Block Arrangement Description	--
Camless Valvetrain Indicator	No	Oil Viscosity/Classification	0W20 VW50800
Number of Cylinders/Rotors	4	Mechanically Variable Compression Ratio Indicator	N

Certification Summary Information Report

Test Group		VVGAT02.0A3C		Evaporative/Refueling Family		VVGAR0157AEP					
After Treatment Device(s) (ATD)											
ATD Number		ATD Type		ATD Precious Metal		Substrate Material		Substrate Construction			
1		Three-way catalyst		Palladium + Rhodium		Ceramic		Monolith			
2		Three-way catalyst		Palladium + Rhodium		Ceramic		Monolith			
Mfr After Treatment Device (ATD) Comments		UTC2021, UTC1005									
Direct Ozone Reduction (DOR) Device		Not Equipped									
Mfr Emission Control Device Comments		DFI/TC/CAC/AIR/TWC(2)/WR-HO2S/HO2S									
Engine Configuration Number 1											
Engine Displacement (liters)		2.0		Engine Rated Horsepower		255					
Number of Inlet Valves Per Cylinder		2		Number of Exhaust Valves Per Cylinder		2					
Air Aspiration Method		Turbocharged		Number of Air Aspiration Devices		1					
Air Aspiration Device Configuration		Single		Charge Air Cooler Type		Air					
Air Aspiration Drive Method(s)		Mechanical									
Cylinder Deactivation		No									
Cylinder Deactivation Description		--									
Variable Valve Timing		Yes									
Variable Valve Timing System Description		CONTINUOUS VARIABLE VALVE TIMING									
Variable Valve Lift?		Yes									
Variable Valve Lift System Description		AUDI VALVE LIFT SYSTEM									
Number of Knock Sensors		1		Number of Air/Fuel Sensors		2					
Air/Fuel Sensor # 1 Type		Heated oxygen		Air/Fuel Sensor # 1 Description		--					
Air/Fuel Sensor # 2 Type		Heated oxygen		Air/Fuel Sensor # 2 Description		--					
Mfr Air/Fuel Sensor Comments		--									
Exhaust Gas Recirculation		No		Cooled Exhaust Gas Recirculation		No					
EGR Type		Variable Valve Timing Control		Exhaust Gas Recirculation Description if 'Other'		--					
Closed Loop Air Injection System		No									
Air Injection Type		Secondary Air Injection		Air Injection Type if 'Other'		--					
Mfr Engine Configuration Comments		Applies to DRND var: 0									
Official Test Numbers											
Test Group	Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Gasoline	VVGA10094412	VVGA10094406	VVGA10094439	VVGA10094424	VVGA10094413	19.8	18	28	24.6	--	

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
-------------------	--------------	-------------------------------------	--------------

Emission Data Vehicle Information

Vehicle ID / Configuration	TA3C-Q3-321 / 0	Manufacturer Vehicle Configuration Number	0
Original Test Group Name	TVGAT02.0A3C	Original Evaporative/Refueling Family	TVGAR0157AEP
Original Test Vehicle Model Year	2026		

Vehicle Model

Represented Test Vehicle Make	Audi	Represented Test Vehicle Model	Q3
--------------------------------------	------	---------------------------------------	----

Leak Family Details

Leak Family Identifier	--	Leak Family Name	--
-------------------------------	----	-------------------------	----

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Combustion Engine	Gasoline

Hybrid Indicator	No	Multiple Fuel Combustion	--
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	No
Fuel Cell Indicator	No	Rechargeable Energy Storage System, if 'Other'	--
Rechargeable Energy Storage System	--		
Off-board charge Capable Indicator	No	Odometer Correction Factor	1.0056
Odometer Correction -- Initial	0		
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor		
Odometer Correction Units	Miles		
Engine Code	DRND	Rated Horsepower	255
Displacement (liters)	2		
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'	
Number of Air Aspiration Devices	1	Air Aspiration Device Configuration	Single
Charge Air Cooler Type	Air	Drive Mode While Testing	All Wheel Drive
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)
Curb Weight (lbs)	4056	Equivalent Test Weight (pounds)	4500
GVWR (lbs)	5026	N/V Ratio	27.9
Axle Ratio	3.67		
Transmission Type	Automated Manual- Selectable (e.g. Automated Manual with paddles)	# of Transmission Gears	7
Transmission Lockup	No	Creep Gear	No

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
-------------------	--------------	-------------------------------------	--------------

Dynamometer Coefficients:

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	42.66	0.0564	0.02671	8.42	-0.1738	0.02654	15
Cold CO	46.93	0.0621	0.02938	-3.72	-0.3119	0.0295	N/A
US06	42.66	0.0564	0.02671	8.42	-0.1738	0.02654	N/A

Emission Control Device Comments --

Manufacturer Test Vehicle Comments Exhaust &_EVAP EDV

Test #	TVGA10092490	Test Procedure	23 - 2-day evap
Exhaust Test # for this Evap Test	TVGA10092482	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	09/11/2025	Fuel	Gasoline
Fuel Batch ID	IG0055	Fuel Calibration Number	1
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	AUDI AG Ingolstadt		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	3996	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	No		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	--

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.235	--

Manufacturer Test Comments MY26 Q3 Evap Test - 2Day

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.235	0.051	0.286	0.35	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.235	0.051	0.286	0.35	Pass

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
Test #	TVGA10092492	Test Procedure	34 - Federal fuel 3-day evap
Exhaust Test # for this Evap Test	TVGA10092484	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	09/30/2025	Fuel	Gasoline
Fuel Batch ID	NK0027	Fuel Calibration Number	1
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	AUDI AG Neckarsulm		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	4156	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	No		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	--

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.31	--

Manufacturer Test Comments

MY26 Q3 Evap Test - 3Day

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.31	0	0.31	0.35	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.31	0	0.31	0.35	Pass

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
------------	--------------	------------------------------	--------------

Test #

TVGA10092491

Test Procedure

24 - Federal fuel refueling test (ORVR)

Exhaust Test # for this Evap Test

TVGA10092483

Test Fuel Type

48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)

Test Date

09/24/2025

Fuel

Gasoline

Fuel Batch ID

NK0027

Fuel Calibration Number

1

Vehicle Class

N/A

DF Type

Mfr. Determined

Verify Test Lab ID

AUDI AG Neckarsulm

E10 Evaporative Test Measurement Method

Actual Total Hydrocarbon Equivalent Measurement (with speciation)

Test Start Odometer Reading

4091

Odometer Units

M

4WD Test Dyno

Yes

Diesel Adjustment Factor Usage

--

State of Charge Delta

No

Road Speed Fan Usage

--

Drive Cycle Speed Tolerance Criteria

Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC (Hydrocarbon for Running Loss and ORVR)	0.009	--

Manufacturer Test Comments

MY26 Q3 Evap Test - ORVR

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC	0.009	0.009	0.02	0.2	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC	0.009	0.009	0.02	0.2	Pass

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
Test #	TVGA10092493	Test Procedure	32 - Federal Fuel Running Loss
Exhaust Test # for this Evap Test	TVGA10092484	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	09/30/2025	Fuel	Gasoline
Fuel Batch ID	NK0027	Fuel Calibration Number	1
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	AUDI AG Neckarsulm		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	4173	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	No		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	--

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0	--

Manufacturer Test Comments

MY26 Q3 Evap Test - Running Loss

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0	0	0	0.05	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0	0	0	0.05	Pass

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP						
Emission Data Vehicle Information									
Vehicle ID / Configuration	VA3C-Q3-218 / 0	Manufacturer Vehicle Configuration Number	0						
Original Test Group Name	VVGAT02.0A3C	Original Evaporative/Refueling Family	VVGAR0157AEP						
Original Test Vehicle Model Year	2027								
Vehicle Model									
Represented Test Vehicle Make	Audi	Represented Test Vehicle Model	Q3						
Leak Family Details									
Leak Family Identifier	--	Leak Family Name	--						
Drive Sources and Fuel System Details									
	<table border="1"> <tr> <th>Drive Source and Fuel#</th><th>Drive Source</th><th>Fuel</th></tr> <tr> <td>1</td><td>Combustion Engine</td><td>Gasoline</td></tr> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline		
Drive Source and Fuel#	Drive Source	Fuel							
1	Combustion Engine	Gasoline							
Hybrid Indicator	No								
Multiple Fuel Storage	--	Multiple Fuel Combustion	--						
Fuel Cell Indicator	--	Rechargeable Energy Storage System Indicator	--						
Rechargeable Energy Storage System	--	Rechargeable Energy Storage System, if 'Other'	--						
Off-board charge Capable Indicator	--								
Odometer Correction -- Initial	0	Odometer Correction Factor	1.0076						
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor								
Odometer Correction Units	Miles								
Engine Code	DRND	Rated Horsepower	255						
Displacement (liters)	2								
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'							
Number of Air Aspiration Devices	1	Air Aspiration Device Configuration	Single						
Charge Air Cooler Type	Air	Drive Mode While Testing	All Wheel Drive						
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)						
Curb Weight (lbs)	4056	Equivalent Test Weight (pounds)	4500						
GVWR (lbs)	5026	N/V Ratio	27.9						
Axle Ratio	3.67								
Transmission Type	Automated Manual- Selectable (e.g. Automated Manual with paddles)	# of Transmission Gears	7						
Transmission Lockup	No	Creep Gear	No						

Certification Summary Information Report

Test Group		VVGAT02.0A3C			Evaporative/Refueling Family		VVGAR0157AEP	
Dynamometer Coefficients:								
Target Coefficients				Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)		
City/Highway/Evap	42.21	0.0564	0.02671	7.87	-0.1226	0.02601	14.9	
Cold CO	46.43	0.0621	0.02938	-3.29	-0.2078	0.02872	N/A	
US06	42.21	0.0564	0.02671	7.87	-0.1226	0.02601	N/A	
Emission Control Device Comments		--						
Manufacturer Test Vehicle Comments		MY27 Audi Q3 tested as Q3 EDV ETW 4500 lbs						

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
Test #	VVGA10094412	Test Procedure	21 - Federal fuel 2-day exhaust (w/can load)
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	04/08/2026	Fuel	Gasoline
Fuel Batch ID	IG0059	Fuel Calibration Number	2
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	AUDI AG Ingolstadt		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	3157	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
CO2 BAG 1 (Bag 1 Carbon Dioxide)	365.9464791	--	
CO BAG 1 (Bag 1 Carbon Monoxide)	0.79	--	
FE BAG 1 (Bag 1 Fuel Economy)	23.6031741	23.6031741	
CH4 BAG 1 (Bag 1 Methane)	0.0087	--	
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0254	--	
CO2 BAG 2 (Bag 2 Carbon Dioxide)	388.1050538	--	
CO BAG 2 (Bag 2 Carbon Monoxide)	0.01	--	
FE BAG 2 (Bag 2 Fuel Economy)	22.3363553	22.3363553	
CH4 BAG 2 (Bag 2 Methane)	0	--	
NMOG BAG 2 (Bag 2 Non-methane organic gases)	0	--	
CO2 BAG 3 (Bag 3 Carbon Dioxide)	334.3011433	--	
CO BAG 3 (Bag 3 Carbon Monoxide)	0.02	--	
FE BAG 3 (Bag 3 Fuel Economy)	25.9288998	25.9288998	
CH4 BAG 3 (Bag 3 Methane)	0.0004	--	
NMOG BAG 3 (Bag 3 Non-methane organic gases)	0	--	
METHANE (CH4 - Methane)	0.0019159	--	
CO (Carbon Monoxide)	0.1727819	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	1.249518	--	
DT-EER (Drive Trace Energy Economy Rating)	0.3954846	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	1.695723	--	
MFR FE (Manufacturer Fuel Economy)	23.5	23.5	
NOX (Nitrogen Oxide)	0.0103044	--	
N2O (Nitrous Oxide)	0.0003477	--	
HC-NM (Non-methane Hydrocarbon)	0.0047958	--	
NMOG (Non-methane organic gases)	0.0053	--	
PM (Particulate Matter)	0.0004222	--	
HC-TOTAL (Total Hydrocarbon)	0.0066084	--	
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	
Carbon-Related Exhaust Emissions	369	369	
Test Result Name	Unrounded Test Result	Verify Calculated CO2	
Carbon dioxide	368.7491517	--	

Manufacturer Test Comments

AUDI MY27 Q3_FTP Tested as Q3 EDV ETW: 4500 RLHP: 14.9

Certification Summary Information Report

Test Group		VVGAT02.0A3C			Evaporative/Refueling Family					VVGAR0157AEP		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 30	CREE	369	--	--	--	0.37	--	369	--	--
Fed	120,000 miles	Federal Tier 3 Bin 30	METHANE	0.0019	--	--	--	0.0015	--	0.003	0.030	Pass
Fed	120,000 miles	Federal Tier 3 Bin 30	N2O	0.0003	--	--	--	0.0001	--	0	0.010	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	CO	0.17	--	--	--	0.29	--	0.5	1.0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	CO-COMP	0.37	--	--	--	--	--	0.4	4.2	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0053	--	1.0991	--	0.004	--	0.009	99.000	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0156	--	--	--	--	--	0.02	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX-COMP	0.0168	--	--	--	--	--	0.017	0.040	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0103	--	--	--	0	--	0.01	99.000	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	PM	0.0004	--	--	--	0	--	0	0.003	Pass
CA	150,000 miles	California LEV-IV SULEV30	CO	0.17	--	--	--	0.29	--	0.5	1.0	Pass
CA	150,000 miles	California LEV-IV SULEV30	NMOG	0.0053	--	1.0991	--	0.004	--	0.009	99.000	Pass
CA	150,000 miles	California LEV-IV SULEV30	NMOG+NOX	0.0156	--	--	--	--	--	0.02	0.030	Pass
CA	150,000 miles	California LEV-IV SULEV30	NOX	0.0103	--	--	--	0	--	0.01	99.000	Pass
CA	150,000 miles	California LEV-IV SULEV30	PM	0.0004	--	--	--	0	--	0	0.003	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
Test #	VVGA10094424	Test Procedure	11 - Cold CO
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	04/10/2026	Fuel	Gasoline
Fuel Batch ID	IG0059	Fuel Calibration Number	2
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	AUDI AG Ingolstadt		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	3212	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP																																																																														
	<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated FE Equivalent Value (miles per gallon)</th></tr><tr><td>CO2 BAG 1 (Bag 1 Carbon Dioxide)</td><td>428.2195624</td><td>--</td></tr><tr><td>CO BAG 1 (Bag 1 Carbon Monoxide)</td><td>1.87</td><td>--</td></tr><tr><td>FE BAG 1 (Bag 1 Fuel Economy)</td><td>20.0451498</td><td>20.0451498</td></tr><tr><td>CH4 BAG 1 (Bag 1 Methane)</td><td>0.0306</td><td>--</td></tr><tr><td>NMOG BAG 1 (Bag 1 Non-methane organic gases)</td><td>0.4447</td><td>--</td></tr><tr><td>CO2 BAG 2 (Bag 2 Carbon Dioxide)</td><td>408.0877955</td><td>--</td></tr><tr><td>CO BAG 2 (Bag 2 Carbon Monoxide)</td><td>0</td><td>--</td></tr><tr><td>FE BAG 2 (Bag 2 Fuel Economy)</td><td>21.2427479</td><td>21.2427479</td></tr><tr><td>CH4 BAG 2 (Bag 2 Methane)</td><td>0</td><td>--</td></tr><tr><td>NMOG BAG 2 (Bag 2 Non-methane organic gases)</td><td>0.0015</td><td>--</td></tr><tr><td>CO2 BAG 3 (Bag 3 Carbon Dioxide)</td><td>342.8060436</td><td>--</td></tr><tr><td>CO BAG 3 (Bag 3 Carbon Monoxide)</td><td>0.05</td><td>--</td></tr><tr><td>FE BAG 3 (Bag 3 Fuel Economy)</td><td>25.2823825</td><td>25.2823825</td></tr><tr><td>CH4 BAG 3 (Bag 3 Methane)</td><td>0.0012</td><td>--</td></tr><tr><td>NMOG BAG 3 (Bag 3 Non-methane organic gases)</td><td>0.0012</td><td>--</td></tr><tr><td>METHANE (CH4 - Methane)</td><td>0.0066784</td><td>--</td></tr><tr><td>CO (Carbon Monoxide)</td><td>0.4027174</td><td>--</td></tr><tr><td>DT-ASCR (Drive Trace Absolute Speed Change Rating)</td><td>0.261532</td><td>--</td></tr><tr><td>DT-EER (Drive Trace Energy Economy Rating)</td><td>-0.5562822</td><td>--</td></tr><tr><td>DT-IWRR (Drive Trace Inertia Work Ratio Rating)</td><td>0.2467962</td><td>--</td></tr><tr><td>NOX (Nitrogen Oxide)</td><td>0.0168506</td><td>--</td></tr><tr><td>N2O (Nitrous Oxide)</td><td>0.0007877</td><td>--</td></tr><tr><td>HC-NM (Non-methane Hydrocarbon)</td><td>0.0847234</td><td>--</td></tr><tr><td>NMOG (Non-methane organic gases)</td><td>0.0931</td><td>--</td></tr><tr><td>HC-TOTAL (Total Hydrocarbon)</td><td>0.0909673</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	CO2 BAG 1 (Bag 1 Carbon Dioxide)	428.2195624	--	CO BAG 1 (Bag 1 Carbon Monoxide)	1.87	--	FE BAG 1 (Bag 1 Fuel Economy)	20.0451498	20.0451498	CH4 BAG 1 (Bag 1 Methane)	0.0306	--	NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.4447	--	CO2 BAG 2 (Bag 2 Carbon Dioxide)	408.0877955	--	CO BAG 2 (Bag 2 Carbon Monoxide)	0	--	FE BAG 2 (Bag 2 Fuel Economy)	21.2427479	21.2427479	CH4 BAG 2 (Bag 2 Methane)	0	--	NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0015	--	CO2 BAG 3 (Bag 3 Carbon Dioxide)	342.8060436	--	CO BAG 3 (Bag 3 Carbon Monoxide)	0.05	--	FE BAG 3 (Bag 3 Fuel Economy)	25.2823825	25.2823825	CH4 BAG 3 (Bag 3 Methane)	0.0012	--	NMOG BAG 3 (Bag 3 Non-methane organic gases)	0.0012	--	METHANE (CH4 - Methane)	0.0066784	--	CO (Carbon Monoxide)	0.4027174	--	DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.261532	--	DT-EER (Drive Trace Energy Economy Rating)	-0.5562822	--	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.2467962	--	NOX (Nitrogen Oxide)	0.0168506	--	N2O (Nitrous Oxide)	0.0007877	--	HC-NM (Non-methane Hydrocarbon)	0.0847234	--	NMOG (Non-methane organic gases)	0.0931	--	HC-TOTAL (Total Hydrocarbon)	0.0909673	--		
	Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)																																																																														
	CO2 BAG 1 (Bag 1 Carbon Dioxide)	428.2195624	--																																																																														
	CO BAG 1 (Bag 1 Carbon Monoxide)	1.87	--																																																																														
	FE BAG 1 (Bag 1 Fuel Economy)	20.0451498	20.0451498																																																																														
	CH4 BAG 1 (Bag 1 Methane)	0.0306	--																																																																														
	NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.4447	--																																																																														
	CO2 BAG 2 (Bag 2 Carbon Dioxide)	408.0877955	--																																																																														
	CO BAG 2 (Bag 2 Carbon Monoxide)	0	--																																																																														
	FE BAG 2 (Bag 2 Fuel Economy)	21.2427479	21.2427479																																																																														
	CH4 BAG 2 (Bag 2 Methane)	0	--																																																																														
	NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0015	--																																																																														
	CO2 BAG 3 (Bag 3 Carbon Dioxide)	342.8060436	--																																																																														
	CO BAG 3 (Bag 3 Carbon Monoxide)	0.05	--																																																																														
	FE BAG 3 (Bag 3 Fuel Economy)	25.2823825	25.2823825																																																																														
	CH4 BAG 3 (Bag 3 Methane)	0.0012	--																																																																														
	NMOG BAG 3 (Bag 3 Non-methane organic gases)	0.0012	--																																																																														
	METHANE (CH4 - Methane)	0.0066784	--																																																																														
	CO (Carbon Monoxide)	0.4027174	--																																																																														
	DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.261532	--																																																																														
	DT-EER (Drive Trace Energy Economy Rating)	-0.5562822	--																																																																														
	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.2467962	--																																																																														
	NOX (Nitrogen Oxide)	0.0168506	--																																																																														
	N2O (Nitrous Oxide)	0.0007877	--																																																																														
	HC-NM (Non-methane Hydrocarbon)	0.0847234	--																																																																														
	NMOG (Non-methane organic gases)	0.0931	--																																																																														
	HC-TOTAL (Total Hydrocarbon)	0.0909673	--																																																																														
		<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CO2</th></tr><tr><td>Carbon dioxide</td><td>394.3240418</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated CO2	Carbon dioxide	394.3240418	--																																																																									
Test Result Name	Unrounded Test Result	Verify Calculated CO2																																																																															
Carbon dioxide	394.3240418	--																																																																															
Manufacturer Test Comments	AUDI MY27 Q3_COLDCO Tested as Q3 EDV ETW: 4500 RLHP: 14.9																																																																																

Certification Summary Information Report

Test Group		VVGAT02.0A3C			Evaporative/Refueling Family					VVGAR0157AEP		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	50,000 miles	Federal Tier 3 Bin 30	CO	0.4	--	--	--	0.09	--	0.5	12.5	Pass
Fed	120,000 miles	Federal Tier 3 Bin 30	HC-NM	0.08	--	--	--	0.0037	--	0.1	0.3	Pass
CA	50,000 miles	California LEV-IV SULEV30	CO	0.4	--	--	--	0.09	--	0.5	12.5	Pass

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
Test #	VVGA10094431	Test Procedure	52 - Fed. fuel 50 F exh.
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	04/02/2026	Fuel	Gasoline
Fuel Batch ID	IG0059	Fuel Calibration Number	2
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	AUDI AG Ingolstadt		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	3138	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP	
	Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
	CO2 BAG 1 (Bag 1 Carbon Dioxide)	393.9445585	--	
	CO BAG 1 (Bag 1 Carbon Monoxide)	1.03	--	
	FE BAG 1 (Bag 1 Fuel Economy)	21.9082019	21.9082019	
	CH4 BAG 1 (Bag 1 Methane)	0.0143	--	
	NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.0351	--	
	CO2 BAG 2 (Bag 2 Carbon Dioxide)	399.2845228	--	
	CO BAG 2 (Bag 2 Carbon Monoxide)	0	--	
	FE BAG 2 (Bag 2 Fuel Economy)	21.7110583	21.7110583	
	CH4 BAG 2 (Bag 2 Methane)	0	--	
	NMOG BAG 2 (Bag 2 Non-methane organic gases)	0	--	
	CO2 BAG 3 (Bag 3 Carbon Dioxide)	337.977046	--	
	CO BAG 3 (Bag 3 Carbon Monoxide)	0.01	--	
	FE BAG 3 (Bag 3 Fuel Economy)	25.6491006	25.6491006	
	CH4 BAG 3 (Bag 3 Methane)	0.0002	--	
	NMOG BAG 3 (Bag 3 Non-methane organic gases)	0.0001	--	
	METHANE (CH4 - Methane)	0.0030268	--	
	CO (Carbon Monoxide)	0.2164508	--	
	DT-ASCR (Drive Trace Absolute Speed Change Rating)	1.161897	--	
	DT-EER (Drive Trace Energy Economy Rating)	0.3430067	--	
	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	1.918097	--	
	NOX (Nitrogen Oxide)	0.0107879	--	
	N2O (Nitrous Oxide)	0.0004028	--	
	HC-NM (Non-methane Hydrocarbon)	0.0066371	--	
	NMOG (Non-methane organic gases)	0.0073	--	
	HC-TOTAL (Total Hydrocarbon)	0.0095474	--	
		Test Result Name	Unrounded Test Result	Verify Calculated CO2
		Carbon dioxide	381.3440387	--
	Manufacturer Test Comments AUDI MY27 Q3_50FTP Tested as Q3 EDV ETW: 4500 RLHP: 14.9			

Certification Summary Information Report

Test Group		VVGAT02.0A3C				Evaporative/Refueling Family				VVGAR0157AEP		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
CA	4,000 miles	California LEV-IV SULEV30	CO	0.22	--	--	--	--	--	0.2	1.0	Pass
CA	4,000 miles	California LEV-IV SULEV30	NMOG	0.0073	--	1.0991	--	--	--	0.007	99.999	Pass
CA	4,000 miles	California LEV-IV SULEV30	NMOG+NOX	0.0181	--	--	--	--	--	0.018	0.060	Pass
CA	4,000 miles	California LEV-IV SULEV30	NOX	0.0108	--	--	--	--	--	0.011	99.999	Pass

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
Test #	VVGA10094413	Test Procedure	3 - HWFE
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	04/08/2026	Fuel	Gasoline
Fuel Batch ID	IG0059	Fuel Calibration Number	2
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	AUDI AG Ingolstadt		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	3168	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0	--
CO (Carbon Monoxide)	0.0212762	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	2.726165	--
DT-EER (Drive Trace Energy Economy Rating)	0.1924763	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	3.505089	--
MFR FE (Manufacturer Fuel Economy)	36.6	36.6
NOX (Nitrogen Oxide)	0.0015907	--
N2O (Nitrous Oxide)	0	--
HC-NM (Non-methane Hydrocarbon)	0	--
NMOG (Non-methane organic gases)	0	--
HC-TOTAL (Total Hydrocarbon)	0	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	237	237

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	236.7879326	--

Manufacturer Test Comments

AUDI MY27 Q3_HWY Tested as Q3 EDV ETW: 4500 RLHP: 14.9

Certification Summary Information Report

Test Group		VVGAT02.0A3C				Evaporative/Refueling Family				VVGAR0157AEP		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 30	CREE	237	--	--	--	0.37	--	237	--	--
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0	--	1.03	--	0.004	--	0.004	99.000	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0016	--	--	--	--	--	0.006	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0016	--	--	--	0	--	0.002	99.000	Pass
CA	150,000 miles	California LEV-IV SULEV30	NMOG	0	--	1.03	--	0.004	--	0.004	99.000	Pass
CA	150,000 miles	California LEV-IV SULEV30	NMOG+NOX	0.0016	--	--	--	--	--	0.006	0.030	Pass
CA	150,000 miles	California LEV-IV SULEV30	NOX	0.0016	--	--	--	0	--	0.002	99.000	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
Test #	VVGA10094406	Test Procedure	90 - US06
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	04/28/2026	Fuel	Gasoline
Fuel Batch ID	IG0059	Fuel Calibration Number	2
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	AUDI AG Ingolstadt		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	3358	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	529.2448445	--
CO BAG 1 (Bag 1 Carbon Monoxide)	0.1	--
FE BAG 1 (Bag 1 Fuel Economy)	16.3750283	16.3750283
CH4 BAG 1 (Bag 1 Methane)	0.0006	--
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0.003	--
CO2 BAG 2 (Bag 2 Carbon Dioxide)	286.5789438	--
CO BAG 2 (Bag 2 Carbon Monoxide)	0.05	--
FE BAG 2 (Bag 2 Fuel Economy)	30.2420016	30.2420016
CH4 BAG 2 (Bag 2 Methane)	0.0002	--
NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.001	--
METHANE (CH4 - Methane)	0.0003168	--
CO (Carbon Monoxide)	0.0573115	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.392967	--
DT-EER (Drive Trace Energy Economy Rating)	-0.3771026	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-2.048572	--
NOX (Nitrogen Oxide)	0.0102718	--
N2O (Nitrous Oxide)	0	--
HC-NM (Non-methane Hydrocarbon)	0.0014018	--
NMOG (Non-methane organic gases)	0.0014	--
PM (Particulate Matter)	0.0014897	--
HC-TOTAL (Total Hydrocarbon)	0.0017131	--

Certification Summary Information Report

Test Group		VVGAT02.0A3C				Evaporative/Refueling Family				VVGAR0157AEP		
				Test Result Name		Unrounded Test Result			Verify Calculated CO2			
				Carbon dioxide		340.2750283			--			
Manufacturer Test Comments				AUDI MY27 Q3_US06 Tested as Q3 EDV ETW: 4500 RLHP: 14.9								
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 30	CO	0.06	--	--	--	0.29	--	0.4	99.0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0014	--	1.03	--	0.004	--	0.005	99.000	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0103	--	--	--	0	--	0.01	99.000	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	PM	0.0015	--	--	--	0	--	0.002	0.006	Pass
CA	150,000 miles	California LEV-IV SULEV30	CO	0.06	--	--	--	0.29	--	0.4	9.6	Pass
CA	150,000 miles	California LEV-IV SULEV30	NMOG	0.0014	--	1.03	--	0.004	--	0.005	99.000	Pass
CA	150,000 miles	California LEV-IV SULEV30	NMOG+NOX	0.0117	--	--	--	--	--	0.016	0.030	Pass
CA	150,000 miles	California LEV-IV SULEV30	NOX	0.0103	--	--	--	0	--	0.01	99.000	Pass
CA	150,000 miles	California LEV-IV SULEV30	PM	0.0015	--	--	--	0	--	0.002	0.006	Pass

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
Test #	VVGA10094439	Test Procedure	95 - SC03
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	04/13/2026	Fuel	Gasoline
Fuel Batch ID	IG0059	Fuel Calibration Number	2
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	AUDI AG Ingolstadt		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	3230	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0.0010953	--
CO (Carbon Monoxide)	0.0081094	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.0368205	--
DT-EER (Drive Trace Energy Economy Rating)	-1.06661	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.1530995	--
NOX (Nitrogen Oxide)	0.0093394	--
N2O (Nitrous Oxide)	5E-7	--
HC-NM (Non-methane Hydrocarbon)	0.0017125	--
NMOG (Non-methane organic gases)	0.0018	--
HC-TOTAL (Total Hydrocarbon)	0.0027728	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	373.8760388	--

Manufacturer Test Comments

AUDI MY27 Q3_SC03 Tested as Q3 EDV ETW: 4500 RLHP: 14.9

Certification Summary Information Report

Test Group		VVGAT02.0A3C				Evaporative/Refueling Family				VVGAR0157AEP		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 30	CO	0.01	--	--	--	0.29	--	0.3	99.0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0018	--	1.03	--	0.004	--	0.006	99.000	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0093	--	--	--	0	--	0.009	99.000	Pass
CA	150,000 miles	California LEV-IV SULEV30	CO	0.01	--	--	--	0.29	--	0.3	1.0	Pass
CA	150,000 miles	California LEV-IV SULEV30	NMOG	0.0018	--	1.03	--	0.004	--	0.006	99.000	Pass
CA	150,000 miles	California LEV-IV SULEV30	NMOG+NOX	0.0111	--	--	--	--	--	0.015	0.030	Pass
CA	150,000 miles	California LEV-IV SULEV30	NOX	0.0093	--	--	--	0	--	0.009	99.000	Pass

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
-------------------	--------------	-------------------------------------	--------------

Emission Data Vehicle Information			
Vehicle ID / Configuration	VW336350654 / 0	Manufacturer Vehicle Configuration Number	0
Original Test Group Name	SVGAJ02.0V3G	Original Evaporative/Refueling Family	SVGAR0157VEP
Original Test Vehicle Model Year	2025		
Vehicle Model			
Represented Test Vehicle Make	Volkswagen	Represented Test Vehicle Model	Tiguan 4Motion

Leak Family Details			
Leak Family Identifier	--	Leak Family Name	--

Drive Sources and Fuel System Details									
	<table border="1"> <tr> <th>Drive Source and Fuel#</th><th>Drive Source</th><th>Fuel</th></tr> <tr> <td>1</td><td>Combustion Engine</td><td>Gasoline</td></tr> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline		
Drive Source and Fuel#	Drive Source	Fuel							
1	Combustion Engine	Gasoline							

Hybrid Indicator	No		
Multiple Fuel Storage	--	Multiple Fuel Combustion	--
Fuel Cell Indicator	--	Rechargeable Energy Storage System Indicator	--
Rechargeable Energy Storage System	--	Rechargeable Energy Storage System, if 'Other'	--
Off-board charge Capable Indicator	--		
Odometer Correction -- Initial	0	Odometer Correction Factor	1
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles		
Odometer Correction Units	Miles		
Engine Code	DYLA	Rated Horsepower	201
Displacement (liters)	2		
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'	
Number of Air Aspiration Devices	1	Air Aspiration Device Configuration	Single
Charge Air Cooler Type	Liquid	Drive Mode While Testing	All Wheel Drive
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)
Curb Weight (lbs)	3937	Equivalent Test Weight (pounds)	4250
GVWR (lbs)	5115	N/V Ratio	26.7
Axle Ratio	3.32		
Transmission Type	Semi-Automatic	# of Transmission Gears	8
Transmission Lockup	Yes	Creep Gear	No

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
-------------------	--------------	-------------------------------------	--------------

Dynamometer Coefficients:

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	29.67	0.3834	0.02296	2.86	0.0481	0.02451	14.2
Cold CO	32.64	0.4218	0.02526	-26.93	0.1042	0.02492	N/A
US06	29.67	0.3834	0.02296	2.86	0.0481	0.02451	N/A

Emission Control Device Comments	CAC/DFI/AIR/TC/WR-HO2S/TWC(2)/GPF/HO2S		
Manufacturer Test Vehicle Comments	Tiguan 4Motion EVAP EDV - ETW 4250		

Test #	SVGA10088735	Test Procedure	65 - Evap Canister Bleed Test
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	11/29/2024	Fuel	Gasoline
Fuel Batch ID	WB0029	Fuel Calibration Number	1
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	Volkswagen AG WOB2		
E10 Evaporative Test Measurement Method	Actual Total Hydrocarbon Equivalent Measurement (with speciation)		
Test Start Odometer Reading	4000	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	--	Road Speed Fan Usage	--

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.0055	--

Manufacturer Test Comments	MY25 Tiguan Evap EDV: BETP
-----------------------------------	----------------------------

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.0055	0	0.006	0.02	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.0055	0	0.006	0.02	Pass

Certification Summary Information Report

Test Group	VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
Fuel Properties			
Fuel Batch ID	IG0055	Fuel Calibration Number	1
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	01/15/2025
Fuel Batch Calibration Effective Date	02/20/2025	Fuel Batch Calibration Ineffective Date	--
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.753
Fuel Ethanol Volume Percent (%)	10.1	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	--
Fuel Net Heat of Combustion (E10) (MJ/kg)	41.445	Fuel Carbon Mass Fraction (E10)	0.83
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	--	Weight Fraction CO2	--
Fuel Batch ID	NK0027	Fuel Calibration Number	1
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	04/10/2025
Fuel Batch Calibration Effective Date	05/20/2025	Fuel Batch Calibration Ineffective Date	--
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.751
Fuel Ethanol Volume Percent (%)	9.8	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	--
Fuel Net Heat of Combustion (E10) (MJ/kg)	41.2	Fuel Carbon Mass Fraction (E10)	0.828
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	--	Weight Fraction CO2	--
Fuel Batch ID	WB0029	Fuel Calibration Number	1
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	09/17/2024
Fuel Batch Calibration Effective Date	11/18/2024	Fuel Batch Calibration Ineffective Date	--
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.751
Fuel Ethanol Volume Percent (%)	9.8	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17889
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.822	Weight Fraction CO2	--
Fuel Batch ID	IG0059	Fuel Calibration Number	2
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	09/08/2025

Certification Summary Information Report

Test Group		VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
Fuel Batch Calibration Effective Date		09/11/2025	Fuel Batch Calibration Ineffective Date	--
Carbon Weight Fraction NMHC		--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction		--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)		--	Fuel Specific Gravity	0.752
Fuel Ethanol Volume Percent (%)		9.7	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	--
Fuel Net Heat of Combustion (E10) (MJ/kg)		41.9	Fuel Carbon Mass Fraction (E10)	0.827
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)		--	Weight Fraction CO2	--

Certification Summary Information Report

Test Group		VVGAT02.0A3C			Evaporative/Refueling Family		VVGAR0157AEP		
Consolidated List of Standards									
Exhaust Standards									
Cert Region		Federal			Cert/In-Use Code		Both		
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level		Federal Tier 3 Bin 30		
Fuel		Gasoline			Test Procedure		SC03		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.29	99.0
150,000 miles	NMOG	--	--	1.03	--	--	--	0.004	99.000
150,000 miles	NOX	--	--	--	--	--	--	0	99.000
Cert Region		Federal			Cert/In-Use Code		Both		
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level		Federal Tier 3 Bin 30		
Fuel		Gasoline			Test Procedure		US06		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.29	99.0
150,000 miles	NMOG	--	--	1.03	--	--	--	0.004	99.000
150,000 miles	NOX	--	--	--	--	--	--	0	99.000
150,000 miles	PM	--	--	--	--	--	--	0	0.006
Cert Region		California + CAA Section 177 states			Cert/In-Use Code		Cert		
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level		California LEV-IV SULEV30		
Fuel		Gasoline			Test Procedure		US06		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.29	9.6
150,000 miles	NMOG	--	--	1.03	--	--	--	0.004	99.000
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0.004	0.030
150,000 miles	NOX	--	--	--	--	--	--	0	99.000
150,000 miles	PM	--	--	--	--	--	--	0	0.006

Certification Summary Information Report

Test Group		VVGAT02.0A3C			Evaporative/Refueling Family			VVGAR0157AEP	
Cert Region		Federal			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 30	
Fuel		Gasoline			Test Procedure			Federal fuel 2-day exhaust (w/can load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles	CREE	--	--	--	--	--	--	0.37	999
120,000 miles	METHANE	--	--	--	--	--	--	0.0015	0.030
120,000 miles	N2O	--	--	--	--	--	--	0.0001	0.010
150,000 miles	CO	--	--	--	--	--	--	0.29	1.0
150,000 miles	CO-COMP	--	--	--	--	--	--	--	4.2
150,000 miles	NMOG	--	--	1.0991	--	--	--	0.004	99.000
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0.004	0.030
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	--	0.040
150,000 miles	NOX	--	--	--	--	--	--	0	99.000
150,000 miles	PM	--	--	--	--	--	--	0	0.003
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-IV SULEV30	
Fuel		Gasoline			Test Procedure			Fed. fuel 50 F exh.	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
4,000 miles	CO	--	--	--	--	--	--	--	1.0
4,000 miles	NMOG	--	--	1.0991	--	--	--	--	99.999
4,000 miles	NMOG+NOX	--	--	--	--	--	1	--	0.060
4,000 miles	NOX	--	--	--	--	--	--	--	99.999

Certification Summary Information Report

Test Group	VVGAT02.0A3C			Evaporative/Refueling Family			VVGAR0157AEP		
Cert Region	California + CAA Section 177 states			Cert/In-Use Code			Cert		
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-IV SULEV30		
Fuel	Gasoline			Test Procedure			Federal fuel 2-day exhaust (w/can load)		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.29	1.0
150,000 miles	NMOG	--	--	1.0991	--	--	--	0.004	99.000
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0.004	0.030
150,000 miles	NOX	--	--	--	--	--	--	0	99.000
150,000 miles	PM	--	--	--	--	--	--	0	0.003

Cert Region	California + CAA Section 177 states			Cert/In-Use Code			Both		
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-IV SULEV30		
Fuel	Gasoline			Test Procedure			SC03		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.29	1.0
150,000 miles	NMOG	--	--	1.03	--	--	--	0.004	99.000
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0.004	0.030
150,000 miles	NOX	--	--	--	--	--	--	0	99.000

Cert Region	Federal			Cert/In-Use Code			Both		
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 30		
Fuel	Gasoline			Test Procedure			Cold CO		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	0.09	12.5
120,000 miles	HC-NM	--	--	--	--	--	--	0.0037	0.3

Certification Summary Information Report

Test Group		VVGAT02.0A3C			Evaporative/Refueling Family			VVGAR0157AEP	
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-IV SULEV30	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	NMOG	--	--	1.03	--	--	--	0.004	99.000
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0.004	0.030
150,000 miles	NOX	--	--	--	--	--	--	0	99.000

Cert Region		Federal			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 30	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles	CREE	--	--	--	--	--	--	0.37	999
150,000 miles	NMOG	--	--	1.03	--	--	--	0.004	99.000
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0.004	0.030
150,000 miles	NOX	--	--	--	--	--	--	0	99.000

Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-IV SULEV30	
Fuel		Gasoline			Test Procedure			Cold CO	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	0.09	12.5

Evaporative/Refueling Standards

Evaporative/Refueling Family		VVGAR0157AEP		Cert Region		California + CAA Section 177 states					
Cert/In-Use Code		Both		Standard Level		California LEV-IV Zero Evap (Option 2)					
Test Procedure		Federal fuel refueling test (ORVR)									
Fuel		Useful Life		Emission Name		Rounded Result		Std		Add DF	
Gasoline		150,000 miles		HC		--		0.20		0.009	

Certification Summary Information Report

Test Group		VVGAT02.0A3C		Evaporative/Refueling Family		VVGAR0157AEP	
Evaporative/Refueling Family		VVGAR0157AEP		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal fuel refueling test (ORVR)					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC	--	0.20	0.009		
Evaporative/Refueling Family		VVGAR0157AEP		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		Federal fuel 3-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.350	0		
Evaporative/Refueling Family		VVGAR0157AEP		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		2-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.350	0.051		
Evaporative/Refueling Family		VVGAR0157AEP		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal fuel 3-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.350	0		
Evaporative/Refueling Family		VVGAR0157AEP		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal Fuel Running Loss					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.05	0		

Certification Summary Information Report

Test Group		VVGAT02.0A3C	Evaporative/Refueling Family		VVGAR0157AEP
Evaporative/Refueling Family		VVGAR0157AEP	Cert Region		California + CAA Section 177 states
Cert/In-Use Code		Both	Standard Level		California LEV-IV Zero Evap (Option 2)
Test Procedure		Federal Fuel Running Loss			
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.05	0
Evaporative/Refueling Family		VVGAR0157AEP	Cert Region		California + CAA Section 177 states
Cert/In-Use Code		Both	Standard Level		California LEV-IV Zero Evap (Option 2)
Test Procedure		Evap Canister Bleed Test			
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.020	0
Evaporative/Refueling Family		VVGAR0157AEP	Cert Region		Federal
Cert/In-Use Code		Both	Standard Level		Federal Tier 3 Evap
Test Procedure		Evap Canister Bleed Test			
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.020	0
Evaporative/Refueling Family		VVGAR0157AEP	Cert Region		Federal
Cert/In-Use Code		Both	Standard Level		Federal Tier 3 Evap
Test Procedure		2-day evap			
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.350	0.051

Certification Summary Information Report

Test Group		VVGAT02.0A3C	Evaporative/Refueling Family	VVGAR0157AEP
Glossary				
Useful Life				
4	4,000 miles	120	120,000 miles	
50	50,000 miles	150	150,000 miles	
100	100,000 miles			
Emission Name				
HC-TOTAL	Total Hydrocarbon	COMB-CREE	Combined Carbon-Related Exhaust Emissions	
CO	Carbon Monoxide	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions	
CO2	Carbon dioxide	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only	
CREE	Carbon-Related Exhaust Emissions	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only	
OPT-CREE	Optional Carbon-Related Exhaust Emissions	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only	
NOX	Nitrogen Oxide	LEAK-DIA	Effective Leak Diameter (inches)	
PM	Particulate Matter	LEAK-GAS CAP	Gas Cap Leakage (cc/min)	
PM-COMP	SFTP Composite Particulate Matter	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only	
HC-NM	Non-methane Hydrocarbon	KW-HRS	Integrated DC KW-HRS	
OMHCE	Organic material Hydrocarbon Equivalent	CH4 BAG 1	Bag 1 Methane	
OMNMHCE	Organic material non-methane HC equivalent	CH4 BAG 2	Bag 2 Methane	
NMOG	Non-methane organic gases	CH4 BAG 3	Bag 3 Methane	
HCHO	Formaldehyde	CH4 BAG 4	Bag 4 Methane	
H3C2HO	Acetaldehyde	CO BAG 1	Bag 1 Carbon Monoxide	
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	CO BAG 2	Bag 2 Carbon Monoxide	
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	CO BAG 3	Bag 3 Carbon Monoxide	
CO-COMP	SFTP Composite Carbon Monoxide	CO BAG 4	Bag 4 Carbon Monoxide	
ETHANOL	C2H5OH - Ethanol	NMOG BAG 1	Bag 1 Non-methane organic gases	
FE BAG 1	Bag 1 Fuel Economy	NMOG BAG 2	Bag 2 Non-methane organic gases	
FE BAG 2	Bag 2 Fuel Economy	NMOG BAG 3	Bag 3 Non-methane organic gases	
FE BAG 3	Bag 3 Fuel Economy	NMOG BAG 4	Bag 4 Non-methane organic gases	
FE BAG 4	Bag 4 Fuel Economy	ACT-DISTANCE BAG 1	Bag 1 Actual Distance	
MFR FE	Manufacturer Fuel Economy	ACT-DISTANCE BAG 2	Bag 2 Actual Distance	
HC	Hydrocarbon for Running Loss and ORVR	ACT-DISTANCE BAG 3	Bag 3 Actual Distance	
METHANE	CH4 - Methane	ACT-DISTANCE BAG 4	Bag 4 Actual Distance	
METHANOL	CH3OH - Methanol	HC-TOTAL BAG 1	Bag 1 Total Hydrocarbon	
N2O	Nitrous Oxide	HC-TOTAL BAG 2	Bag 2 Total Hydrocarbon	
SPITBACK	Spitback Hydrocarbon in grams	HC-TOTAL BAG 3	Bag 3 Total Hydrocarbon	
AMP-HRS	Integrated Amp-hours	HC-TOTAL BAG 4	Bag 4 Total Hydrocarbon	
START-SOC	System Start State of Charge Watt-hours	WATT-HRS BAG 1	Bag 1 Watt Hours	
END-SOC	System End State of Charge Watt-hours	WATT-HRS BAG 2	Bag 2 Watt Hours	

Certification Summary Information Report

Test Group		VVGAT02.0A3C	Evaporative/Refueling Family		VVGAR0157AEP
ACT-DISTANCE	Actual Distance Driven (miles)		WATT-HRS BAG 3	Bag 3 Watt Hours	
AS-VOLT	Average System Voltage		WATT-HRS BAG 4	Bag 4 Watt Hours	
CO2 BAG 1	Bag 1 Carbon Dioxide		WATT-HRS	Watt Hours	
CO2 BAG 2	Bag 2 Carbon Dioxide		HC-NM BAG 1	Bag 1 Non-methane Hydrocarbon	
CO2 BAG 3	Bag 3 Carbon Dioxide		HC-NM BAG 2	Bag 2 Non-methane Hydrocarbon	
CO2 BAG 4	Bag 4 Carbon Dioxide		HC-NM BAG 3	Bag 3 Non-methane Hydrocarbon	
NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides		HC-NM BAG 4	Bag 4 Non-methane Hydrocarbon	
NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides		N2O BAG 1	Bag 1 Nitrous Oxide	
DT-IWRR	Drive Trace Inertia Work Ratio Rating		N2O BAG 2	Bag 2 Nitrous Oxide	
DT-ASCR	Drive Trace Absolute Speed Change Rating		N2O BAG 3	Bag 3 Nitrous Oxide	
DT-EER	Drive Trace Energy Economy Rating		N2O BAG 4	Bag 4 Nitrous Oxide	
Certification Region					
CA	California + CAA Section 177 states		FA	Federal	
Exhaust Emission Standard Level					
B1	Federal Tier 2 Bin 1		HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
B2	Federal Tier 2 Bin 2		HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
B3	Federal Tier 2 Bin 3		HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
B4	Federal Tier 2 Bin 4		HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
B5	Federal Tier 2 Bin 5		HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
B6	Federal Tier 2 Bin 6		HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
B7	Federal Tier 2 Bin 7		HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
B8	Federal Tier 2 Bin 8		HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
B9	Federal Tier 2 Bin 9		HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
B10	Federal Tier 2 Bin 10		HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
B11	Federal Tier 2 Bin 11		HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)		HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)		HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
L2	California LEV-II LEV		L4SULEV100	California LEV-IV SULEV100	
L2OP	California LEV-II LEV Optional		L4SULEV125	California LEV-IV SULEV125	
U2	California LEV-II ULEV		L4SULEV15	California LEV-IV SULEV15	
S2	California LEV-II SULEV		L4SULEV150	California LEV-IV SULEV150	
ZEV	California ZEV		L4SULEV170	California LEV-IV SULEV170	
OT	Other		L4SULEV175	California LEV-IV SULEV175	
T1	Federal Tier 1		L4SULEV20	California LEV-IV SULEV20	
PZEV	California PZEV		L4SULEV200	California LEV-IV SULEV200	
L2LEV160	California LEV-II LEV160		L4SULEV230	California LEV-IV SULEV230	
L2ULEV125	California LEV-II ULEV125		L4SULEV25	California LEV-IV SULEV25	
L2SULEV30	California LEV-II SULEV30		L4SULEV30	California LEV-IV SULEV30	
L2LEV395	California LEV-II LEV395		L4SULEV75	California LEV-IV SULEV75	

Certification Summary Information Report

Test Group		VVGAT02.0A3C	Evaporative/Refueling Family		VVGAR0157AEP
L2ULEV340	California LEV-II ULEV340		L4SULEV85	California LEV-IV SULEV85	
L2LEV630	California LEV-II LEV630		L4ULEV125	California LEV-IV ULEV125	
L2ULEV570	California LEV-II ULEV570		L4ULEV200	California LEV-IV ULEV200	
L3LEV160	California LEV-III LEV160		L4ULEV250	California LEV-IV ULEV250	
L3ULEV125	California LEV-III ULEV125		L4ULEV270	California LEV-IV ULEV270	
L3ULEV70	California LEV-III ULEV70		L4ULEV40	California LEV-IV ULEV40	
L3ULEV50	California LEV-III ULEV50		L4ULEV400	California LEV-IV ULEV400	
L3SULEV30	California LEV-III SULEV30		L4ULEV50	California LEV-IV ULEV50	
L3SULEV20	California LEV-III SULEV20		L4ULEV60	California LEV-IV ULEV60	
L3LEV395	California LEV-III LEV395		L4ULEV70	California LEV-IV ULEV70	
L3ULEV340	California LEV-III ULEV340		T4B170	Federal Tier 4 MDV Bin 170	
L3ULEV250	California LEV-III ULEV250		T4B150	Federal Tier 4 MDV Bin 150	
L3ULEV200	California LEV-III ULEV200		T4B125	Federal Tier 4 MDV Bin 125	
L3SULEV170	California LEV-III SULEV170		T4B100	Federal Tier 4 MDV Bin 100	
L3SULEV150	California LEV-III SULEV150		T4B85	Federal Tier 4 MDV Bin 85	
L3LEV630	California LEV-III LEV630		T4B75	Federal Tier 4 MDV Bin 75	
L3ULEV570	California LEV-III ULEV570		T4B70	Federal Tier 4 Bin 70	
L3ULEV400	California LEV-III ULEV400		T4B65	Federal Tier 4 Bin 65	
L3ULEV270	California LEV-III ULEV270		T4B60	Federal Tier 4 Bin 60	
L3SULEV230	California LEV-III SULEV230		T4B55	Federal Tier 4 Bin 55	
L3SULEV200	California LEV-III SULEV200		T4B50	Federal Tier 4 Bin 50	
T3B160	Federal Tier 3 Bin 160		T4B45	Federal Tier 4 Bin 45	
T3B125	Federal Tier 3 Bin 125		T4B40	Federal Tier 4 Bin 40	
T3B110	Federal Tier 3 Transitional Bin 110		T4B35	Federal Tier 4 Bin 35	
T3B85	Federal Tier 3 Transitional Bin 85		T4B30	Federal Tier 4 Bin 30	
T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover		T4B25	Federal Tier 4 Bin 25	
T3B70	Federal Tier 3 Bin 70		T4B20	Federal Tier 4 Bin 20	
T3B50	Federal Tier 3 Bin 50		T4B15	Federal Tier 4 Bin 15	
T3B30	Federal Tier 3 Bin 30		T4B10	Federal Tier 4 Bin 10	
T3B20	Federal Tier 3 Bin 20		T4B5	Federal Tier 4 Bin 5	
T3B0	Federal Tier 3 Bin 0		T4B0	Federal Tier 4 Bin 0	
HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395				
Transmission Type Code					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual		
A	Automatic	OT	Other		
AM	Automated Manual	SA	Semi-Automatic		
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)		
Drive System Code					
4	4-Wheel Drive	P	Part-time 4-Wheel Drive		

Certification Summary Information Report

Test Group		VVGAT02.0A3C	Evaporative/Refueling Family		VVGAR0157AEP
F	2-Wheel Drive, Front		A	All Wheel Drive	
R	2-Wheel Drive, Rear				
Additional Terms and Acronyms					
AFC	Alternative Fuel Converter		ICI	Independent Commercial Importer	
CSI	Certificate Summary Information		ORVR	Onboard Refueling Vapor Recovery	
DF	Deterioration Factor		SIL	Shift Indicator Light	
Evap	Evaporation, Evaporative		Trans	Transmission	