

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Models Covered by this Certificate

Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
Volkswagen Group of America, Inc.	2 - Audi	600 - A6 e-tron	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	1	No
Volkswagen Group of America, Inc.	2 - Audi	601 - A6 e-tron ultra	Federal	2-Wheel Drive, Rear	Automatic	1	No
Volkswagen Group of America, Inc.	2 - Audi	610 - Q6 e-tron	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	1	No
Volkswagen Group of America, Inc.	2 - Audi	600 - A6 e-tron	Federal	2-Wheel Drive, Rear	Automatic	1	No
Volkswagen Group of America, Inc.	2 - Audi	601 - A6 e-tron ultra	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	1	No
Volkswagen Group of America, Inc.	2 - Audi	610 - Q6 e-tron	Federal	2-Wheel Drive, Rear	Automatic	1	No

Engine Description

Hybrid Type	--	Hybrid Description	--
Engine Type	--	Mfr Engine Description	--
Engine Block Arrangement	--	Mfr Engine Block Arrangement Description	--
Camless Valvetrain Indicator	--	Oil Viscosity/Classification	
Number of Cylinders/Rotors	--	Mechanically Variable Compression Ratio Indicator	--

After Treatment Device(s) (ATD)

Mfr After Treatment Device (ATD) Comments	--
Direct Ozone Reduction (DOR) Device	--
Mfr Emission Control Device Comments	--

Official Test Numbers

Test Group Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Electricity	--	--	--	--	--	--	--	--	--	--

SFTP LEV-III Official Test Numbers

Test Group Fuel	FTP	US06	SC03
Electricity	--	--	--

Official Charge Depleting Test Numbers

Test Group Fuel	UDDS	Highway
Electricity	--	--

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
Hybrid Electric Vehicle And Fuel Cell Information			
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if Other	--
Battery Type	Lithium Ion	Number of Battery Packs	1
Total Voltage of Battery Packs	661	Battery Energy Capacity	151.6
Battery Specific Energy	173	Battery Charger Type	Both
Number of Capacitors	--	Capacitor Rating (In Farads)	--
Mfr Capacitor Comments	--		
Hydraulic System Description	--		
Regenerative Braking Type	Electrical Regen Brake		
Regenerative Braking Source	Rear Wheels	Driver Controlled Regenerative Braking	Yes
Mfr Regenerative Braking Description	--		
Drive Motor(s)/Generator(s)	2		
Motor/Generator Type 1	Alternating Current / 3 Phase	Rated Motor/Generator Power	225
Motor/Generator Type 2	Alternating Current / 3 Phase	Rated Motor/Generator Power	270
Mfr Fuel Cell Description	--		
Fuel Cell On-Board H2 Storage Capacity (kg)	--	Usable H2 Fill Capacity (kg)	--
Mfr Hybrid Electric/ Electric Vehicle Comments	--		

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Emission Data Vehicle Information

Vehicle ID / Configuration	TA6R-A6-466 / 0	Manufacturer Vehicle Configuration Number	0
Original Test Group Name	TVGAV00.0A6R	Original Evaporative/Refueling Family	--
Original Test Vehicle Model Year	2026		
Vehicle Model			
Represented Test Vehicle Make	Audi	Represented Test Vehicle Model	A6 55 e-tron Ultra

Leak Family Details

Leak Family Identifier	--	Leak Family Name	--
------------------------	----	------------------	----

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Electric Motor	Electricity

Hybrid Indicator	No	Multiple Fuel Combustion	--
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	Yes
Fuel Cell Indicator	No	Rechargeable Energy Storage System, if 'Other'	--
Rechargeable Energy Storage System	Battery(s)		
Off-board charge Capable Indicator	Yes		
Odometer Correction -- Initial	0	Odometer Correction Factor	0.9947
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor		
Odometer Correction Units	Kilometers		
Engine Code	ECCB	Rated Horsepower	362
Displacement (liters)	0.01		
Air Aspiration Method	Naturally Aspirated	Air Aspiration Method, if 'Other'	
Number of Air Aspiration Devices	--	Air Aspiration Device Configuration	--
Charge Air Cooler Type	N/A	Drive Mode While Testing	2-Wheel Drive, Rear
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)
Curb Weight (lbs)	4938	Equivalent Test Weight (pounds)	5250
GVWR (lbs)	5997	N/V Ratio	108.5
Axle Ratio	9.24		
Transmission Type	Automatic	# of Transmission Gears	1
Transmission Lockup	No	Creeper Gear	No

Dynamometer Coefficients:

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	34.04	0.1304	0.01553	-4.85	0.1058	0.0142	10.6

Emission Control Device Comments REAR:ECCB

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	MY26 Audi A6 55 e-tron Ultra tested in D-mode.		

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
Test #	TVGA10092146	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	07/04/2025	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Determined
Verify Test Lab ID	AUDI AG Neckarsulm		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	3280	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

PHEV/EV Charge Depleting Test Information

Recharge Event Voltage	240	Recharge Event Energy (kiloWatt-hours)	104.943
Charge Depleting Range (Calculated miles)	574.202	Charge Depleting Range (Actual miles)	574.202
Charge Depleting Range Highway (Calculated miles)	514.771	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	574.202
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--

Charge Depleting Bag/Phase #1

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.481
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	0.383
Drive Trace Energy Economy Rating	-1.663
Drive Trace Inertia Work Ratio Rating	0.892
Integrated DC KW-HRS	1.666
Manufacturer Fuel Economy	22.269

Charge Depleting Bag/Phase #2

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--																
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.277</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>4.393</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>0.61</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>5.473</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.946</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>18.936</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.277	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	4.393	Drive Trace Energy Economy Rating	0.61	Drive Trace Inertia Work Ratio Rating	5.473	Integrated DC KW-HRS	1.946	Manufacturer Fuel Economy	18.936
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	10.277																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	4.393																		
Drive Trace Energy Economy Rating	0.61																		
Drive Trace Inertia Work Ratio Rating	5.473																		
Integrated DC KW-HRS	1.946																		
Manufacturer Fuel Economy	18.936																		
Charge Depleting Bag/Phase #3																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.484</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.445</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.867</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0.991</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.286</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>17.177</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.484	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.445	Drive Trace Energy Economy Rating	-1.867	Drive Trace Inertia Work Ratio Rating	0.991	Integrated DC KW-HRS	1.286	Manufacturer Fuel Economy	17.177
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.484																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	0.445																		
Drive Trace Energy Economy Rating	-1.867																		
Drive Trace Inertia Work Ratio Rating	0.991																		
Integrated DC KW-HRS	1.286																		
Manufacturer Fuel Economy	17.177																		
Charge Depleting Bag/Phase #4																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>331.567</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>18.878</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>0.002</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>38.042</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>75.469</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>22.761</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	331.567	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	18.878	Drive Trace Energy Economy Rating	0.002	Drive Trace Inertia Work Ratio Rating	38.042	Integrated DC KW-HRS	75.469	Manufacturer Fuel Economy	22.761
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	331.567																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	18.878																		
Drive Trace Energy Economy Rating	0.002																		
Drive Trace Inertia Work Ratio Rating	38.042																		
Integrated DC KW-HRS	75.469																		
Manufacturer Fuel Economy	22.761																		
Charge Depleting Bag/Phase #5																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.483</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.605</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.534</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>1.245</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.187</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>15.86</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.483	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.605	Drive Trace Energy Economy Rating	-1.534	Drive Trace Inertia Work Ratio Rating	1.245	Integrated DC KW-HRS	1.187	Manufacturer Fuel Economy	15.86
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.483																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	0.605																		
Drive Trace Energy Economy Rating	-1.534																		
Drive Trace Inertia Work Ratio Rating	1.245																		
Integrated DC KW-HRS	1.187																		
Manufacturer Fuel Economy	15.86																		
Charge Depleting Bag/Phase #6																			

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
-------------------	--------------	------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.278
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	4.219
Drive Trace Energy Economy Rating	-0.583
Drive Trace Inertia Work Ratio Rating	5.333
Integrated DC KW-HRS	1.86
Manufacturer Fuel Economy	18.095

Charge Depleting Bag/Phase #7

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.483
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	0.608
Drive Trace Energy Economy Rating	-1.584
Drive Trace Inertia Work Ratio Rating	1.153
Integrated DC KW-HRS	1.231
Manufacturer Fuel Economy	16.45

Charge Depleting Bag/Phase #8

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	46.653
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	16.167
Drive Trace Energy Economy Rating	-0.228
Drive Trace Inertia Work Ratio Rating	32.971
Integrated DC KW-HRS	10.671
Manufacturer Fuel Economy	22.872

Manufacturer Test Comments

Drive Mode - (D)

Certification Summary Information Report

Test Group		VVGAV00.0A6R				Evaporative/Refueling Family				--		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Emission Data Vehicle Information

Vehicle ID / Configuration	TA6R-A6-466 / 1	Manufacturer Vehicle Configuration Number	1
Original Test Group Name	TVGAV00.0A6R	Original Evaporative/Refueling Family	--
Original Test Vehicle Model Year	2026		
Vehicle Model			
Represented Test Vehicle Make	Audi	Represented Test Vehicle Model	A6 55 e-tron Ultra

Leak Family Details

Leak Family Identifier	--	Leak Family Name	--
------------------------	----	------------------	----

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Electric Motor	Electricity

Hybrid Indicator	No	Multiple Fuel Combustion	--
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	Yes
Fuel Cell Indicator	No	Rechargeable Energy Storage System, if 'Other'	--
Rechargeable Energy Storage System	Battery(s)		
Off-board charge Capable Indicator	Yes	Odometer Correction Factor	0.9947
Odometer Correction -- Initial	0	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor	
Odometer Correction Sign			
Odometer Correction Units	Kilometers	Rated Horsepower	362
Engine Code	ECCB	Air Aspiration Method, if 'Other'	
Displacement (liters)	0.01	Air Aspiration Device Configuration	--
Air Aspiration Method	Naturally Aspirated	Drive Mode While Testing	2-Wheel Drive, Rear
Number of Air Aspiration Devices	--	Aged Emission Components	4,000 (mi)
Charge Air Cooler Type	N/A	Equivalent Test Weight (pounds)	5250
Shift Indicator Light Usage	Not equipped	N/V Ratio	108.5
Curb Weight (lbs)	4938	# of Transmission Gears	1
GVWR (lbs)	5997	Creeper Gear	No
Axle Ratio	9.24		
Transmission Type	Automatic		
Transmission Lockup	No		

Dynamometer Coefficients:

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	31.41	0.1304	0.01553	-8.48	0.1098	0.01399	10.2

Emission Control Device Comments REAR:ECCB

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	MY26 Audi A6 55 e-tron Ultra (Pirelli Tires) tested in D-mode.		

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
Test #	TVGA10092147	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	08/12/2025	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Determined
Verify Test Lab ID	AUDI AG Neckarsulm		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4386	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	240	Recharge Event Energy (kiloWatt-hours)	106.214
Charge Depleting Range (Calculated miles)	603.296	Charge Depleting Range (Actual miles)	603.296
Charge Depleting Range Highway (Calculated miles)	540.626	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	603.296
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase #1			
Test Result/Emission Name		Unrounded Test Result	
Actual Distance Driven (miles)		7.44	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		0.41	
Drive Trace Energy Economy Rating		-0.423	
Drive Trace Inertia Work Ratio Rating		0.864	
Integrated DC KW-HRS		1.687	
Manufacturer Fuel Economy		22.675	
Charge Depleting Bag/Phase #2			

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--																
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.252</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>6.603</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>0.321</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>7.756</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.883</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>18.365</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.252	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	6.603	Drive Trace Energy Economy Rating	0.321	Drive Trace Inertia Work Ratio Rating	7.756	Integrated DC KW-HRS	1.883	Manufacturer Fuel Economy	18.365
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	10.252																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	6.603																		
Drive Trace Energy Economy Rating	0.321																		
Drive Trace Inertia Work Ratio Rating	7.756																		
Integrated DC KW-HRS	1.883																		
Manufacturer Fuel Economy	18.365																		
Charge Depleting Bag/Phase #3																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.439</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.413</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.554</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0.938</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.241</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>16.686</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.439	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.413	Drive Trace Energy Economy Rating	-0.554	Drive Trace Inertia Work Ratio Rating	0.938	Integrated DC KW-HRS	1.241	Manufacturer Fuel Economy	16.686
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.439																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	0.413																		
Drive Trace Energy Economy Rating	-0.554																		
Drive Trace Inertia Work Ratio Rating	0.938																		
Integrated DC KW-HRS	1.241																		
Manufacturer Fuel Economy	16.686																		
Charge Depleting Bag/Phase #4																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>347.9</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>6.595</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>0.013</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>13.287</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>76.389</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>21.957</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	347.9	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	6.595	Drive Trace Energy Economy Rating	0.013	Drive Trace Inertia Work Ratio Rating	13.287	Integrated DC KW-HRS	76.389	Manufacturer Fuel Economy	21.957
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	347.9																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	6.595																		
Drive Trace Energy Economy Rating	0.013																		
Drive Trace Inertia Work Ratio Rating	13.287																		
Integrated DC KW-HRS	76.389																		
Manufacturer Fuel Economy	21.957																		
Charge Depleting Bag/Phase #5																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.437</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.79</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.386</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>1.46</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.129</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>15.18</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.437	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.79	Drive Trace Energy Economy Rating	-0.386	Drive Trace Inertia Work Ratio Rating	1.46	Integrated DC KW-HRS	1.129	Manufacturer Fuel Economy	15.18
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.437																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	0.79																		
Drive Trace Energy Economy Rating	-0.386																		
Drive Trace Inertia Work Ratio Rating	1.46																		
Integrated DC KW-HRS	1.129																		
Manufacturer Fuel Economy	15.18																		
Charge Depleting Bag/Phase #6																			

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
-------------------	--------------	------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.251
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	6.822
Drive Trace Energy Economy Rating	0.528
Drive Trace Inertia Work Ratio Rating	8.038
Integrated DC KW-HRS	1.768
Manufacturer Fuel Economy	17.243

Charge Depleting Bag/Phase #7

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.438
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	0.736
Drive Trace Energy Economy Rating	-0.405
Drive Trace Inertia Work Ratio Rating	1.344
Integrated DC KW-HRS	1.164
Manufacturer Fuel Economy	15.65

Charge Depleting Bag/Phase #8

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	50.024
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	5.234
Drive Trace Energy Economy Rating	-0.212
Drive Trace Inertia Work Ratio Rating	10.67
Integrated DC KW-HRS	11.009
Manufacturer Fuel Economy	22.008

Manufacturer Test Comments

Drive Mode - (D), Pirelli 19" loads

Certification Summary Information Report

Test Group		VVGAV00.0A6R				Evaporative/Refueling Family				--		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Emission Data Vehicle Information

Vehicle ID / Configuration	TA6R-A6-467 / 0	Manufacturer Vehicle Configuration Number	0
Original Test Group Name	TVGAV00.0A6R	Original Evaporative/Refueling Family	--
Original Test Vehicle Model Year	2026		
Vehicle Model			
Represented Test Vehicle Make	Audi	Represented Test Vehicle Model	A6 55 e-tron

Leak Family Details

Leak Family Identifier	--	Leak Family Name	--
------------------------	----	------------------	----

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Electric Motor	Electricity

Hybrid Indicator	No	Multiple Fuel Combustion	--
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	Yes
Fuel Cell Indicator	No	Rechargeable Energy Storage System, if 'Other'	--
Rechargeable Energy Storage System	Battery(s)		
Off-board charge Capable Indicator	Yes	Odometer Correction Factor	0.9728
Odometer Correction -- Initial	0	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor	
Odometer Correction Sign	Kilometers		
Odometer Correction Units	ECCB	Rated Horsepower	362
Engine Code	0.01	Air Aspiration Method, if 'Other'	
Displacement (liters)	Naturally Aspirated	Air Aspiration Device Configuration	--
Air Aspiration Method	--	Drive Mode While Testing	2-Wheel Drive, Rear
Number of Air Aspiration Devices	N/A	Aged Emission Components	4,000 (mi)
Charge Air Cooler Type	Not equipped	Equivalent Test Weight (pounds)	5250
Shift Indicator Light Usage	5004	N/V Ratio	108.5
Curb Weight (lbs)	6063		
GVWR (lbs)	9.24	# of Transmission Gears	1
Axle Ratio	Automatic	Creeper Gear	No
Transmission Type	No		
Transmission Lockup			

Dynamometer Coefficients:

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	38.43	0.1936	0.01605	-2.99	0.0337	0.01546	11.8

Emission Control Device Comments REAR:ECCB

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	MY26 Audi A6 55 e-tron tested in D-mode.		

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
Test #	TVGA10092148	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	07/16/2025	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Determined
Verify Test Lab ID	AUDI AG Neckarsulm		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4353	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

PHEV/EV Charge Depleting Test Information

Recharge Event Voltage	240	Recharge Event Energy (kiloWatt-hours)	105.32
Charge Depleting Range (Calculated miles)	520.751	Charge Depleting Range (Actual miles)	520.751
Charge Depleting Range Highway (Calculated miles)	468.251	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	520.751
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--

Charge Depleting Bag/Phase #1

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.4348354
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-0.4389122
Drive Trace Energy Economy Rating	-0.9688021
Drive Trace Inertia Work Ratio Rating	-0.5311853
Integrated DC KW-HRS	1.745
Manufacturer Fuel Economy	23.4705936

Charge Depleting Bag/Phase #2

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--																
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.2408161</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>4.009135</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>1.0303855</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>4.9338737</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.1220999</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>20.7219804</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.2408161	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	4.009135	Drive Trace Energy Economy Rating	1.0303855	Drive Trace Inertia Work Ratio Rating	4.9338737	Integrated DC KW-HRS	2.1220999	Manufacturer Fuel Economy	20.7219804
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	10.2408161																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	4.009135																		
Drive Trace Energy Economy Rating	1.0303855																		
Drive Trace Inertia Work Ratio Rating	4.9338737																		
Integrated DC KW-HRS	2.1220999																		
Manufacturer Fuel Economy	20.7219804																		
Charge Depleting Bag/Phase #3																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.4359794</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.4882209</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.2006028</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-0.6054447</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.3991001</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>18.8152767</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.4359794	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.4882209	Drive Trace Energy Economy Rating	-1.2006028	Drive Trace Inertia Work Ratio Rating	-0.6054447	Integrated DC KW-HRS	1.3991001	Manufacturer Fuel Economy	18.8152767
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.4359794																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-0.4882209																		
Drive Trace Energy Economy Rating	-1.2006028																		
Drive Trace Inertia Work Ratio Rating	-0.6054447																		
Integrated DC KW-HRS	1.3991001																		
Manufacturer Fuel Economy	18.8152767																		
Charge Depleting Bag/Phase #4																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>331.5436</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>12.2496395</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.0224948</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>24.6906242</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>82.1065</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>24.7649178</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	331.5436	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	12.2496395	Drive Trace Energy Economy Rating	-0.0224948	Drive Trace Inertia Work Ratio Rating	24.6906242	Integrated DC KW-HRS	82.1065	Manufacturer Fuel Economy	24.7649178
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	331.5436																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	12.2496395																		
Drive Trace Energy Economy Rating	-0.0224948																		
Drive Trace Inertia Work Ratio Rating	24.6906242																		
Integrated DC KW-HRS	82.1065																		
Manufacturer Fuel Economy	24.7649178																		
Charge Depleting Bag/Phase #5																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.4339268</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.1944888</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.9659705</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-0.0886699</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.313</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>17.662267</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.4339268	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.1944888	Drive Trace Energy Economy Rating	-0.9659705	Drive Trace Inertia Work Ratio Rating	-0.0886699	Integrated DC KW-HRS	1.313	Manufacturer Fuel Economy	17.662267
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.4339268																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-0.1944888																		
Drive Trace Energy Economy Rating	-0.9659705																		
Drive Trace Inertia Work Ratio Rating	-0.0886699																		
Integrated DC KW-HRS	1.313																		
Manufacturer Fuel Economy	17.662267																		
Charge Depleting Bag/Phase #6																			

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
-------------------	--------------	------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.2409058
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	4.5254006
Drive Trace Energy Economy Rating	0.963378
Drive Trace Inertia Work Ratio Rating	5.542367
Integrated DC KW-HRS	2.0532031
Manufacturer Fuel Economy	20.049038

Charge Depleting Bag/Phase #7

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.4336234
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-0.2684394
Drive Trace Energy Economy Rating	-0.9887896
Drive Trace Inertia Work Ratio Rating	-0.2594199
Integrated DC KW-HRS	1.3548984
Manufacturer Fuel Economy	18.2266215

Charge Depleting Bag/Phase #8

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	12.9213657
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	2.9682624
Drive Trace Energy Economy Rating	-0.6112337
Drive Trace Inertia Work Ratio Rating	6.046882
Integrated DC KW-HRS	3.3602031
Manufacturer Fuel Economy	26.0050151

Manufacturer Test Comments

Drive Mode - (D), A6 55 e-tron

Certification Summary Information Report

Test Group		VVGAV00.0A6R				Evaporative/Refueling Family				--		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Emission Data Vehicle Information

Vehicle ID / Configuration	TA6R-Q6-600 / 0	Manufacturer Vehicle Configuration Number	1
Original Test Group Name	TVGAV00.0A6R	Original Evaporative/Refueling Family	--
Original Test Vehicle Model Year	2026		
Vehicle Model			
Represented Test Vehicle Make	Audi	Represented Test Vehicle Model	Q6 50 e-tron

Leak Family Details

Leak Family Identifier	--	Leak Family Name	--
------------------------	----	------------------	----

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Electric Motor	Electricity

Hybrid Indicator	No	Multiple Fuel Combustion	--
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	Yes
Fuel Cell Indicator	No	Rechargeable Energy Storage System, if 'Other'	--
Rechargeable Energy Storage System	Battery(s)		
Off-board charge Capable Indicator	Yes	Odometer Correction Factor	1.0006
Odometer Correction -- Initial	0	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor	
Odometer Correction Sign			
Odometer Correction Units	Kilometers	Rated Horsepower	302
Engine Code	ECCE	Air Aspiration Method, if 'Other'	
Displacement (liters)	0.01	Air Aspiration Device Configuration	--
Air Aspiration Method	Naturally Aspirated	Drive Mode While Testing	2-Wheel Drive, Rear
Number of Air Aspiration Devices	--	Aged Emission Components	4,000 (mi)
Charge Air Cooler Type	N/A	Equivalent Test Weight (pounds)	5500
Shift Indicator Light Usage	Not equipped	N/V Ratio	103.2
Curb Weight (lbs)	5104	# of Transmission Gears	1
GVWR (lbs)	6250	Creeper Gear	No
Axle Ratio	9.24		
Transmission Type	Automatic		
Transmission Lockup	No		

Dynamometer Coefficients:

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	34.99	0.3266	0.02096	-7.91	0.236	0.02005	13.8

Emission Control Device Comments REAR:ECCE

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	MY26 Audi Q6 50 e-tron (20" wheels)		

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
Test #	TVGA10092149	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	07/03/2025	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Determined
Verify Test Lab ID	AUDI AG Neckarsulm		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4438	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	240	Recharge Event Energy (kiloWatt-hours)	106.018
Charge Depleting Range (Calculated miles)	513.468	Charge Depleting Range (Actual miles)	513.468
Charge Depleting Range Highway (Calculated miles)	437.333	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	513.468
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase #1			
Test Result/Emission Name		Unrounded Test Result	
Actual Distance Driven (miles)		7.4446483	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		-0.4864811	
Drive Trace Energy Economy Rating		-1.3382771	
Drive Trace Inertia Work Ratio Rating		-0.6056218	
Integrated DC KW-HRS		1.7712	
Manufacturer Fuel Economy		23.7915873	
Charge Depleting Bag/Phase #2			

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--																
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.2470331</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>3.4457724</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>0.4189313</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>4.254576</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.2975002</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>22.421126</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.2470331	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	3.4457724	Drive Trace Energy Economy Rating	0.4189313	Drive Trace Inertia Work Ratio Rating	4.254576	Integrated DC KW-HRS	2.2975002	Manufacturer Fuel Economy	22.421126
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	10.2470331																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	3.4457724																		
Drive Trace Energy Economy Rating	0.4189313																		
Drive Trace Inertia Work Ratio Rating	4.254576																		
Integrated DC KW-HRS	2.2975002																		
Manufacturer Fuel Economy	22.421126																		
Charge Depleting Bag/Phase #3																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.4446477</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.4906894</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.4587201</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-0.5450464</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.437</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>19.3024581</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.4446477	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.4906894	Drive Trace Energy Economy Rating	-1.4587201	Drive Trace Inertia Work Ratio Rating	-0.5450464	Integrated DC KW-HRS	1.437	Manufacturer Fuel Economy	19.3024581
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.4446477																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-0.4906894																		
Drive Trace Energy Economy Rating	-1.4587201																		
Drive Trace Inertia Work Ratio Rating	-0.5450464																		
Integrated DC KW-HRS	1.437																		
Manufacturer Fuel Economy	19.3024581																		
Charge Depleting Bag/Phase #4																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>265.4386</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>4.0330744</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>0.0025153</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>8.127853</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>74.9453047</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>28.2345163</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	265.4386	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	4.0330744	Drive Trace Energy Economy Rating	0.0025153	Drive Trace Inertia Work Ratio Rating	8.127853	Integrated DC KW-HRS	74.9453047	Manufacturer Fuel Economy	28.2345163
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	265.4386																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	4.0330744																		
Drive Trace Energy Economy Rating	0.0025153																		
Drive Trace Inertia Work Ratio Rating	8.127853																		
Integrated DC KW-HRS	74.9453047																		
Manufacturer Fuel Economy	28.2345163																		
Charge Depleting Bag/Phase #5																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.4446407</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.3531227</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.3980033</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-0.4348477</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.3448984</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>18.0653232</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.4446407	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.3531227	Drive Trace Energy Economy Rating	-1.3980033	Drive Trace Inertia Work Ratio Rating	-0.4348477	Integrated DC KW-HRS	1.3448984	Manufacturer Fuel Economy	18.0653232
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.4446407																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-0.3531227																		
Drive Trace Energy Economy Rating	-1.3980033																		
Drive Trace Inertia Work Ratio Rating	-0.4348477																		
Integrated DC KW-HRS	1.3448984																		
Manufacturer Fuel Economy	18.0653232																		
Charge Depleting Bag/Phase #6																			

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
-------------------	--------------	------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.2457981
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	4.198082
Drive Trace Energy Economy Rating	0.6035268
Drive Trace Inertia Work Ratio Rating	5.2275267
Integrated DC KW-HRS	2.2135
Manufacturer Fuel Economy	21.6039783

Charge Depleting Bag/Phase #7

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.4452666
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-0.2042767
Drive Trace Energy Economy Rating	-1.1133426
Drive Trace Inertia Work Ratio Rating	-0.2594199
Integrated DC KW-HRS	1.3844063
Manufacturer Fuel Economy	18.594449

Charge Depleting Bag/Phase #8

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	38.1950836
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	2.7300508
Drive Trace Energy Economy Rating	-0.2445817
Drive Trace Inertia Work Ratio Rating	5.5804796
Integrated DC KW-HRS	10.8742969
Manufacturer Fuel Economy	28.47041

Manufacturer Test Comments

MY2026 Q6 e-tron RWD (19" tire loads) tested in D-Drive Mode.

Certification Summary Information Report

Test Group		VVGAV00.0A6R				Evaporative/Refueling Family				--		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Emission Data Vehicle Information

Vehicle ID / Configuration	TA6R-Q6-600 / 1	Manufacturer Vehicle Configuration Number	0
Original Test Group Name	TVGAV00.0A6R	Original Evaporative/Refueling Family	--
Original Test Vehicle Model Year	2026		
Vehicle Model			
Represented Test Vehicle Make	Audi	Represented Test Vehicle Model	Q6 50 e-tron

Leak Family Details

Leak Family Identifier	--	Leak Family Name	--
------------------------	----	------------------	----

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Electric Motor	Electricity

Hybrid Indicator	No		
Multiple Fuel Storage	--	Multiple Fuel Combustion	--
Fuel Cell Indicator	No	Rechargeable Energy Storage System Indicator	Yes
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if 'Other'	--
Off-board charge Capable Indicator	Yes		
Odometer Correction -- Initial	0	Odometer Correction Factor	1.0006
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor		
Odometer Correction Units	Kilometers		
Engine Code	ECCE	Rated Horsepower	302
Displacement (liters)	0.01		
Air Aspiration Method	Naturally Aspirated	Air Aspiration Method, if 'Other'	
Number of Air Aspiration Devices	--	Air Aspiration Device Configuration	--
Charge Air Cooler Type	N/A	Drive Mode While Testing	2-Wheel Drive, Rear
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)
Curb Weight (lbs)	5104	Equivalent Test Weight (pounds)	5500
GVWR (lbs)	6250	N/V Ratio	103.2
Axle Ratio	9.24		
Transmission Type	Automatic	# of Transmission Gears	1
Transmission Lockup	No	Creeper Gear	No

Dynamometer Coefficients:

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	30.59	0.3266	0.01919	-12.17	0.2284	0.0183	12.7

Emission Control Device Comments REAR:ECCE

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	MY26 Audi Q6 50 e-tron (19" wheels)		

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
Test #	TVGA10092150	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	07/02/2025	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Determined
Verify Test Lab ID	AUDI AG Neckarsulm		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4115	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	240	Recharge Event Energy (kiloWatt-hours)	104.719
Charge Depleting Range (Calculated miles)	476.357	Charge Depleting Range (Actual miles)	476.357
Charge Depleting Range Highway (Calculated miles)	400.447	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	476.357
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase #1			
Test Result/Emission Name		Unrounded Test Result	
Actual Distance Driven (miles)		7.4434056	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		-0.4349002	
Drive Trace Energy Economy Rating		-1.2287463	
Drive Trace Inertia Work Ratio Rating		-0.5165989	
Integrated DC KW-HRS		1.8536	
Manufacturer Fuel Economy		24.9025795	
Charge Depleting Bag/Phase #2			

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--																
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.2470322</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>3.9775095</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>0.2959073</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>4.840068</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.4805</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>24.2070089</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.2470322	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	3.9775095	Drive Trace Energy Economy Rating	0.2959073	Drive Trace Inertia Work Ratio Rating	4.840068	Integrated DC KW-HRS	2.4805	Manufacturer Fuel Economy	24.2070089
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	10.2470322																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	3.9775095																		
Drive Trace Energy Economy Rating	0.2959073																		
Drive Trace Inertia Work Ratio Rating	4.840068																		
Integrated DC KW-HRS	2.4805																		
Manufacturer Fuel Economy	24.2070089																		
Charge Depleting Bag/Phase #3																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.4440279</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.3423002</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.0839115</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-0.4094052</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.5304</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>20.5587623</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.4440279	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.3423002	Drive Trace Energy Economy Rating	-1.0839115	Drive Trace Inertia Work Ratio Rating	-0.4094052	Integrated DC KW-HRS	1.5304	Manufacturer Fuel Economy	20.5587623
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.4440279																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-0.3423002																		
Drive Trace Energy Economy Rating	-1.0839115																		
Drive Trace Inertia Work Ratio Rating	-0.4094052																		
Integrated DC KW-HRS	1.5304																		
Manufacturer Fuel Economy	20.5587623																		
Charge Depleting Bag/Phase #4																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>243.6694641</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>5.0054717</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.0389576</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>10.0920868</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>74.5762</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>30.6054763</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	243.6694641	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	5.0054717	Drive Trace Energy Economy Rating	-0.0389576	Drive Trace Inertia Work Ratio Rating	10.0920868	Integrated DC KW-HRS	74.5762	Manufacturer Fuel Economy	30.6054763
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	243.6694641																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	5.0054717																		
Drive Trace Energy Economy Rating	-0.0389576																		
Drive Trace Inertia Work Ratio Rating	10.0920868																		
Integrated DC KW-HRS	74.5762																		
Manufacturer Fuel Economy	30.6054763																		
Charge Depleting Bag/Phase #5																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.4440339</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.2228408</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.1161015</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-0.2065527</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.4439</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>19.3967413</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.4440339	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.2228408	Drive Trace Energy Economy Rating	-1.1161015	Drive Trace Inertia Work Ratio Rating	-0.2065527	Integrated DC KW-HRS	1.4439	Manufacturer Fuel Economy	19.3967413
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.4440339																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-0.2228408																		
Drive Trace Energy Economy Rating	-1.1161015																		
Drive Trace Inertia Work Ratio Rating	-0.2065527																		
Integrated DC KW-HRS	1.4439																		
Manufacturer Fuel Economy	19.3967413																		
Charge Depleting Bag/Phase #6																			

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.2464056
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	3.689475
Drive Trace Energy Economy Rating	0.339371
Drive Trace Inertia Work Ratio Rating	4.4959436
Integrated DC KW-HRS	2.4036
Manufacturer Fuel Economy	23.4579822

Charge Depleting Bag/Phase #7

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.4427823
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-0.1684093
Drive Trace Energy Economy Rating	-1.1830095
Drive Trace Inertia Work Ratio Rating	-0.0793995
Integrated DC KW-HRS	1.4782
Manufacturer Fuel Economy	19.8608523

Charge Depleting Bag/Phase #8

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	31.3537788
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	4.1810045
Drive Trace Energy Economy Rating	-0.3507972
Drive Trace Inertia Work Ratio Rating	8.551513
Integrated DC KW-HRS	9.6722
Manufacturer Fuel Economy	30.8485942

Manufacturer Test Comments

MY2026 Q6 e-Tron RWD (20" tire loads) tested in D-Drive Mode

Certification Summary Information Report

Test Group		VVGAV00.0A6R				Evaporative/Refueling Family				--		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--

Fuel Properties

Certification Summary Information Report

Test Group		VVGAV00.0A6R			Evaporative/Refueling Family			--		
Consolidated List of Standards										
Exhaust Standards										
Cert Region		Federal			Cert/In-Use Code			Cert		
Vehicle Class		LDV/Passenger Car			Standard Level			Federal Tier 3 Bin 0		
Fuel		Electricity			Test Procedure			Federal fuel 2-day exhaust (w/can load)		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std	
150,000 miles	CO	--	--	--	--	--	--	0	999	
Cert Region		Federal			Cert/In-Use Code			Cert		
Vehicle Class		LDV/Passenger Car			Standard Level			Federal Tier 3 Bin 0		
Fuel		Electricity			Test Procedure			Multi-Cycle Test (MCT)		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std	
120,000 miles	CREE	--	--	--	--	--	--	0	999	
150,000 miles	CO	--	--	--	--	--	--	0	999	
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert		
Vehicle Class		LDV/Passenger Car			Standard Level			California ZEV		
Fuel		Electricity			Test Procedure			Multi-Cycle Test (MCT)		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std	
120,000 miles	CREE	--	--	--	--	--	--	0	999	
150,000 miles	CO	--	--	--	--	--	--	0	999	
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert		
Vehicle Class		LDV/Passenger Car			Standard Level			California ZEV		
Fuel		Electricity			Test Procedure			Federal fuel 2-day exhaust (w/can load)		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std	
150,000 miles	CO	--	--	--	--	--	--	0	999	

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	--
Glossary			
Useful Life			
4	4,000 miles	120	120,000 miles
50	50,000 miles	150	150,000 miles
100	100,000 miles		
Emission Name			
HC-TOTAL	Total Hydrocarbon	AS-VOLT	Average System Voltage
CO	Carbon Monoxide	CO2 BAG 1	Bag 1 Carbon Dioxide
CO2	Carbon dioxide	CO2 BAG 2	Bag 2 Carbon Dioxide
CREE	Carbon-Related Exhaust Emissions	CO2 BAG 3	Bag 3 Carbon Dioxide
OPT-CREE	Optional Carbon-Related Exhaust Emissions	CO2 BAG 4	Bag 4 Carbon Dioxide
NOX	Nitrogen Oxide	NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides
PM	Particulate Matter	NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides
PM-COMP	SFTP Composite Particulate Matter	DT-IWRR	Drive Trace Inertia Work Ratio Rating
HC-NM	Non-methane Hydrocarbon	DT-ASCR	Drive Trace Absolute Speed Change Rating
OMHCE	Organic material Hydrocarbon Equivalent	DT-EER	Drive Trace Energy Economy Rating
OMNMHCE	Organic material non-methane HC equivalent	COMB-CREE	Combined Carbon-Related Exhaust Emissions
NMOG	Non-methane organic gases	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions
HCHO	Formaldehyde	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only
H3C2HO	Acetaldehyde	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	LEAK-DIA	Effective Leak Diameter (inches)
CO-COMP	SFTP Composite Carbon Monoxide	LEAK-GAS CAP	Gas Cap Leakage (cc/min)
ETHANOL	C2H5OH - Ethanol	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only
FE BAG 1	Bag 1 Fuel Economy	KW-HRS	Integrated DC KW-HRS
FE BAG 2	Bag 2 Fuel Economy	CH4 BAG 1	Bag 1 Methane
FE BAG 3	Bag 3 Fuel Economy	CH4 BAG 2	Bag 2 Methane
FE BAG 4	Bag 4 Fuel Economy	CH4 BAG 3	Bag 3 Methane
MFR FE	Manufacturer Fuel Economy	CH4 BAG 4	Bag 4 Methane
HC	Hydrocarbon for Running Loss and ORVR	CO BAG 1	Bag 1 Carbon Monoxide
METHANE	CH4 - Methane	CO BAG 2	Bag 2 Carbon Monoxide
METHANOL	CH3OH - Methanol	CO BAG 3	Bag 3 Carbon Monoxide
N2O	Nitrous Oxide	CO BAG 4	Bag 4 Carbon Monoxide
SPITBACK	Spitback Hydrocarbon in grams	NMOG BAG 1	Bag 1 Non-methane organic gases
AMP-HRS	Integrated Amp-hours	NMOG BAG 2	Bag 2 Non-methane organic gases
START-SOC	System Start State of Charge Watt-hours	NMOG BAG 3	Bag 3 Non-methane organic gases
END-SOC	System End State of Charge Watt-hours	NMOG BAG 4	Bag 4 Non-methane organic gases
ACT-DISTANCE	Actual Distance Driven (miles)		
Certification Region			

Certification Summary Information Report

Test Group	VVGAV00.0A6R	Evaporative/Refueling Family	
CA	California + CAA Section 177 states	FA	Federal
Exhaust Emission Standard Level			
B1	Federal Tier 2 Bin 1	T3B160	Federal Tier 3 Bin 160
B2	Federal Tier 2 Bin 2	T3B125	Federal Tier 3 Bin 125
B3	Federal Tier 2 Bin 3	T3B110	Federal Tier 3 Transitional Bin 110
B4	Federal Tier 2 Bin 4	T3B85	Federal Tier 3 Transitional Bin 85
B5	Federal Tier 2 Bin 5	T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover
B6	Federal Tier 2 Bin 6	T3B70	Federal Tier 3 Bin 70
B7	Federal Tier 2 Bin 7	T3B50	Federal Tier 3 Bin 50
B8	Federal Tier 2 Bin 8	T3B30	Federal Tier 3 Bin 30
B9	Federal Tier 2 Bin 9	T3B20	Federal Tier 3 Bin 20
B10	Federal Tier 2 Bin 10	T3B0	Federal Tier 3 Bin 0
B11	Federal Tier 2 Bin 11	HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)	HDV2B250	Federal Tier 3 HD Class 2b Bin 250
L2	California LEV-II LEV	HDV2B200	Federal Tier 3 HD Class 2b Bin 200
L2OP	California LEV-II LEV Optional	HDV2B170	Federal Tier 3 HD Class 2b Bin 170
U2	California LEV-II ULEV	HDV2B150	Federal Tier 3 HD Class 2b Bin 150
S2	California LEV-II SULEV	HDV2B0	Federal Tier 3 HD Class 2b Bin 0
ZEV	California ZEV	HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630
OT	Other	HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570
T1	Federal Tier 1	HDV3B400	Federal Tier 3 HD Class 3 Bin 400
PZEV	California PZEV	HDV3B270	Federal Tier 3 HD Class 3 Bin 270
L2LEV160	California LEV-II LEV160	HDV3B230	Federal Tier 3 HD Class 3 Bin 230
L2ULEV125	California LEV-II ULEV125	HDV3B200	Federal Tier 3 HD Class 3 Bin 200
L2SULEV30	California LEV-II SULEV30	HDV3B0	Federal Tier 3 HD Class 3 Bin 0
L2LEV395	California LEV-II LEV395	L4SULEV100	California LEV-IV SULEV100
L2ULEV340	California LEV-II ULEV340	L4SULEV125	California LEV-IV SULEV125
L2LEV630	California LEV-II LEV630	L4SULEV15	California LEV-IV SULEV15
L2ULEV570	California LEV-II ULEV570	L4SULEV150	California LEV-IV SULEV150
L3LEV160	California LEV-III LEV160	L4SULEV170	California LEV-IV SULEV170
L3ULEV125	California LEV-III ULEV125	L4SULEV175	California LEV-IV SULEV175
L3ULEV70	California LEV-III ULEV70	L4SULEV20	California LEV-IV SULEV20
L3ULEV50	California LEV-III ULEV50	L4SULEV200	California LEV-IV SULEV200
L3SULEV30	California LEV-III SULEV30	L4SULEV230	California LEV-IV SULEV230
L3SULEV20	California LEV-III SULEV20	L4SULEV25	California LEV-IV SULEV25
L3LEV395	California LEV-III LEV395	L4SULEV30	California LEV-IV SULEV30
L3ULEV340	California LEV-III ULEV340	L4SULEV75	California LEV-IV SULEV75
L3ULEV250	California LEV-III ULEV250	L4SULEV85	California LEV-IV SULEV85
L3ULEV200	California LEV-III ULEV200	L4ULEV125	California LEV-IV ULEV125

Certification Summary Information Report

Test Group		VVGAV00.0A6R	Evaporative/Refueling Family		--
L3SULEV170	California LEV-III SULEV170		L4ULEV200	California LEV-IV ULEV200	
L3SULEV150	California LEV-III SULEV150		L4ULEV250	California LEV-IV ULEV250	
L3LEV630	California LEV-III LEV630		L4ULEV270	California LEV-IV ULEV270	
L3ULEV570	California LEV-III ULEV570		L4ULEV40	California LEV-IV ULEV40	
L3ULEV400	California LEV-III ULEV400		L4ULEV400	California LEV-IV ULEV400	
L3ULEV270	California LEV-III ULEV270		L4ULEV50	California LEV-IV ULEV50	
L3SULEV230	California LEV-III SULEV230		L4ULEV60	California LEV-IV ULEV60	
L3SULEV200	California LEV-III SULEV200		L4ULEV70	California LEV-IV ULEV70	
Transmission Type Code					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)		M	Manual	
A	Automatic		OT	Other	
AM	Automated Manual		SA	Semi-Automatic	
CVT	Continuously Variable		SCV	Selectable Continuously Variable (e.g. CVT with paddles)	
Drive System Code					
4	4-Wheel Drive		P	Part-time 4-Wheel Drive	
F	2-Wheel Drive, Front		A	All Wheel Drive	
R	2-Wheel Drive, Rear				
Additional Terms and Acronyms					
AFC	Alternative Fuel Converter		ICI	Independent Commercial Importer	
CSI	Certificate Summary Information		ORVR	Onboard Refueling Vapor Recovery	
DF	Deterioration Factor		SIL	Shift Indicator Light	
Evap	Evaporation, Evaporative		Trans	Transmission	