

Certification Summary Information Report

Manufacturer	VinFast Trading and Production Joint Stock Company	Manufacturer Code	VTP
Test Group	VVTPV00.07PL	Evaporative/Refueling Family	--
Certificate Number	VVTPV00.07PL-003	CARB Executive Order #	--
Certificate Issue Date	01/21/2026	Certificate Revision Date	--
Certificate Effective Date	01/21/2026	Conditional Certificate	No
CSI Revision #	--	CSI Submission/Revision Date	01/06/2026 02:16:29 PM
Model Year	2027		

Test Group Information

CSI Type	Update for Correction	Running Change Reference Number	--
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Electric Motor

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Electricity	--	--

Hybrid Indicator	No		
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	Yes
Multiple Fuel Combustion	--	Off-board Charge Capable Indicator	Yes
Fuel Cell Indicator	No	EPA Vehicle Class	LDT2
Federal Clean Fuel Vehicle	Yes	Federal Clean Fuel Vehicle Standard	ZEV
Federal Clean Fuel Vehicle ILEV	Yes	California Partial Zero Emissions Vehicle Indicator	--
Durability Group Name	VVTPEEVNNLPL	Durability Group Equivalency Factor	1
Reduced Fee Test Group	No	Certification Region Code(s)	FA, CA
Complies with HD GHG 2b/3 regulations?	No		
Introduction into Commerce Date	01/31/2026	CAP2000 Conditional Certificate?	No
Independent Commercial Importer?	No	Alternative Fuel Converter Certificate?	No
SFTP Federal Composite Compliance Identifier	Not Applicable	SFTP Tier 2 Composite CO Option	--
SFTP LEV-III Composite Compliance Indicator	No		
OBD Compliance Type	CARB	OBD Demonstration Vehicle Test Group	VVTPV00.07PL
Test Group OBD Compliance Level	Full - no deficiencies	Number of Test Group OBD Deficiencies	0
OBD Deficiencies Comments	Electric vehicle		
Mfr Test Group Comments	VF 7 PLUS BEV 2-cycle MCT testing per 2017 SAE J1634 procedures		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group		VVTPV00.07PL		Evaporative/Refueling Family		--				
Models Covered by this Certificate										
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup			
VinFast Trading and Production Joint Stock Company	1 - Hai Phong manufacturing plant	8 - VF 7 Plus	Federal	All Wheel Drive	Automatic	1	No			
VinFast Trading and Production Joint Stock Company	1 - Hai Phong manufacturing plant	8 - VF 7 Plus	California + CAA Section 177 states	All Wheel Drive	Automatic	1	No			
Engine Description										
Hybrid Type		--		Hybrid Description		--				
Engine Type		--		Mfr Engine Description		--				
Engine Block Arrangement		--		Mfr Engine Block Arrangement Description		--				
Camless Valvetrain Indicator		--		Oil Viscosity/Classification						
Number of Cylinders/Rotors		--		Mechanically Variable Compression Ratio Indicator		--				
After Treatment Device(s) (ATD)										
Mfr After Treatment Device (ATD) Comments		--								
Direct Ozone Reduction (DOR) Device		--								
Mfr Emission Control Device Comments		--								
Official Test Numbers										
Test Group Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Electricity	--	--	--	--	--	--	--	--	--	--

Certification Summary Information Report

Test Group		VVTPV00.07PL	Evaporative/Refueling Family	--
Hybrid Electric Vehicle And Fuel Cell Information				
Rechargeable Energy Storage System	Battery(s)		Rechargeable Energy Storage System, if Other	--
Battery Type	Lithium Ion		Number of Battery Packs	1
Total Voltage of Battery Packs	396		Battery Energy Capacity	202
Battery Specific Energy	168		Battery Charger Type	On-Board
Number of Capacitors	--		Capacitor Rating (In Farads)	--
Mfr Capacitor Comments	--			
Hydraulic System Description	--			
Regenerative Braking Type	Electrical Regen Brake			
Regenerative Braking Source	Both		Driver Controlled Regenerative Braking	No
Mfr Regenerative Braking Description	--			
Drive Motor(s)/Generator(s)	2			
Motor/Generator Type 1	AC 3 Phase Permanent Magnet		Rated Motor/Generator Power	130
Motor/Generator Type 2	AC 3 Phase Permanent Magnet		Rated Motor/Generator Power	130
Mfr Fuel Cell Description	--			
Fuel Cell On-Board H2 Storage Capacity (kg)	--		Usable H2 Fill Capacity (kg)	--
Mfr Hybrid Electric/ Electric Vehicle Comments	--			

Page 4 of 14 CSI Submission/Revision Date: 01/06/2026 02:16:29 PM

Certification Summary Information Report

Test Group	VVTPV00.07PL	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	--		

Certification Summary Information Report

Test Group	VVTPV00.07PL	Evaporative/Refueling Family	--																																
Test #	SVTP10086848	Test Procedure	84 - Charge Depleting Highway																																
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity																																
Test Date	06/10/2024	Fuel	Electricity																																
Fuel Batch ID	2	Fuel Calibration Number	2																																
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	EPA Assigned																																
Verify Test Lab ID	FEV North America																																		
E10 Evaporative Test Measurement Method	--																																		
Test Start Odometer Reading	3005	Odometer Units	M																																
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--																																
State of Charge Delta	No																																		
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	Road Speed Fan Usage	Yes																																
PHEV/EV Charge Depleting Test Information																																			
Recharge Event Voltage	220	Recharge Event Energy (kiloWatt-hours)	92.035																																
Charge Depleting Range (Calculated miles)	288.31	Charge Depleting Range (Actual miles)	288.31																																
Charge Depleting Range Highway (Calculated miles)	--	Derived 5-Cycle Coefficient Model Year	--																																
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	288.31																																
Number of Charge Depleting Bags/Phases Conducted	1	Transition Bag/Phase Number	--																																
Charge Depleting Bag/Phase #1																																			
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>288.31</td></tr><tr><td>Carbon Monoxide</td><td>0</td></tr><tr><td>Carbon dioxide</td><td>0</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>6.2</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>0.09</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>16.5</td></tr><tr><td>Integrated DC KW-HRS</td><td>76.699</td></tr><tr><td>Manufacturer Fuel Economy</td><td>126.7</td></tr><tr><td>Nitrogen Oxide</td><td>0</td></tr><tr><td>Non-methane organic gases</td><td>0</td></tr><tr><td>Non-methane organic gases plus Nitrogen Oxides</td><td>999.999</td></tr><tr><td>Particulate Matter</td><td>0</td></tr><tr><td>System End State of Charge Watt-hours</td><td>0</td></tr><tr><td>System Start State of Charge Watt-hours</td><td>100</td></tr></table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	288.31	Carbon Monoxide	0	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	6.2	Drive Trace Energy Economy Rating	0.09	Drive Trace Inertia Work Ratio Rating	16.5	Integrated DC KW-HRS	76.699	Manufacturer Fuel Economy	126.7	Nitrogen Oxide	0	Non-methane organic gases	0	Non-methane organic gases plus Nitrogen Oxides	999.999	Particulate Matter	0	System End State of Charge Watt-hours	0	System Start State of Charge Watt-hours	100
Test Result/Emission Name	Unrounded Test Result																																		
Actual Distance Driven (miles)	288.31																																		
Carbon Monoxide	0																																		
Carbon dioxide	0																																		
Carbon-Related Exhaust Emissions	0																																		
Drive Trace Absolute Speed Change Rating	6.2																																		
Drive Trace Energy Economy Rating	0.09																																		
Drive Trace Inertia Work Ratio Rating	16.5																																		
Integrated DC KW-HRS	76.699																																		
Manufacturer Fuel Economy	126.7																																		
Nitrogen Oxide	0																																		
Non-methane organic gases	0																																		
Non-methane organic gases plus Nitrogen Oxides	999.999																																		
Particulate Matter	0																																		
System End State of Charge Watt-hours	0																																		
System Start State of Charge Watt-hours	100																																		

Certification Summary Information Report

Test Group		VVTPV00.07PL				Evaporative/Refueling Family				--		
Manufacturer Test Comments		Test results based on 2017 SAE J1634 2-Cycle derived MCT AC Recharge Energy 92035.00 Wh / DC Energy data HFEDS1 = 270.03 Wh/mi; HFEDS2 = 262.03 Wh/mi HFEDS1 = 2757.82 Wh DC UBE = 76699.28 Wh										
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 0	CO	0	--	--	--	0	--	0	0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
CA	150,000 miles	California ZEV	CO	0	--	--	--	0	--	0	0	Pass
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--

Certification Summary Information Report

Test Group	VVTPV00.07PL	Evaporative/Refueling Family	--
Test #	SVTP10086849	Test Procedure	81 - Charge Depleting UDDS
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	06/10/2024	Fuel	Electricity
Fuel Batch ID	2	Fuel Calibration Number	2
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	EPA Assigned
Verify Test Lab ID	FEV North America		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	3005	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	No		
Drive Cycle Speed Tolerance Criteria	Used Part 86 (+/- 2 mph, +/- 1 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	220	Recharge Event Energy (kiloWatt-hours)	92.035
Charge Depleting Range (Calculated miles)	316.29	Charge Depleting Range (Actual miles)	316.29
Charge Depleting Range Highway (Calculated miles)	--	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	316.29
Number of Charge Depleting Bags/Phases Conducted	1	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase #1			
Test Result/Emission Name		Unrounded Test Result	
Actual Distance Driven (miles)		316.29	
Carbon Monoxide		0	
Carbon dioxide		0	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		6.2	
Drive Trace Energy Economy Rating		0.09	
Drive Trace Inertia Work Ratio Rating		16.5	
Integrated DC KW-HRS		76.699	
Manufacturer Fuel Economy		135.9	
Nitrogen Oxide		0	
Non-methane organic gases		0	
Non-methane organic gases plus Nitrogen Oxides		999.999	
Particulate Matter		0	
System End State of Charge Watt-hours		0	
System Start State of Charge Watt-hours		100	

Certification Summary Information Report

Test Group			VVTPV00.07PL			Evaporative/Refueling Family			--			
Manufacturer Test Comments			Test results based on 2017 SAE J1634 2-Cycle derived MCT AC Recharge Energy 92035.00 Wh / DC Energy data UDDS1 = 269.24 Wh/mi; UDDS2 = 248.79 Wh/mi; UDDS3 = 238.47 Wh/mi; UDDS4 = 238.08 Wh/mi; UDDS weighted = 248.6 Wh/mi; UDDS1 = 2007.2 Wh DC UBE = 76699.28 Wh									
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 0	CO	0	--	--	--	0	--	0	0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 0	CREE	0	--	--	--	0	--	0	--	--
CA	150,000 miles	California ZEV	CO	0	--	--	--	0	--	0	0	Pass
CA	150,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--

Fuel Properties												
Fuel Batch ID			2			Fuel Calibration Number			2			
Test Fuel Type			62 - Electricity			Fuel Batch Calibration Date			05/01/2024			
Fuel Batch Calibration Effective Date			05/01/2024			Fuel Batch Calibration Ineffective Date			05/01/2025			
Carbon Weight Fraction NMHC			--			Carbon Weight Fraction HC			--			
Exhaust Carbon Weight Fraction			--			Fuel Methanol Volume Fraction			--			
Fuel Density (grams/cubic ft)			--			Fuel Specific Gravity			--			
Fuel Ethanol Volume Percent (%)			--			Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)			--			
Fuel Net Heat of Combustion (E10) (MJ/kg)			--			Fuel Carbon Mass Fraction (E10)			--			
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)			--			Weight Fraction CO2			--			

Certification Summary Information Report

Test Group		VVTPV00.07PL			Evaporative/Refueling Family			--	
Consolidated List of Standards									
Exhaust Standards									
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 0	
Fuel		Electricity			Test Procedure			Charge Depleting Highway	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0	0
150,000 miles	CREE	--	--	--	--	--	--	0	0
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 0	
Fuel		Electricity			Test Procedure			Charge Depleting UDDS	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0	0
150,000 miles	CREE	--	--	--	--	--	--	0	0
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California ZEV	
Fuel		Electricity			Test Procedure			Charge Depleting Highway	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0	0
150,000 miles	CREE	--	--	--	--	--	--	0	0
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California ZEV	
Fuel		Electricity			Test Procedure			Charge Depleting UDDS	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0	0
150,000 miles	CREE	--	--	--	--	--	--	0	0

Certification Summary Information Report

Test Group		VVTPV00.07PL			Evaporative/Refueling Family			--	
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 0	
Fuel		Electricity			Test Procedure			CVS 75 and later (w/o can. load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0	0
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California ZEV	
Fuel		Electricity			Test Procedure			CVS 75 and later (w/o can. load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0	0

Certification Summary Information Report

Test Group		VVTPV00.07PL	Evaporative/Refueling Family	--
Glossary				
Useful Life				
4	4,000 miles	120	120,000 miles	
50	50,000 miles	150	150,000 miles	
100	100,000 miles			
Emission Name				
HC-TOTAL	Total Hydrocarbon	AS-VOLT	Average System Voltage	
CO	Carbon Monoxide	CO2 BAG 1	Bag 1 Carbon Dioxide	
CO2	Carbon dioxide	CO2 BAG 2	Bag 2 Carbon Dioxide	
CREE	Carbon-Related Exhaust Emissions	CO2 BAG 3	Bag 3 Carbon Dioxide	
OPT-CREE	Optional Carbon-Related Exhaust Emissions	CO2 BAG 4	Bag 4 Carbon Dioxide	
NOX	Nitrogen Oxide	NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides	
PM	Particulate Matter	NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides	
PM-COMP	SFTP Composite Particulate Matter	DT-IWRR	Drive Trace Inertia Work Ratio Rating	
HC-NM	Non-methane Hydrocarbon	DT-ASCR	Drive Trace Absolute Speed Change Rating	
OMHCE	Organic material Hydrocarbon Equivalent	DT-EER	Drive Trace Energy Economy Rating	
OMNMHCE	Organic material non-methane HC equivalent	COMB-CREE	Combined Carbon-Related Exhaust Emissions	
NMOG	Non-methane organic gases	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions	
HCHO	Formaldehyde	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only	
H3C2HO	Acetaldehyde	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only	
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only	
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	LEAK-DIA	Effective Leak Diameter (inches)	
CO-COMP	SFTP Composite Carbon Monoxide	LEAK-GAS CAP	Gas Cap Leakage (cc/min)	
ETHANOL	C2H5OH - Ethanol	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only	
FE BAG 1	Bag 1 Fuel Economy	KW-HRS	Integrated DC KW-HRS	
FE BAG 2	Bag 2 Fuel Economy	CH4 BAG 1	Bag 1 Methane	
FE BAG 3	Bag 3 Fuel Economy	CH4 BAG 2	Bag 2 Methane	
FE BAG 4	Bag 4 Fuel Economy	CH4 BAG 3	Bag 3 Methane	
MFR FE	Manufacturer Fuel Economy	CH4 BAG 4	Bag 4 Methane	
HC	Hydrocarbon for Running Loss and ORVR	CO BAG 1	Bag 1 Carbon Monoxide	
METHANE	CH4 - Methane	CO BAG 2	Bag 2 Carbon Monoxide	
METHANOL	CH3OH - Methanol	CO BAG 3	Bag 3 Carbon Monoxide	
N2O	Nitrous Oxide	CO BAG 4	Bag 4 Carbon Monoxide	
SPITBACK	Spitback Hydrocarbon in grams	NMOG BAG 1	Bag 1 Non-methane organic gases	
AMP-HRS	Integrated Amp-hours	NMOG BAG 2	Bag 2 Non-methane organic gases	
START-SOC	System Start State of Charge Watt-hours	NMOG BAG 3	Bag 3 Non-methane organic gases	
END-SOC	System End State of Charge Watt-hours	NMOG BAG 4	Bag 4 Non-methane organic gases	
ACT-DISTANCE	Actual Distance Driven (miles)			
Certification Region				

Certification Summary Information Report

Test Group		VVTPV00.07PL		Evaporative/Refueling Family		--	
CA	California + CAA Section 177 states	FA	Federal				
Exhaust Emission Standard Level							
B1	Federal Tier 2 Bin 1	T3B160	Federal Tier 3 Bin 160				
B2	Federal Tier 2 Bin 2	T3B125	Federal Tier 3 Bin 125				
B3	Federal Tier 2 Bin 3	T3B110	Federal Tier 3 Transitional Bin 110				
B4	Federal Tier 2 Bin 4	T3B85	Federal Tier 3 Transitional Bin 85				
B5	Federal Tier 2 Bin 5	T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover				
B6	Federal Tier 2 Bin 6	T3B70	Federal Tier 3 Bin 70				
B7	Federal Tier 2 Bin 7	T3B50	Federal Tier 3 Bin 50				
B8	Federal Tier 2 Bin 8	T3B30	Federal Tier 3 Bin 30				
B9	Federal Tier 2 Bin 9	T3B20	Federal Tier 3 Bin 20				
B10	Federal Tier 2 Bin 10	T3B0	Federal Tier 3 Bin 0				
B11	Federal Tier 2 Bin 11	HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395				
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340				
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)	HDV2B250	Federal Tier 3 HD Class 2b Bin 250				
L2	California LEV-II LEV	HDV2B200	Federal Tier 3 HD Class 2b Bin 200				
L2OP	California LEV-II LEV Optional	HDV2B170	Federal Tier 3 HD Class 2b Bin 170				
U2	California LEV-II ULEV	HDV2B150	Federal Tier 3 HD Class 2b Bin 150				
S2	California LEV-II SULEV	HDV2B0	Federal Tier 3 HD Class 2b Bin 0				
ZEV	California ZEV	HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630				
OT	Other	HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570				
T1	Federal Tier 1	HDV3B400	Federal Tier 3 HD Class 3 Bin 400				
PZEV	California PZEV	HDV3B270	Federal Tier 3 HD Class 3 Bin 270				
L2LEV160	California LEV-II LEV160	HDV3B230	Federal Tier 3 HD Class 3 Bin 230				
L2ULEV125	California LEV-II ULEV125	HDV3B200	Federal Tier 3 HD Class 3 Bin 200				
L2SULEV30	California LEV-II SULEV30	HDV3B0	Federal Tier 3 HD Class 3 Bin 0				
L2LEV395	California LEV-II LEV395	L4SULEV100	California LEV-IV SULEV100				
L2ULEV340	California LEV-II ULEV340	L4SULEV125	California LEV-IV SULEV125				
L2LEV630	California LEV-II LEV630	L4SULEV15	California LEV-IV SULEV15				
L2ULEV570	California LEV-II ULEV570	L4SULEV150	California LEV-IV SULEV150				
L3LEV160	California LEV-III LEV160	L4SULEV170	California LEV-IV SULEV170				
L3ULEV125	California LEV-III ULEV125	L4SULEV175	California LEV-IV SULEV175				
L3ULEV70	California LEV-III ULEV70	L4SULEV20	California LEV-IV SULEV20				
L3ULEV50	California LEV-III ULEV50	L4SULEV200	California LEV-IV SULEV200				
L3SULEV30	California LEV-III SULEV30	L4SULEV230	California LEV-IV SULEV230				
L3SULEV20	California LEV-III SULEV20	L4SULEV25	California LEV-IV SULEV25				
L3LEV395	California LEV-III LEV395	L4SULEV30	California LEV-IV SULEV30				
L3ULEV340	California LEV-III ULEV340	L4SULEV75	California LEV-IV SULEV75				
L3ULEV250	California LEV-III ULEV250	L4SULEV85	California LEV-IV SULEV85				
L3ULEV200	California LEV-III ULEV200	L4ULEV125	California LEV-IV ULEV125				

Certification Summary Information Report

Test Group		VVTPV00.07PL	Evaporative/Refueling Family		--
L3SULEV170	California LEV-III SULEV170		L4ULEV200	California LEV-IV ULEV200	
L3SULEV150	California LEV-III SULEV150		L4ULEV250	California LEV-IV ULEV250	
L3LEV630	California LEV-III LEV630		L4ULEV270	California LEV-IV ULEV270	
L3ULEV570	California LEV-III ULEV570		L4ULEV40	California LEV-IV ULEV40	
L3ULEV400	California LEV-III ULEV400		L4ULEV400	California LEV-IV ULEV400	
L3ULEV270	California LEV-III ULEV270		L4ULEV50	California LEV-IV ULEV50	
L3SULEV230	California LEV-III SULEV230		L4ULEV60	California LEV-IV ULEV60	
L3SULEV200	California LEV-III SULEV200		L4ULEV70	California LEV-IV ULEV70	
Transmission Type Code					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual		
A	Automatic	OT	Other		
AM	Automated Manual	SA	Semi-Automatic		
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)		
Drive System Code					
4	4-Wheel Drive	P	Part-time 4-Wheel Drive		
F	2-Wheel Drive, Front	A	All Wheel Drive		
R	2-Wheel Drive, Rear				
Additional Terms and Acronyms					
AFC	Alternative Fuel Converter	ICI	Independent Commercial Importer		
CSI	Certificate Summary Information	ORVR	Onboard Refueling Vapor Recovery		
DF	Deterioration Factor	SIL	Shift Indicator Light		
Evap	Evaporation, Evaporative	Trans	Transmission		