



### Certification Summary Information Report

<b>Test Group</b>	VVVXV00.0ZVJ	<b>Evaporative/Refueling Family</b>	--
-------------------	--------------	-------------------------------------	----

**Models Covered by this Certificate**

Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
Volvo Car USA, LLC	1 - Volvo Cars of North America, LLC	305 - EX60 P6 electric	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	1	No
Volvo Car USA, LLC	1 - Volvo Cars of North America, LLC	306 - EX60 P6 electric (22 Inch Wheels)	California + CAA Section 177 states	2-Wheel Drive, Rear	Automatic	1	No
Volvo Car USA, LLC	1 - Volvo Cars of North America, LLC	305 - EX60 P6 electric	Federal	2-Wheel Drive, Rear	Automatic	1	No
Volvo Car USA, LLC	1 - Volvo Cars of North America, LLC	306 - EX60 P6 electric (22 Inch Wheels)	Federal	2-Wheel Drive, Rear	Automatic	1	No

**Engine Description**

<b>Hybrid Type</b>	--	<b>Hybrid Description</b>	--
<b>Engine Type</b>	--	<b>Mfr Engine Description</b>	--
<b>Engine Block Arrangement</b>	--	<b>Mfr Engine Block Arrangement Description</b>	--
<b>Camless Valvetrain Indicator</b>	--	<b>Oil Viscosity/Classification</b>	
<b>Number of Cylinders/Rotors</b>	--	<b>Mechanically Variable Compression Ratio Indicator</b>	--

**After Treatment Device(s) (ATD)**

<b>Mfr After Treatment Device (ATD) Comments</b>	--
<b>Direct Ozone Reduction (DOR) Device</b>	--
<b>Mfr Emission Control Device Comments</b>	--

**Official Test Numbers**

Test Group Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Electricity	--	--	--	--	--	--	--	--	--	--

**SFTP LEV-III Official Test Numbers**

Test Group Fuel	FTP	US06	SC03
Electricity	--	--	--

**Official Charge Depleting Test Numbers**

Test Group Fuel	UDDS	Highway
Electricity	--	--
Electricity	--	--

## Certification Summary Information Report

Test Group	VVVXV00.0ZVJ	Evaporative/Refueling Family	--
<b>Hybrid Electric Vehicle And Fuel Cell Information</b>			
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if Other	--
Battery Type	Lithium Ion	Number of Battery Packs	1
Total Voltage of Battery Packs	630	Battery Energy Capacity	132
Battery Specific Energy	157	Battery Charger Type	On-Board
Number of Capacitors	--	Capacitor Rating (In Farads)	--
Mfr Capacitor Comments	--		
Hydraulic System Description	--		
Regenerative Braking Type	Electrical Regen Brake		
Regenerative Braking Source	Rear Wheels	Driver Controlled Regenerative Braking	No
Mfr Regenerative Braking Description	--		
Drive Motor(s)/Generator(s)	1		
Motor/Generator Type 1	PMSM	Rated Motor/Generator Power	275
Mfr Fuel Cell Description	--		
Fuel Cell On-Board H2 Storage Capacity (kg)	--	Usable H2 Fill Capacity (kg)	--
Mfr Hybrid Electric/ Electric Vehicle Comments	Rear drive Motor PMSM = Permanent Magnet Synch Machine		



## Certification Summary Information Report

Test Group		VVVXV00.0ZVJ			Evaporative/Refueling Family			--
<b>Dynamometer Coefficients:</b>								
		Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)		
City/Highway/Evap	29.37	0.1024	0.01845	12.2	0.101	0.0178	10.7	
Cold CO	32.31	0.1126	0.0203	0	0	0	N/A	
US06	29.37	0.1024	0.01845	12.2	0.101	0.0178	N/A	
Emission Control Device Comments	Electric vehicle							
Manufacturer Test Vehicle Comments	Tested on 21 inch tire, cover for 20 inch tire.							

## Certification Summary Information Report

Test Group	VVVXV00.0ZVJ	Evaporative/Refueling Family	--
<b>Test #</b>	<b>VVVX10093215</b>	<b>Test Procedure</b>	<b>77 - Multi-Cycle Test (MCT)</b>
<b>Exhaust Test # for this Evap Test</b>	--	<b>Test Fuel Type</b>	62 - Electricity
<b>Test Date</b>	01/27/2026	<b>Fuel</b>	Electricity
<b>Fuel Batch ID</b>	E11	<b>Fuel Calibration Number</b>	1
<b>Vehicle Class</b>	LDV/Passenger Car	<b>DF Type</b>	Mfr. Determined
<b>Verify Test Lab ID</b>	Volvo Car Corporation		
<b>E10 Evaporative Test Measurement Method</b>	--		
<b>Test Start Odometer Reading</b>	4240	<b>Odometer Units</b>	K
<b>4WD Test Dyno</b>	Yes	<b>Diesel Adjustment Factor Usage</b>	--
<b>State of Charge Delta</b>	Yes		
<b>Drive Cycle Speed Tolerance Criteria</b>	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	<b>Road Speed Fan Usage</b>	Yes
<b>PHEV/EV Charge Depleting Test Information</b>			
<b>Recharge Event Voltage</b>	236	<b>Recharge Event Energy (kiloWatt-hours)</b>	87.6491
<b>Charge Depleting Range (Calculated miles)</b>	463.753	<b>Charge Depleting Range (Actual miles)</b>	463.753
<b>Charge Depleting Range Highway (Calculated miles)</b>	408.511	<b>Derived 5-Cycle Coefficient Model Year</b>	--
<b>All Electric Range Unadjusted (miles)</b>	--	<b>Equivalent All Electric Range (miles)</b>	463.753
<b>Number of Charge Depleting Bags/Phases Conducted</b>	8	<b>Transition Bag/Phase Number</b>	--
<b>Charge Depleting Bag/Phase #1</b>			
<b>Test Result/Emission Name</b>		<b>Unrounded Test Result</b>	
Actual Distance Driven (miles)		7.482	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		-1.6	
Drive Trace Energy Economy Rating		-3.34	
Drive Trace Inertia Work Ratio Rating		-2.38	
Integrated DC KW-HRS		1.3191	
Manufacturer Fuel Economy		17.63	
<b>Charge Depleting Bag/Phase #2</b>			

## Certification Summary Information Report

Test Group	VVVXV00.0ZVJ	Evaporative/Refueling Family	--																
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.246</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.67</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-2.68</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-1.93</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.029</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>19.803</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.246	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.67	Drive Trace Energy Economy Rating	-2.68	Drive Trace Inertia Work Ratio Rating	-1.93	Integrated DC KW-HRS	2.029	Manufacturer Fuel Economy	19.803
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	10.246																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-1.67																		
Drive Trace Energy Economy Rating	-2.68																		
Drive Trace Inertia Work Ratio Rating	-1.93																		
Integrated DC KW-HRS	2.029																		
Manufacturer Fuel Economy	19.803																		
<b>Charge Depleting Bag/Phase #3</b>																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.473</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.16</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.87</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-1.74</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.3127</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>17.566</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.473	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.16	Drive Trace Energy Economy Rating	-1.87	Drive Trace Inertia Work Ratio Rating	-1.74	Integrated DC KW-HRS	1.3127	Manufacturer Fuel Economy	17.566
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.473																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-1.16																		
Drive Trace Energy Economy Rating	-1.87																		
Drive Trace Inertia Work Ratio Rating	-1.74																		
Integrated DC KW-HRS	1.3127																		
Manufacturer Fuel Economy	17.566																		
<b>Charge Depleting Bag/Phase #4</b>																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>234.673</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.01</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>1.72</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0.01</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>60.8469</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>25.928</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	234.673	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.01	Drive Trace Energy Economy Rating	1.72	Drive Trace Inertia Work Ratio Rating	0.01	Integrated DC KW-HRS	60.8469	Manufacturer Fuel Economy	25.928
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	234.673																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	0.01																		
Drive Trace Energy Economy Rating	1.72																		
Drive Trace Inertia Work Ratio Rating	0.01																		
Integrated DC KW-HRS	60.8469																		
Manufacturer Fuel Economy	25.928																		
<b>Charge Depleting Bag/Phase #5</b>																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.482</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.67</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-3.52</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-2.92</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.281</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>17.121</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.482	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.67	Drive Trace Energy Economy Rating	-3.52	Drive Trace Inertia Work Ratio Rating	-2.92	Integrated DC KW-HRS	1.281	Manufacturer Fuel Economy	17.121
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.482																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-1.67																		
Drive Trace Energy Economy Rating	-3.52																		
Drive Trace Inertia Work Ratio Rating	-2.92																		
Integrated DC KW-HRS	1.281																		
Manufacturer Fuel Economy	17.121																		
<b>Charge Depleting Bag/Phase #6</b>																			

## Certification Summary Information Report

<b>Test Group</b>	VVVXV00.0ZVJ	<b>Evaporative/Refueling Family</b>	--
-------------------	--------------	-------------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.258
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-2.12
Drive Trace Energy Economy Rating	-1.83
Drive Trace Inertia Work Ratio Rating	-2.38
Integrated DC KW-HRS	2.0031
Manufacturer Fuel Economy	19.527

**Charge Depleting Bag/Phase #7**

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.452
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-0.92
Drive Trace Energy Economy Rating	-1.6
Drive Trace Inertia Work Ratio Rating	-1.77
Integrated DC KW-HRS	1.2866
Manufacturer Fuel Economy	17.265

**Charge Depleting Bag/Phase #8**

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	40.097
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	0.01
Drive Trace Energy Economy Rating	-0.57
Drive Trace Inertia Work Ratio Rating	0.01
Integrated DC KW-HRS	10.2554
Manufacturer Fuel Economy	25.576

**Manufacturer Test Comments**

Multi cycle test method used. EX60 P6 electric tested with 21" tire and this test also cover for 20" tires

### Certification Summary Information Report

Test Group		VVVXV00.0ZVJ				Evaporative/Refueling Family				--		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--



### Certification Summary Information Report

<b>Test Group</b>	VVVXV00.0ZVJ	<b>Evaporative/Refueling Family</b>	--
-------------------	--------------	-------------------------------------	----

**Dynamometer Coefficients:**

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
<b>City/Highway/Evap</b>	32.25	0.1024	0.01888	16.2	0.062	0.0188	11.3
<b>Cold CO</b>	35.48	0.1126	0.02077	0	0	0	N/A
<b>US06</b>	32.25	0.1024	0.01888	16.2	0.062	0.0188	N/A

**Emission Control Device Comments**      Electric vehicle  
**Manufacturer Test Vehicle Comments**      Tested on 22 inch tire.

## Certification Summary Information Report

Test Group	VVVXV00.0ZVJ	Evaporative/Refueling Family	--
<b>Test #</b>	<b>VVVX10093216</b>	<b>Test Procedure</b>	<b>77 - Multi-Cycle Test (MCT)</b>
<b>Exhaust Test # for this Evap Test</b>	--	<b>Test Fuel Type</b>	62 - Electricity
<b>Test Date</b>	01/28/2026	<b>Fuel</b>	Electricity
<b>Fuel Batch ID</b>	E11	<b>Fuel Calibration Number</b>	1
<b>Vehicle Class</b>	LDV/Passenger Car	<b>DF Type</b>	Mfr. Determined
<b>Verify Test Lab ID</b>	Volvo Car Corporation		
<b>E10 Evaporative Test Measurement Method</b>	--		
<b>Test Start Odometer Reading</b>	4769	<b>Odometer Units</b>	K
<b>4WD Test Dyno</b>	Yes	<b>Diesel Adjustment Factor Usage</b>	--
<b>State of Charge Delta</b>	Yes		
<b>Drive Cycle Speed Tolerance Criteria</b>	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	<b>Road Speed Fan Usage</b>	Yes
<b>PHEV/EV Charge Depleting Test Information</b>			
<b>Recharge Event Voltage</b>	236	<b>Recharge Event Energy (kiloWatt-hours)</b>	87.8015
<b>Charge Depleting Range (Calculated miles)</b>	447.286	<b>Charge Depleting Range (Actual miles)</b>	447.286
<b>Charge Depleting Range Highway (Calculated miles)</b>	391.201	<b>Derived 5-Cycle Coefficient Model Year</b>	--
<b>All Electric Range Unadjusted (miles)</b>	--	<b>Equivalent All Electric Range (miles)</b>	447.286
<b>Number of Charge Depleting Bags/Phases Conducted</b>	8	<b>Transition Bag/Phase Number</b>	--
<b>Charge Depleting Bag/Phase #1</b>			
<b>Test Result/Emission Name</b>		<b>Unrounded Test Result</b>	
Actual Distance Driven (miles)		7.482	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		-1.48	
Drive Trace Energy Economy Rating		-2.81	
Drive Trace Inertia Work Ratio Rating		-2.16	
Integrated DC KW-HRS		1.385	
Manufacturer Fuel Economy		18.511	
<b>Charge Depleting Bag/Phase #2</b>			

## Certification Summary Information Report

Test Group	VVVXV00.0ZVJ	Evaporative/Refueling Family	--																
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.244</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.86</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.83</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-2.19</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.1164</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>20.66</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.244	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.86	Drive Trace Energy Economy Rating	-1.83	Drive Trace Inertia Work Ratio Rating	-2.19	Integrated DC KW-HRS	2.1164	Manufacturer Fuel Economy	20.66
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	10.244																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-1.86																		
Drive Trace Energy Economy Rating	-1.83																		
Drive Trace Inertia Work Ratio Rating	-2.19																		
Integrated DC KW-HRS	2.1164																		
Manufacturer Fuel Economy	20.66																		
<b>Charge Depleting Bag/Phase #3</b>																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.457</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.61</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-2.32</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-2.62</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.3491</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>18.092</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.457	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.61	Drive Trace Energy Economy Rating	-2.32	Drive Trace Inertia Work Ratio Rating	-2.62	Integrated DC KW-HRS	1.3491	Manufacturer Fuel Economy	18.092
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.457																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-1.61																		
Drive Trace Energy Economy Rating	-2.32																		
Drive Trace Inertia Work Ratio Rating	-2.62																		
Integrated DC KW-HRS	1.3491																		
Manufacturer Fuel Economy	18.092																		
<b>Charge Depleting Bag/Phase #4</b>																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>225.779</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.01</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>1.71</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0.01</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>60.87</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>26.96</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	225.779	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.01	Drive Trace Energy Economy Rating	1.71	Drive Trace Inertia Work Ratio Rating	0.01	Integrated DC KW-HRS	60.87	Manufacturer Fuel Economy	26.96
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	225.779																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	0.01																		
Drive Trace Energy Economy Rating	1.71																		
Drive Trace Inertia Work Ratio Rating	0.01																		
Integrated DC KW-HRS	60.87																		
Manufacturer Fuel Economy	26.96																		
<b>Charge Depleting Bag/Phase #5</b>																			
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.477</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.85</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-3.43</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-3.22</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.3314</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>17.807</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.477	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.85	Drive Trace Energy Economy Rating	-3.43	Drive Trace Inertia Work Ratio Rating	-3.22	Integrated DC KW-HRS	1.3314	Manufacturer Fuel Economy	17.807
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.477																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-1.85																		
Drive Trace Energy Economy Rating	-3.43																		
Drive Trace Inertia Work Ratio Rating	-3.22																		
Integrated DC KW-HRS	1.3314																		
Manufacturer Fuel Economy	17.807																		
<b>Charge Depleting Bag/Phase #6</b>																			

## Certification Summary Information Report

<b>Test Group</b>	VVVXV00.0ZVJ	<b>Evaporative/Refueling Family</b>	--
-------------------	--------------	-------------------------------------	----

<b>Test Result/Emission Name</b>	<b>Unrounded Test Result</b>
Actual Distance Driven (miles)	10.26
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-2.09
Drive Trace Energy Economy Rating	-1.63
Drive Trace Inertia Work Ratio Rating	-2.32
Integrated DC KW-HRS	2.0971
Manufacturer Fuel Economy	20.44

**Charge Depleting Bag/Phase #7**

<b>Test Result/Emission Name</b>	<b>Unrounded Test Result</b>
Actual Distance Driven (miles)	7.442
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-1.42
Drive Trace Energy Economy Rating	-2.02
Drive Trace Inertia Work Ratio Rating	-2.48
Integrated DC KW-HRS	1.339
Manufacturer Fuel Economy	17.992

**Charge Depleting Bag/Phase #8**

<b>Test Result/Emission Name</b>	<b>Unrounded Test Result</b>
Actual Distance Driven (miles)	37.2
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	0.01
Drive Trace Energy Economy Rating	-0.71
Drive Trace Inertia Work Ratio Rating	0.01
Integrated DC KW-HRS	9.9028
Manufacturer Fuel Economy	26.62

**Manufacturer Test Comments**

Multi cycle test method used. EX60 P6 electric (22 Inch Wheels)

### Certification Summary Information Report

Test Group		VVVXV00.0ZVJ				Evaporative/Refueling Family				--		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	0	--	0	--	--
Fed	120,000 miles	Federal Tier 4 Bin 0	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--
CA	120,000 miles	California ZEV	CREE	0	--	--	--	0	--	0	--	--

#### Fuel Properties

<b>Fuel Batch ID</b>	E11	<b>Fuel Calibration Number</b>	1
<b>Test Fuel Type</b>	62 - Electricity	<b>Fuel Batch Calibration Date</b>	05/01/2020
<b>Fuel Batch Calibration Effective Date</b>	05/01/2020	<b>Fuel Batch Calibration Ineffective Date</b>	--
<b>Carbon Weight Fraction NMHC</b>	--	<b>Carbon Weight Fraction HC</b>	--
<b>Exhaust Carbon Weight Fraction</b>	--	<b>Fuel Methanol Volume Fraction</b>	--
<b>Fuel Density (grams/cubic ft)</b>	--	<b>Fuel Specific Gravity</b>	--
<b>Fuel Ethanol Volume Percent (%)</b>	--	<b>Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)</b>	--
<b>Fuel Net Heat of Combustion (E10) (MJ/kg)</b>	--	<b>Fuel Carbon Mass Fraction (E10)</b>	--
<b>Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)</b>	--	<b>Weight Fraction CO2</b>	--

### Certification Summary Information Report

<b>Test Group</b>	VVVXV00.0ZVJ	<b>Evaporative/Refueling Family</b>	--						
<b>Consolidated List of Standards</b>									
<b>Exhaust Standards</b>									
<b>Cert Region</b>	California + CAA Section 177 states	<b>Cert/In-Use Code</b>	Both						
<b>Vehicle Class</b>	LDV/Passenger Car	<b>Standard Level</b>	California ZEV						
<b>Fuel</b>	Electricity	<b>Test Procedure</b>	Multi-Cycle Test (MCT)						
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>
120,000 miles	CREE	--	--	--	--	--	--	0	0
150,000 miles	CO	--	--	--	--	--	--	0	0
<b>Cert Region</b>	Federal	<b>Cert/In-Use Code</b>	Cert						
<b>Vehicle Class</b>	LDV/Passenger Car	<b>Standard Level</b>	Federal Tier 4 Bin 0						
<b>Fuel</b>	Electricity	<b>Test Procedure</b>	CVS 75 and later (w/o can. load)						
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>
150,000 miles	CO	--	--	--	--	--	--	0	0
<b>Cert Region</b>	Federal	<b>Cert/In-Use Code</b>	Both						
<b>Vehicle Class</b>	LDV/Passenger Car	<b>Standard Level</b>	Federal Tier 4 Bin 0						
<b>Fuel</b>	Electricity	<b>Test Procedure</b>	Multi-Cycle Test (MCT)						
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>
120,000 miles	CREE	--	--	--	--	--	--	0	0
150,000 miles	CO	--	--	--	--	--	--	0	0
<b>Cert Region</b>	California + CAA Section 177 states	<b>Cert/In-Use Code</b>	Cert						
<b>Vehicle Class</b>	LDV/Passenger Car	<b>Standard Level</b>	California ZEV						
<b>Fuel</b>	Electricity	<b>Test Procedure</b>	CVS 75 and later (w/o can. load)						
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>
150,000 miles	CO	--	--	--	--	--	--	0	0

## Certification Summary Information Report

Test Group	VVVXV00.0ZVJ	Evaporative/Refueling Family	--
<b>Glossary</b>			
<b>Useful Life</b>			
4	4,000 miles	120	120,000 miles
50	50,000 miles	150	150,000 miles
100	100,000 miles		
<b>Emission Name</b>			
HC-TOTAL	Total Hydrocarbon	COMB-CREE	Combined Carbon-Related Exhaust Emissions
CO	Carbon Monoxide	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions
CO2	Carbon dioxide	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only
CREE	Carbon-Related Exhaust Emissions	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only
OPT-CREE	Optional Carbon-Related Exhaust Emissions	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only
NOX	Nitrogen Oxide	LEAK-DIA	Effective Leak Diameter (inches)
PM	Particulate Matter	LEAK-GAS CAP	Gas Cap Leakage (cc/min)
PM-COMP	SFTP Composite Particulate Matter	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only
HC-NM	Non-methane Hydrocarbon	KW-HRS	Integrated DC KW-HRS
OMHCE	Organic material Hydrocarbon Equivalent	CH4 BAG 1	Bag 1 Methane
OMNMHCE	Organic material non-methane HC equivalent	CH4 BAG 2	Bag 2 Methane
NMOG	Non-methane organic gases	CH4 BAG 3	Bag 3 Methane
HCHO	Formaldehyde	CH4 BAG 4	Bag 4 Methane
H3C2HO	Acetaldehyde	CO BAG 1	Bag 1 Carbon Monoxide
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	CO BAG 2	Bag 2 Carbon Monoxide
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	CO BAG 3	Bag 3 Carbon Monoxide
CO-COMP	SFTP Composite Carbon Monoxide	CO BAG 4	Bag 4 Carbon Monoxide
ETHANOL	C2H5OH - Ethanol	NMOG BAG 1	Bag 1 Non-methane organic gases
FE BAG 1	Bag 1 Fuel Economy	NMOG BAG 2	Bag 2 Non-methane organic gases
FE BAG 2	Bag 2 Fuel Economy	NMOG BAG 3	Bag 3 Non-methane organic gases
FE BAG 3	Bag 3 Fuel Economy	NMOG BAG 4	Bag 4 Non-methane organic gases
FE BAG 4	Bag 4 Fuel Economy	ACT-DISTANCE BAG 1	Bag 1 Actual Distance
MFR FE	Manufacturer Fuel Economy	ACT-DISTANCE BAG 2	Bag 2 Actual Distance
HC	Hydrocarbon for Running Loss and ORVR	ACT-DISTANCE BAG 3	Bag 3 Actual Distance
METHANE	CH4 - Methane	ACT-DISTANCE BAG 4	Bag 4 Actual Distance
METHANOL	CH3OH - Methanol	HC-TOTAL BAG 1	Bag 1 Total Hydrocarbon
N2O	Nitrous Oxide	HC-TOTAL BAG 2	Bag 2 Total Hydrocarbon
SPITBACK	Spitback Hydrocarbon in grams	HC-TOTAL BAG 3	Bag 3 Total Hydrocarbon
AMP-HRS	Integrated Amp-hours	HC-TOTAL BAG 4	Bag 4 Total Hydrocarbon
START-SOC	System Start State of Charge Watt-hours	WATT-HRS BAG 1	Bag 1 Watt Hours
END-SOC	System End State of Charge Watt-hours	WATT-HRS BAG 2	Bag 2 Watt Hours

## Certification Summary Information Report

Test Group		VVVXV00.0ZVJ	Evaporative/Refueling Family		--
ACT-DISTANCE	Actual Distance Driven (miles)		WATT-HRS BAG 3	Bag 3 Watt Hours	
AS-VOLT	Average System Voltage		WATT-HRS BAG 4	Bag 4 Watt Hours	
CO2 BAG 1	Bag 1 Carbon Dioxide		WATT-HRS	Watt Hours	
CO2 BAG 2	Bag 2 Carbon Dioxide		HC-NM BAG 1	Bag 1 Non-methane Hydrocarbon	
CO2 BAG 3	Bag 3 Carbon Dioxide		HC-NM BAG 2	Bag 2 Non-methane Hydrocarbon	
CO2 BAG 4	Bag 4 Carbon Dioxide		HC-NM BAG 3	Bag 3 Non-methane Hydrocarbon	
NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides		HC-NM BAG 4	Bag 4 Non-methane Hydrocarbon	
NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides		N2O BAG 1	Bag 1 Nitrous Oxide	
DT-IWRR	Drive Trace Inertia Work Ratio Rating		N2O BAG 2	Bag 2 Nitrous Oxide	
DT-ASCR	Drive Trace Absolute Speed Change Rating		N2O BAG 3	Bag 3 Nitrous Oxide	
DT-EER	Drive Trace Energy Economy Rating		N2O BAG 4	Bag 4 Nitrous Oxide	
<b>Certification Region</b>					
CA	California + CAA Section 177 states		FA	Federal	
<b>Exhaust Emission Standard Level</b>					
B1	Federal Tier 2 Bin 1		HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
B2	Federal Tier 2 Bin 2		HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
B3	Federal Tier 2 Bin 3		HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
B4	Federal Tier 2 Bin 4		HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
B5	Federal Tier 2 Bin 5		HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
B6	Federal Tier 2 Bin 6		HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
B7	Federal Tier 2 Bin 7		HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
B8	Federal Tier 2 Bin 8		HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
B9	Federal Tier 2 Bin 9		HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
B10	Federal Tier 2 Bin 10		HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
B11	Federal Tier 2 Bin 11		HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)		HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)		HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
L2	California LEV-II LEV		L4SULEV100	California LEV-IV SULEV100	
L2OP	California LEV-II LEV Optional		L4SULEV125	California LEV-IV SULEV125	
U2	California LEV-II ULEV		L4SULEV15	California LEV-IV SULEV15	
S2	California LEV-II SULEV		L4SULEV150	California LEV-IV SULEV150	
ZEV	California ZEV		L4SULEV170	California LEV-IV SULEV170	
OT	Other		L4SULEV175	California LEV-IV SULEV175	
T1	Federal Tier 1		L4SULEV20	California LEV-IV SULEV20	
PZEV	California PZEV		L4SULEV200	California LEV-IV SULEV200	
L2LEV160	California LEV-II LEV160		L4SULEV230	California LEV-IV SULEV230	
L2ULEV125	California LEV-II ULEV125		L4SULEV25	California LEV-IV SULEV25	
L2SULEV30	California LEV-II SULEV30		L4SULEV30	California LEV-IV SULEV30	
L2LEV395	California LEV-II LEV395		L4SULEV75	California LEV-IV SULEV75	

## Certification Summary Information Report

Test Group	VVVXV00.0ZVJ	Evaporative/Refueling Family	--
L2ULEV340	California LEV-II ULEV340	L4SULEV85	California LEV-IV SULEV85
L2LEV630	California LEV-II LEV630	L4ULEV125	California LEV-IV ULEV125
L2ULEV570	California LEV-II ULEV570	L4ULEV200	California LEV-IV ULEV200
L3LEV160	California LEV-III LEV160	L4ULEV250	California LEV-IV ULEV250
L3ULEV125	California LEV-III ULEV125	L4ULEV270	California LEV-IV ULEV270
L3ULEV70	California LEV-III ULEV70	L4ULEV40	California LEV-IV ULEV40
L3ULEV50	California LEV-III ULEV50	L4ULEV400	California LEV-IV ULEV400
L3SULEV30	California LEV-III SULEV30	L4ULEV50	California LEV-IV ULEV50
L3SULEV20	California LEV-III SULEV20	L4ULEV60	California LEV-IV ULEV60
L3LEV395	California LEV-III LEV395	L4ULEV70	California LEV-IV ULEV70
L3ULEV340	California LEV-III ULEV340	T4B170	Federal Tier 4 MDV Bin 170
L3ULEV250	California LEV-III ULEV250	T4B150	Federal Tier 4 MDV Bin 150
L3ULEV200	California LEV-III ULEV200	T4B125	Federal Tier 4 MDV Bin 125
L3SULEV170	California LEV-III SULEV170	T4B100	Federal Tier 4 MDV Bin 100
L3SULEV150	California LEV-III SULEV150	T4B85	Federal Tier 4 MDV Bin 85
L3LEV630	California LEV-III LEV630	T4B75	Federal Tier 4 MDV Bin 75
L3ULEV570	California LEV-III ULEV570	T4B70	Federal Tier 4 Bin 70
L3ULEV400	California LEV-III ULEV400	T4B65	Federal Tier 4 Bin 65
L3ULEV270	California LEV-III ULEV270	T4B60	Federal Tier 4 Bin 60
L3SULEV230	California LEV-III SULEV230	T4B55	Federal Tier 4 Bin 55
L3SULEV200	California LEV-III SULEV200	T4B50	Federal Tier 4 Bin 50
T3B160	Federal Tier 3 Bin 160	T4B45	Federal Tier 4 Bin 45
T3B125	Federal Tier 3 Bin 125	T4B40	Federal Tier 4 Bin 40
T3B110	Federal Tier 3 Transitional Bin 110	T4B35	Federal Tier 4 Bin 35
T3B85	Federal Tier 3 Transitional Bin 85	T4B30	Federal Tier 4 Bin 30
T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover	T4B25	Federal Tier 4 Bin 25
T3B70	Federal Tier 3 Bin 70	T4B20	Federal Tier 4 Bin 20
T3B50	Federal Tier 3 Bin 50	T4B15	Federal Tier 4 Bin 15
T3B30	Federal Tier 3 Bin 30	T4B10	Federal Tier 4 Bin 10
T3B20	Federal Tier 3 Bin 20	T4B5	Federal Tier 4 Bin 5
T3B0	Federal Tier 3 Bin 0	T4B0	Federal Tier 4 Bin 0
HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395		
<b>Transmission Type Code</b>			
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual
A	Automatic	OT	Other
AM	Automated Manual	SA	Semi-Automatic
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)
<b>Drive System Code</b>			
4	4-Wheel Drive	P	Part-time 4-Wheel Drive

### Certification Summary Information Report

Test Group	VVVXV00.0ZVJ	Evaporative/Refueling Family		--
F	2-Wheel Drive, Front	A	All Wheel Drive	
R	2-Wheel Drive, Rear			
<b>Additional Terms and Acronyms</b>				
AFC	Alternative Fuel Converter	ICI	Independent Commercial Importer	
CSI	Certificate Summary Information	ORVR	Onboard Refueling Vapor Recovery	
DF	Deterioration Factor	SIL	Shift Indicator Light	
Evap	Evaporation, Evaporative	Trans	Transmission	