



Application for Certification  
Part 1

2026 ModelYear

Durability Group: TCRXGPGNNF18  
Evaporative Family: TCRXR0225RR1

Test Group: TCRXT06.2570

Four Stroke, Otto Cycle, Gasoline Fueled, Ported FI

Ceramic Monolith Pd, Rh Close Coupled Catalyst

6.2 Liter V-8  
LDT4

Applicable Standards:  
50 State - Tier 3 BIN 70

Vehicles Covered:  
Ram 1500, AWD

Vehicle(s) Run:  
VID 1 config., Vehicle ID L6DT63822 (Exh.)  
VID 2 config., Vehicle ID V7DS61972 (Evap)



## Table of Contents

Correspondence & Communication	Section 1
Durability Group Description Summary	Section 2
Evaporative/Refueling Family Description Summary	Section 3
Durability Procedure Description	Section 4
Test Group Description Summary	Section 5
	Reserved
	Reserved
Emission testing Waiver Statement and Attestatons	Section 8
OBD Description	Section 9
Description of Alternate Fueled Vehicles	Section 10
List of AECD Used in Test Group	Section 11
List of Certified Vehicles & Complete Test Parameters	Section 12
Total Projected Sales for This Test Group - See Common Section 16	
Request for Certificate / Cover Letters	Section 14
Fee Filing Form	Section 15
VECI Label	Section 15
Confidential Information for Test Group – See Common Section 16	
California Unique Information	Section 17
Exhaust Data Carryover	Section 17.15
VI's for Data Fleet	Section 17.16
Data Fleet Test Logs	Section 17.16



**Section 1 Correspondence and Communication**

For questions dealing with the Part I application for this Test Group contact:

<b><u>Name</u></b>	Gary J. Arvan	Kevin Wright
<b><u>Title</u></b>	Director	Certification Engineer
<b><u>Responsibility</u></b>	Vehicle Safety & Environmental Homologation Programs	Application Submission
<b><u>Phone</u></b>	248.221.9461	248-946-2561
<b><u>E-mail</u></b>	<a href="mailto:gary.arvan@stellantis.com">gary.arvan@stellantis.com</a>	<a href="mailto:kevin.wright@stellantis.com">kevin.wright@stellantis.com</a>
<b><u>Fax</u></b>	248.576.7928	248.576.7928

For a complete listing of all Correspondence and Communication Information for FCA US LLC, please see:  
"Common Section Book - Section 1 Correspondence and Communication"



**Section 2 Durability Group Description**

Durability Group Name: TCRXGPGNNF18

For a complete description of the Durability Group Description please see:  
"Common Section Book - Section 2. Durability Group Description"



**Section 3 Evaporative/Refueling Family Description**

Evaporative/Refueling Family Name(s): TCRXR0225RR1

For a complete description of the Evaporative/Refueling Family Description please see:  
"Common Section Book - Section 3. Evaporative/Refueling Family Description "

For ORVR Agency Review Sign Off please see:  
"Common Section Book - Section 16. Agency Approvals"



**Section 4 Durability Procedure Description**

Durability Group: TCRXGPGNNF18

Durability Provision Statement:

Based on FCA US LLC 's good engineering judgement, all the vehicles described in this Application for Certification comply with all applicable intermediate and full useful life standards.

For a complete description of the Durability Procedure please see:

"Common Section Book - Section 16. Durability Procedure Description "

Indicate if aged components were used.

Indicate whether additive or multiplicative DF's were used.

List all DF's calculated at both full and intermediate useful life

And applicable standards (test results and vehicle description).

Whole Vehicle Aging

Additive

EPA - Reference VERIFY (hard copies of all VERIFY Reports retained in-house)

CARB - Reference Cert Review Sheet

Evaporative/Refueling Family:

TCR XR0225RR1

For a complete description of the Durability Procedure please see:

"Common Section Book - Section 16. Durability Procedure Description "

Indicate if aged components were used.

Indicate whether additive or multiplicative DF's were used.

List all DF's calculated at both full and intermediate useful life

And applicable standards (test results and vehicle description).

Yes - Bench Aging

Additive

EPA - Reference VERIFY (hard copies of all VERIFY Reports retained in-house)

CARB - Reference Cert Review Sheet



**Section 5   Test Group Description**

Test Group Name:	TCRXT06.2570
Engine displacements covered:	6.2L
Arrangement and number of cylinders:	V-8
Vehicle class(es) covered:	LDT4
Emission standards class:	BIN 70
AB71 Qualified Vehicles:	No

## Certification Summary Information Report

<b>Manufacturer</b>	FCA US LLC	<b>Manufacturer Code</b>	CRX
<b>Test Group</b>	TCRXT06.2570	<b>Evaporative/Refueling Family</b>	TCRXR0225RR1
<b>Certificate Number</b>	--	<b>CARB Executive Order #</b>	--
<b>Certificate Issue Date</b>	--	<b>Certificate Revision Date</b>	--
<b>Certificate Effective Date</b>	--	<b>Conditional Certificate</b>	--
<b>CSI Revision #</b>	--	<b>CSI Submission/Revision Date</b>	12/19/2025 10:33:35 AM
<b>Model Year</b>	2026		

<b>Test Group Information</b>			
<b>CSI Type</b>	New	<b>Running Change Reference Number</b>	--
<b>GHG Exempt Status</b>	Not Exempt		
<b>Drive Sources and Fuel(s)</b>			
<b>Drive Source #1:</b>	Combustion Engine		
	<b>Fuel</b>	<b>Basic Fuel Metering System</b>	<b>Lean Burn Strategy Indicator</b>
	Gasoline	Multipoint/sequential fuel injection	No

<b>Hybrid Indicator</b>	No		
<b>Multiple Fuel Storage</b>	--	<b>Rechargeable Energy Storage System Indicator</b>	--
<b>Multiple Fuel Combustion</b>	--	<b>Off-board Charge Capable Indicator</b>	--
<b>Fuel Cell Indicator</b>	--	<b>EPA Vehicle Class</b>	LDT4
<b>Federal Clean Fuel Vehicle</b>	Yes	<b>Federal Clean Fuel Vehicle Standard</b>	LEV
<b>Federal Clean Fuel Vehicle ILEV</b>	No	<b>California Partial Zero Emissions Vehicle Indicator</b>	No
<b>Durability Group Name</b>	TCRXGPGNNF18	<b>Durability Group Equivalency Factor</b>	1.0
<b>Reduced Fee Test Group</b>	No	<b>Certification Region Code(s)</b>	FA, CA
<b>Complies with HD GHG 2b/3 regulations?</b>	No		
<b>Introduction into Commerce Date</b>	--	<b>CAP2000 Conditional Certificate?</b>	N/A
<b>Independent Commercial Importer?</b>	--	<b>Alternative Fuel Converter Certificate?</b>	--
<b>SFTP Federal Composite Compliance Identifier</b>	Tier 3	<b>SFTP Tier 2 Composite CO Option</b>	No
<b>SFTP LEV-III Composite Compliance Indicator</b>	Yes		
<b>OBD Compliance Type</b>	CARB	<b>OBD Demonstration Vehicle Test Group</b>	TCRXT03.6560
<b>Test Group OBD Compliance Level</b>	Full - no deficiencies	<b>Number of Test Group OBD Deficiencies</b>	0
<b>OBD Deficiencies Comments</b>	--		
<b>Mfr Test Group Comments</b>	T3BIN70 E10 - City Litmus Value: 8.0; City Litmus Threshold: 7.5; Hwy Litmus Value: 11.9; Hwy Litmus Threshold: 11.3		
<b>Mfr Exhaust / Evap Standards Comments</b>	--		

## Certification Summary Information Report

<b>Test Group</b>	TCRXT06.2570	<b>Evaporative/Refueling Family</b>	TCRXR0225RR1				
<b>Evaporative/Refueling Family Information</b>							
<b>Evaporative Summary Information Type</b>	New	<b>Submission/Correction Date</b>	07/09/2025 04:37:58 PM				
<b>Integrated ORVR?</b>	Yes	<b>Fuel(s)</b>	Gasoline				
<b>Multiple Fuel Storage</b>	--						
<b>Bladder Fuel Tank?</b>	No						
<b>Fuel Tank Material</b>	Plastic	<b>Fuel Tank Material Description</b>	hdpe/co-ex				
<b>Fill Pipe Seal Type</b>	Liquid seal						
<b>Air Intake System Vapor Storage Device?</b>	Yes	<b>Air Intake System Vapor Storage Device Description</b>	HC Adsorber				
<b>Fuel System Vapor Storage Canister?</b>	Yes	<b>Other Vapor Storage</b>	--				
<b>Fuel System Vapor Storage Canister(s) Total Working Capacity (grams)</b>	222	<b>Number of Primary Canisters</b>	1				
<b>Number of Bleed Canisters</b>	0	<b>Bleed Canister Total Working Capacity (grams)</b>	0				
<b>Mfr Evaporative/Refueling Family Comments</b>	--						
<b>Leak Family Details</b>							
<b>Leak Family Indicator</b>	Yes						
<b>Canister Bleed Test Indicator</b>	Yes	<b>Applicability of Evaporative Canister Bleed Test</b>	50 State				
<b>Evaporative Canister Bleed Test Comments</b>	--						
<b>CARB Fuel Only (Rig) Test Indicator</b>	No	<b>Applicability of CARB Fuel Only (Rig) Test</b>	--				
<b>CARB Fuel Only (Rig) Test Comments</b>	--						
<b>Leak Family Name</b>	<b>Applicability of Leak Family Requirements</b>	<b>Leak Family Standard (inches)</b>	<b>Leak Family Description</b>				
TCRXR0225RR1-LF1	50 State	0.02	--				
<b>Models Covered by this Certificate</b>							
<b>Carline Manufacturer</b>	<b>Division</b>	<b>Carline</b>	<b>Certification Region Code(s)</b>	<b>Drive System</b>	<b>Trans - Type</b>	<b>- # of Gears</b>	<b>Trans - Lockup</b>
FCA US LLC	12 - RAM	925 - 1500 4X4	Federal	All Wheel Drive	Automatic	8	Yes
FCA US LLC	12 - RAM	925 - 1500 4X4	California + CAA Section 177 states	All Wheel Drive	Automatic	8	Yes
<b>Engine Description</b>							
<b>Hybrid Type</b>	--	<b>Hybrid Description</b>	--				
<b>Engine Type</b>	4-Stroke Spark Ignition	<b>Mfr Engine Description</b>	--				
<b>Engine Block Arrangement</b>	V-shaped engine	<b>Mfr Engine Block Arrangement Description</b>	--				
<b>Camless Valvetrain Indicator</b>	No	<b>Oil Viscosity/Classification</b>	0W-40				
<b>Number of Cylinders/Rotors</b>	8	<b>Mechanically Variable Compression Ratio Indicator</b>	N				

## Certification Summary Information Report

Test Group		TCRXT06.2570			Evaporative/Refueling Family			TCRXR0225RR1								
<b>After Treatment Device(s) (ATD)</b>																
ATD Number		ATD Type		ATD Precious Metal		Substrate Material		Substrate Construction								
1		Three-way catalyst		Palladium + Rhodium		Ceramic		Monolith								
2		Three-way catalyst		Palladium + Rhodium		Ceramic		Monolith								
<b>Mfr After Treatment Device (ATD) Comments</b>		THREE WAY CATALYST														
<b>Direct Ozone Reduction (DOR) Device</b>		Not Equipped														
<b>Mfr Emission Control Device Comments</b>		--														
<b>Engine Configuration Number 1</b>																
<b>Engine Displacement (liters)</b>		6.2			<b>Engine Rated Horsepower</b>			740								
<b>Number of Inlet Valves Per Cylinder</b>		1			<b>Number of Exhaust Valves Per Cylinder</b>			1								
<b>Air Aspiration Method</b>		Supercharged			<b>Number of Air Aspiration Devices</b>			1								
<b>Air Aspiration Device Configuration</b>		Single			<b>Charge Air Cooler Type</b>			Liquid								
<b>Air Aspiration Drive Method(s)</b>		Mechanical														
<b>Cylinder Deactivation</b>		No														
<b>Cylinder Deactivation Description</b>		--														
<b>Variable Valve Timing</b>		Yes														
<b>Variable Valve Timing System Description</b>		Cam phaser														
<b>Variable Valve Lift?</b>		No														
<b>Variable Valve Lift System Description</b>		--														
<b>Number of Knock Sensors</b>		2			<b>Number of Air/Fuel Sensors</b>			4								
<b>Air/Fuel Sensor # 1 Type</b>		Heated oxygen			<b>Air/Fuel Sensor # 1 Description</b>			--								
<b>Air/Fuel Sensor # 2 Type</b>		Heated oxygen			<b>Air/Fuel Sensor # 2 Description</b>			--								
<b>Air/Fuel Sensor # 3 Type</b>		Heated oxygen			<b>Air/Fuel Sensor # 3 Description</b>			--								
<b>Air/Fuel Sensor # 4 Type</b>		Heated oxygen			<b>Air/Fuel Sensor # 4 Description</b>			--								
<b>Mfr Air/Fuel Sensor Comments</b>		--														
<b>Exhaust Gas Recirculation</b>		No			<b>Cooled Exhaust Gas Recirculation</b>			--								
<b>EGR Type</b>		--			<b>Exhaust Gas Recirculation Description if 'Other'</b>			--								
<b>Closed Loop Air Injection System</b>		No														
<b>Air Injection Type</b>		Not Applicable			<b>Air Injection Type if 'Other'</b>			--								
<b>Mfr Engine Configuration Comments</b>		--														
<b>Official Test Numbers</b>																
Test Group		FTP		US06		SC03		Cold CO		Highway		EPA City	EPA City	EPA Highway	EPA Highway	CREE
Fuel												Litmus Value	Litmus Threshold	Litmus Value	Litmus Threshold	Weighting Factor
Gasoline		TCRX10092782		TCRX10092780		TCRX10092781		TCRX10092783		TCRX10092779		8.0	7.5	11.9	10.8	1.0

### Certification Summary Information Report

<b>Test Group</b>	TCRXT06.2570	<b>Evaporative/Refueling Family</b>	TCR XR0225RR1
<b>SFTP LEV-III Official Test Numbers</b>			
<b>Test Group Fuel</b>	<b>FTP</b>	<b>US06</b>	<b>SC03</b>
Gasoline	TCRX10092782	TCRX10092780	TCRX10092781

## Certification Summary Information Report

Test Group	TCRXT06.2570	Evaporative/Refueling Family	TCRXR0225RR1						
<b>Emission Data Vehicle Information</b>									
Vehicle ID / Configuration	L6DT63822 / 0	Manufacturer Vehicle Configuration Number	0						
Original Test Group Name	TCRXT06.2570	Original Evaporative/Refueling Family	TCRXR0225RR1						
Original Test Vehicle Model Year	2026								
<b>Vehicle Model</b>									
Represented Test Vehicle Make	RAM	Represented Test Vehicle Model	1500 4X4						
<b>Leak Family Details</b>									
Leak Family Identifier	--	Leak Family Name	--						
<b>Drive Sources and Fuel System Details</b>									
	<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Combustion Engine</td> <td>Gasoline</td> </tr> </tbody> </table>			Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline
Drive Source and Fuel#	Drive Source	Fuel							
1	Combustion Engine	Gasoline							
Hybrid Indicator	No								
Multiple Fuel Storage	--	Multiple Fuel Combustion	--						
Fuel Cell Indicator	--	Rechargeable Energy Storage System Indicator	--						
Rechargeable Energy Storage System	--	Rechargeable Energy Storage System, if 'Other'	--						
Off-board charge Capable Indicator	--								
Odometer Correction -- Initial	0	Odometer Correction Factor	1						
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor								
Odometer Correction Units	Miles								
Engine Code	AA-1000	Rated Horsepower	740						
Displacement (liters)	6.2								
Air Aspiration Method	Supercharged	Air Aspiration Method, if 'Other'							
Number of Air Aspiration Devices	1	Air Aspiration Device Configuration	Single						
Charge Air Cooler Type	Liquid	Drive Mode While Testing	2-Wheel Drive, Rear						
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)						
Curb Weight (lbs)	6854	Equivalent Test Weight (pounds)	7000						
GVWR (lbs)	7800	N/V Ratio	23.7						
Axle Ratio	3.55								
Transmission Type	Automatic	# of Transmission Gears	8						
Transmission Lockup	Yes	Creeper Gear	No						

## Certification Summary Information Report

<b>Test Group</b>	TCRXT06.2570	<b>Evaporative/Refueling Family</b>	TCR XR0225RR1
-------------------	--------------	-------------------------------------	---------------

**Dynamometer Coefficients:**

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	83.25	-0.2067	0.05757	17.7	0.5933	0.04614	28.9
Cold CO	91.58	-0.2274	0.06333	14.63	0.3736	0.05394	N/A
US06	83.25	-0.2067	0.05757	17.7	0.5933	0.04614	N/A

Emission Control Device Comments

--

Manufacturer Test Vehicle Comments

callout: 26DA-T06.2570-1

## Certification Summary Information Report

Test Group	TCRXT06.2570	Evaporative/Refueling Family	TCRXR0225RR1
<b>Test #</b>	<b>TCRX10092782</b>	<b>Test Procedure</b>	<b>25 - California fuel 2-day exhaust (w/can load)</b>
<b>Exhaust Test # for this Evap Test</b>	--	<b>Test Fuel Type</b>	47 - CARB LEV3 E10 Premium Gasoline
<b>Test Date</b>	11/23/2025	<b>Fuel</b>	Gasoline
<b>Fuel Batch ID</b>	11460	<b>Fuel Calibration Number</b>	1
<b>Vehicle Class</b>	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	<b>DF Type</b>	Mfr. Determined
<b>Verify Test Lab ID</b>	CPG		
<b>E10 Evaporative Test Measurement Method</b>	--		
<b>Test Start Odometer Reading</b>	4093	<b>Odometer Units</b>	M
<b>4WD Test Dyno</b>	No	<b>Diesel Adjustment Factor Usage</b>	--
<b>State of Charge Delta</b>	No		
<b>Drive Cycle Speed Tolerance Criteria</b>	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	<b>Road Speed Fan Usage</b>	No
<b>Test Results</b>			



## Certification Summary Information Report

Test Group		TCRXT06.2570			Evaporative/Refueling Family					TCR XR0225RR1		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 70	CO	0.74	--	--	--	0.66	1	1.4	1.7	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	CO-COMP	2.21	--	--	--	0.66	1	2.2	4.2	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	CREE	925	--	--	--	0	1	925	--	--
Fed	150,000 miles	Federal Tier 3 Bin 70	METHANE	0.0061	--	--	--	0.0155	1	0.022	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	N2O	0.0003	--	--	--	0.0002	1	0.000	0.010	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG	0.0148	--	--	--	0.0275	1	0.042	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG+NOX	0.0210	--	--	--	--	--	0.048	0.070	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG+NOX-COMP	0.0351	--	--	--	0.0275	1	0.035	0.060	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NOX	0.0062	--	--	--	0	1	0.006	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	PM	0.0002	--	--	--	0.0000	1	0.000	0.003	Pass
CA	150,000 miles	Other	CO	0.74	--	--	--	0.66	1	1.4	1.7	Pass
CA	150,000 miles	Other	CO-COMP	2.21	--	--	--	0.66	1	2.2	4.2	Pass
CA	150,000 miles	Other	METHANE	0.0061	--	--	--	0.0155	1	0.022	0.030	Pass
CA	150,000 miles	Other	N2O	0.0003	--	--	--	0.0002	1	0.000	0.010	Pass
CA	150,000 miles	Other	NMOG	0.0148	--	--	--	0.0275	1	0.042	999.999	Pass
CA	150,000 miles	Other	NMOG+NOX	0.0210	--	--	--	--	--	0.048	0.070	Pass
CA	150,000 miles	Other	NMOG+NOX-COMP	0.0351	--	--	--	0.0275	1	0.035	0.060	Pass
CA	150,000 miles	Other	NOX	0.0062	--	--	--	0	1	0.006	999.999	Pass
CA	150,000 miles	Other	PM	0.0002	--	--	--	0.0000	1	0.000	0.001	Pass

**NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.**

## Certification Summary Information Report

Test Group	TCRXT06.2570	Evaporative/Refueling Family	TCRXR0225RR1
<b>Test #</b>	<b>TCRX10092783</b>	<b>Test Procedure</b>	<b>11 - Cold CO</b>
<b>Exhaust Test # for this Evap Test</b>	--	<b>Test Fuel Type</b>	29 - Cold CO E10 Premium Gasoline (Tier 3)
<b>Test Date</b>	12/04/2025	<b>Fuel</b>	Gasoline
<b>Fuel Batch ID</b>	11427	<b>Fuel Calibration Number</b>	1
<b>Vehicle Class</b>	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	<b>DF Type</b>	Mfr. Determined
<b>Verify Test Lab ID</b>	CTC		
<b>E10 Evaporative Test Measurement Method</b>	--		
<b>Test Start Odometer Reading</b>	4137	<b>Odometer Units</b>	M
<b>4WD Test Dyno</b>	No	<b>Diesel Adjustment Factor Usage</b>	--
<b>State of Charge Delta</b>	No		
<b>Drive Cycle Speed Tolerance Criteria</b>	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	<b>Road Speed Fan Usage</b>	No
<b>Test Results</b>			

**Certification Summary Information Report**

<b>Test Group</b>	TCRXT06.2570	Evaporative/Refueling Family	TCRXR0225RR1
-------------------	--------------	------------------------------	--------------

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	1039.57	--
CO BAG 1 (Bag 1 Carbon Monoxide)	7.252692	--
FE BAG 1 (Bag 1 Fuel Economy)	8.24	8.24
CH4 BAG 1 (Bag 1 Methane)	0.075875	--
NMOG BAG 1 (Bag 1 Non-methane organic gases)	1.3317	--
CO2 BAG 2 (Bag 2 Carbon Dioxide)	1026.22	--
CO BAG 2 (Bag 2 Carbon Monoxide)	0.975272	--
FE BAG 2 (Bag 2 Fuel Economy)	8.46	8.46
CH4 BAG 2 (Bag 2 Methane)	0.003273	--
NMOG BAG 2 (Bag 2 Non-methane organic gases)	0.0013	--
CO2 BAG 3 (Bag 3 Carbon Dioxide)	857.91	--
CO BAG 3 (Bag 3 Carbon Monoxide)	0.458906	--
FE BAG 3 (Bag 3 Fuel Economy)	10.12	10.12
CH4 BAG 3 (Bag 3 Methane)	0.00557	--
NMOG BAG 3 (Bag 3 Non-methane organic gases)	0	--
METHANE (CH4 - Methane)	0.018957	--
CO (Carbon Monoxide)	2.13532	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	2.0215	--
DT-EER (Drive Trace Energy Economy Rating)	0.9009	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	2.9302	--
MFR FE (Manufacturer Fuel Economy)	8.8	8.8
NOX (Nitrogen Oxide)	0.022628	--
HC-NM (Non-methane Hydrocarbon)	0.251385	--
NMOG (Non-methane organic gases)	0.2768	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	987	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	982.82726	--

Manufacturer Test Comments

26DA-T06.2570-1 city 4k Sport Fixed CCO

### Certification Summary Information Report

<b>Test Group</b>	TCRXT06.2570	<b>Evaporative/Refueling Family</b>	TCR XR0225RR1
-------------------	--------------	-------------------------------------	---------------

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	50,000 miles	Federal Tier 3 Bin 70	CO	2.14	--	--	--	0.09	1	2.2	12.5	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	HC-NM	0.25	--	--	--	0.02	1	0.3	0.5	Pass
CA	50,000 miles	Other	CO	2.14	--	--	--	0.09	1	2.2	12.5	Pass

## Certification Summary Information Report

<b>Test Group</b>	TCRXT06.2570	<b>Evaporative/Refueling Family</b>	TCRXR0225RR1
<b>Test #</b>	<b>TCRX10092779</b>	<b>Test Procedure</b>	<b>3 - HWFE</b>
<b>Exhaust Test # for this Evap Test</b>	--	<b>Test Fuel Type</b>	47 - CARB LEV3 E10 Premium Gasoline
<b>Test Date</b>	11/21/2025	<b>Fuel</b>	Gasoline
<b>Fuel Batch ID</b>	11460	<b>Fuel Calibration Number</b>	1
<b>Vehicle Class</b>	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	<b>DF Type</b>	Mfr. Determined
<b>Verify Test Lab ID</b>	CPG		
<b>E10 Evaporative Test Measurement Method</b>	--		
<b>Test Start Odometer Reading</b>	4036	<b>Odometer Units</b>	M
<b>4WD Test Dyno</b>	No	<b>Diesel Adjustment Factor Usage</b>	--
<b>State of Charge Delta</b>	No		
<b>Drive Cycle Speed Tolerance Criteria</b>	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	<b>Road Speed Fan Usage</b>	No

## Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0.000922	--
CO (Carbon Monoxide)	0.437354	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.439	--
DT-EER (Drive Trace Energy Economy Rating)	0.1781	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-0.403	--
MFR FE (Manufacturer Fuel Economy)	15.2	15.2
NOX (Nitrogen Oxide)	0	--
HC-NM (Non-methane Hydrocarbon)	0.00017	--
NMOG (Non-methane organic gases)	0.000175	--
HC-TOTAL (Total Hydrocarbon)	0.001055	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	571	571

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	570.44917	--

**Manufacturer Test Comments** 26DA-T06.2570-1 hwy 4k Sport Fixed cpE10

## Certification Summary Information Report

Test Group		TCRXT06.2570			Evaporative/Refueling Family					TCR XR0225RR1		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 70	CREE	571	--	--	--	0	1	571	--	--
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG	0.0002	--	--	--	0.0275	1	0.028	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG+NOX	0.0002	--	--	--	--	--	0.028	0.070	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NOX	0.0000	--	--	--	0	1	0.000	999.999	Pass
CA	150,000 miles	Other	NMOG	0.0002	--	--	--	0.0275	1	0.028	999.999	Pass
CA	150,000 miles	Other	NMOG+NOX	0.0002	--	--	--	--	--	0.028	0.070	Pass
CA	150,000 miles	Other	NOX	0.0000	--	--	--	0	1	0.000	999.999	Pass

**NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.**

## Certification Summary Information Report

Test Group	TCRXT06.2570	Evaporative/Refueling Family	TCRXR0225RR1
<b>Test #</b>	<b>TCRX10092780</b>	<b>Test Procedure</b>	<b>90 - US06</b>
<b>Exhaust Test # for this Evap Test</b>	--	<b>Test Fuel Type</b>	47 - CARB LEV3 E10 Premium Gasoline
<b>Test Date</b>	11/21/2025	<b>Fuel</b>	Gasoline
<b>Fuel Batch ID</b>	11460	<b>Fuel Calibration Number</b>	1
<b>Vehicle Class</b>	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	<b>DF Type</b>	Mfr. Determined
<b>Verify Test Lab ID</b>	CPG		
<b>E10 Evaporative Test Measurement Method</b>	--		
<b>Test Start Odometer Reading</b>	4062	<b>Odometer Units</b>	M
<b>4WD Test Dyno</b>	No	<b>Diesel Adjustment Factor Usage</b>	--
<b>State of Charge Delta</b>	No		
<b>Drive Cycle Speed Tolerance Criteria</b>	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	<b>Road Speed Fan Usage</b>	No
<b>Test Results</b>			



## Certification Summary Information Report

Test Group		TCRXT06.2570				Evaporative/Refueling Family				TCR XR0225RR1		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 70	CO	3.76	--	--	--	0.66	1	4.4	999.9	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG	0.0008	--	--	--	0.0275	1	0.028	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NOX	0.0002	--	--	--	0	1	0.000	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	PM	0.0006	--	--	--	0.0000	1	0.001	0.006	Pass
CA	150,000 miles	Other	CO	3.76	--	--	--	0.66	1	4.4	999.9	Pass
CA	150,000 miles	Other	NMOG	0.0008	--	--	--	0.0275	1	0.028	999.999	Pass
CA	150,000 miles	Other	NOX	0.0002	--	--	--	0	1	0.000	999.999	Pass
CA	150,000 miles	Other	PM	0.0006	--	--	--	0.0000	1	0.001	0.006	Pass

### Certification Summary Information Report

<b>Test Group</b>	TCRXT06.2570	<b>Evaporative/Refueling Family</b>	TCR XR0225RR1
<b>Test #</b>	<b>TCRX10092781</b>	<b>Test Procedure</b>	<b>95 - SC03</b>
<b>Exhaust Test # for this Evap Test</b>	--	<b>Test Fuel Type</b>	47 - CARB LEV3 E10 Premium Gasoline
<b>Test Date</b>	11/21/2025	<b>Fuel</b>	Gasoline
<b>Fuel Batch ID</b>	11460	<b>Fuel Calibration Number</b>	1
<b>Vehicle Class</b>	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	<b>DF Type</b>	Mfr. Determined
<b>Verify Test Lab ID</b>	CPG		
<b>E10 Evaporative Test Measurement Method</b>	--		
<b>Test Start Odometer Reading</b>	4079	<b>Odometer Units</b>	M
<b>4WD Test Dyno</b>	No	<b>Diesel Adjustment Factor Usage</b>	--
<b>State of Charge Delta</b>	No		
<b>Drive Cycle Speed Tolerance Criteria</b>	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	<b>Road Speed Fan Usage</b>	Yes

**Test Results**

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
<b>METHANE (CH4 - Methane)</b>	0.002744	--
<b>CO (Carbon Monoxide)</b>	0.647448	--
<b>DT-ASCR (Drive Trace Absolute Speed Change Rating)</b>	1.0265	--
<b>DT-EER (Drive Trace Energy Economy Rating)</b>	1.8286	--
<b>DT-IWRR (Drive Trace Inertia Work Ratio Rating)</b>	1.6619	--
<b>MFR FE (Manufacturer Fuel Economy)</b>	8.6	8.6
<b>NOX (Nitrogen Oxide)</b>	0.000024	--
<b>HC-NM (Non-methane Hydrocarbon)</b>	0	--
<b>NMOG (Non-methane organic gases)</b>	0	--
<b>HC-TOTAL (Total Hydrocarbon)</b>	0.001782	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
<b>Carbon-Related Exhaust Emissions</b>	1010	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
<b>Carbon dioxide</b>	1008.64862	--

**Manufacturer Test Comments**                      26DA-T06.2570-1 sc03 4k Sport RSF cpE10

## Certification Summary Information Report

Test Group		TCRXT06.2570			Evaporative/Refueling Family					TCRXR0225RR1		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 70	CO	0.65	--	--	--	0.66	1	1.3	999.9	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG	0.0000	--	--	--	0.0275	1	0.028	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NOX	0.0000	--	--	--	0	1	0.000	999.999	Pass
CA	150,000 miles	Other	CO	0.65	--	--	--	0.66	1	1.3	999.9	Pass
CA	150,000 miles	Other	NMOG	0.0000	--	--	--	0.0275	1	0.028	999.999	Pass
CA	150,000 miles	Other	NOX	0.0000	--	--	--	0	1	0.000	999.999	Pass

### Certification Summary Information Report

<b>Test Group</b>	TCRXT06.2570	<b>Evaporative/Refueling Family</b>	TCRXR0225RR1
-------------------	--------------	-------------------------------------	--------------

**Emission Data Vehicle Information**

Vehicle ID / Configuration	V7DS61972 / 0	Manufacturer Vehicle Configuration Number	0
Original Test Group Name	JCRXT05.75P2	Original Evaporative/Refueling Family	JCRXR0225RP0
Original Test Vehicle Model Year	2018		

**Vehicle Model**

Represented Test Vehicle Make	RAM	Represented Test Vehicle Model	1500 4X4
-------------------------------	-----	--------------------------------	----------

**Leak Family Details**

Leak Family Identifier	--	Leak Family Name	--
------------------------	----	------------------	----

**Drive Sources and Fuel System Details**

Drive Source and Fuel#	Drive Source	Fuel
1	Combustion Engine	Gasoline

Hybrid Indicator	No	Multiple Fuel Combustion	--
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	--
Fuel Cell Indicator	--	Rechargeable Energy Storage System, if 'Other'	--
Rechargeable Energy Storage System	--		
Off-board charge Capable Indicator	--	Odometer Correction Factor	1
Odometer Correction -- Initial	0	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor	
Odometer Correction Sign	Miles		
Odometer Correction Units	Miles	Rated Horsepower	395
Engine Code	AA-525	Air Aspiration Method, if 'Other'	
Displacement (liters)	5.7	Air Aspiration Device Configuration	--
Air Aspiration Method	Naturally Aspirated	Drive Mode While Testing	2-Wheel Drive, Rear
Number of Air Aspiration Devices	0	Aged Emission Components	4,000 (mi)
Charge Air Cooler Type	--	Equivalent Test Weight (pounds)	6000
Shift Indicator Light Usage	Not equipped	N/V Ratio	29.2
Curb Weight (lbs)	5675	# of Transmission Gears	8
GVWR (lbs)	6900	Creeper Gear	No
Axle Ratio	3.92		
Transmission Type	Automatic		
Transmission Lockup	Yes		

**Dynamometer Coefficients:**

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	85.82	-0.1391	0.041	37.43	0.3681	0.03185	24.2
US06	85.82	-0.1391	0.041	37.43	0.3681	0.03185	N/A

### Certification Summary Information Report

<b>Test Group</b>	TCRXT06.2570	<b>Evaporative/Refueling Family</b>	TCR XR0225RR1
-------------------	--------------	-------------------------------------	---------------

**Emission Control Device Comments** --  
**Manufacturer Test Vehicle Comments** Callout: 18EV-T05.75P2-1; Evaporative Vehicle

<b>Test #</b>	<b>JCRX10049387</b>	<b>Test Procedure</b>	<b>38 - CA fuel 3-day evap.</b>
<b>Exhaust Test # for this Evap Test</b>	JCRX10049355	<b>Test Fuel Type</b>	46 - CARB LEV3 E10 Regular Gasoline
<b>Test Date</b>	06/13/2017	<b>Fuel</b>	Gasoline
<b>Fuel Batch ID</b>	10465	<b>Fuel Calibration Number</b>	1
<b>Vehicle Class</b>	N/A	<b>DF Type</b>	Mfr. Determined
<b>Verify Test Lab ID</b>	CTC		
<b>E10 Evaporative Test Measurement Method</b>	Calculated (1.08 x FID Total Hydrocarbons)		
<b>Test Start Odometer Reading</b>	4253	<b>Odometer Units</b>	M
<b>4WD Test Dyno</b>	No	<b>Diesel Adjustment Factor Usage</b>	--
<b>State of Charge Delta</b>	--		
<b>Drive Cycle Speed Tolerance Criteria</b>	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	<b>Road Speed Fan Usage</b>	No

**Test Results**

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value
<b>HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)</b>	0.48023	--

**Manufacturer Test Comments** Callout: 18EV-T05.75P2-1; Cert 3-Day/Evap confirmatory; (cE10) Hot\_Soak\_HC\_(g) = 0.08541, Diurnal (g) = 0.35925; Total =(0.44466 X 1.08) = 0.48023 (g)

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.4802	0.0090	0.489	0.500	Pass
CA	150,000 miles	Other	HC-TOTAL-EQUIV	0.4802	0.0090	0.489	0.500	Pass

### Certification Summary Information Report

<b>Test Group</b>	TCRXT06.2570	<b>Evaporative/Refueling Family</b>	TCRXR0225RR1
<b>Test #</b>	<b>JCRX91003631</b>	<b>Test Procedure</b>	<b>27 - California fuel 2-day evap</b>
<b>Exhaust Test # for this Evap Test</b>	JCRX91003614	<b>Test Fuel Type</b>	46 - CARB LEV3 E10 Regular
<b>Test Date</b>	07/21/2017	<b>Fuel</b>	Gasoline
<b>Fuel Batch ID</b>	24670	<b>Fuel Calibration Number</b>	380
<b>Vehicle Class</b>	N/A	<b>DF Type</b>	Mfr. Determined
<b>Verify Test Lab ID</b>	--		
<b>E10 Evaporative Test Measurement Method</b>	Calculated (1.08 x FID Total Hydrocarbons)		
<b>Test Start Odometer Reading</b>	4540.1	<b>Odometer Units</b>	M
<b>4WD Test Dyno</b>	No	<b>Diesel Adjustment Factor Usage</b>	--
<b>State of Charge Delta</b>	--		
<b>Drive Cycle Speed Tolerance Criteria</b>	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	<b>Road Speed Fan Usage</b>	No

**Test Results**

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value
<b>HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)</b>	0.417621	--

**Manufacturer Test Comments**                      Hot\_Soak\_HC\_(g) = 0.046095, Diurnal (gHC) = 0.371526

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.4176	0.0057	0.423	0.500	Pass
CA	150,000 miles	Other	HC-TOTAL-EQUIV	0.4176	0.0057	0.423	0.500	Pass

### Certification Summary Information Report

<b>Test Group</b>	TCRXT06.2570	<b>Evaporative/Refueling Family</b>	TCR XR0225RR1
-------------------	--------------	-------------------------------------	---------------

<b>Test #</b>	JCRX10049386	<b>Test Procedure</b>	37 - California Fuel Running Loss
<b>Exhaust Test # for this Evap Test</b>	JCRX10049382	<b>Test Fuel Type</b>	46 - CARB LEV3 E10 Regular Gasoline
<b>Test Date</b>	06/07/2017	<b>Fuel</b>	Gasoline
<b>Fuel Batch ID</b>	10463	<b>Fuel Calibration Number</b>	1
<b>Vehicle Class</b>	N/A	<b>DF Type</b>	Mfr. Determined
<b>Verify Test Lab ID</b>	CTC		
<b>E10 Evaporative Test Measurement Method</b>	Actual Total Hydrocarbon Equivalent Measurement (with speciation)		
<b>Test Start Odometer Reading</b>	4199	<b>Odometer Units</b>	M
<b>4WD Test Dyno</b>	No	<b>Diesel Adjustment Factor Usage</b>	--
<b>State of Charge Delta</b>	--		
<b>Drive Cycle Speed Tolerance Criteria</b>	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	<b>Road Speed Fan Usage</b>	No

**Test Results**

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.00025	--

**Manufacturer Test Comments**                      Callout: 18EV-T05.75P2-1; RL/Evap; (cE10)

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.000	0.000	0.00	0.05	Pass
CA	150,000 miles	Other	HC-TOTAL-EQUIV	0.000	0.000	0.00	0.05	Pass

### Certification Summary Information Report

<b>Test Group</b>	TCRXT06.2570	<b>Evaporative/Refueling Family</b>	TCRXR0225RR1
-------------------	--------------	-------------------------------------	--------------

<b>Test #</b>	<b>JCRX10049390</b>	<b>Test Procedure</b>	<b>24 - Federal fuel refueling test (ORVR)</b>
<b>Exhaust Test # for this Evap Test</b>	JCRX10049383	<b>Test Fuel Type</b>	46 - CARB LEV3 E10 Regular Gasoline
<b>Test Date</b>	07/09/2017	<b>Fuel</b>	Gasoline
<b>Fuel Batch ID</b>	10465	<b>Fuel Calibration Number</b>	1
<b>Vehicle Class</b>	N/A	<b>DF Type</b>	Mfr. Determined
<b>Verify Test Lab ID</b>	CTC		
<b>E10 Evaporative Test Measurement Method</b>	--		
<b>Test Start Odometer Reading</b>	4404	<b>Odometer Units</b>	M
<b>4WD Test Dyno</b>	No	<b>Diesel Adjustment Factor Usage</b>	--
<b>State of Charge Delta</b>	--		
<b>Drive Cycle Speed Tolerance Criteria</b>	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	<b>Road Speed Fan Usage</b>	No

**Test Results**

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value
<b>HC (Hydrocarbon for Running Loss and ORVR)</b>	0.036	--

**Manufacturer Test Comments**                      Callout: 18EV-T05.75P2-1; ORVR; (cE10)

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC	0.036	0.000	0.04	0.20	Pass
CA	150,000 miles	Other	HC	0.036	0.000	0.04	0.20	Pass

### Certification Summary Information Report

<b>Test Group</b>	TCRXT06.2570	<b>Evaporative/Refueling Family</b>	TCR XR0225RR1						
<b>Test #</b>	<b>JCRX10074521</b>	<b>Test Procedure</b>	<b>65 - Evap Canister Bleed Test</b>						
<b>Exhaust Test # for this Evap Test</b>	--	<b>Test Fuel Type</b>	46 - CARB LEV3 E10 Regular Gasoline						
<b>Test Date</b>	02/28/2017	<b>Fuel</b>	Gasoline						
<b>Fuel Batch ID</b>	--	<b>Fuel Calibration Number</b>	--						
<b>Vehicle Class</b>	N/A	<b>DF Type</b>	Mfr. Determined						
<b>Verify Test Lab ID</b>	Sterling Performance								
<b>E10 Evaporative Test Measurement Method</b>	Calculated (1.08 x FID Total Hydrocarbons)								
<b>Test Start Odometer Reading</b>	0	<b>Odometer Units</b>	M						
<b>4WD Test Dyno</b>	No	<b>Diesel Adjustment Factor Usage</b>	--						
<b>State of Charge Delta</b>	--								
<b>Drive Cycle Speed Tolerance Criteria</b>	--	<b>Road Speed Fan Usage</b>	--						
<b>Test Results</b>									
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 35%;">Test Result Name</th> <th style="width: 30%;">Unrounded Test Result</th> <th style="width: 35%;">Verify Calculated FE Equivalent Value</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><b>HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)</b></td> <td style="text-align: center;">0.008</td> <td style="text-align: center;">--</td> </tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value	<b>HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)</b>	0.008	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value							
<b>HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)</b>	0.008	--							
<b>Manufacturer Test Comments</b>									
Test run on a rig with aged components (not actual vehicle)									
<b>Certification</b>									
<b>Region</b>	<b>Useful Life</b>	<b>Standard Level</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>Add DF</b>	<b>Certification Level</b>	<b>Standard</b>	<b>Pass/Fail</b>	
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.0080	0.0000	0.008	0.020	Pass	
CA	150,000 miles	Other	HC-TOTAL-EQUIV	0.0080	0.0000	0.008	0.020	Pass	

## Certification Summary Information Report

Test Group	TCRXT06.2570	Evaporative/Refueling Family	TCRXR0225RR1
<b>Fuel Properties</b>			
<b>Fuel Batch ID</b>	<b>11460</b>	<b>Fuel Calibration Number</b>	<b>1</b>
<b>Test Fuel Type</b>	47 - CARB LEV3 E10 Premium Gasoline	<b>Fuel Batch Calibration Date</b>	11/18/2025
<b>Fuel Batch Calibration Effective Date</b>	11/18/2025	<b>Fuel Batch Calibration Ineffective Date</b>	--
<b>Carbon Weight Fraction NMHC</b>	0.827	<b>Carbon Weight Fraction HC</b>	--
<b>Exhaust Carbon Weight Fraction</b>	--	<b>Fuel Methanol Volume Fraction</b>	--
<b>Fuel Density (grams/cubic ft)</b>	--	<b>Fuel Specific Gravity</b>	0.745
<b>Fuel Ethanol Volume Percent (%)</b>	9.4	<b>Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)</b>	--
<b>Fuel Net Heat of Combustion (E10) (MJ/kg)</b>	41.591	<b>Fuel Carbon Mass Fraction (E10)</b>	0.827
<b>Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)</b>	--	<b>Weight Fraction CO2</b>	--
<b>Fuel Batch ID</b>	<b>10465</b>	<b>Fuel Calibration Number</b>	<b>1</b>
<b>Test Fuel Type</b>	46 - CARB LEV3 E10 Regular Gasoline	<b>Fuel Batch Calibration Date</b>	06/13/2017
<b>Fuel Batch Calibration Effective Date</b>	06/13/2017	<b>Fuel Batch Calibration Ineffective Date</b>	--
<b>Carbon Weight Fraction NMHC</b>	0.824	<b>Carbon Weight Fraction HC</b>	--
<b>Exhaust Carbon Weight Fraction</b>	--	<b>Fuel Methanol Volume Fraction</b>	--
<b>Fuel Density (grams/cubic ft)</b>	--	<b>Fuel Specific Gravity</b>	0.749
<b>Fuel Ethanol Volume Percent (%)</b>	9.7	<b>Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)</b>	17987
<b>Fuel Net Heat of Combustion (E10) (MJ/kg)</b>	--	<b>Fuel Carbon Mass Fraction (E10)</b>	--
<b>Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)</b>	0.824	<b>Weight Fraction CO2</b>	--
<b>Fuel Batch ID</b>	<b>10463</b>	<b>Fuel Calibration Number</b>	<b>1</b>
<b>Test Fuel Type</b>	46 - CARB LEV3 E10 Regular Gasoline	<b>Fuel Batch Calibration Date</b>	05/30/2017
<b>Fuel Batch Calibration Effective Date</b>	05/30/2017	<b>Fuel Batch Calibration Ineffective Date</b>	--
<b>Carbon Weight Fraction NMHC</b>	0.813	<b>Carbon Weight Fraction HC</b>	--
<b>Exhaust Carbon Weight Fraction</b>	--	<b>Fuel Methanol Volume Fraction</b>	--
<b>Fuel Density (grams/cubic ft)</b>	--	<b>Fuel Specific Gravity</b>	0.749
<b>Fuel Ethanol Volume Percent (%)</b>	10	<b>Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)</b>	17820
<b>Fuel Net Heat of Combustion (E10) (MJ/kg)</b>	--	<b>Fuel Carbon Mass Fraction (E10)</b>	--
<b>Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)</b>	0.813	<b>Weight Fraction CO2</b>	--
<b>Fuel Batch ID</b>	<b>24670</b>	<b>Fuel Calibration Number</b>	<b>380</b>
<b>Test Fuel Type</b>	46 - CARB LEV3 E10 Regular Gasoline	<b>Fuel Batch Calibration Date</b>	12/04/2015
<b>Fuel Batch Calibration Effective Date</b>	12/04/2015	<b>Fuel Batch Calibration Ineffective Date</b>	12/04/2030
<b>Carbon Weight Fraction NMHC</b>	--	<b>Carbon Weight Fraction HC</b>	--
<b>Exhaust Carbon Weight Fraction</b>	--	<b>Fuel Methanol Volume Fraction</b>	--

## Certification Summary Information Report

Test Group	TCRXT06.2570	Evaporative/Refueling Family	TCRXR0225RR1
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.749
Fuel Ethanol Volume Percent (%)	9.8	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17963
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.826	Weight Fraction CO2	--
<b>Fuel Batch ID</b>	<b>11427</b>	<b>Fuel Calibration Number</b>	<b>1</b>
Test Fuel Type	29 - Cold CO E10 Premium Gasoline (Tier 3)	Fuel Batch Calibration Date	07/09/2025
Fuel Batch Calibration Effective Date	07/09/2025	Fuel Batch Calibration Ineffective Date	--
Carbon Weight Fraction NMHC	0.827	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	0
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.743
Fuel Ethanol Volume Percent (%)	10	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	--
Fuel Net Heat of Combustion (E10) (MJ/kg)	41.352	Fuel Carbon Mass Fraction (E10)	0.827
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	--	Weight Fraction CO2	--

### Certification Summary Information Report

<b>Test Group</b>	TCRXT06.2570	<b>Evaporative/Refueling Family</b>	TCR XR0225RR1
-------------------	--------------	-------------------------------------	---------------

#### Consolidated List of Standards

**Exhaust Standards**

<b>Cert Region</b>	Federal	<b>Cert/In-Use Code</b>	Cert
<b>Vehicle Class</b>	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	<b>Standard Level</b>	Federal Tier 3 Bin 70
<b>Fuel</b>	Gasoline	<b>Test Procedure</b>	California fuel 2-day exhaust (w/can load)

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	1	0.66	1.7
150,000 miles	CO-COMP	--	--	--	--	--	1	0.66	4.2
150,000 miles	CREE	--	--	--	--	--	1	0	999
150,000 miles	HCHO	--	--	--	--	--	1	0	0.004
150,000 miles	METHANE	--	--	--	--	--	1	0.0155	0.030
150,000 miles	N2O	--	--	--	--	--	1	0.0002	0.010
150,000 miles	NMOG	--	--	--	--	--	1	0.0275	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	0	0.070
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	1	0.0275	0.060
150,000 miles	NOX	--	--	--	--	--	1	0	999.999
150,000 miles	PM	--	--	--	--	--	1	0.0000	0.003

<b>Cert Region</b>	Federal	<b>Cert/In-Use Code</b>	Cert
<b>Vehicle Class</b>	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	<b>Standard Level</b>	Federal Tier 3 Bin 70
<b>Fuel</b>	Gasoline	<b>Test Procedure</b>	HWFE

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CREE	--	--	--	--	--	1	0	999
150,000 miles	NMOG	--	--	--	--	--	1	0.0275	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	0	0.070
150,000 miles	NOX	--	--	--	--	--	1	0	999.999

### Certification Summary Information Report

<b>Test Group</b>	TCRXT06.2570	<b>Evaporative/Refueling Family</b>	TCRXR0225RR1
<b>Cert Region</b>	California + CAA Section 177 states	<b>Cert/In-Use Code</b>	Cert
<b>Vehicle Class</b>	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	<b>Standard Level</b>	Other
<b>Fuel</b>	Gasoline	<b>Test Procedure</b>	US06

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	1	0.66	999.9
150,000 miles	NMOG	--	--	--	--	--	1	0.0275	999.999
150,000 miles	NOX	--	--	--	--	--	1	0	999.999
150,000 miles	PM	--	--	--	--	--	1	0.0000	0.006

<b>Cert Region</b>	California + CAA Section 177 states	<b>Cert/In-Use Code</b>	Cert
<b>Vehicle Class</b>	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	<b>Standard Level</b>	Other
<b>Fuel</b>	Gasoline	<b>Test Procedure</b>	California fuel 2-day exhaust (w/can load)

Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	1	0.66	1.7
150,000 miles	CO-COMP	--	--	--	--	--	1	0.66	4.2
150,000 miles	HCHO	--	--	--	--	--	1	0	0.004
150,000 miles	METHANE	--	--	--	--	--	1	0.0155	0.030
150,000 miles	N2O	--	--	--	--	--	1	0.0002	0.010
150,000 miles	NMOG	--	--	--	--	--	1	0.0275	999.999
150,000 miles	NMOG+NOX	--	--	--	--	--	1	0	0.070
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	1	0.0275	0.060
150,000 miles	NOX	--	--	--	--	--	1	0	999.999
150,000 miles	PM	--	--	--	--	--	1	0.0000	0.001

### Certification Summary Information Report

<b>Test Group</b>		TCRXT06.2570			<b>Evaporative/Refueling Family</b>			TCRXR0225RR1		
<b>Cert Region</b>		California + CAA Section 177 states			<b>Cert/In-Use Code</b>			Cert		
<b>Vehicle Class</b>		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			<b>Standard Level</b>			Other		
<b>Fuel</b>		Gasoline			<b>Test Procedure</b>			SC03		
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>	
150,000 miles	CO	--	--	--	--	--	1	0.66	999.9	
150,000 miles	NMOG	--	--	--	--	--	1	0.0275	999.999	
150,000 miles	NOX	--	--	--	--	--	1	0	999.999	

<b>Cert Region</b>		Federal			<b>Cert/In-Use Code</b>			Cert		
<b>Vehicle Class</b>		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			<b>Standard Level</b>			Federal Tier 3 Bin 70		
<b>Fuel</b>		Gasoline			<b>Test Procedure</b>			US06		
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>	
150,000 miles	CO	--	--	--	--	--	1	0.66	999.9	
150,000 miles	NMOG	--	--	--	--	--	1	0.0275	999.999	
150,000 miles	NOX	--	--	--	--	--	1	0	999.999	
150,000 miles	PM	--	--	--	--	--	1	0.0000	0.006	

<b>Cert Region</b>		Federal			<b>Cert/In-Use Code</b>			Cert		
<b>Vehicle Class</b>		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			<b>Standard Level</b>			Federal Tier 3 Bin 70		
<b>Fuel</b>		Gasoline			<b>Test Procedure</b>			Federal fuel 2-day exhaust (w/can load)		
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>	
150,000 miles	CREE	--	--	--	--	--	1	0	999	
150,000 miles	METHANE	--	--	--	--	--	1	0.0155	0.030	
150,000 miles	N2O	--	--	--	--	--	1	0.0002	0.010	

### Certification Summary Information Report

<b>Test Group</b>		TCRXT06.2570			<b>Evaporative/Refueling Family</b>			TCR XR0225RR1		
<b>Cert Region</b>		California + CAA Section 177 states			<b>Cert/In-Use Code</b>			Cert		
<b>Vehicle Class</b>		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			<b>Standard Level</b>			Other		
<b>Fuel</b>		Gasoline			<b>Test Procedure</b>			Cold CO		
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>	
50,000 miles	CO	--	--	--	--	--	1	0.09	12.5	

<b>Cert Region</b>		Federal			<b>Cert/In-Use Code</b>			Cert		
<b>Vehicle Class</b>		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			<b>Standard Level</b>			Federal Tier 3 Bin 70		
<b>Fuel</b>		Gasoline			<b>Test Procedure</b>			Cold CO		
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>	
50,000 miles	CO	--	--	--	--	--	1	0.09	12.5	
150,000 miles	HC-NM	--	--	--	--	--	1	0.02	0.5	

<b>Cert Region</b>		California + CAA Section 177 states			<b>Cert/In-Use Code</b>			Cert		
<b>Vehicle Class</b>		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			<b>Standard Level</b>			Other		
<b>Fuel</b>		Gasoline			<b>Test Procedure</b>			Federal fuel 2-day exhaust (w/can load)		
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>	
150,000 miles	METHANE	--	--	--	--	--	1	0.0155	0.030	
150,000 miles	N2O	--	--	--	--	--	1	0.0002	0.010	

### Certification Summary Information Report

<b>Test Group</b>		TCRXT06.2570			<b>Evaporative/Refueling Family</b>			TCR XR0225RR1		
<b>Cert Region</b>		Federal			<b>Cert/In-Use Code</b>			Cert		
<b>Vehicle Class</b>		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			<b>Standard Level</b>			Federal Tier 3 Bin 70		
<b>Fuel</b>		Gasoline			<b>Test Procedure</b>			SC03		
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>	
150,000 miles	CO	--	--	--	--	--	1	0.66	999.9	
150,000 miles	NMOG	--	--	--	--	--	1	0.0275	999.999	
150,000 miles	NOX	--	--	--	--	--	1	0	999.999	

<b>Cert Region</b>		California + CAA Section 177 states			<b>Cert/In-Use Code</b>			Cert		
<b>Vehicle Class</b>		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			<b>Standard Level</b>			Other		
<b>Fuel</b>		Gasoline			<b>Test Procedure</b>			HWFE		
<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>RAF</b>	<b>NMOG / NMHC</b>	<b>Upward Diesel Adjustment Factor</b>	<b>Downward Diesel Adjustment Factor</b>	<b>Mult DF</b>	<b>Add DF</b>	<b>Std</b>	
150,000 miles	NMOG	--	--	--	--	--	1	0.0275	999.999	
150,000 miles	NMOG+NOX	--	--	--	--	--	1	0	0.070	
150,000 miles	NOX	--	--	--	--	--	1	0	999.999	

**Evaporative/Refueling Standards**

<b>Evaporative/Refueling Family</b>		TCR XR0225RR1			<b>Cert Region</b>			California + CAA Section 177 states		
<b>Cert/In-Use Code</b>		Cert			<b>Standard Level</b>			Other		
<b>Test Procedure</b>		California fuel 2-day evap								
<b>Fuel</b>	<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>Std</b>	<b>Add DF</b>					
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.500	0.0057					

<b>Evaporative/Refueling Family</b>		TCR XR0225RR1			<b>Cert Region</b>			California + CAA Section 177 states		
<b>Cert/In-Use Code</b>		Cert			<b>Standard Level</b>			Other		
<b>Test Procedure</b>		California Fuel Running Loss								
<b>Fuel</b>	<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>Std</b>	<b>Add DF</b>					
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.05	0.000					

### Certification Summary Information Report

<b>Test Group</b>	TCRXT06.2570	<b>Evaporative/Refueling Family</b>	TCRXR0225RR1		
<b>Evaporative/Refueling Family</b>	TCRXR0225RR1	<b>Cert Region</b>	Federal		
<b>Cert/In-Use Code</b>	Cert	<b>Standard Level</b>	Federal Tier 3 Evap		
<b>Test Procedure</b>	Evap Canister Bleed Test				
<b>Fuel</b>	<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>Std</b>	<b>Add DF</b>
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.020	0.0000
<b>Evaporative/Refueling Family</b>	TCRXR0225RR1	<b>Cert Region</b>	California + CAA Section 177 states		
<b>Cert/In-Use Code</b>	Cert	<b>Standard Level</b>	Other		
<b>Test Procedure</b>	CA fuel 3-day evap.				
<b>Fuel</b>	<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>Std</b>	<b>Add DF</b>
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.500	0.0090
<b>Evaporative/Refueling Family</b>	TCRXR0225RR1	<b>Cert Region</b>	Federal		
<b>Cert/In-Use Code</b>	Cert	<b>Standard Level</b>	Federal Tier 3 Evap		
<b>Test Procedure</b>	California Fuel Running Loss				
<b>Fuel</b>	<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>Std</b>	<b>Add DF</b>
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.05	0.000
<b>Evaporative/Refueling Family</b>	TCRXR0225RR1	<b>Cert Region</b>	California + CAA Section 177 states		
<b>Cert/In-Use Code</b>	Cert	<b>Standard Level</b>	Other		
<b>Test Procedure</b>	Federal fuel refueling test (ORVR)				
<b>Fuel</b>	<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>Std</b>	<b>Add DF</b>
Gasoline	150,000 miles	HC	--	0.20	0.000
<b>Evaporative/Refueling Family</b>	TCRXR0225RR1	<b>Cert Region</b>	Federal		
<b>Cert/In-Use Code</b>	Cert	<b>Standard Level</b>	Federal Tier 3 Evap		
<b>Test Procedure</b>	CA fuel 3-day evap.				
<b>Fuel</b>	<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>Std</b>	<b>Add DF</b>
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.500	0.0090
<b>Evaporative/Refueling Family</b>	TCRXR0225RR1	<b>Cert Region</b>	California + CAA Section 177 states		
<b>Cert/In-Use Code</b>	Cert	<b>Standard Level</b>	Other		
<b>Test Procedure</b>	Evap Canister Bleed Test				
<b>Fuel</b>	<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>Std</b>	<b>Add DF</b>
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.020	0.0000

## Certification Summary Information Report

<b>Test Group</b>	TCRXT06.2570		<b>Evaporative/Refueling Family</b>	TCRXR0225RR1	
<b>Evaporative/Refueling Family</b>	TCRXR0225RR1		<b>Cert Region</b>	Federal	
<b>Cert/In-Use Code</b>	Cert		<b>Standard Level</b>	Federal Tier 3 Evap	
<b>Test Procedure</b>	California fuel 2-day evap				
<b>Fuel</b>	<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>Std</b>	<b>Add DF</b>
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.500	0.0057
<b>Evaporative/Refueling Family</b>	TCRXR0225RR1		<b>Cert Region</b>	Federal	
<b>Cert/In-Use Code</b>	Cert		<b>Standard Level</b>	Federal Tier 3 Evap	
<b>Test Procedure</b>	Federal fuel refueling test (ORVR)				
<b>Fuel</b>	<b>Useful Life</b>	<b>Emission Name</b>	<b>Rounded Result</b>	<b>Std</b>	<b>Add DF</b>
Gasoline	150,000 miles	HC	--	0.20	0.000

## Certification Summary Information Report

Test Group	TCRXT06.2570	Evaporative/Refueling Family	TCR XR0225RR1
<b>Glossary</b>			
<b>Useful Life</b>			
4	4,000 miles	120	120,000 miles
50	50,000 miles	150	150,000 miles
100	100,000 miles		
<b>Emission Name</b>			
HC-TOTAL	Total Hydrocarbon	AS-VOLT	Average System Voltage
CO	Carbon Monoxide	CO2 BAG 1	Bag 1 Carbon Dioxide
CO2	Carbon dioxide	CO2 BAG 2	Bag 2 Carbon Dioxide
CREE	Carbon-Related Exhaust Emissions	CO2 BAG 3	Bag 3 Carbon Dioxide
OPT-CREE	Optional Carbon-Related Exhaust Emissions	CO2 BAG 4	Bag 4 Carbon Dioxide
NOX	Nitrogen Oxide	NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides
PM	Particulate Matter	NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides
PM-COMP	SFTP Composite Particulate Matter	DT-IWRR	Drive Trace Inertia Work Ratio Rating
HC-NM	Non-methane Hydrocarbon	DT-ASCR	Drive Trace Absolute Speed Change Rating
OMHCE	Organic material Hydrocarbon Equivalent	DT-EER	Drive Trace Energy Economy Rating
OMNMHCE	Organic material non-methane HC equivalent	COMB-CREE	Combined Carbon-Related Exhaust Emissions
NMOG	Non-methane organic gases	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions
HCHO	Formaldehyde	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only
H3C2HO	Acetaldehyde	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	LEAK-DIA	Effective Leak Diameter (inches)
CO-COMP	SFTP Composite Carbon Monoxide	LEAK-GAS CAP	Gas Cap Leakage (cc/min)
ETHANOL	C2H5OH - Ethanol	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only
FE BAG 1	Bag 1 Fuel Economy	KW-HRS	Integrated DC KW-HRS
FE BAG 2	Bag 2 Fuel Economy	CH4 BAG 1	Bag 1 Methane
FE BAG 3	Bag 3 Fuel Economy	CH4 BAG 2	Bag 2 Methane
FE BAG 4	Bag 4 Fuel Economy	CH4 BAG 3	Bag 3 Methane
MFR FE	Manufacturer Fuel Economy	CH4 BAG 4	Bag 4 Methane
HC	Hydrocarbon for Running Loss and ORVR	CO BAG 1	Bag 1 Carbon Monoxide
METHANE	CH4 - Methane	CO BAG 2	Bag 2 Carbon Monoxide
METHANOL	CH3OH - Methanol	CO BAG 3	Bag 3 Carbon Monoxide
N2O	Nitrous Oxide	CO BAG 4	Bag 4 Carbon Monoxide
SPITBACK	Spitback Hydrocarbon in grams	NMOG BAG 1	Bag 1 Non-methane organic gases
AMP-HRS	Integrated Amp-hours	NMOG BAG 2	Bag 2 Non-methane organic gases
START-SOC	System Start State of Charge Watt-hours	NMOG BAG 3	Bag 3 Non-methane organic gases
END-SOC	System End State of Charge Watt-hours	NMOG BAG 4	Bag 4 Non-methane organic gases
ACT-DISTANCE	Actual Distance Driven (miles)		
<b>Certification Region</b>			

## Certification Summary Information Report

Test Group	TCRXT06.2570	Evaporative/Refueling Family		TCRXR0225RR1
CA	California + CAA Section 177 states	FA	Federal	
<b>Exhaust Emission Standard Level</b>				
B1	Federal Tier 2 Bin 1	T3B160	Federal Tier 3 Bin 160	
B2	Federal Tier 2 Bin 2	T3B125	Federal Tier 3 Bin 125	
B3	Federal Tier 2 Bin 3	T3B110	Federal Tier 3 Transitional Bin 110	
B4	Federal Tier 2 Bin 4	T3B85	Federal Tier 3 Transitional Bin 85	
B5	Federal Tier 2 Bin 5	T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover	
B6	Federal Tier 2 Bin 6	T3B70	Federal Tier 3 Bin 70	
B7	Federal Tier 2 Bin 7	T3B50	Federal Tier 3 Bin 50	
B8	Federal Tier 2 Bin 8	T3B30	Federal Tier 3 Bin 30	
B9	Federal Tier 2 Bin 9	T3B20	Federal Tier 3 Bin 20	
B10	Federal Tier 2 Bin 10	T3B0	Federal Tier 3 Bin 0	
B11	Federal Tier 2 Bin 11	HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)	HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
L2	California LEV-II LEV	HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
L2OP	California LEV-II LEV Optional	HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
U2	California LEV-II ULEV	HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
S2	California LEV-II SULEV	HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
ZEV	California ZEV	HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
OT	Other	HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
T1	Federal Tier 1	HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
PZEV	California PZEV	HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
L2LEV160	California LEV-II LEV160	HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
L2ULEV125	California LEV-II ULEV125	HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
L2SULEV30	California LEV-II SULEV30	HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
L2LEV395	California LEV-II LEV395	L4SULEV100	California LEV-IV SULEV100	
L2ULEV340	California LEV-II ULEV340	L4SULEV125	California LEV-IV SULEV125	
L2LEV630	California LEV-II LEV630	L4SULEV15	California LEV-IV SULEV15	
L2ULEV570	California LEV-II ULEV570	L4SULEV150	California LEV-IV SULEV150	
L3LEV160	California LEV-III LEV160	L4SULEV170	California LEV-IV SULEV170	
L3ULEV125	California LEV-III ULEV125	L4SULEV175	California LEV-IV SULEV175	
L3ULEV70	California LEV-III ULEV70	L4SULEV20	California LEV-IV SULEV20	
L3ULEV50	California LEV-III ULEV50	L4SULEV200	California LEV-IV SULEV200	
L3SULEV30	California LEV-III SULEV30	L4SULEV230	California LEV-IV SULEV230	
L3SULEV20	California LEV-III SULEV20	L4SULEV25	California LEV-IV SULEV25	
L3LEV395	California LEV-III LEV395	L4SULEV30	California LEV-IV SULEV30	
L3ULEV340	California LEV-III ULEV340	L4SULEV75	California LEV-IV SULEV75	
L3ULEV250	California LEV-III ULEV250	L4SULEV85	California LEV-IV SULEV85	
L3ULEV200	California LEV-III ULEV200	L4ULEV125	California LEV-IV ULEV125	

## Certification Summary Information Report

Test Group		TCRXT06.2570	Evaporative/Refueling Family		TCRXR0225RR1
L3SULEV170	California LEV-III SULEV170		L4ULEV200	California LEV-IV ULEV200	
L3SULEV150	California LEV-III SULEV150		L4ULEV250	California LEV-IV ULEV250	
L3LEV630	California LEV-III LEV630		L4ULEV270	California LEV-IV ULEV270	
L3ULEV570	California LEV-III ULEV570		L4ULEV40	California LEV-IV ULEV40	
L3ULEV400	California LEV-III ULEV400		L4ULEV400	California LEV-IV ULEV400	
L3ULEV270	California LEV-III ULEV270		L4ULEV50	California LEV-IV ULEV50	
L3SULEV230	California LEV-III SULEV230		L4ULEV60	California LEV-IV ULEV60	
L3SULEV200	California LEV-III SULEV200		L4ULEV70	California LEV-IV ULEV70	
<b>Transmission Type Code</b>					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual		
A	Automatic	OT	Other		
AM	Automated Manual	SA	Semi-Automatic		
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)		
<b>Drive System Code</b>					
4	4-Wheel Drive	P	Part-time 4-Wheel Drive		
F	2-Wheel Drive, Front	A	All Wheel Drive		
R	2-Wheel Drive, Rear				
<b>Additional Terms and Acronyms</b>					
AFC	Alternative Fuel Converter	ICI	Independent Commercial Importer		
CSI	Certificate Summary Information	ORVR	Onboard Refueling Vapor Recovery		
DF	Deterioration Factor	SIL	Shift Indicator Light		
Evap	Evaporation, Evaporative	Trans	Transmission		



**Section 8 Emission Testing Waiver Statements and Attestations**

Below is a list clearly identifying the standards applicable to this Test Group for which emission testing was not performed. All FCA US LLC applicable vehicles will conform with the emission standards which emission data is not being provided, as allowed under 40 CFR 86.1829-01 or 86.1810-01.

HCHO

For the remaining list of attestations please see:  
"Common Section Book - Section 14. Request for Certification "



## **Section 9 OBD Description**

FCA US LLC considers this information proprietary and confidential. The description contains engineering detail that would allow competitors to gain insight into FCA US LLC OBD system. The OBD system descriptions for all Test Groups are on file with the US EPA and California Air Resources Board.

OBD Agency Approvals are loaded into EV-CIS and E-FILE for each test group.

OBD Demonstration Compliance Statement: This Test Group meets the full intent of both the Clean Air Act as amended in 1990, section 202(m), and the applicable federal OBD regulations contained in 40 CFR §86.005-74 and 40 CFR §86.1806-01, including a reference to those provisions pertaining to deficiencies in the limited instances where an OBD II system that complies with 1968.2 does not comply with all the requirements of section 1968.1.



**Section 10** **Description of Alternate - Fueled Vehicles**

Not Applicable to this Test Group

# FCA US LLC

## Test Group - TCRXT06.2570

EPA COMP CODE	AA-1000
E10:Powertrain Control Module	
E11:Transmission Control Module	
E17:ABS Control Module	
E19:Electronic Brake Boost Control Module	
F01:Fuel Tank	
F15:Fuel Tank Filler Tube	
F40:Throttle Body	
F50:Fuel Injector	
F53:Fuel Pressure & Temperature Sensor	
F58:Fuel Pump Control Module	
F59:Fuel Pressure Sensor	
F61:Fuel Rail	
F70:Evap. Canister Assembly	
F79:ESIM (Evaporative System Integrity Monitor)	
H10:Catalytic Converter	
I05:Spark Plug	
I10:Ignition Coil	

EPA COMP CODE	AA-1000
L01:Heated Oxygen Sensor	
L12:Accelerator Pedal Position Sensor	
L15:Camshaft Position Sensor	
L16:Crankshaft Position Sensor	
L20:Knock Sensor	
L28:ABS Speed Sensor	
M04:Intake Air Temperature Sensor	
M07:Oil Temperature Sensor	
M10:Ambient Temperature Sensor	
M15:Engine Coolant Temperature Sensor	
N17:Crankshaft Target Wheel	
N29:Supercharger	
N31:Charge Air Cooler	
N50:Engine Thermostat	
N97:Vapor Hose Harness	
V01:PCV Valve	
V08:TMAP Sensor	
V63:Evap. Can. Purge Solenoid	
V71:Crankcase Pressure Sensor	
Z01:VECI Label	

Section11-100 Engine Parts List

# FCA US LLC

**Test Group :**TCRXT06.2570

**Durability Group:** TCRXGPGNNF18 **Standard Fed:** Bin70+ **Cal:** N/A

Trans. Code	Sales Code	Transfer Case Sales Code/Drive Code	No. of Gears	Over Drive Gear Ratio	Drive Gear Ratio	Engine Sales Code	Torque Code	Torque Size	Conv Clutch Control Type Calib/Special Features
L8	DFS	DHZ / 4F	8	0.67	4.71,3.14,2.10,1.67,1.29,1.00,0.84,0.67	ESD	N/A		Electronically shifted data on file

Section12-200 Transmission

FCA US LLC

TCRXT06.2570

Durability Group:  
TCRXGPGNNF18

Standard Fed: Bin70+ Cal: N/A

Asterisk (\*) Indicates Manufacturer has elected to certify at this higher test weight class as allowed by CFR 86.1831-01

Engine Code AA-1000

Eng Displ: 6.2L (ESD)

Evap Family - Evap Code: TCRXR0225RR1-33.0

Model	Carline Name	Model Qualifiers	Opt	Trans. / Tr. Case	Torq. Conv./ Catalyst Identifier	GVW	LVW TWC Drive Curb	ALVW TWC Drive Curb	Axle / OTGR	N/V	Tire	Tire Mfr.	Tire Constr.Cd.	Elec Dyno Q.C.	Elec Dyno RLHP	Dyno Coeff 70A	Dyno Coeff 70 B	Dyno Coeff 70C	Dyno Coeff 20A	Dyno Coeff 20B	Dyno Coeff 20C
DT6A98	RAM: 1500 4X4			L8 - AWD DFS / DHZ-4F		7800	7000 3000 6854	7500 3306 7327	3.55 3.55	23.8 23.8	LT325/65R18 TVT LT325/65R18 TXS	TZA TZA	8X6031B 8X6031B	0.00 0.00	28.9 28.9	83.25000 83.25000	-0.2067 -0.2067	0.05757 0.05757	91.58000 91.58000	-0.2274 -0.2274	0.06333 0.06333

Section12-300 Vehicle

## FCA US LLC

### Test Group: TCRXT06.2570 - Engine Code Index

**Durability Group:**  
TCRXGPGNNF18

**Standard :** Bin70+ / NA

**Vehicle Class:** LDT4 (ALVW >5750, LVW 0-3750, GVW 6001-8500) / LDT (0-8500 GVW)

### Engine Code: AA-1000 - 6.2L SC ESD DFS DT SRT 3.55 AXLE AWD

Engine Code	RC/FF #	Date	Engine	Carline	Price Class	Trans. Configuration	GVW Min.	GVW Max.	Test Wt. Min.	Test Wt. Max	Drive Code	Sales Areas
AA-1000	Original		6.2L/ESD DT			L8/ Automatic L8 - Lockup/Automatic/8-speed	7800	7800	7000	7000	AWD	NAS

**Test Group: TCRXT06.2570 - No Engine Code Changes**

**Durability Group: TCRXGPGNNF18 Standard Fed: Bin70 Cal: N/A**

RC/FF #	Submission Date	Description
---------	-----------------	-------------

No Results Found

Section12-500 Engine Code Index



**Section 12 Vehicle Parameters**

Valves per cylinder                      Engine  
6.2 Liters - 2

**Test Parameters**

SIL usage:                                      All - None

Cooling fan configuration:                Models  
All - One fan center front (See Section 12 - 601)


Additional Cooling:                        Models  
All - None

Evaporative Testing Parameters:        Model  
All Vehicles - 222 grams

Fuel temperature Profile:                Models  
All Vehicles - eDT

Special Test Procedure:                    Models  
All - none

# FAN POSITION DIAGRAM



Test Type	Fan Type	Fan Position	Hood Position
EPA75 HWFE CCO	Fixed – 5300 cfm (2.5 m3/s)	10 inches nominal from bumper/front of vehicle (0 -12 inches)	OPEN
US06	Fixed – 15000 cfm, (7.10 m3/s)		
SC03	Road Speed Fan (meeting requirements of 40CFR1066.105(c)(5) – 45 m3/s at 60 mph)	24-36 inches from bumper/front of vehicle (facility dependent)	CLOSED



December 19, 2025

Mr. Joel Dalton  
Certification and Compliance Division  
U.S. Environmental Protection Agency  
2000 Traverwood Drive  
Ann Arbor, Michigan 48105

Dear Mr. Dalton:

**Re: 2026 Model Year LDT Certificate of Conformity Request**

FCA US LLC requests a 2026 MY Certificate of Conformity for the 6.2L Tier 3 Federal and 50 State test group TCRXT06.2570 with evaporative family: TCRXR0225RR1. This test group is being certified to Tier 3 BIN 70 standards. FCA US LLC agrees to meet the Tier 3 BIN 70 standards, and the regulations applicable to such vehicles during the full useful lives of the vehicles in test group TCRXT06.2570. FCA US LLC agrees that the exhaust and evaporative emission standards listed below and in the application for certification apply to both certification and in-use vehicles according to the provisions of 40 CFR, Parts 86 and 88, as applicable. FCA US LLC also elects to follow GHG path 86.1818(f)(1). The FTP emission standards for this LDT test group are as follows:

<u>Emission Standards</u>		<u>City/Hwy NMOG+NOx</u>	<u>CO</u>	<u>HCHO</u>	<u>PM</u>	
Tier 3 BIN 70	150K	0.070	1.7	0.004	0.003	
<u>Evaporative Standards</u>		<u>3-Day</u>	<u>2-Day</u>	<u>R/L</u>	<u>ORVR</u>	<u>Canister Bleed</u>
TCRXR0225RR1	150K	0.500	0.500	0.05	0.2	0.02

Initial combined CREE for TCRXT06.2570 test group is = 766.8

The models in this test group are as follows:

**Division / Model**  
Ram 1500, AWD

If there are any questions regarding this submission, please contact Kevin Wright at 248-946-2561 or Gary J. Arvan at 248.221.9461.

Sincerely,  
FCA US LLC

Gary J. Arvan, Director  
Vehicle Safety & Environmental Homologation Programs  
gja/kpw



December 19, 2025

Ms. Robin U. Lang, Chief  
Emissions Certification and Compliance Division  
Air Resources Board  
4001 Iowa Ave,  
Riverside, CA 92507

Dear Ms. Lang:

**Re: 2026 Model Year LDT Executive Order Request**

FCA US LLC (FCA) requests a 2026MY Executive Order for the 6.2L 50 State test group TCRXT06.2570 with evaporative families: TCRXR0225RR1. This test group is being certified according to an alternate certification path provided in MAC ECCD-2025-08. FCA requests an EO based on the EPA Tier 3 requirements as reflected in the enclosed EPA Certificates of Conformity and EPA Certification Summary Information.

FCA US LLC agrees to meet the Tier 3 BIN 70 standards, and the Federal regulations applicable to such vehicles during the full useful lives of the vehicles in test group TCRXT06.2570. FCA agrees that the exhaust and evaporative emission standards listed below and in the application for certification apply to both certification and in-use vehicles according to the provisions of 40 CFR, Parts 86 and 88, as applicable. FCA US LLC also elects to follow GHG path described in 40 CFR 86.1818(f)(1). The FTP emission standards for this LDT test group are as follows:

<u>Emission Standards</u>		<u>City/Hwy</u> <u>NMOG+NOx</u>	<u>CO</u>	<u>HCHO</u>	<u>PM</u>	
	150K	0.070	1.7	0.004	0.001	
<u>Evaporative Standards</u>		<u>3-Day</u>	<u>2-Day</u>	<u>R/L</u>	<u>ORVR</u>	<u>Canister Bleed</u>
TCRXR0225RR1	150K	0.500	0.500	0.05	0.2	0.02

FCA also completed an E-CERT submission for this test group at the direction of CARB. CARB's E-CERT system requires the selection of a California emission standard at the time of submission. FCA selected the LEV III standard for this reason only and not as an acknowledgement of CARB's authority to require compliance with the underlying standards.

If there are any questions regarding this submission, please contact Kevin Wright at 248-946-2561 or Gary J. Arvan at 248.221.9461.

Sincerely,

FCA US LLC

Gary J. Arvan, Director  
Vehicle Safety & Environmental Homologation Programs

c: J. Nguyen  
gja/kpw

# US EPA Fee Form

[Help and EPA Instructions](#)

\* Required Field

## General Information

**Date:** 07/30/2025

Process Code \*

Submit New Fee Filing Form

Manufacturer Code \*

CRX

Manufacturer Name \*

FCA USA LLC

Contact Name \*

Pamela J Barylski

Contact Email Address \*

pamela.barylski@stellantis.com

Contact Phone \*

8102798571

Calendar Year complete application submitted to EPA \*

2025

**PLEASE NOTE: These fees apply to complete certification applications received by EPA from January 1, 2025, through December 31, 2025. The applicable fee is determined by the**

**calendar year in which the complete certification application is received, not the model year.**

Engine Family / Evaporative Family / Test Group \*

TCRXT06.2570

### Certificate Request Type (Industry Sector Code)

Certificate Request Type \*

- On-Highway LDV, LTD, MDVPV, HDV Chassis Cert (Federal) (A, B, D, J, T, V)
- On-Highway HDE Dyno Cert (Federal) (E, H)
- On-Highway LD ICI, MDPV ICI, HDV ICI (A, B, D, J, T, V)
- On-Highway Motorcycle (C)
- On-Highway HDV Evap (F)
- On-Highway LDV, LTD, MDVPV, HDV Chassis Cert (California-Only) (A, B, D, J, T, V)
- On-Highway HDE Dyno Cert (California-Only) (E, H)
- Nonroad CI (L)
- Nonroad SI (B, S)
- Locomotive (G, K)
- All Nonroad Recreational, excluding Marine engines (X, Y)
- All Marine (Including IMO) (M, N, W)
- Component Certification for Evaporative Emissions (P)

IMO Name (Required for dual US/IMO Marine Only)

ICI VIN Number (Required for ICIs Only)

Do you qualify for a Reduced Fee? \*

No

### Payment Information

Amount Owed

\$32,939.00

Payment Type \*

Offline Wire

Comments

EPA Form Number 3520-29

OMB Control No. 2060-0545

Approval expires 7/31/2027

The public reporting and recordkeeping burden for this collection of information is estimated to average 12 minutes per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed forms to this address.

The content of this document may contain Sensitive But Unclassified (SBU) data and/or Controlled Unclassified Information (CUI).

MOBILE SOURCE CERTIFICATION AND COMPLIANCE FEE PAYMENT FORM FOR ON-ROAD APPLICATIONS ONLY

CARB USE ONLY

Invoice Name	MSF250023
Invoice Date	Jul 07, 2025

COMPANY INFORMATION

Company Name	FCA US LLC
Address	800 Chrysler Drive
City	Auburn Hills
State	MI
Zip	48326
Country	United States
Contact Name	Gary Arvan
Contact Telephone Number	248-221-9461
Contact Email	gary.arvan@stellantis.com
CARB Customer Number	CCAM000028

APPLICATION INFORMATION

Payment Row Number	Product Description or File Name	Model Year/Calendar Year	Unique Application Identifier: Test Group, Engine Family, Trailer Family, Vehicle Family, ZEP Family, if applicable (ID listed in payment row must match the unique identifier given to the certification application)	Category Type	Fee Type	Amount
1	TCRXT01.6550_APPIPT1	Model Year 2026	TCRXT01.6550	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 48,447.00
2	TCRXT06.2570_APPIPT1	Model Year 2026	TCRXT06.2570	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 48,447.00
<b>Total Due</b>						<b>\$ 96,894.00</b>

I, Gary Arvan, attest that any information provided is true, accurate, and complete.  
(Responsible Party Signature Here)

## PAM BARYLSKI

---

**From:** noreply@salesforce.com on behalf of California Air <mcertfees@arb.ca.gov>  
**Sent:** Monday, July 28, 2025 6:00 PM  
**To:** PAM BARYLSKI  
**Subject:** [EXTERNAL]MS Fee Payment Confirmation for Invoice MSF250023  
**Attachments:** MSF250023 - signed.pdf

**EXTERNAL:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Dear Gary Arvan


Attached is documentation for your MS Fee payment for Invoice Name MSF250023. Please include a copy of this invoice and email with each application that is listed when submitting your application to the applicable MS Fee program.

1. Payment ID – 25RA0036
2. Date of Payment – 7/24/2025
3. Payment Status - Paid





**2026 50-State (NAS) DT**  
Test Group: TCRXT06.2570

<b>FCA US LLC</b>	<b>VEHICLE EMISSION CONTROL INFORMATION</b>	
GROUP: TCRXT06.2570 EVAP: TCRXR0225RR1	NO ADJUSTMENTS NEEDED CAC / HO2S SC / SFI TWC / WR-HO2S	CONFORMS TO REGULATIONS: 2026 MY ENGINE: 6.2L
U.S. EPA: T3 B70 LDT OBD: CA OBD II FUEL: GASOLINE		<b>68727 161AB</b>
CA: LDT OBD: CA OBD II FUEL: GASOLINE THIS VEHICLE CONFORMS TO FEDERAL REGULATIONS AND IS CERTIFIED FOR SALE IN CALIFORNIA		

VECI label is located on the vehicle per 40 CFR 86.1807-01.

TCRXT06.2570 Part 1 Section 15 - 100 (2026)