

Application for Certification

Model Year: 2027
 Manufacturer Name: MINI

Test Group: VBMXV00.0U2A
 Test Group Description: electric, BEV

Vehicle Class: EPA
 LDV

Applicable Standards: EPA
 FTP Standard: Tier 4 - Bin 0
 SFTP Standard: not applicable

Carlines Covered: Countryman SE ALL4 (18" Wheels), Countryman SE ALL4 (19" Wheels), Countryman SE ALL4 (Untamed)

Comprehensive List of Tests:

Multi-Cycle-Test:

Model	VID	CFG	Road Load CFG	Multi-Cycle-Test
Countryman SE ALL4 (Untamed)	7T01828	00	22	VBMX10093061
Countryman SE ALL4 (Untamed)	7T01828	01	21	VBMX10093062
Countryman SE ALL4 (18" Wheels)	7T01828	02	33	VBMX10093063
Countryman SE ALL4 (19" Wheels)	7T01828	03	32	VBMX10093064
Countryman SE ALL4 (18" Wheels)	7T01828	04	31	VBMX10093065

For questions, Contact: Carlheinz Bayer, 201 / 571 - 5193

Table of Contents

Section Contents

1 Correspondence and Communications

2 Battery Durability Family and Battery Monitor Family Description

3 Evaporative/Refueling Family Description

4 Durability Procedure Description

5 Test Group Description

6 Test Vehicle Description

7 Test Results

8 Statements

9 OBD System Description

10 Description of Alternate-fueled Vehicles

11 AECD descriptions

12 Descriptions of vehicles covered by certificate and test parameters

13 Projected Sales

14 Request for Certification

15 Other Information

16 Confidential Information

17 Attachment

1. Correspondence and Communications

- 1.1. Authorized Persons Refer to Common Section
- 1.2. Certificate Information Refer to Common Section
- 1.3. Primary certification contact:

Name: Carlheinz Bayer
Phone Number: 201 / 571 - 5193
Fax Number: 201 / 571 - 5479
E-Mail-Address: Carlheinz.Bayer@bmwna.com

2. Durability Group Description

2.1. not applicable

3. Evaporative / Refueling Family Description

not applicable

4. Durability Procedure Description

not applicable

5. Test Group Description

- | | | |
|--------|-------------------------------------|---------------------|
| 5.1. | Test Group Name | VBMXV00.0U2A |
| 5.2. | Electric Vehicle System Description | |
| 5.2.1. | Electric Motor | Refer to Section 12 |
| 5.2.2. | Battery | Refer to Section 12 |
| 5.3. | Vehicle class | EPA
LDV |
| 5.4. | Emission standards class | Tier 4 - Bin 0 |

6. Test Vehicle Description

6.1. Test Vehicle Description

VID	CFG	Carline	Model	Trans Type	Road Load CFG
7T01828	00	469	Countryman SE ALL4 (Untamed)	A-1	22
7T01828	01	469	Countryman SE ALL4 (Untamed)	A-1	21
7T01828	02	431	Countryman SE ALL4 (18" Wheels)	A-1	33
7T01828	03	432	Countryman SE ALL4 (19" Wheels)	A-1	32
7T01828	04	431	Countryman SE ALL4 (18" Wheels)	A-1	31

For a description of the selected drive modes refer to Section 12

Test parameter are described in the EV-CIS vehicle information

Road Load Configuration Description

X_ means number of tire groups used for this model
 21 Road Load configuration
 22 Road Load configuration
 31 Road Load configuration
 32 Road Load configuration
 33 Road Load configuration

For complete vehicle description, refer to Certification Summary Information Report Sheet, enclosed in Section 7 of this application.

Selection of vehicles carried out according to 40 CFR §86.1828-01(a).

7. Test results

Certification Summary Information Report submitted to EV-CIS

see attachment:
CSI-VBMXV00.0U2A

The certified E-Range is given in the respective test information.

8. Statements**8.1 Emission Testing Waiver Statements**

not applicable

8.2 Compliance Statements**Battery Durability**

According to 40 CFR §86.1815-27 (h) we choose the option to comply with monitor accuracy and battery durability requirements based on the procedures specified in CCR, title 13, §1962.7. According to 40 CFR §86.1815-27 (h)(8)(iii) we state as the manufacturer that vehicles covered by this test group meet the design targets according to 40 CFR §86.1815-27 (h)(2).

Break-In Period Vehicle, Battery, Fuel Cell

According to EPA CD-2021-12 the test vehicles are stabilized for certification testing by aging at least to 2,000 miles. Test vehicle and the battery, in addition the fuel cell if applicable, that power the vehicle during testing are aged as one unit at the same time for the same number of miles. Aging is done by using the SRC cycle.

Electric Vehicle Compliance

According to 40 CFR §86.1829-15 (f) we state as the manufacturer, consistent with good engineering judgment, that all vehicles included in this application comply with all the emission standards and related requirements of Part 86, subpart S, instead of submitting test data.

State of Health Indication Accuracy

According to 40 CFR 86.1815-27(h)(8)(ii) we state as the manufacturer that the SOCE monitor of all vehicles covered by this test group meet the accuracy requirement appropriate for the model year as given in Title 13 CCR Section 1962.7 (e)(5)(B).

9. OBD System Description

not applicable

10. Description of Alternate-fueled Vehicles

not applicable

11. Auxiliary Emission Control Devices (AECD) descriptions

Confidential Information: Please refer to uploaded AECD document in EV-CIS

12. Description of vehicles and test parameters covered by certificate

12.1. Vehicle Parameters

12.1.1. Vehicle Information

Model Name	Carline	Trans	Vehicle Class	VCW [lbs]	ETW [lbs]	GVW [lbs]
Countryman SE ALL4 (18" Wheels)	431	A (A)	LDV	4588	5000	5666
Countryman SE ALL4 (19" Wheels)	432	A (A)	LDV	4588	5000	5666
Countryman SE ALL4 (Untamed)	469	A (A)	LDV	4588	5000	5666

12.1.2. Drive Train Information

Model Name	Carline	Trans	Gear	Engine Code	Axle ratio	
					front	rear
Countryman SE ALL4 (18" Wheels)	431	A (A)	1	XE2B01N1U25X	11.19	10.05
Countryman SE ALL4 (19" Wheels)	432	A (A)	1	XE2B01N1U25X	11.19	10.05
Countryman SE ALL4 (Untamed)	469	A (A)	1	XE2B01N1U25X	11.19	10.05

12.1.3. Tire Information

Modell	Carline	Trans	Road Load CFG	Tire Front	Tire Rear
Countryman SE ALL4 (18" Wheels)	431	A	31	225/55 R18 102Y STD	225/55 R18 102Y STD
			33	225/55 R18 102H M+S STD	225/55 R18 102H M+S STD
				225/55 R18 102H STD (Winter)	225/55 R18 102H STD (Winter)
Countryman SE ALL4 (19" Wheels)	432	A	32	245/45 R19 102H M+S STD	245/45 R19 102H M+S STD
				245/45 R19 102Y STD	245/45 R19 102Y STD
Countryman SE ALL4 (Untamed)	469	A	21	245/45 R19 102V STD AT (Winter)	245/45 R19 102V STD AT (Winter)
			22	245/45 R19 102V STD	245/45 R19 102V STD

M+S indicates an All-Season tire and not a dedicated Winter tire
(Winter) indicates a dedicated Winter tire
AT indicates an All-Terrain tire
HP indicates a High-Performance tire

RSC indicates a tire with run flat capability
STD indicates a tire without run flat capability

12.1.4. Certification Region

FA

12.2. Test Parameters

12.2.1. Engine Starting Procedures

Refer to Common Section

12.2.2. Shift Schedules

not applicable

12.2.3. Dynamometer loading information

12.2.3.1. Sort of dynamometer

all wheel roll

12.2.3.2. Electric Dynamometer Coefficients and Tires

Modell	Carline	Trans	Road Load CFG	A [lbf]	B [lbf/mph]	C [lbf/mph ²]	a [lbf]	b [lbf/mph]	c [lbf/mph ²]	TRLHP
Countryman SE ALL4 (Untamed)	469	A	21	40.9	0.194	0.01993	8.0	-0.014	0.02025	13.4
Countryman SE ALL4 (Untamed)	469	A	22	47.1	0.212	0.01939	14.2	0.019	0.01942	14.2
Countryman SE ALL4 (18" Wheels)	431	A	31	31.7	0.156	0.01934	-1.6	-0.082	0.02014	11.7

Countryman SE ALL4 (19" Wheels)	432	A	32	36.0	0.169	0.02036	3.5	-0.067	0.02104	12.7
Countryman SE ALL4 (18" Wheels)	431	A	33	37.5	0.172	0.01933	5.7	-0.041	0.01951	12.6

Modell	Carline	Trans	Road Load CFG	N/V front	N/V rear	Grill Shutter
Countryman SE ALL4 (Untamed)	469	A	21	139.7	125.5	Yes
Countryman SE ALL4 (Untamed)	469	A	22	139.7	125.5	Yes
Countryman SE ALL4 (18" Wheels)	431	A	31	139.7	125.5	Yes
Countryman SE ALL4 (19" Wheels)	432	A	32	139.7	125.5	Yes
Countryman SE ALL4 (18" Wheels)	431	A	33	139.7	125.5	Yes

Road Load Configuration Description

- X_ means number of tire groups used for this model
- 21 Road Load configuration
- 22 Road Load configuration
- 31 Road Load configuration
- 32 Road Load configuration
- 33 Road Load configuration

12.3. Electric vehicle system description

12.3.1 Description of electric motor

Model Name	Type	Front Power (peak) [kW]	Max. torque [Nm]	Type	Rear Power (peak) [kW]	Max. torque [Nm]
Countryman SE ALL4 (18" Wheels)	Separately excited synchronous motor	140 @ 8000	247	Separately excited synchronous motor	140 @ 8000	247
Countryman SE ALL4 (19" Wheels)	Separately excited synchronous motor	140 @ 8000	247	Separately excited synchronous motor	140 @ 8000	247
Countryman SE ALL4 (Untamed)	Separately excited synchronous motor	140 @ 8000	247	Separately excited synchronous motor	140 @ 8000	247

12.3.2. Description of batteries

Model Name	System Chemistry	Capacity (C) [Ah]	Energy Capacity (E) [kWh]	Nominal Voltage [V]	Min. Voltage Pack [V]	Number of Packs	Number of Modules	Number of Battery Cells
Countryman SE ALL4 (18" Wheels)	Lithium-Ionen	232.0	66.45	286.3	218.4	1	5	156
Countryman SE ALL4 (19" Wheels)	Lithium-Ionen	232.0	66.45	286.3	218.4	1	5	156
Countryman SE ALL4 (Untamed)	Lithium-Ionen	232.0	66.45	286.3	218.4	1	5	156

Model Name	Cell format	Min. Voltage Cell [V]	Weight [kg]	Specific Energy Density [Wh/kg]	Chemistry Identifier
Countryman SE ALL4 (18" Wheels)	prismatic	2.80	436.0	152	Li MM(NMC) - C.F
Countryman SE ALL4 (19" Wheels)	prismatic	2.80	436.0	152	Li MM(NMC) - C.F
Countryman SE ALL4 (Untamed)	prismatic	2.80	436.0	152	Li MM(NMC) - C.F

Battery specific energy data are determined in accordance with U.S. Advanced Battery Consortium`s Electric Vehicle Battery Procedure No. 2 (Constant Current Discharge Test Series).

12.3.3. Description of thermal management

	Component	Medium
battery	electric heater	coolant
	chiller (heat exchanger) evaporator	refrigerant / coolant
cooling module	radiator / fan	air / coolant
	condenser	air or coolant / refrigerant
electric motor	chiller (heat exchanger) evaporator	refrigerant / coolant
passenger compartment	evaporator	refrigerant / air
	electric heater	coolant
	heat exchanger	coolant / air

12.3.4. Description of battery charger

The charger is capable of charging with different rates. For each charging power, the following approximate charge rates apply:

Model Name	Current Type Charging Source	Charging Power [kW]	Voltage [V]	Rated Current [A]	Charging Rates [hh:mm]
Countryman SE ALL4 (18" Wheels) Countryman SE ALL4 (19" Wheels) Countryman SE ALL4 (Untamed)	AC	7.6	240	32	9:30
Countryman SE ALL4 (18" Wheels) Countryman SE ALL4 (19" Wheels) Countryman SE ALL4 (Untamed)	AC	11.5	240	48	6:30
Countryman SE ALL4 (18" Wheels) Countryman SE ALL4 (19" Wheels) Countryman SE ALL4 (Untamed)	AC	9.6	240	40	7:30
Countryman SE ALL4 (18" Wheels) Countryman SE ALL4 (19" Wheels) Countryman SE ALL4 (Untamed)	AC	1.44	120	12	56:15

Model Name	Current Type Charging Source	Max. Charging Power [kW]
Countryman SE ALL4 (18" Wheels) Countryman SE ALL4 (19" Wheels) Countryman SE ALL4 (Untamed)	DC	130

The conductive charging port meets SAE J1772.

12.4. Information on driver selectable modes for Test Vehicle

VID	Drive Mode
7T01828	FTP and HWY depleting testing is done in drive mode "Personal" (comfortable) and drive selector "D". Recuperation settings have no influence on energy consumption and E-range at dynamometer testing.


13. Projected Sales

Refer to Common Section for Model Year 2027

14. Request for Certification

We herewith apply for the Federal Certificate of conformity for the Test Group VBMXV00.0U2A.

The mentioned Test Group complies with all applicable regulations contained in 40 Code of Federal Regulations Part 85 and Part 86.



Dr. Bernd Ofner

15. Other Information

15.1. Vehicle Emission Control Information Label

Label according to certification requirements in 40 CFR § 86.1807-01.

The VECI label is attached to the engine hood.

Refer to Section 17, Attachment

Carline	Model Name	VECI Label
431	Countryman SE ALL4 (18" Wheels)	see attachment: 03VE-VU2A-01
432	Countryman SE ALL4 (19" Wheels)	
469	Countryman SE ALL4 (Untamed)	

17. Attachment

- | | | |
|------|--|-------------------------------------|
| 17.1 | VECI Label | see attachment: 03VE-VU2A-01 |
| 17.2 | Certification Summary Information Report | see attachment:
CSI-VBMXV00.0U2A |

BMW

Designation

Attachment

VECI Label LDV, VBMXV00.0U2A

Date:

03.12.2025

03VE-VU2A-01

DRAFT - Inverted Representation



Bayerische Motoren Werke AG

VEHICLE EMISSION CONTROL INFORMATION

Conforms to regulations:

MY 2027

U.S. EPA: Tier 4 - Bin 0 LDV

Fuel: electricity Li+

California: Conforms to U.S. EPA regulations
and is certified for sale in California

Fuel: electricity Li+

No adjustments needed.

Group: VBMXV00.0U2A



8 898 693

Original representation

Base: Black

Characters: Silver

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Models Covered by this Certificate

Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
BMW	2 - Mini	469 - Countryman SE ALL4 (Untamed)	Federal	All Wheel Drive	Automatic	1	No
BMW	2 - Mini	431 - Countryman SE ALL4 (18" Wheels)	Federal	All Wheel Drive	Automatic	1	No
BMW	2 - Mini	432 - Countryman SE ALL4 (19" Wheels)	Federal	All Wheel Drive	Automatic	1	No

Engine Description

Hybrid Type	--	Hybrid Description	--
Engine Type	--	Mfr Engine Description	--
Engine Block Arrangement	--	Mfr Engine Block Arrangement Description	--
Camless Valvetrain Indicator	--	Oil Viscosity/Classification	
Number of Cylinders/Rotors	--	Mechanically Variable Compression Ratio Indicator	--

After Treatment Device(s) (ATD)

Mfr After Treatment Device (ATD) Comments	--
Direct Ozone Reduction (DOR) Device	--
Mfr Emission Control Device Comments	--

Official Test Numbers

Test Group	Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Electricity		--	--	--	--	--	--	--	--	--	--

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
Hybrid Electric Vehicle And Fuel Cell Information			
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if Other	--
Battery Type	Lithium Ion	Number of Battery Packs	5
Total Voltage of Battery Packs	286	Battery Energy Capacity	232.0
Battery Specific Energy	152	Battery Charger Type	On-Board
Number of Capacitors	--	Capacitor Rating (In Farads)	--
Mfr Capacitor Comments	--		
Hydraulic System Description	--		
Regenerative Braking Type	Electrical Regen Brake		
Regenerative Braking Source	Both	Driver Controlled Regenerative Braking	Yes
Mfr Regenerative Braking Description	--		
Drive Motor(s)/Generator(s)	2		
Motor/Generator Type 1	EESM	Rated Motor/Generator Power	140
Motor/Generator Type 2	EESM	Rated Motor/Generator Power	140
Mfr Fuel Cell Description	--		
Fuel Cell On-Board H2 Storage Capacity (kg)	--	Usable H2 Fill Capacity (kg)	--
Mfr Hybrid Electric/ Electric Vehicle Comments	Motor/Generator Type: externally excited synchronuous machine (EESM)		

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Emission Data Vehicle Information

Vehicle ID / Configuration	7T01828 / 0	Manufacturer Vehicle Configuration Number	0
Original Test Group Name	VBMXV00.0U2A	Original Evaporative/Refueling Family	--
Original Test Vehicle Model Year	2027		
Vehicle Model			
Represented Test Vehicle Make	Mini	Represented Test Vehicle Model	Countryman SE ALL4 (Untamed)

Leak Family Details

Leak Family Identifier	--	Leak Family Name	--
------------------------	----	------------------	----

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Electric Motor	Electricity

Hybrid Indicator	No	Multiple Fuel Combustion	--
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	Yes
Fuel Cell Indicator	No	Rechargeable Energy Storage System, if 'Other'	--
Rechargeable Energy Storage System	Battery(s)		
Off-board charge Capable Indicator	Yes	Odometer Correction Factor	1
Odometer Correction -- Initial	0	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles	
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles		
Odometer Correction Units	Miles	Rated Horsepower	302
Engine Code	XE2B01N1U25X	Air Aspiration Method, if 'Other'	
Displacement (liters)	0.001	Air Aspiration Device Configuration	--
Air Aspiration Method	Naturally Aspirated	Drive Mode While Testing	All Wheel Drive
Number of Air Aspiration Devices	--	Aged Emission Components	4,000 (mi)
Charge Air Cooler Type	--	Equivalent Test Weight (pounds)	5000
Shift Indicator Light Usage	Not equipped	N/V Ratio	139.7
Curb Weight (lbs)	4588	# of Transmission Gears	1
GVWR (lbs)	5666	Creeper Gear	No
Axle Ratio	1		
Transmission Type	Automatic		
Transmission Lockup	No		

Dynamometer Coefficients:

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	47.1	0.212	0.01939	14.2	0.019	0.01942	14.2

Emission Control Device Comments --

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	vi_7T01828_00_Countryman SE ALL4 (Untamed)_A_ETW-5000_RG22_default mode_D; Axle Ratio front: 11.19, Axle Ratio rear: 10.05		

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
Test #	VBMX10093061	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	01/16/2026	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Assigned
Verify Test Lab ID	EETZ Emissions Lab		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4663	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	230	Recharge Event Energy (kiloWatt-hours)	74.701
Charge Depleting Range (Calculated miles)	292.549	Charge Depleting Range (Actual miles)	292.549
Charge Depleting Range Highway (Calculated miles)	267.203	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	292.549
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase #1			
Test Result/Emission Name		Unrounded Test Result	
Actual Distance Driven (miles)		7.401	
Carbon dioxide		0	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		-2.136	
Drive Trace Energy Economy Rating		-1.605	
Drive Trace Inertia Work Ratio Rating		-3.127	
Integrated DC KW-HRS		1.783	
Manufacturer Fuel Economy		24.0919	
Charge Depleting Bag/Phase #2			

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--																		
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.244</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.598</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.578</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-1.928</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.5916</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>25.2988</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.244	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.598	Drive Trace Energy Economy Rating	-0.578	Drive Trace Inertia Work Ratio Rating	-1.928	Integrated DC KW-HRS	2.5916	Manufacturer Fuel Economy	25.2988
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.244																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-1.598																				
Drive Trace Energy Economy Rating	-0.578																				
Drive Trace Inertia Work Ratio Rating	-1.928																				
Integrated DC KW-HRS	2.5916																				
Manufacturer Fuel Economy	25.2988																				
Charge Depleting Bag/Phase #3																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.417</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.764</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.849</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-1.049</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.7169</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>23.148</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.417	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.764	Drive Trace Energy Economy Rating	-0.849	Drive Trace Inertia Work Ratio Rating	-1.049	Integrated DC KW-HRS	1.7169	Manufacturer Fuel Economy	23.148
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.417																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.764																				
Drive Trace Energy Economy Rating	-0.849																				
Drive Trace Inertia Work Ratio Rating	-1.049																				
Integrated DC KW-HRS	1.7169																				
Manufacturer Fuel Economy	23.148																				
Charge Depleting Bag/Phase #4																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>150.781</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>99.99</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>99.99</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>99.99</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>46.6792</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>30.9583</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	150.781	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	99.99	Drive Trace Energy Economy Rating	99.99	Drive Trace Inertia Work Ratio Rating	99.99	Integrated DC KW-HRS	46.6792	Manufacturer Fuel Economy	30.9583
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	150.781																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	99.99																				
Drive Trace Energy Economy Rating	99.99																				
Drive Trace Inertia Work Ratio Rating	99.99																				
Integrated DC KW-HRS	46.6792																				
Manufacturer Fuel Economy	30.9583																				
Charge Depleting Bag/Phase #5																					

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--																		
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.401</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-2.094</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.993</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-3.049</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.662</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>22.4561</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.401	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-2.094	Drive Trace Energy Economy Rating	-1.993	Drive Trace Inertia Work Ratio Rating	-3.049	Integrated DC KW-HRS	1.662	Manufacturer Fuel Economy	22.4561
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.401																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-2.094																				
Drive Trace Energy Economy Rating	-1.993																				
Drive Trace Inertia Work Ratio Rating	-3.049																				
Integrated DC KW-HRS	1.662																				
Manufacturer Fuel Economy	22.4561																				
Charge Depleting Bag/Phase #6																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.258</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.618</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.416</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-0.33</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.5349</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>24.7117</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.258	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.618	Drive Trace Energy Economy Rating	-0.416	Drive Trace Inertia Work Ratio Rating	-0.33	Integrated DC KW-HRS	2.5349	Manufacturer Fuel Economy	24.7117
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.258																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.618																				
Drive Trace Energy Economy Rating	-0.416																				
Drive Trace Inertia Work Ratio Rating	-0.33																				
Integrated DC KW-HRS	2.5349																				
Manufacturer Fuel Economy	24.7117																				
Charge Depleting Bag/Phase #7																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.44</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.21</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.434</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-1.569</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.697</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>22.8092</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.44	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.21	Drive Trace Energy Economy Rating	-1.434	Drive Trace Inertia Work Ratio Rating	-1.569	Integrated DC KW-HRS	1.697	Manufacturer Fuel Economy	22.8092
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.44																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-1.21																				
Drive Trace Energy Economy Rating	-1.434																				
Drive Trace Inertia Work Ratio Rating	-1.569																				
Integrated DC KW-HRS	1.697																				
Manufacturer Fuel Economy	22.8092																				
Charge Depleting Bag/Phase #8																					

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	26.088
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	99.99
Drive Trace Energy Economy Rating	99.99
Drive Trace Inertia Work Ratio Rating	99.99
Integrated DC KW-HRS	8.1499
Manufacturer Fuel Economy	31.2402

Manufacturer Test Comments

01_MCT_7T01828_00_FEDV_Countryman SE ALL4 (Untamed)_A_ETW-5000_RG22_default mode_D; MCT UBE energy = 66815 Wh

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--

Certification Summary Information Report

Test Group	VBMXV00.0U2A		Evaporative/Refueling Family	--						
Emission Data Vehicle Information										
Vehicle ID / Configuration	7T01828 / 1		Manufacturer Vehicle Configuration Number	0						
Original Test Group Name	VBMXV00.0U2A		Original Evaporative/Refueling Family	--						
Original Test Vehicle Model Year	2027									
Vehicle Model										
Represented Test Vehicle Make	Mini		Represented Test Vehicle Model	Countryman SE ALL4 (Untamed)						
Leak Family Details										
Leak Family Identifier	--		Leak Family Name	--						
Drive Sources and Fuel System Details										
	<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </tbody> </table>		Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity		
Drive Source and Fuel#	Drive Source	Fuel								
1	Electric Motor	Electricity								
Hybrid Indicator	No		Multiple Fuel Combustion	--						
Multiple Fuel Storage	--		Rechargeable Energy Storage System Indicator	Yes						
Fuel Cell Indicator	No		Rechargeable Energy Storage System, if 'Other'	--						
Rechargeable Energy Storage System	Battery(s)									
Off-board charge Capable Indicator	Yes		Odometer Correction Factor	1						
Odometer Correction -- Initial	0									
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles									
Odometer Correction Units	Miles									
Engine Code	XE2B01N1U25X		Rated Horsepower	302						
Displacement (liters)	0.001		Air Aspiration Method, if 'Other'							
Air Aspiration Method	Naturally Aspirated		Air Aspiration Device Configuration	--						
Number of Air Aspiration Devices	--		Drive Mode While Testing	All Wheel Drive						
Charge Air Cooler Type	--		Aged Emission Components	4,000 (mi)						
Shift Indicator Light Usage	Not equipped		Equivalent Test Weight (pounds)	5000						
Curb Weight (lbs)	4588		N/V Ratio	139.7						
GVWR (lbs)	5666									
Axle Ratio	1		# of Transmission Gears	1						
Transmission Type	Automatic		Creeper Gear	No						
Transmission Lockup	No									
Dynamometer Coefficients:										
	Target Coefficients			Set Coefficients						
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients			
City/Highway/Evap	40.9	0.194	0.01993	8	-0.014	0.02025	13.4			
Emission Control Device Comments	--									

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	vi_7T01828_01_Countryman SE ALL4 (Untamed)_A_ETW-5000_RG21_default mode_D; Axle Ratio front: 11.19, Axle Ratio rear: 10.05		

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
Test #	VBMX10093062	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	12/15/2025	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Assigned
Verify Test Lab ID	EETZ Emissions Lab		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	3893	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	230	Recharge Event Energy (kiloWatt-hours)	74.608
Charge Depleting Range (Calculated miles)	307.537	Charge Depleting Range (Actual miles)	307.537
Charge Depleting Range Highway (Calculated miles)	281.731	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	307.537
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase #1			
Test Result/Emission Name		Unrounded Test Result	
Actual Distance Driven (miles)		7.421	
Carbon dioxide		0	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		-0.436	
Drive Trace Energy Economy Rating		-0.624	
Drive Trace Inertia Work Ratio Rating		-0.672	
Integrated DC KW-HRS		1.6994	
Manufacturer Fuel Economy		22.9009	
Charge Depleting Bag/Phase #2			

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--																		
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.25</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>1.708</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.158</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>2.363</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.4642</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>24.0417</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.25	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	1.708	Drive Trace Energy Economy Rating	-0.158	Drive Trace Inertia Work Ratio Rating	2.363	Integrated DC KW-HRS	2.4642	Manufacturer Fuel Economy	24.0417
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.25																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	1.708																				
Drive Trace Energy Economy Rating	-0.158																				
Drive Trace Inertia Work Ratio Rating	2.363																				
Integrated DC KW-HRS	2.4642																				
Manufacturer Fuel Economy	24.0417																				
Charge Depleting Bag/Phase #3																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.456</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.511</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>0.039</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0.822</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.6397</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>21.9915</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.456	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.511	Drive Trace Energy Economy Rating	0.039	Drive Trace Inertia Work Ratio Rating	0.822	Integrated DC KW-HRS	1.6397	Manufacturer Fuel Economy	21.9915
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.456																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	0.511																				
Drive Trace Energy Economy Rating	0.039																				
Drive Trace Inertia Work Ratio Rating	0.822																				
Integrated DC KW-HRS	1.6397																				
Manufacturer Fuel Economy	21.9915																				
Charge Depleting Bag/Phase #4																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>158</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>99.99</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>99.99</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>99.99</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>46.8514</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>29.6527</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	158	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	99.99	Drive Trace Energy Economy Rating	99.99	Drive Trace Inertia Work Ratio Rating	99.99	Integrated DC KW-HRS	46.8514	Manufacturer Fuel Economy	29.6527
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	158																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	99.99																				
Drive Trace Energy Economy Rating	99.99																				
Drive Trace Inertia Work Ratio Rating	99.99																				
Integrated DC KW-HRS	46.8514																				
Manufacturer Fuel Economy	29.6527																				
Charge Depleting Bag/Phase #5																					

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--																		
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.426</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.056</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.601</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0.103</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.5894</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>21.4037</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.426	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.056	Drive Trace Energy Economy Rating	-0.601	Drive Trace Inertia Work Ratio Rating	0.103	Integrated DC KW-HRS	1.5894	Manufacturer Fuel Economy	21.4037
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.426																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	0.056																				
Drive Trace Energy Economy Rating	-0.601																				
Drive Trace Inertia Work Ratio Rating	0.103																				
Integrated DC KW-HRS	1.5894																				
Manufacturer Fuel Economy	21.4037																				
Charge Depleting Bag/Phase #6																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.24</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>1.018</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.292</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>1.268</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.3981</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>23.4174</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.24	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	1.018	Drive Trace Energy Economy Rating	-0.292	Drive Trace Inertia Work Ratio Rating	1.268	Integrated DC KW-HRS	2.3981	Manufacturer Fuel Economy	23.4174
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.24																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	1.018																				
Drive Trace Energy Economy Rating	-0.292																				
Drive Trace Inertia Work Ratio Rating	1.268																				
Integrated DC KW-HRS	2.3981																				
Manufacturer Fuel Economy	23.4174																				
Charge Depleting Bag/Phase #7																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.434</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.327</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>0.256</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0.545</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.6153</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>21.729</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.434	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.327	Drive Trace Energy Economy Rating	0.256	Drive Trace Inertia Work Ratio Rating	0.545	Integrated DC KW-HRS	1.6153	Manufacturer Fuel Economy	21.729
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.434																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	0.327																				
Drive Trace Energy Economy Rating	0.256																				
Drive Trace Inertia Work Ratio Rating	0.545																				
Integrated DC KW-HRS	1.6153																				
Manufacturer Fuel Economy	21.729																				
Charge Depleting Bag/Phase #8																					

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	28.696
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	99.99
Drive Trace Energy Economy Rating	99.99
Drive Trace Inertia Work Ratio Rating	99.99
Integrated DC KW-HRS	8.596
Manufacturer Fuel Economy	29.9558

Manufacturer Test Comments

01_MCT_7T01828_01_FEDV_Countryman SE ALL4 (Untamed)_A_ETW-5000_RG21_default mode_D; MCT UBE energy = 66854 Wh

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--

Certification Summary Information Report

Test Group	VBMXV00.0U2A		Evaporative/Refueling Family	--						
Emission Data Vehicle Information										
Vehicle ID / Configuration	7T01828 / 2		Manufacturer Vehicle Configuration Number	0						
Original Test Group Name	VBMXV00.0U2A		Original Evaporative/Refueling Family	--						
Original Test Vehicle Model Year	2027									
Vehicle Model										
Represented Test Vehicle Make	Mini		Represented Test Vehicle Model	Countryman SE ALL4 (18" Wheels)						
Leak Family Details										
Leak Family Identifier	--		Leak Family Name	--						
Drive Sources and Fuel System Details										
<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </tbody> </table>					Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity
Drive Source and Fuel#	Drive Source	Fuel								
1	Electric Motor	Electricity								
Hybrid Indicator	No		Multiple Fuel Combustion	--						
Multiple Fuel Storage	--		Rechargeable Energy Storage System Indicator	Yes						
Fuel Cell Indicator	No		Rechargeable Energy Storage System, if 'Other'	--						
Rechargeable Energy Storage System	Battery(s)		Odometer Correction Factor	1						
Off-board charge Capable Indicator	Yes		Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles						
Odometer Correction -- Initial	0		Odometer Correction Units	Miles						
Odometer Correction Sign										
Engine Code	XE2B01N1U25X		Rated Horsepower	302						
Displacement (liters)	0.001		Air Aspiration Method, if 'Other'							
Air Aspiration Method	Naturally Aspirated		Air Aspiration Device Configuration	--						
Number of Air Aspiration Devices	--		Drive Mode While Testing	All Wheel Drive						
Charge Air Cooler Type	--		Aged Emission Components	4,000 (mi)						
Shift Indicator Light Usage	Not equipped		Equivalent Test Weight (pounds)	5000						
Curb Weight (lbs)	4588		N/V Ratio	139.7						
GVWR (lbs)	5666		# of Transmission Gears	1						
Axle Ratio	1		Creeper Gear	No						
Transmission Type	Automatic									
Transmission Lockup	No									
Dynamometer Coefficients:										
Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients				
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)		C (lbf/mph**2)			
City/Highway/Evap	37.5	0.172	0.01933	5.7	-0.041	0.01951	12.6			
Emission Control Device Comments	--									

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	vi_7T01828_02_Countryman SE ALL4 (18" Wheels)_A_ETW-5000_RG33_default mode_D; Axle Ratio front: 11.19, Axle Ratio rear: 10.05		

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
Test #	VBMX10093063	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	10/31/2025	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Assigned
Verify Test Lab ID	EETZ Emissions Lab		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	3232	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	230	Recharge Event Energy (kiloWatt-hours)	74.55
Charge Depleting Range (Calculated miles)	316.81	Charge Depleting Range (Actual miles)	316.81
Charge Depleting Range Highway (Calculated miles)	291.655	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	316.81
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase #1			
Test Result/Emission Name		Unrounded Test Result	
Actual Distance Driven (miles)		7.429	
Carbon dioxide		0	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		-1.061	
Drive Trace Energy Economy Rating		-0.898	
Drive Trace Inertia Work Ratio Rating		-1.339	
Integrated DC KW-HRS		1.6587	
Manufacturer Fuel Economy		22.3271	
Charge Depleting Bag/Phase #2			

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--																		
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.259</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.873</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.406</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-1.142</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.3774</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>23.1739</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.259	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.873	Drive Trace Energy Economy Rating	-0.406	Drive Trace Inertia Work Ratio Rating	-1.142	Integrated DC KW-HRS	2.3774	Manufacturer Fuel Economy	23.1739
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.259																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.873																				
Drive Trace Energy Economy Rating	-0.406																				
Drive Trace Inertia Work Ratio Rating	-1.142																				
Integrated DC KW-HRS	2.3774																				
Manufacturer Fuel Economy	23.1739																				
Charge Depleting Bag/Phase #3																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.44</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.201</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.046</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-1.934</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.5948</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>21.4347</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.44	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.201	Drive Trace Energy Economy Rating	-1.046	Drive Trace Inertia Work Ratio Rating	-1.934	Integrated DC KW-HRS	1.5948	Manufacturer Fuel Economy	21.4347
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.44																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-1.201																				
Drive Trace Energy Economy Rating	-1.046																				
Drive Trace Inertia Work Ratio Rating	-1.934																				
Integrated DC KW-HRS	1.5948																				
Manufacturer Fuel Economy	21.4347																				
Charge Depleting Bag/Phase #4																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>167.877</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>99.99</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>99.99</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>99.99</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>47.702</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>28.4149</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	167.877	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	99.99	Drive Trace Energy Economy Rating	99.99	Drive Trace Inertia Work Ratio Rating	99.99	Integrated DC KW-HRS	47.702	Manufacturer Fuel Economy	28.4149
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	167.877																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	99.99																				
Drive Trace Energy Economy Rating	99.99																				
Drive Trace Inertia Work Ratio Rating	99.99																				
Integrated DC KW-HRS	47.702																				
Manufacturer Fuel Economy	28.4149																				
Charge Depleting Bag/Phase #5																					

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--																		
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.45</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.354</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.53</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-1.973</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.5324</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>20.5704</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.45	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.354	Drive Trace Energy Economy Rating	-1.53	Drive Trace Inertia Work Ratio Rating	-1.973	Integrated DC KW-HRS	1.5324	Manufacturer Fuel Economy	20.5704
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.45																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-1.354																				
Drive Trace Energy Economy Rating	-1.53																				
Drive Trace Inertia Work Ratio Rating	-1.973																				
Integrated DC KW-HRS	1.5324																				
Manufacturer Fuel Economy	20.5704																				
Charge Depleting Bag/Phase #6																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.269</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-3.651</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.941</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-4.323</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.3184</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>22.5766</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.269	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-3.651	Drive Trace Energy Economy Rating	-0.941	Drive Trace Inertia Work Ratio Rating	-4.323	Integrated DC KW-HRS	2.3184	Manufacturer Fuel Economy	22.5766
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.269																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-3.651																				
Drive Trace Energy Economy Rating	-0.941																				
Drive Trace Inertia Work Ratio Rating	-4.323																				
Integrated DC KW-HRS	2.3184																				
Manufacturer Fuel Economy	22.5766																				
Charge Depleting Bag/Phase #7																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.439</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.469</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.278</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-2.215</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.5677</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>21.0747</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.439	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.469	Drive Trace Energy Economy Rating	-1.278	Drive Trace Inertia Work Ratio Rating	-2.215	Integrated DC KW-HRS	1.5677	Manufacturer Fuel Economy	21.0747
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.439																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-1.469																				
Drive Trace Energy Economy Rating	-1.278																				
Drive Trace Inertia Work Ratio Rating	-2.215																				
Integrated DC KW-HRS	1.5677																				
Manufacturer Fuel Economy	21.0747																				
Charge Depleting Bag/Phase #8																					

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	27.672
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	99.99
Drive Trace Energy Economy Rating	99.99
Drive Trace Inertia Work Ratio Rating	99.99
Integrated DC KW-HRS	7.9654
Manufacturer Fuel Economy	28.7847

Manufacturer Test Comments

01_MCT_7T01828_02_FEDV_Countryman SE ALL4 (18" Wheels)_A_ETW-5000_RG33_default mode_D; MCT UBE energy = 66717 Wh

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--

Certification Summary Information Report

Test Group	VBMXV00.0U2A		Evaporative/Refueling Family	--						
Emission Data Vehicle Information										
Vehicle ID / Configuration	7T01828 / 3		Manufacturer Vehicle Configuration Number	0						
Original Test Group Name	VBMXV00.0U2A		Original Evaporative/Refueling Family	--						
Original Test Vehicle Model Year	2027									
Vehicle Model										
Represented Test Vehicle Make	Mini		Represented Test Vehicle Model	Countryman SE ALL4 (19" Wheels)						
Leak Family Details										
Leak Family Identifier	--		Leak Family Name	--						
Drive Sources and Fuel System Details										
<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </tbody> </table>					Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity
Drive Source and Fuel#	Drive Source	Fuel								
1	Electric Motor	Electricity								
Hybrid Indicator	No		Multiple Fuel Combustion	--						
Multiple Fuel Storage	--		Rechargeable Energy Storage System Indicator	Yes						
Fuel Cell Indicator	No		Rechargeable Energy Storage System, if 'Other'	--						
Rechargeable Energy Storage System	Battery(s)		Odometer Correction Factor	1						
Off-board charge Capable Indicator	Yes		Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles						
Odometer Correction -- Initial	0		Odometer Correction Units	Miles						
Odometer Correction Sign										
Engine Code	XE2B01N1U25X		Rated Horsepower	302						
Displacement (liters)	0.001		Air Aspiration Method, if 'Other'							
Air Aspiration Method	Naturally Aspirated		Air Aspiration Device Configuration	--						
Number of Air Aspiration Devices	--		Drive Mode While Testing	All Wheel Drive						
Charge Air Cooler Type	--		Aged Emission Components	4,000 (mi)						
Shift Indicator Light Usage	Not equipped		Equivalent Test Weight (pounds)	5000						
Curb Weight (lbs)	4588		N/V Ratio	139.7						
GVWR (lbs)	5666		# of Transmission Gears	1						
Axle Ratio	1		Creeper Gear	No						
Transmission Type	Automatic									
Transmission Lockup	No									
Dynamometer Coefficients:										
Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients				
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)		C (lbf/mph**2)			
City/Highway/Evap	36	0.169	0.02036	3.5	-0.067		0.02104			
Emission Control Device Comments	--									

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	vi_7T01828_03_Countryman SE ALL4 (19" Wheels)_A_ETW-5000_RG32_default mode_D; Axle Ratio front: 11.19, Axle Ratio rear: 10.05		

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
Test #	VBMX10093064	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	10/28/2025	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Assigned
Verify Test Lab ID	EETZ Emissions Lab		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	2951	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

PHEV/EV Charge Depleting Test Information

Recharge Event Voltage	230	Recharge Event Energy (kiloWatt-hours)	74.567
Charge Depleting Range (Calculated miles)	317.876	Charge Depleting Range (Actual miles)	317.876
Charge Depleting Range Highway (Calculated miles)	291.152	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	317.876
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--

Charge Depleting Bag/Phase #1

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.45
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-0.728
Drive Trace Energy Economy Rating	-1.009
Drive Trace Inertia Work Ratio Rating	-0.825
Integrated DC KW-HRS	1.6537
Manufacturer Fuel Economy	22.1982

Charge Depleting Bag/Phase #2

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
-------------------	--------------	------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.241
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-1.82
Drive Trace Energy Economy Rating	-0.492
Drive Trace Inertia Work Ratio Rating	-2.114
Integrated DC KW-HRS	2.3804
Manufacturer Fuel Economy	23.2447

Charge Depleting Bag/Phase #3

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.452
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-0.125
Drive Trace Energy Economy Rating	-0.702
Drive Trace Inertia Work Ratio Rating	0.218
Integrated DC KW-HRS	1.5916
Manufacturer Fuel Economy	21.358

Charge Depleting Bag/Phase #4

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	164.241
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	99.99
Drive Trace Energy Economy Rating	99.99
Drive Trace Inertia Work Ratio Rating	99.99
Integrated DC KW-HRS	47.7315
Manufacturer Fuel Economy	29.0619

Charge Depleting Bag/Phase #5

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--																		
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.441</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.038</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.511</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-0.115</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.5327</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>20.5964</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.441	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.038	Drive Trace Energy Economy Rating	-0.511	Drive Trace Inertia Work Ratio Rating	-0.115	Integrated DC KW-HRS	1.5327	Manufacturer Fuel Economy	20.5964
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.441																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.038																				
Drive Trace Energy Economy Rating	-0.511																				
Drive Trace Inertia Work Ratio Rating	-0.115																				
Integrated DC KW-HRS	1.5327																				
Manufacturer Fuel Economy	20.5964																				
Charge Depleting Bag/Phase #6																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.259</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.726</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.49</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>1.019</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.3237</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>22.6506</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.259	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.726	Drive Trace Energy Economy Rating	-0.49	Drive Trace Inertia Work Ratio Rating	1.019	Integrated DC KW-HRS	2.3237	Manufacturer Fuel Economy	22.6506
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.259																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	0.726																				
Drive Trace Energy Economy Rating	-0.49																				
Drive Trace Inertia Work Ratio Rating	1.019																				
Integrated DC KW-HRS	2.3237																				
Manufacturer Fuel Economy	22.6506																				
Charge Depleting Bag/Phase #7																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.435</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.59</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.356</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-0.851</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.5622</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>21.011</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.435	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.59	Drive Trace Energy Economy Rating	-0.356	Drive Trace Inertia Work Ratio Rating	-0.851	Integrated DC KW-HRS	1.5622	Manufacturer Fuel Economy	21.011
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.435																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.59																				
Drive Trace Energy Economy Rating	-0.356																				
Drive Trace Inertia Work Ratio Rating	-0.851																				
Integrated DC KW-HRS	1.5622																				
Manufacturer Fuel Economy	21.011																				
Charge Depleting Bag/Phase #8																					

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	27.275
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	99.99
Drive Trace Energy Economy Rating	99.99
Drive Trace Inertia Work Ratio Rating	99.99
Integrated DC KW-HRS	8.0367
Manufacturer Fuel Economy	29.4656

Manufacturer Test Comments

01_MCT_7T01828_03_FEDV_Countryman SE ALL4 (19" Wheels)_A_ETW-5000_RG32_default mode_D; MCT UBE energy = 66813 Wh

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--

Certification Summary Information Report

Test Group	VBMXV00.0U2A		Evaporative/Refueling Family	--							
Emission Data Vehicle Information											
Vehicle ID / Configuration	7T01828 / 4		Manufacturer Vehicle Configuration Number	0							
Original Test Group Name	VBMXV00.0U2A		Original Evaporative/Refueling Family	--							
Original Test Vehicle Model Year	2027										
Vehicle Model											
Represented Test Vehicle Make	Mini		Represented Test Vehicle Model	Countryman SE ALL4 (18" Wheels)							
Leak Family Details											
Leak Family Identifier	--		Leak Family Name	--							
Drive Sources and Fuel System Details											
<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </tbody> </table>						Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity
Drive Source and Fuel#	Drive Source	Fuel									
1	Electric Motor	Electricity									
Hybrid Indicator	No		Multiple Fuel Combustion	--							
Multiple Fuel Storage	--		Rechargeable Energy Storage System Indicator	Yes							
Fuel Cell Indicator	No		Rechargeable Energy Storage System, if 'Other'	--							
Rechargeable Energy Storage System	Battery(s)		Odometer Correction Factor	1							
Off-board charge Capable Indicator	Yes		Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles							
Odometer Correction -- Initial	0		Odometer Correction Units	Miles							
Engine Code	XE2B01N1U25X		Rated Horsepower	302							
Displacement (liters)	0.001		Air Aspiration Method, if 'Other'	--							
Air Aspiration Method	Naturally Aspirated		Air Aspiration Device Configuration	--							
Number of Air Aspiration Devices	--		Drive Mode While Testing	All Wheel Drive							
Charge Air Cooler Type	--		Aged Emission Components	4,000 (mi)							
Shift Indicator Light Usage	Not equipped		Equivalent Test Weight (pounds)	5000							
Curb Weight (lbs)	4588		N/V Ratio	139.7							
GVWR (lbs)	5666		# of Transmission Gears	1							
Axle Ratio	1		Creeper Gear	No							
Transmission Type	Automatic										
Transmission Lockup	No										
Dynamometer Coefficients:											
Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients					
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)		C (lbf/mph**2)				
City/Highway/Evap	31.7	0.156	0.01934	-1.6	-0.082	0.02014	11.7				
Emission Control Device Comments	--										

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	vi_7T01828_04_Countryman SE ALL4 (18" Wheels)_A_ETW-5000_RG31_default mode_D; Axle Ratio front: 11.19, Axle Ratio rear: 10.05		

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
Test #	VBMX10093065	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	10/21/2025	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Assigned
Verify Test Lab ID	EETZ Emissions Lab		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	2656	Odometer Units	K
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

PHEV/EV Charge Depleting Test Information

Recharge Event Voltage	230	Recharge Event Energy (kiloWatt-hours)	74.29
Charge Depleting Range (Calculated miles)	339.9	Charge Depleting Range (Actual miles)	339.9
Charge Depleting Range Highway (Calculated miles)	313.841	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	339.9
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--

Charge Depleting Bag/Phase #1

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.437
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	0.977
Drive Trace Energy Economy Rating	0.002
Drive Trace Inertia Work Ratio Rating	1.82
Integrated DC KW-HRS	1.5447
Manufacturer Fuel Economy	20.769

Charge Depleting Bag/Phase #2

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--																		
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.258</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>1.114</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.079</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>1.653</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.2049</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>21.494</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.258	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	1.114	Drive Trace Energy Economy Rating	-0.079	Drive Trace Inertia Work Ratio Rating	1.653	Integrated DC KW-HRS	2.2049	Manufacturer Fuel Economy	21.494
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.258																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	1.114																				
Drive Trace Energy Economy Rating	-0.079																				
Drive Trace Inertia Work Ratio Rating	1.653																				
Integrated DC KW-HRS	2.2049																				
Manufacturer Fuel Economy	21.494																				
Charge Depleting Bag/Phase #3																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.45</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.114</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.215</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0.496</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.49</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>20.0007</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.45	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.114	Drive Trace Energy Economy Rating	-0.215	Drive Trace Inertia Work Ratio Rating	0.496	Integrated DC KW-HRS	1.49	Manufacturer Fuel Economy	20.0007
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.45																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	0.114																				
Drive Trace Energy Economy Rating	-0.215																				
Drive Trace Inertia Work Ratio Rating	0.496																				
Integrated DC KW-HRS	1.49																				
Manufacturer Fuel Economy	20.0007																				
Charge Depleting Bag/Phase #4																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>179.717</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>99.99</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>99.99</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>99.99</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>48.1332</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>26.7828</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	179.717	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	99.99	Drive Trace Energy Economy Rating	99.99	Drive Trace Inertia Work Ratio Rating	99.99	Integrated DC KW-HRS	48.1332	Manufacturer Fuel Economy	26.7828
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	179.717																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	99.99																				
Drive Trace Energy Economy Rating	99.99																				
Drive Trace Inertia Work Ratio Rating	99.99																				
Integrated DC KW-HRS	48.1332																				
Manufacturer Fuel Economy	26.7828																				
Charge Depleting Bag/Phase #5																					

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--																		
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.441</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.593</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>0.369</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>1.294</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.4321</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>19.2454</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.441	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.593	Drive Trace Energy Economy Rating	0.369	Drive Trace Inertia Work Ratio Rating	1.294	Integrated DC KW-HRS	1.4321	Manufacturer Fuel Economy	19.2454
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.441																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	0.593																				
Drive Trace Energy Economy Rating	0.369																				
Drive Trace Inertia Work Ratio Rating	1.294																				
Integrated DC KW-HRS	1.4321																				
Manufacturer Fuel Economy	19.2454																				
Charge Depleting Bag/Phase #6																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.257</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>1.801</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.029</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>2.788</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.1425</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>20.8892</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.257	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	1.801	Drive Trace Energy Economy Rating	-0.029	Drive Trace Inertia Work Ratio Rating	2.788	Integrated DC KW-HRS	2.1425	Manufacturer Fuel Economy	20.8892
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.257																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	1.801																				
Drive Trace Energy Economy Rating	-0.029																				
Drive Trace Inertia Work Ratio Rating	2.788																				
Integrated DC KW-HRS	2.1425																				
Manufacturer Fuel Economy	20.8892																				
Charge Depleting Bag/Phase #7																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.42</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.407</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.19</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-1.873</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.4372</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>19.3689</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.42	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.407	Drive Trace Energy Economy Rating	-1.19	Drive Trace Inertia Work Ratio Rating	-1.873	Integrated DC KW-HRS	1.4372	Manufacturer Fuel Economy	19.3689
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.42																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-1.407																				
Drive Trace Energy Economy Rating	-1.19																				
Drive Trace Inertia Work Ratio Rating	-1.873																				
Integrated DC KW-HRS	1.4372																				
Manufacturer Fuel Economy	19.3689																				
Charge Depleting Bag/Phase #8																					

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
-------------------	--------------	------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	29.918
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	99.99
Drive Trace Energy Economy Rating	99.99
Drive Trace Inertia Work Ratio Rating	99.99
Integrated DC KW-HRS	8.1233
Manufacturer Fuel Economy	27.1523

Manufacturer Test Comments 01_MCT_7T01828_04_FEDV_Countryman SE ALL4 (18" Wheels)_A_ETW-5000_RG31_default mode_D; MCT UBE energy = 66508 Wh

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--

Fuel Properties

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--						
Consolidated List of Standards									
Exhaust Standards									
Cert Region	Federal	Cert/In-Use Code	Cert						
Vehicle Class	LDV/Passenger Car	Standard Level	Other						
Fuel	Electricity	Test Procedure	Multi-Cycle Test (MCT)						
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles	CREE	--	--	--	--	--	1	--	0
150,000 miles	CO	--	--	--	--	--	1	--	0

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	--
Glossary			
Useful Life			
4	4,000 miles	120	120,000 miles
50	50,000 miles	150	150,000 miles
100	100,000 miles		
Emission Name			
HC-TOTAL	Total Hydrocarbon	AS-VOLT	Average System Voltage
CO	Carbon Monoxide	CO2 BAG 1	Bag 1 Carbon Dioxide
CO2	Carbon dioxide	CO2 BAG 2	Bag 2 Carbon Dioxide
CREE	Carbon-Related Exhaust Emissions	CO2 BAG 3	Bag 3 Carbon Dioxide
OPT-CREE	Optional Carbon-Related Exhaust Emissions	CO2 BAG 4	Bag 4 Carbon Dioxide
NOX	Nitrogen Oxide	NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides
PM	Particulate Matter	NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides
PM-COMP	SFTP Composite Particulate Matter	DT-IWRR	Drive Trace Inertia Work Ratio Rating
HC-NM	Non-methane Hydrocarbon	DT-ASCR	Drive Trace Absolute Speed Change Rating
OMHCE	Organic material Hydrocarbon Equivalent	DT-EER	Drive Trace Energy Economy Rating
OMNMHCE	Organic material non-methane HC equivalent	COMB-CREE	Combined Carbon-Related Exhaust Emissions
NMOG	Non-methane organic gases	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions
HCHO	Formaldehyde	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only
H3C2HO	Acetaldehyde	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	LEAK-DIA	Effective Leak Diameter (inches)
CO-COMP	SFTP Composite Carbon Monoxide	LEAK-GAS CAP	Gas Cap Leakage (cc/min)
ETHANOL	C2H5OH - Ethanol	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only
FE BAG 1	Bag 1 Fuel Economy	KW-HRS	Integrated DC KW-HRS
FE BAG 2	Bag 2 Fuel Economy	CH4 BAG 1	Bag 1 Methane
FE BAG 3	Bag 3 Fuel Economy	CH4 BAG 2	Bag 2 Methane
FE BAG 4	Bag 4 Fuel Economy	CH4 BAG 3	Bag 3 Methane
MFR FE	Manufacturer Fuel Economy	CH4 BAG 4	Bag 4 Methane
HC	Hydrocarbon for Running Loss and ORVR	CO BAG 1	Bag 1 Carbon Monoxide
METHANE	CH4 - Methane	CO BAG 2	Bag 2 Carbon Monoxide
METHANOL	CH3OH - Methanol	CO BAG 3	Bag 3 Carbon Monoxide
N2O	Nitrous Oxide	CO BAG 4	Bag 4 Carbon Monoxide
SPITBACK	Spitback Hydrocarbon in grams	NMOG BAG 1	Bag 1 Non-methane organic gases
AMP-HRS	Integrated Amp-hours	NMOG BAG 2	Bag 2 Non-methane organic gases
START-SOC	System Start State of Charge Watt-hours	NMOG BAG 3	Bag 3 Non-methane organic gases
END-SOC	System End State of Charge Watt-hours	NMOG BAG 4	Bag 4 Non-methane organic gases
ACT-DISTANCE	Actual Distance Driven (miles)		

Certification Summary Information Report

Test Group	VBMXV00.0U2A	Evaporative/Refueling Family	
CA	California + CAA Section 177 states	FA	Federal
Exhaust Emission Standard Level			
B1	Federal Tier 2 Bin 1	T3B160	Federal Tier 3 Bin 160
B2	Federal Tier 2 Bin 2	T3B125	Federal Tier 3 Bin 125
B3	Federal Tier 2 Bin 3	T3B110	Federal Tier 3 Transitional Bin 110
B4	Federal Tier 2 Bin 4	T3B85	Federal Tier 3 Transitional Bin 85
B5	Federal Tier 2 Bin 5	T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover
B6	Federal Tier 2 Bin 6	T3B70	Federal Tier 3 Bin 70
B7	Federal Tier 2 Bin 7	T3B50	Federal Tier 3 Bin 50
B8	Federal Tier 2 Bin 8	T3B30	Federal Tier 3 Bin 30
B9	Federal Tier 2 Bin 9	T3B20	Federal Tier 3 Bin 20
B10	Federal Tier 2 Bin 10	T3B0	Federal Tier 3 Bin 0
B11	Federal Tier 2 Bin 11	HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)	HDV2B250	Federal Tier 3 HD Class 2b Bin 250
L2	California LEV-II LEV	HDV2B200	Federal Tier 3 HD Class 2b Bin 200
L2OP	California LEV-II LEV Optional	HDV2B170	Federal Tier 3 HD Class 2b Bin 170
U2	California LEV-II ULEV	HDV2B150	Federal Tier 3 HD Class 2b Bin 150
S2	California LEV-II SULEV	HDV2B0	Federal Tier 3 HD Class 2b Bin 0
ZEV	California ZEV	HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630
OT	Other	HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570
T1	Federal Tier 1	HDV3B400	Federal Tier 3 HD Class 3 Bin 400
PZEV	California PZEV	HDV3B270	Federal Tier 3 HD Class 3 Bin 270
L2LEV160	California LEV-II LEV160	HDV3B230	Federal Tier 3 HD Class 3 Bin 230
L2ULEV125	California LEV-II ULEV125	HDV3B200	Federal Tier 3 HD Class 3 Bin 200
L2SULEV30	California LEV-II SULEV30	HDV3B0	Federal Tier 3 HD Class 3 Bin 0
L2LEV395	California LEV-II LEV395	L4SULEV100	California LEV-IV SULEV100
L2ULEV340	California LEV-II ULEV340	L4SULEV125	California LEV-IV SULEV125
L2LEV630	California LEV-II LEV630	L4SULEV15	California LEV-IV SULEV15
L2ULEV570	California LEV-II ULEV570	L4SULEV150	California LEV-IV SULEV150
L3LEV160	California LEV-III LEV160	L4SULEV170	California LEV-IV SULEV170
L3ULEV125	California LEV-III ULEV125	L4SULEV175	California LEV-IV SULEV175
L3ULEV70	California LEV-III ULEV70	L4SULEV20	California LEV-IV SULEV20
L3ULEV50	California LEV-III ULEV50	L4SULEV200	California LEV-IV SULEV200
L3SULEV30	California LEV-III SULEV30	L4SULEV230	California LEV-IV SULEV230
L3SULEV20	California LEV-III SULEV20	L4SULEV25	California LEV-IV SULEV25
L3LEV395	California LEV-III LEV395	L4SULEV30	California LEV-IV SULEV30
L3ULEV340	California LEV-III ULEV340	L4SULEV75	California LEV-IV SULEV75
L3ULEV250	California LEV-III ULEV250	L4SULEV85	California LEV-IV SULEV85
L3ULEV200	California LEV-III ULEV200	L4ULEV125	California LEV-IV ULEV125

Certification Summary Information Report

Test Group		VBMXV00.0U2A	Evaporative/Refueling Family		--
L3SULEV170	California LEV-III SULEV170		L4ULEV200	California LEV-IV ULEV200	
L3SULEV150	California LEV-III SULEV150		L4ULEV250	California LEV-IV ULEV250	
L3LEV630	California LEV-III LEV630		L4ULEV270	California LEV-IV ULEV270	
L3ULEV570	California LEV-III ULEV570		L4ULEV40	California LEV-IV ULEV40	
L3ULEV400	California LEV-III ULEV400		L4ULEV400	California LEV-IV ULEV400	
L3ULEV270	California LEV-III ULEV270		L4ULEV50	California LEV-IV ULEV50	
L3SULEV230	California LEV-III SULEV230		L4ULEV60	California LEV-IV ULEV60	
L3SULEV200	California LEV-III SULEV200		L4ULEV70	California LEV-IV ULEV70	
Transmission Type Code					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)		M	Manual	
A	Automatic		OT	Other	
AM	Automated Manual		SA	Semi-Automatic	
CVT	Continuously Variable		SCV	Selectable Continuously Variable (e.g. CVT with paddles)	
Drive System Code					
4	4-Wheel Drive		P	Part-time 4-Wheel Drive	
F	2-Wheel Drive, Front		A	All Wheel Drive	
R	2-Wheel Drive, Rear				
Additional Terms and Acronyms					
AFC	Alternative Fuel Converter		ICI	Independent Commercial Importer	
CSI	Certificate Summary Information		ORVR	Onboard Refueling Vapor Recovery	
DF	Deterioration Factor		SIL	Shift Indicator Light	
Evap	Evaporation, Evaporative		Trans	Transmission	