

Application for Certification

Model Year: 2027
 Manufacturer Name: BMW

Test Group: VBMXV00.0N5C
 Test Group Description: electric, BEV

Vehicle Class: EPA
 LDV

Applicable Standards: EPA
 FTP Standard: Tier 4 - Bin 0
 SFTP Standard: not applicable

Carlines Covered: iX3 50 xDrive (20" All-Season Tires), iX3 50 xDrive (20" Summer Tires), iX3 50 xDrive (21" All-Season Tires), iX3 50 xDrive (21" Summer Tires), iX3 50 xDrive (22" Summer Tires)

Comprehensive List of Tests:

Multi-Cycle-Test:

Model	VID	CFG	Road Load CFG	Multi-Cycle-Test
iX3 50 xDrive (20" Summer Tires)	DA01672	00	51	VBMX10093033
iX3 50 xDrive (21" Summer Tires)	DA01672	01	52	VBMX10093034
iX3 50 xDrive (20" All-Season Tires)	DA01672	02	53	VBMX10093035
iX3 50 xDrive (21" All-Season Tires)	DA01672	03	54	VBMX10093036
iX3 50 xDrive (22" Summer Tires)	DA01672	04	55	VBMX10093037

For questions, Contact: Carlheinz Bayer, 201 / 571 - 5193

Table of Contents

Section Contents

1 Correspondence and Communications

2 Battery Durability Family and Battery Monitor Family Description

3 Evaporative/Refueling Family Description

4 Durability Procedure Description

5 Test Group Description

6 Test Vehicle Description

7 Test Results

8 Statements

9 OBD System Description

10 Description of Alternate-fueled Vehicles

11 AECD descriptions

12 Descriptions of vehicles covered by certificate and test parameters

13 Projected Sales

14 Request for Certification

15 Other Information

16 Confidential Information

17 Attachment

1. Correspondence and Communications

- 1.1. Authorized Persons Refer to Common Section
- 1.2. Certificate Information Refer to Common Section
- 1.3. Primary certification contact:

Name: Carlheinz Bayer
Phone Number: 201 / 571 - 5193
Fax Number: 201 / 571 - 5479
E-Mail-Address: Carlheinz.Bayer@bmwna.com

2. Durability Group Description

2.1. not applicable

3. Evaporative / Refueling Family Description

not applicable

4. Durability Procedure Description

not applicable

5. Test Group Description

5.1.	Test Group Name	VBMXV00.0N5C
5.2.	Electric Vehicle System Description	
5.2.1.	Electric Motor	Refer to Section 12
5.2.2.	Battery	Refer to Section 12
5.3.	Vehicle class	EPA LDV
5.4.	Emission standards class	Tier 4 - Bin 0

6. Test Vehicle Description

6.1. Test Vehicle Description

VID	CFG	Carline	Model	Trans Type	Road Load CFG
DA01672	00	470	iX3 50 xDrive (20" Summer Tires)	A-1	51
DA01672	01	472	iX3 50 xDrive (21" Summer Tires)	A-1	52
DA01672	02	471	iX3 50 xDrive (20" All-Season Tires)	A-1	53
DA01672	03	473	iX3 50 xDrive (21" All-Season Tires)	A-1	54
DA01672	04	474	iX3 50 xDrive (22" Summer Tires)	A-1	55

For a description of the selected drive modes refer to Section 12

Test parameter are described in the EV-CIS vehicle information

Road Load Configuration Description

- X_ means number of tire groups used for this model
- 51 Road Load configuration
- 52 Road Load configuration
- 53 Road Load configuration
- 54 Road Load configuration
- 55 Road Load configuration

For complete vehicle description, refer to Certification Summary Information Report Sheet, enclosed in Section 7 of this application.

Selection of vehicles carried out according to 40 CFR §86.1828-01(a).

7. Test results

Certification Summary Information Report submitted to EV-CIS

see attachment:
CSI-VBMXV00.0N5C

The certified E-Range is given in the respective test information.

8. Statements**8.1 Emission Testing Waiver Statements**

not applicable

8.2 Compliance Statements**Battery Durability**

According to 40 CFR §86.1815-27 (h) we choose the option to comply with monitor accuracy and battery durability requirements based on the procedures specified in CCR, title 13, §1962.7. According to 40 CFR §86.1815-27 (h)(8)(iii) we state as the manufacturer that vehicles covered by this test group meet the design targets according to 40 CFR §86.1815-27 (h)(2).

Break-In Period Vehicle, Battery, Fuel Cell

According to EPA CD-2021-12 the test vehicles are stabilized for certification testing by aging at least to 2,000 miles. Test vehicle and the battery, in addition the fuel cell if applicable, that power the vehicle during testing are aged as one unit at the same time for the same number of miles. Aging is done by using the SRC cycle.

Electric Vehicle Compliance

According to 40 CFR §86.1829-15 (f) we state as the manufacturer, consistent with good engineering judgment, that all vehicles included in this application comply with all the emission standards and related requirements of Part 86, subpart S, instead of submitting test data.

State of Health Indication Accuracy

According to 40 CFR 86.1815-27(h)(8)(ii) we state as the manufacturer that the SOCE monitor of all vehicles covered by this test group meet the accuracy requirement appropriate for the model year as given in Title 13 CCR Section 1962.7 (e)(5)(B).

9. OBD System Description

not applicable

10. Description of Alternate-fueled Vehicles

not applicable

11. Auxiliary Emission Control Devices (AECD) descriptions

Confidential Information: Please refer to uploaded AECD document in EV-CIS

12. Description of vehicles and test parameters covered by certificate

12.1. Vehicle Parameters

12.1.1. Vehicle Information

Model Name	Carline	Trans	Vehicle Class	VCW [lbs]	ETW [lbs]	GVW [lbs]
iX3 50 xDrive (20" All-Season Tires)	471	A (A)	LDV	5154	5500	6228
iX3 50 xDrive (20" Summer Tires)	470	A (A)	LDV	5154	5500	6228
iX3 50 xDrive (21" All-Season Tires)	473	A (A)	LDV	5154	5500	6228
iX3 50 xDrive (21" Summer Tires)	472	A (A)	LDV	5154	5500	6228
iX3 50 xDrive (22" Summer Tires)	474	A (A)	LDV	5154	5500	6228

12.1.2. Drive Train Information

Model Name	Carline	Trans	Gear	Engine Code	Axle ratio	
					front	rear
iX3 50 xDrive (20" All-Season Tires)	471	A (A)	1	XE2D11N0NA5X	8.8	9.6
iX3 50 xDrive (20" Summer Tires)	470	A (A)	1	XE2D11N0NA5X	8.8	9.6
iX3 50 xDrive (21" All-Season Tires)	473	A (A)	1	XE2D11N0NA5X	8.8	9.6
iX3 50 xDrive (21" Summer Tires)	472	A (A)	1	XE2D11N0NA5X	8.8	9.6
iX3 50 xDrive (22" Summer Tires)	474	A (A)	1	XE2D11N0NA5X	8.8	9.6

12.1.3. Tire Information

Modell	Carline	Trans	Road Load CFG	Tire Front	Tire Rear
iX3 50 xDrive (20" Summer Tires)	470	A	51	255/45 R20 105W STD	255/45 R20 105W STD
iX3 50 xDrive (20" All-Season Tires)	471	A	53	255/45 R20 105H M+S STD	255/45 R20 105H M+S STD
iX3 50 xDrive (21" Summer Tires)	472	A	52	255/40 R21 102Y STD	275/40 R21 107Y STD
iX3 50 xDrive (21" All-Season Tires)	473	A	54	255/40 R21 105H M+S STD	255/40 R21 105H M+S STD
iX3 50 xDrive (22" Summer Tires)	474	A	55	255/35 R22 99Y STD	275/35 R22 104Y STD

M+S indicates an all season tire and not a dedicated winter tire

RSC indicates a tire with run flat capability

STD indicates a tire without run flat capability

12.1.4. Certification Region FA

12.2. Test Parameters

12.2.1. Engine Starting Procedures Refer to Common Section

12.2.2. Shift Schedules not applicable

12.2.3. Dynamometer loading information

12.2.3.1. Sort of dynamometer all wheel roll

12.2.3.2. Electric Dynamometer Coefficients and Tires

Modell	Carline	Trans	Road Load CFG	A [lbf]	B [lbf/mph]	C [lbf/mph ²]	a [lbf]	b [lbf/mph]	c [lbf/mph ²]	TRLHP
iX3 50 xDrive (20" Summer Tires)	470	A	51	28.3	0.181	0.01737	-5.0	0.117	0.01662	10.8
iX3 50 xDrive (21" Summer Tires)	472	A	52	31.7	0.192	0.01900	3.2	0.038	0.01900	11.8
iX3 50 xDrive (20" All-Season Tires)	471	A	53	34.5	0.199	0.01768	5.2	0.124	0.01666	11.8
iX3 50 xDrive (21" All-Season Tires)	473	A	54	33.2	0.195	0.01869	3.3	0.039	0.01869	12.0
iX3 50 xDrive (22" Summer Tires)	474	A	55	31.5	0.191	0.01954	3.1	0.038	0.01954	12.0

Modell	Carline	Trans	Road Load CFG	N/V front	N/V rear	Grill Shutter
iX3 50 xDrive (20" Summer Tires)	470	A	51	105	114.6	Yes
iX3 50 xDrive (21" Summer Tires)	472	A	52	105	114.6	Yes
iX3 50 xDrive (20" All-Season Tires)	471	A	53	105	114.6	Yes
iX3 50 xDrive (21" All-Season Tires)	473	A	54	105	114.6	Yes
iX3 50 xDrive (22" Summer Tires)	474	A	55	105	114.6	Yes

Road Load Configuration Description

- X_ means number of tire groups used for this model
- 51 Road Load configuration
- 52 Road Load configuration
- 53 Road Load configuration
- 54 Road Load configuration
- 55 Road Load configuration

12.3. Electric vehicle system description

12.3.1 Description of electric motor

Model Name	Type	Front Power (peak) [kW]	Max. torque [Nm]	Type	Rear Power (peak) [kW]	Max. torque [Nm]
iX3 50 xDrive (20" All-Season Tires)	separately excited asynchronous machine	123 @ 4607	255	separately excited synchronous machine	240 @ 5500	435
iX3 50 xDrive (20" Summer Tires)	separately excited asynchronous machine	123 @ 4607	255	separately excited synchronous machine	240 @ 5500	435
iX3 50 xDrive (21" All-Season Tires)	separately excited asynchronous machine	123 @ 4607	255	separately excited synchronous machine	240 @ 5500	435
iX3 50 xDrive (21" Summer Tires)	separately excited asynchronous machine	123 @ 4607	255	separately excited synchronous machine	240 @ 5500	435
iX3 50 xDrive (22" Summer Tires)	separately excited asynchronous machine	123 @ 4607	255	separately excited synchronous machine	240 @ 5500	435

12.3.2. Description of batteries

Model Name	System Chemistry	Capacity (C) [Ah]	Energy Capacity (E) [kWh]	Nominal Voltage [V]	Min. Voltage Pack [V]	Number of Packs	Number of Modules	Number of Battery Cells
iX3 50 xDrive (20" All-Season Tires)	Li-Ion	162.3	113.40	698.9	480.0	1	not applicable	960
iX3 50 xDrive (20" Summer Tires)	Li-Ion	162.3	113.40	698.9	480.0	1	not applicable	960
iX3 50 xDrive (21" All-Season Tires)	Li-Ion	162.3	113.40	698.9	480.0	1	not applicable	960
iX3 50 xDrive (21" Summer Tires)	Li-Ion	162.3	113.40	698.9	480.0	1	not applicable	960
iX3 50 xDrive (22" Summer Tires)	Li-Ion	162.3	113.40	698.9	480.0	1	not applicable	960

Model Name	Cell format	Min. Voltage Cell [V]	Weight [kg]	Specific Energy Density [Wh/kg]	Chemistry Identifier
iX3 50 xDrive (20" All-Season Tires)	cylindrical	2.50	597.3	190	Li MM(NRMC) - CSi.F
iX3 50 xDrive (20"	cylindrical	2.50	597.3	190	Li MM(NRMC) -

Model Name	Cell format	Min. Voltage Cell [V]	Weight [kg]	Specific Energy Density [Wh/kg]	Chemistry Identifier
Summer Tires)					CSi.F
iX3 50 xDrive (21" All-Season Tires)	cylindrical	2.50	597.3	190	Li MM(NRMC) - CSi.F
iX3 50 xDrive (21" Summer Tires)	cylindrical	2.50	597.3	190	Li MM(NRMC) - CSi.F
iX3 50 xDrive (22" Summer Tires)	cylindrical	2.50	597.3	190	Li MM(NRMC) - CSi.F

Battery specific energy data are determined in accordance with U.S. Advanced Battery Consortium's Electric Vehicle Battery Procedure No. 2 (Constant Current Discharge Test Series).

12.3.3. Description of thermal management

	Component	Medium
battery	electric heater	coolant
	chiller (heat exchanger) evaporator	refrigerant / coolant
cooling module	radiator / fan	air / coolant
	condenser	air or coolant / refrigerant
electric motor	chiller (heat exchanger) evaporator	refrigerant / coolant
passenger compartment	evaporator	refrigerant / air
	electric heater	coolant
	heat exchanger	coolant / air

12.3.4. Description of battery charger

The charger is capable of charging with different rates. For each charging power, the following approximate charge rates apply:

Model Name	Current Type Charging Source	Charging Power [kW]	Voltage [V]	Rated Current [A]	Charging Rates [hh:mm]
iX3 50 xDrive (20" All-Season Tires) iX3 50 xDrive (20" Summer Tires) iX3 50 xDrive (21" All-Season Tires) iX3 50 xDrive (21" Summer Tires) iX3 50 xDrive (22" Summer Tires)	AC	15.4	240	64	7:45
iX3 50 xDrive (20" All-Season Tires) iX3 50 xDrive (20" Summer Tires) iX3 50 xDrive (21" All-Season Tires) iX3 50 xDrive (21" Summer Tires) iX3 50 xDrive (22" Summer Tires)	AC	7.6	240	32	15:45
iX3 50 xDrive (20" All-Season Tires) iX3 50 xDrive (20" Summer Tires) iX3 50 xDrive (21" All-Season Tires) iX3 50 xDrive (21" Summer Tires) iX3 50 xDrive (22" Summer Tires)	AC	11.5	240	48	10:15
iX3 50 xDrive (20" All-Season Tires) iX3 50 xDrive (20" Summer Tires) iX3 50 xDrive (21" All-Season Tires) iX3 50 xDrive (21" Summer Tires) iX3 50 xDrive (22" Summer Tires)	AC	9.6	240	40	12:30
iX3 50 xDrive (20" All-Season Tires) iX3 50 xDrive (20" Summer Tires) iX3 50 xDrive (21" All-Season Tires) iX3 50 xDrive (21" Summer Tires) iX3 50 xDrive (22" Summer Tires)	AC	1.44	120	12	94:00

Model Name	Current Type Charging Source	Max. Charging Power [kW]
iX3 50 xDrive (20" All-Season Tires)	DC	400

iX3 50 xDrive (20" Summer Tires)		
iX3 50 xDrive (21" All-Season Tires)		
iX3 50 xDrive (21" Summer Tires)		
iX3 50 xDrive (22" Summer Tires)		

The conductive charging port meets SAE J3400 (NACS).

12.4. Information on driver selectable modes for Test Vehicle

VID	Drive Mode
DA01672	FTP and HWY depleting testing is done in drive mode "Personal" (comfortable) and drive selector "D". Recuperation settings have no influence on energy consumption and E-range at dynamometer testing.

13. Projected Sales

Refer to Common Section for Model Year 2027

14. Request for Certification

We herewith apply for the Federal Certificate of conformity for the Test Group VBMXV00.0N5C.

The mentioned Test Group complies with all applicable regulations contained in 40 Code of Federal Regulations Part 85 and Part 86.



Dr. Bernd Ofner

15. Other Information

15.1. Vehicle Emission Control Information Label

Label according to certification requirements in 40 CFR § 86.1807-01.

The VECI label is attached to the engine hood.

Refer to Section 17, Attachment

Carline	Model Name	VECI Label
470	iX3 50 xDrive (20" Summer Tires)	see attachment: 03VE-VN5C-01
471	iX3 50 xDrive (20" All-Season Tires)	
472	iX3 50 xDrive (21" Summer Tires)	
473	iX3 50 xDrive (21" All-Season Tires)	
474	iX3 50 xDrive (22" Summer Tires)	

17. Attachment

- | | | |
|------|--|-------------------------------------|
| 17.1 | VECI Label | see attachment: 03VE-VN5C-01 |
| 17.2 | Certification Summary Information Report | see attachment:
CSI-VBMXV00.0N5C |

BMW

Designation

Attachment


VECI Label LDV, VBMXV00.0N5C

Date:

03.12.2025

03VE-VN5C-01

DRAFT - Inverted Representation



Bayerische Motoren Werke AG

VEHICLE EMISSION CONTROL INFORMATION

Conforms to regulations:

MY 2027

U.S. EPA: Tier 4 - Bin 0 LDV

Fuel: electricity Li+

California: Conforms to U.S. EPA regulations
and is certified for sale in California

Fuel: electricity Li+

No adjustments needed.

Group: VBMXV00.0N5C



8 898 739

Original representation

Base: Black

Characters: Silver

Certification Summary Information Report

Test Group		VBMXV00.0N5C			Evaporative/Refueling Family		--				
Models Covered by this Certificate											
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup				
BMW	1 - BMW	470 - iX3 50 xDrive (20" Summer Tires)	Federal	All Wheel Drive	Automatic	1	No				
BMW	1 - BMW	472 - iX3 50 xDrive (21" Summer Tires)	Federal	All Wheel Drive	Automatic	1	No				
BMW	1 - BMW	473 - iX3 50 xDrive (21" All-Season Tires)	Federal	All Wheel Drive	Automatic	1	No				
BMW	1 - BMW	471 - iX3 50 xDrive (20" All-Season Tires)	Federal	All Wheel Drive	Automatic	1	No				
BMW	1 - BMW	474 - iX3 50 xDrive (22" Summer Tires)	Federal	All Wheel Drive	Automatic	1	No				
Engine Description											
Hybrid Type		--			Hybrid Description		--				
Engine Type		--			Mfr Engine Description		--				
Engine Block Arrangement		--			Mfr Engine Block Arrangement Description		--				
Camless Valvetrain Indicator		--			Oil Viscosity/Classification		--				
Number of Cylinders/Rotors		--			Mechanically Variable Compression Ratio Indicator		--				
After Treatment Device(s) (ATD)											
Mfr After Treatment Device (ATD) Comments		--									
Direct Ozone Reduction (DOR) Device		--									
Mfr Emission Control Device Comments		--									
Official Test Numbers											
Test Group	Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Electricity		--	--	--	--	--	--	--	--	--	--

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
Hybrid Electric Vehicle And Fuel Cell Information			
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if Other	--
Battery Type	Lithium Ion	Number of Battery Packs	1
Total Voltage of Battery Packs	699	Battery Energy Capacity	162.3
Battery Specific Energy	190	Battery Charger Type	On-Board
Number of Capacitors	--	Capacitor Rating (In Farads)	--
Mfr Capacitor Comments	--		
Hydraulic System Description	--		
Regenerative Braking Type	Electrical Regen Brake		
Regenerative Braking Source	Both	Driver Controlled Regenerative Braking	Yes
Mfr Regenerative Braking Description	--		
Drive Motor(s)/Generator(s)	2		
Motor/Generator Type 1	EESM	Rated Motor/Generator Power	240
Motor/Generator Type 2	AC Induction	Rated Motor/Generator Power	123
Mfr Fuel Cell Description	--		
Fuel Cell On-Board H2 Storage Capacity (kg)	--	Usable H2 Fill Capacity (kg)	--
Mfr Hybrid Electric/ Electric Vehicle Comments	Rear Motor/Generator Type: externally excited synchronous machine (EESM)		

Certification Summary Information Report

Test Group	VBMXV00.0N5C		Evaporative/Refueling Family	--							
Emission Data Vehicle Information											
Vehicle ID / Configuration	DA01672 / 0		Manufacturer Vehicle Configuration Number	0							
Original Test Group Name	VBMXV00.0N5C		Original Evaporative/Refueling Family	--							
Original Test Vehicle Model Year	2027										
Vehicle Model											
Represented Test Vehicle Make	BMW		Represented Test Vehicle Model	iX3 50 xDrive (20" Summer Tires)							
Leak Family Details											
Leak Family Identifier	--		Leak Family Name	--							
Drive Sources and Fuel System Details											
<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </tbody> </table>						Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity
Drive Source and Fuel#	Drive Source	Fuel									
1	Electric Motor	Electricity									
Hybrid Indicator	No		Multiple Fuel Combustion	--							
Multiple Fuel Storage	--		Rechargeable Energy Storage System Indicator	Yes							
Fuel Cell Indicator	No		Rechargeable Energy Storage System, if 'Other'	--							
Rechargeable Energy Storage System	Battery(s)										
Off-board charge Capable Indicator	Yes		Odometer Correction Factor	1							
Odometer Correction -- Initial	0										
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles										
Odometer Correction Units	Miles										
Engine Code	XE2D11N0NA5X		Rated Horsepower	1							
Displacement (liters)	0.001										
Air Aspiration Method	Naturally Aspirated		Air Aspiration Method, if 'Other'								
Number of Air Aspiration Devices	--		Air Aspiration Device Configuration	--							
Charge Air Cooler Type	--		Drive Mode While Testing	All Wheel Drive							
Shift Indicator Light Usage	Not equipped		Aged Emission Components	4,000 (mi)							
Curb Weight (lbs)	5154		Equivalent Test Weight (pounds)	5500							
GVWR (lbs)	6228		N/V Ratio	1							
Axle Ratio	1										
Transmission Type	Automatic		# of Transmission Gears	1							
Transmission Lockup	No		Creeper Gear	No							
Dynamometer Coefficients:											
Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients					
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)		C (lbf/mph**2)				
City/Highway/Evap	28.3	0.181	0.01737	-5	0.117		0.01662				
US06	28.3	0.181	0.01737	-5	0.117	0.01662	10.8				
							N/A				

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
Emission Control Device Comments	--		
Manufacturer Test Vehicle Comments	vi_DA01672_00_FEDV_iX3 50 xDrive (20" Summer Tires)_A_ETW-5500_RG51_default mode_D; Axle Ratio front: 8.8, rear: 9.6; N/V ratio front: 105, rear: 114.6; Power Peak front: 123kW, rear: 240kW		

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
Test #	VBMX10093033	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	01/16/2026	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Assigned
Verify Test Lab ID	EETZ Emissions Lab		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	15200	Odometer Units	K
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	230	Recharge Event Energy (kiloWatt-hours)	127.158
Charge Depleting Range (Calculated miles)	651.921	Charge Depleting Range (Actual miles)	651.921
Charge Depleting Range Highway (Calculated miles)	571.596	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	651.921
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase #1			
Test Result/Emission Name		Unrounded Test Result	
Actual Distance Driven (miles)		7.451	
Carbon dioxide		0	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		-2.276	
Drive Trace Energy Economy Rating		-2.332	
Drive Trace Inertia Work Ratio Rating		-3.8	
Integrated DC KW-HRS		1.3973	
Manufacturer Fuel Economy		18.7539	
Charge Depleting Bag/Phase #2			

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
-------------------	--------------	------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.255
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-3.943
Drive Trace Energy Economy Rating	-1.785
Drive Trace Inertia Work Ratio Rating	-4.512
Integrated DC KW-HRS	2.0726
Manufacturer Fuel Economy	20.2105

Charge Depleting Bag/Phase #3

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.428
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-1.426
Drive Trace Energy Economy Rating	-1.936
Drive Trace Inertia Work Ratio Rating	-2.603
Integrated DC KW-HRS	1.3326
Manufacturer Fuel Economy	17.94

Charge Depleting Bag/Phase #4

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	355.425
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	99.99
Drive Trace Energy Economy Rating	99.99
Drive Trace Inertia Work Ratio Rating	99.99
Integrated DC KW-HRS	86.9031
Manufacturer Fuel Economy	24.4505

Charge Depleting Bag/Phase #5

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--																		
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.432</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.387</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.283</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-1.938</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.2433</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>16.7277</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.432	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.387	Drive Trace Energy Economy Rating	-1.283	Drive Trace Inertia Work Ratio Rating	-1.938	Integrated DC KW-HRS	1.2433	Manufacturer Fuel Economy	16.7277
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.432																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-1.387																				
Drive Trace Energy Economy Rating	-1.283																				
Drive Trace Inertia Work Ratio Rating	-1.938																				
Integrated DC KW-HRS	1.2433																				
Manufacturer Fuel Economy	16.7277																				
Charge Depleting Bag/Phase #6																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.244</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.78</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.415</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-1.072</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.9457</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>18.9938</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.244	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.78	Drive Trace Energy Economy Rating	-0.415	Drive Trace Inertia Work Ratio Rating	-1.072	Integrated DC KW-HRS	1.9457	Manufacturer Fuel Economy	18.9938
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.244																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.78																				
Drive Trace Energy Economy Rating	-0.415																				
Drive Trace Inertia Work Ratio Rating	-1.072																				
Integrated DC KW-HRS	1.9457																				
Manufacturer Fuel Economy	18.9938																				
Charge Depleting Bag/Phase #7																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.412</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.887</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.769</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-2.809</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.2478</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>16.8338</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.412	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.887	Drive Trace Energy Economy Rating	-1.769	Drive Trace Inertia Work Ratio Rating	-2.809	Integrated DC KW-HRS	1.2478	Manufacturer Fuel Economy	16.8338
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.412																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-1.887																				
Drive Trace Energy Economy Rating	-1.769																				
Drive Trace Inertia Work Ratio Rating	-2.809																				
Integrated DC KW-HRS	1.2478																				
Manufacturer Fuel Economy	16.8338																				
Charge Depleting Bag/Phase #8																					

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	65.51
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	99.99
Drive Trace Energy Economy Rating	99.99
Drive Trace Inertia Work Ratio Rating	99.99
Integrated DC KW-HRS	15.9028
Manufacturer Fuel Economy	24.2754

Manufacturer Test Comments

01_ti_DA01672_00_FEDV_iX3 50 xDrive (20" Summer Tires)_A_ETW-5500_RG51_default mode_D; MCT UBE energy = 112045 Wh

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--

Certification Summary Information Report

Test Group	VBMXV00.0N5C		Evaporative/Refueling Family	--						
Emission Data Vehicle Information										
Vehicle ID / Configuration	DA01672 / 1		Manufacturer Vehicle Configuration Number	0						
Original Test Group Name	VBMXV00.0N5C		Original Evaporative/Refueling Family	--						
Original Test Vehicle Model Year	2027									
Vehicle Model										
Represented Test Vehicle Make	BMW		Represented Test Vehicle Model	iX3 50 xDrive (21" Summer Tires)						
Leak Family Details										
Leak Family Identifier	--		Leak Family Name	--						
Drive Sources and Fuel System Details										
	<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </tbody> </table>		Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity		
Drive Source and Fuel#	Drive Source	Fuel								
1	Electric Motor	Electricity								
Hybrid Indicator	No		Multiple Fuel Combustion	--						
Multiple Fuel Storage	--		Rechargeable Energy Storage System Indicator	Yes						
Fuel Cell Indicator	No		Rechargeable Energy Storage System, if 'Other'	--						
Rechargeable Energy Storage System	Battery(s)									
Off-board charge Capable Indicator	Yes		Odometer Correction Factor	1						
Odometer Correction -- Initial	0									
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles									
Odometer Correction Units	Miles									
Engine Code	XE2D11N0NA5X		Rated Horsepower	1						
Displacement (liters)	0.001		Air Aspiration Method, if 'Other'							
Air Aspiration Method	Naturally Aspirated		Air Aspiration Device Configuration	--						
Number of Air Aspiration Devices	--		Drive Mode While Testing	All Wheel Drive						
Charge Air Cooler Type	--		Aged Emission Components	4,000 (mi)						
Shift Indicator Light Usage	Not equipped		Equivalent Test Weight (pounds)	5500						
Curb Weight (lbs)	5154		N/V Ratio	1						
GVWR (lbs)	6228									
Axle Ratio	1		# of Transmission Gears	1						
Transmission Type	Automatic		Creeper Gear	No						
Transmission Lockup	No									
Dynamometer Coefficients:										
	Target Coefficients			Set Coefficients						
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients			
City/Highway/Evap	31.7	0.192	0.019	3.2	0.038	0.019	11.8			
US06	31.7	0.192	0.019	3.2	0.038	0.019	N/A			

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
Emission Control Device Comments	--		
Manufacturer Test Vehicle Comments	vi_DA01672_01_FEDV_iX3 50 xDrive (21" Summer Tires)_A_ETW-5500_RG52_default mode_D; Axle Ratio front: 8.8, rear: 9.6; N/V ratio front: 105, rear: 114.6; Power Peak front: 123kW, rear: 240kW		

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
Test #	VBMX10093034	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	12/18/2025	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Assigned
Verify Test Lab ID	EETZ Emissions Lab		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	12283	Odometer Units	K
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

PHEV/EV Charge Depleting Test Information

Recharge Event Voltage	230	Recharge Event Energy (kiloWatt-hours)	126.867
Charge Depleting Range (Calculated miles)	601.361	Charge Depleting Range (Actual miles)	601.361
Charge Depleting Range Highway (Calculated miles)	529.407	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	601.361
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--

Charge Depleting Bag/Phase #1

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.434
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	0.376
Drive Trace Energy Economy Rating	0.232
Drive Trace Inertia Work Ratio Rating	0.515
Integrated DC KW-HRS	1.4517
Manufacturer Fuel Economy	19.5278

Charge Depleting Bag/Phase #2

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
-------------------	--------------	------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	10.237
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	1.356
Drive Trace Energy Economy Rating	-0.157
Drive Trace Inertia Work Ratio Rating	1.55
Integrated DC KW-HRS	2.1939
Manufacturer Fuel Economy	21.43

Charge Depleting Bag/Phase #3

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.424
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	0.096
Drive Trace Energy Economy Rating	0.122
Drive Trace Inertia Work Ratio Rating	-0.046
Integrated DC KW-HRS	1.4177
Manufacturer Fuel Economy	19.0955

Charge Depleting Bag/Phase #4

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	322.137
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	99.99
Drive Trace Energy Economy Rating	99.99
Drive Trace Inertia Work Ratio Rating	99.99
Integrated DC KW-HRS	87.3124
Manufacturer Fuel Economy	27.1041

Charge Depleting Bag/Phase #5

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--																		
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.426</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-1.009</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-1.141</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-1.791</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.3586</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>18.2947</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.426	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.009	Drive Trace Energy Economy Rating	-1.141	Drive Trace Inertia Work Ratio Rating	-1.791	Integrated DC KW-HRS	1.3586	Manufacturer Fuel Economy	18.2947
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.426																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-1.009																				
Drive Trace Energy Economy Rating	-1.141																				
Drive Trace Inertia Work Ratio Rating	-1.791																				
Integrated DC KW-HRS	1.3586																				
Manufacturer Fuel Economy	18.2947																				
Charge Depleting Bag/Phase #6																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.235</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.393</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.342</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-0.575</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.1468</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>20.9752</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.235	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.393	Drive Trace Energy Economy Rating	-0.342	Drive Trace Inertia Work Ratio Rating	-0.575	Integrated DC KW-HRS	2.1468	Manufacturer Fuel Economy	20.9752
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.235																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.393																				
Drive Trace Energy Economy Rating	-0.342																				
Drive Trace Inertia Work Ratio Rating	-0.575																				
Integrated DC KW-HRS	2.1468																				
Manufacturer Fuel Economy	20.9752																				
Charge Depleting Bag/Phase #7																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.43</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.771</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.805</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-1.461</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.3799</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>18.573</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.43	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.771	Drive Trace Energy Economy Rating	-0.805	Drive Trace Inertia Work Ratio Rating	-1.461	Integrated DC KW-HRS	1.3799	Manufacturer Fuel Economy	18.573
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.43																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.771																				
Drive Trace Energy Economy Rating	-0.805																				
Drive Trace Inertia Work Ratio Rating	-1.461																				
Integrated DC KW-HRS	1.3799																				
Manufacturer Fuel Economy	18.573																				
Charge Depleting Bag/Phase #8																					

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	55.343
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	99.99
Drive Trace Energy Economy Rating	99.99
Drive Trace Inertia Work Ratio Rating	99.99
Integrated DC KW-HRS	14.9871
Manufacturer Fuel Economy	27.0805

Manufacturer Test Comments

01_ti_DA01672_01_FEDV_iX3 50 xDrive (21" Summer Tires)_A_ETW-5500_RG52_default mode_D; MCT UBE energy = 112248 Wh

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--

Certification Summary Information Report

Test Group	VBMXV00.0N5C		Evaporative/Refueling Family	--							
Emission Data Vehicle Information											
Vehicle ID / Configuration	DA01672 / 2		Manufacturer Vehicle Configuration Number	0							
Original Test Group Name	VBMXV00.0N5C		Original Evaporative/Refueling Family	--							
Original Test Vehicle Model Year	2027										
Vehicle Model											
Represented Test Vehicle Make	BMW		Represented Test Vehicle Model	iX3 50 xDrive (20" All-Season Tires)							
Leak Family Details											
Leak Family Identifier	--		Leak Family Name	--							
Drive Sources and Fuel System Details											
<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </tbody> </table>						Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity
Drive Source and Fuel#	Drive Source	Fuel									
1	Electric Motor	Electricity									
Hybrid Indicator	No		Multiple Fuel Combustion	--							
Multiple Fuel Storage	--		Rechargeable Energy Storage System Indicator	Yes							
Fuel Cell Indicator	No		Rechargeable Energy Storage System, if 'Other'	--							
Rechargeable Energy Storage System	Battery(s)										
Off-board charge Capable Indicator	Yes		Odometer Correction Factor	1							
Odometer Correction -- Initial	0										
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles										
Odometer Correction Units	Miles										
Engine Code	XE2D11N0NA5X		Rated Horsepower	1							
Displacement (liters)	0.001		Air Aspiration Method, if 'Other'								
Air Aspiration Method	Naturally Aspirated		Air Aspiration Device Configuration	--							
Number of Air Aspiration Devices	--		Drive Mode While Testing	All Wheel Drive							
Charge Air Cooler Type	--		Aged Emission Components	4,000 (mi)							
Shift Indicator Light Usage	Not equipped		Equivalent Test Weight (pounds)	5500							
Curb Weight (lbs)	5154		N/V Ratio	1							
GVWR (lbs)	6228										
Axle Ratio	1		# of Transmission Gears	1							
Transmission Type	Automatic		Creeper Gear	No							
Transmission Lockup	No										
Dynamometer Coefficients:											
Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients					
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)		C (lbf/mph**2)				
City/Highway/Evap	34.5	0.199	0.01768	5.2	0.124		0.01666				
US06	34.5	0.199	0.01768	5.2	0.124	0.01666	N/A				

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
Emission Control Device Comments	--		
Manufacturer Test Vehicle Comments	vi_DA01672_02_FEDV_iX3 50 xDrive (20" All-Season Tires)_A_ETW-5500_RG53_default mode_D; Axle Ratio front: 8.8, rear: 9.6; N/V ratio front: 105, rear: 114.6; Power Peak front: 123kW, rear: 240kW		

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
Test #	VBMX10093035	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	12/17/2025	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Assigned
Verify Test Lab ID	EETZ Emissions Lab		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	11552	Odometer Units	K
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	230	Recharge Event Energy (kiloWatt-hours)	126.511
Charge Depleting Range (Calculated miles)	571.106	Charge Depleting Range (Actual miles)	571.106
Charge Depleting Range Highway (Calculated miles)	517.862	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	571.106
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase #1			
Test Result/Emission Name		Unrounded Test Result	
Actual Distance Driven (miles)		7.432	
Carbon dioxide		0	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		0.899	
Drive Trace Energy Economy Rating		0.466	
Drive Trace Inertia Work Ratio Rating		0.969	
Integrated DC KW-HRS		1.5331	
Manufacturer Fuel Economy		20.6298	
Charge Depleting Bag/Phase #2			

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--																		
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.234</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>1.585</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>0.181</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>1.743</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.2405</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>21.8922</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.234	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	1.585	Drive Trace Energy Economy Rating	0.181	Drive Trace Inertia Work Ratio Rating	1.743	Integrated DC KW-HRS	2.2405	Manufacturer Fuel Economy	21.8922
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.234																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	1.585																				
Drive Trace Energy Economy Rating	0.181																				
Drive Trace Inertia Work Ratio Rating	1.743																				
Integrated DC KW-HRS	2.2405																				
Manufacturer Fuel Economy	21.8922																				
Charge Depleting Bag/Phase #3																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.433</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.123</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>0.565</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0.308</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.4969</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>20.1393</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.433	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.123	Drive Trace Energy Economy Rating	0.565	Drive Trace Inertia Work Ratio Rating	0.308	Integrated DC KW-HRS	1.4969	Manufacturer Fuel Economy	20.1393
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.433																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	0.123																				
Drive Trace Energy Economy Rating	0.565																				
Drive Trace Inertia Work Ratio Rating	0.308																				
Integrated DC KW-HRS	1.4969																				
Manufacturer Fuel Economy	20.1393																				
Charge Depleting Bag/Phase #4																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>323.803</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>99.99</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>99.99</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>99.99</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>87.1806</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>26.9239</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	323.803	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	99.99	Drive Trace Energy Economy Rating	99.99	Drive Trace Inertia Work Ratio Rating	99.99	Integrated DC KW-HRS	87.1806	Manufacturer Fuel Economy	26.9239
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	323.803																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	99.99																				
Drive Trace Energy Economy Rating	99.99																				
Drive Trace Inertia Work Ratio Rating	99.99																				
Integrated DC KW-HRS	87.1806																				
Manufacturer Fuel Economy	26.9239																				
Charge Depleting Bag/Phase #5																					

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--																		
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.43</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.345</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.499</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-0.51</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.43</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>19.2473</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.43	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.345	Drive Trace Energy Economy Rating	-0.499	Drive Trace Inertia Work Ratio Rating	-0.51	Integrated DC KW-HRS	1.43	Manufacturer Fuel Economy	19.2473
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.43																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.345																				
Drive Trace Energy Economy Rating	-0.499																				
Drive Trace Inertia Work Ratio Rating	-0.51																				
Integrated DC KW-HRS	1.43																				
Manufacturer Fuel Economy	19.2473																				
Charge Depleting Bag/Phase #6																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.246</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.366</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.323</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0.406</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.1975</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>21.4485</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.246	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.366	Drive Trace Energy Economy Rating	-0.323	Drive Trace Inertia Work Ratio Rating	0.406	Integrated DC KW-HRS	2.1975	Manufacturer Fuel Economy	21.4485
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.246																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	0.366																				
Drive Trace Energy Economy Rating	-0.323																				
Drive Trace Inertia Work Ratio Rating	0.406																				
Integrated DC KW-HRS	2.1975																				
Manufacturer Fuel Economy	21.4485																				
Charge Depleting Bag/Phase #7																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.435</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.399</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.647</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-0.85</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.4515</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>19.5228</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.435	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.399	Drive Trace Energy Economy Rating	-0.647	Drive Trace Inertia Work Ratio Rating	-0.85	Integrated DC KW-HRS	1.4515	Manufacturer Fuel Economy	19.5228
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.435																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.399																				
Drive Trace Energy Economy Rating	-0.647																				
Drive Trace Inertia Work Ratio Rating	-0.85																				
Integrated DC KW-HRS	1.4515																				
Manufacturer Fuel Economy	19.5228																				
Charge Depleting Bag/Phase #8																					

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	54.7
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	99.99
Drive Trace Energy Economy Rating	99.99
Drive Trace Inertia Work Ratio Rating	99.99
Integrated DC KW-HRS	14.6923
Manufacturer Fuel Economy	26.8598

Manufacturer Test Comments

03_ti_DA01672_02_FEDV_iX3 50 xDrive (20" All-Season Tires)_A_ETW-5500_RG53_default mode_D; MCT UBE energy = 112222 Wh

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--

Certification Summary Information Report

Test Group	VBMXV00.0N5C		Evaporative/Refueling Family	--							
Emission Data Vehicle Information											
Vehicle ID / Configuration	DA01672 / 3		Manufacturer Vehicle Configuration Number	0							
Original Test Group Name	VBMXV00.0N5C		Original Evaporative/Refueling Family	--							
Original Test Vehicle Model Year	2027										
Vehicle Model											
Represented Test Vehicle Make	BMW		Represented Test Vehicle Model	iX3 50 xDrive (21" All-Season Tires)							
Leak Family Details											
Leak Family Identifier	--		Leak Family Name	--							
Drive Sources and Fuel System Details											
<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </tbody> </table>						Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity
Drive Source and Fuel#	Drive Source	Fuel									
1	Electric Motor	Electricity									
Hybrid Indicator	No		Multiple Fuel Combustion	--							
Multiple Fuel Storage	--		Rechargeable Energy Storage System Indicator	Yes							
Fuel Cell Indicator	No		Rechargeable Energy Storage System, if 'Other'	--							
Rechargeable Energy Storage System	Battery(s)										
Off-board charge Capable Indicator	Yes		Odometer Correction Factor	1							
Odometer Correction -- Initial	0										
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles										
Odometer Correction Units	Miles										
Engine Code	XE2D11N0NA5X		Rated Horsepower	1							
Displacement (liters)	0.001										
Air Aspiration Method	Naturally Aspirated		Air Aspiration Method, if 'Other'								
Number of Air Aspiration Devices	--		Air Aspiration Device Configuration	--							
Charge Air Cooler Type	--		Drive Mode While Testing	All Wheel Drive							
Shift Indicator Light Usage	Not equipped		Aged Emission Components	4,000 (mi)							
Curb Weight (lbs)	5154		Equivalent Test Weight (pounds)	5500							
GVWR (lbs)	6228		N/V Ratio	1							
Axle Ratio	1										
Transmission Type	Automatic		# of Transmission Gears	1							
Transmission Lockup	No		Creeper Gear	No							
Dynamometer Coefficients:											
Target Coefficients			Set Coefficients								
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients				
City/Highway/Evap	33.2	0.195	0.01869	3.3	0.039	0.01869	12				
US06	33.2	0.195	0.01869	3.3	0.039	0.01869	N/A				

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
Emission Control Device Comments	--		
Manufacturer Test Vehicle Comments	vi_DA01672_03_FEDV_iX3 50 xDrive (21" All-Season Tires)_A_ETW-5500_RG54_default mode_D; Axle Ratio front: 8.8, rear: 9.6; N/V ratio front: 105, rear: 114.6; Power Peak front: 123kW, rear: 240kW		

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
Test #	VBMX10093036	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	01/13/2026	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Assigned
Verify Test Lab ID	EETZ Emissions Lab		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	13746	Odometer Units	K
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

PHEV/EV Charge Depleting Test Information

Recharge Event Voltage	230	Recharge Event Energy (kiloWatt-hours)	127.888
Charge Depleting Range (Calculated miles)	602.347	Charge Depleting Range (Actual miles)	602.347
Charge Depleting Range Highway (Calculated miles)	529.772	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	602.347
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--

Charge Depleting Bag/Phase #1

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	7.45
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	-0.047
Drive Trace Energy Economy Rating	-0.139
Drive Trace Inertia Work Ratio Rating	-0.378
Integrated DC KW-HRS	1.4428
Manufacturer Fuel Economy	19.3664

Charge Depleting Bag/Phase #2

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--																		
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.261</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>1.002</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>0.263</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>1.319</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.1865</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>21.3089</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.261	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	1.002	Drive Trace Energy Economy Rating	0.263	Drive Trace Inertia Work Ratio Rating	1.319	Integrated DC KW-HRS	2.1865	Manufacturer Fuel Economy	21.3089
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.261																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	1.002																				
Drive Trace Energy Economy Rating	0.263																				
Drive Trace Inertia Work Ratio Rating	1.319																				
Integrated DC KW-HRS	2.1865																				
Manufacturer Fuel Economy	21.3089																				
Charge Depleting Bag/Phase #3																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.459</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.168</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.455</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0.048</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.4141</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>18.9583</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.459	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.168	Drive Trace Energy Economy Rating	-0.455	Drive Trace Inertia Work Ratio Rating	0.048	Integrated DC KW-HRS	1.4141	Manufacturer Fuel Economy	18.9583
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.459																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	0.168																				
Drive Trace Energy Economy Rating	-0.455																				
Drive Trace Inertia Work Ratio Rating	0.048																				
Integrated DC KW-HRS	1.4141																				
Manufacturer Fuel Economy	18.9583																				
Charge Depleting Bag/Phase #4																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>320.921</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>99.99</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>99.99</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>99.99</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>86.4179</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>26.9281</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	320.921	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	99.99	Drive Trace Energy Economy Rating	99.99	Drive Trace Inertia Work Ratio Rating	99.99	Integrated DC KW-HRS	86.4179	Manufacturer Fuel Economy	26.9281
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	320.921																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	99.99																				
Drive Trace Energy Economy Rating	99.99																				
Drive Trace Inertia Work Ratio Rating	99.99																				
Integrated DC KW-HRS	86.4179																				
Manufacturer Fuel Economy	26.9281																				
Charge Depleting Bag/Phase #5																					

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--																		
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.465</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-2.449</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-3.038</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-3.678</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.3636</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>18.2669</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.465	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-2.449	Drive Trace Energy Economy Rating	-3.038	Drive Trace Inertia Work Ratio Rating	-3.678	Integrated DC KW-HRS	1.3636	Manufacturer Fuel Economy	18.2669
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.465																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-2.449																				
Drive Trace Energy Economy Rating	-3.038																				
Drive Trace Inertia Work Ratio Rating	-3.678																				
Integrated DC KW-HRS	1.3636																				
Manufacturer Fuel Economy	18.2669																				
Charge Depleting Bag/Phase #6																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.25</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-5.239</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-2.339</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-6.074</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.1444</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>20.9217</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.25	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-5.239	Drive Trace Energy Economy Rating	-2.339	Drive Trace Inertia Work Ratio Rating	-6.074	Integrated DC KW-HRS	2.1444	Manufacturer Fuel Economy	20.9217
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.25																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-5.239																				
Drive Trace Energy Economy Rating	-2.339																				
Drive Trace Inertia Work Ratio Rating	-6.074																				
Integrated DC KW-HRS	2.1444																				
Manufacturer Fuel Economy	20.9217																				
Charge Depleting Bag/Phase #7																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.433</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-3.408</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-3.768</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-4.949</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.372</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>18.4573</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.433	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-3.408	Drive Trace Energy Economy Rating	-3.768	Drive Trace Inertia Work Ratio Rating	-4.949	Integrated DC KW-HRS	1.372	Manufacturer Fuel Economy	18.4573
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.433																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-3.408																				
Drive Trace Energy Economy Rating	-3.768																				
Drive Trace Inertia Work Ratio Rating	-4.949																				
Integrated DC KW-HRS	1.372																				
Manufacturer Fuel Economy	18.4573																				
Charge Depleting Bag/Phase #8																					

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	57.838
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	99.99
Drive Trace Energy Economy Rating	99.99
Drive Trace Inertia Work Ratio Rating	99.99
Integrated DC KW-HRS	15.5219
Manufacturer Fuel Economy	26.8371

Manufacturer Test Comments

04_ti_DA01672_03_FEDV_iX3 50 xDrive (21" All-Season Tires)_A_ETW-5500_RG54_default mode_D; MCT UBE energy = 111863 Wh

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--

Certification Summary Information Report

Test Group	VBMXV00.0N5C		Evaporative/Refueling Family	--							
Emission Data Vehicle Information											
Vehicle ID / Configuration	DA01672 / 4		Manufacturer Vehicle Configuration Number	0							
Original Test Group Name	VBMXV00.0N5C		Original Evaporative/Refueling Family	--							
Original Test Vehicle Model Year	2027										
Vehicle Model											
Represented Test Vehicle Make	BMW		Represented Test Vehicle Model	iX3 50 xDrive (22" Summer Tires)							
Leak Family Details											
Leak Family Identifier	--		Leak Family Name	--							
Drive Sources and Fuel System Details											
<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </tbody> </table>						Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity
Drive Source and Fuel#	Drive Source	Fuel									
1	Electric Motor	Electricity									
Hybrid Indicator	No		Multiple Fuel Combustion	--							
Multiple Fuel Storage	--		Rechargeable Energy Storage System Indicator	Yes							
Fuel Cell Indicator	No		Rechargeable Energy Storage System, if 'Other'	--							
Rechargeable Energy Storage System	Battery(s)										
Off-board charge Capable Indicator	Yes		Odometer Correction Factor	1							
Odometer Correction -- Initial	0										
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles										
Odometer Correction Units	Miles										
Engine Code	XE2D11N0NA5X		Rated Horsepower	1							
Displacement (liters)	0.001										
Air Aspiration Method	Naturally Aspirated		Air Aspiration Method, if 'Other'								
Number of Air Aspiration Devices	--		Air Aspiration Device Configuration	--							
Charge Air Cooler Type	--		Drive Mode While Testing	All Wheel Drive							
Shift Indicator Light Usage	Not equipped		Aged Emission Components	4,000 (mi)							
Curb Weight (lbs)	5154		Equivalent Test Weight (pounds)	5500							
GVWR (lbs)	6228		N/V Ratio	1							
Axle Ratio	1										
Transmission Type	Automatic		# of Transmission Gears	1							
Transmission Lockup	No		Creeper Gear	No							
Dynamometer Coefficients:											
Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients					
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)		C (lbf/mph**2)				
City/Highway/Evap	31.5	0.191	0.01954	3.1	0.038		0.01954				
US06	31.5	0.191	0.01954	3.1	0.038	0.01954	12				
							N/A				

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
Emission Control Device Comments	--		
Manufacturer Test Vehicle Comments	vi_DA01672_04_FEDV_iX3 50 xDrive (22" Summer Tires)_A_ETW-5500_RG55_default mode_D; Axle Ratio front: 8.8, rear: 9.6; N/V ratio front: 105, rear: 114.6; Power Peak front: 123kW, rear: 240kW		

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
Test #	VBMX10093037	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	12/16/2025	Fuel	Electricity
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	LDV/Passenger Car	DF Type	Mfr. Assigned
Verify Test Lab ID	EETZ Emissions Lab		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	10875	Odometer Units	K
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	230	Recharge Event Energy (kiloWatt-hours)	126.73
Charge Depleting Range (Calculated miles)	594.179	Charge Depleting Range (Actual miles)	594.179
Charge Depleting Range Highway (Calculated miles)	518.692	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	594.179
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase #1			
Test Result/Emission Name		Unrounded Test Result	
Actual Distance Driven (miles)		7.455	
Carbon dioxide		0	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		-0.13	
Drive Trace Energy Economy Rating		-0.381	
Drive Trace Inertia Work Ratio Rating		-0.008	
Integrated DC KW-HRS		1.4816	
Manufacturer Fuel Economy		19.8747	
Charge Depleting Bag/Phase #2			

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--																		
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.268</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.099</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.079</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0.403</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.2412</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>21.8267</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.268	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.099	Drive Trace Energy Economy Rating	-0.079	Drive Trace Inertia Work Ratio Rating	0.403	Integrated DC KW-HRS	2.2412	Manufacturer Fuel Economy	21.8267
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.268																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	0.099																				
Drive Trace Energy Economy Rating	-0.079																				
Drive Trace Inertia Work Ratio Rating	0.403																				
Integrated DC KW-HRS	2.2412																				
Manufacturer Fuel Economy	21.8267																				
Charge Depleting Bag/Phase #3																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.462</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.229</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.529</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0.038</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.4281</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>19.1377</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.462	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.229	Drive Trace Energy Economy Rating	-0.529	Drive Trace Inertia Work Ratio Rating	0.038	Integrated DC KW-HRS	1.4281	Manufacturer Fuel Economy	19.1377
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.462																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.229																				
Drive Trace Energy Economy Rating	-0.529																				
Drive Trace Inertia Work Ratio Rating	0.038																				
Integrated DC KW-HRS	1.4281																				
Manufacturer Fuel Economy	19.1377																				
Charge Depleting Bag/Phase #4																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>314.408</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>99.99</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>99.99</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>99.99</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>86.9454</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>27.6537</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	314.408	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	99.99	Drive Trace Energy Economy Rating	99.99	Drive Trace Inertia Work Ratio Rating	99.99	Integrated DC KW-HRS	86.9454	Manufacturer Fuel Economy	27.6537
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	314.408																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	99.99																				
Drive Trace Energy Economy Rating	99.99																				
Drive Trace Inertia Work Ratio Rating	99.99																				
Integrated DC KW-HRS	86.9454																				
Manufacturer Fuel Economy	27.6537																				
Charge Depleting Bag/Phase #5																					

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--																		
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.418</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.597</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>0.073</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-0.503</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.3778</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>18.5731</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.418	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.597	Drive Trace Energy Economy Rating	0.073	Drive Trace Inertia Work Ratio Rating	-0.503	Integrated DC KW-HRS	1.3778	Manufacturer Fuel Economy	18.5731
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.418																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.597																				
Drive Trace Energy Economy Rating	0.073																				
Drive Trace Inertia Work Ratio Rating	-0.503																				
Integrated DC KW-HRS	1.3778																				
Manufacturer Fuel Economy	18.5731																				
Charge Depleting Bag/Phase #6																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>10.254</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>-0.249</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>-0.188</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>-0.156</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>2.1997</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>21.4534</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.254	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.249	Drive Trace Energy Economy Rating	-0.188	Drive Trace Inertia Work Ratio Rating	-0.156	Integrated DC KW-HRS	2.1997	Manufacturer Fuel Economy	21.4534
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	10.254																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	-0.249																				
Drive Trace Energy Economy Rating	-0.188																				
Drive Trace Inertia Work Ratio Rating	-0.156																				
Integrated DC KW-HRS	2.1997																				
Manufacturer Fuel Economy	21.4534																				
Charge Depleting Bag/Phase #7																					
<table border="1"> <thead> <tr> <th>Test Result/Emission Name</th> <th>Unrounded Test Result</th> </tr> </thead> <tbody> <tr> <td>Actual Distance Driven (miles)</td> <td>7.424</td> </tr> <tr> <td>Carbon dioxide</td> <td>0</td> </tr> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>0</td> </tr> <tr> <td>Drive Trace Absolute Speed Change Rating</td> <td>0.013</td> </tr> <tr> <td>Drive Trace Energy Economy Rating</td> <td>0.161</td> </tr> <tr> <td>Drive Trace Inertia Work Ratio Rating</td> <td>0.098</td> </tr> <tr> <td>Integrated DC KW-HRS</td> <td>1.4048</td> </tr> <tr> <td>Manufacturer Fuel Economy</td> <td>18.9222</td> </tr> </tbody> </table>				Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.424	Carbon dioxide	0	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.013	Drive Trace Energy Economy Rating	0.161	Drive Trace Inertia Work Ratio Rating	0.098	Integrated DC KW-HRS	1.4048	Manufacturer Fuel Economy	18.9222
Test Result/Emission Name	Unrounded Test Result																				
Actual Distance Driven (miles)	7.424																				
Carbon dioxide	0																				
Carbon-Related Exhaust Emissions	0																				
Drive Trace Absolute Speed Change Rating	0.013																				
Drive Trace Energy Economy Rating	0.161																				
Drive Trace Inertia Work Ratio Rating	0.098																				
Integrated DC KW-HRS	1.4048																				
Manufacturer Fuel Economy	18.9222																				
Charge Depleting Bag/Phase #8																					

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
-------------------	--------------	------------------------------	----

Test Result/Emission Name	Unrounded Test Result
Actual Distance Driven (miles)	54.931
Carbon dioxide	0
Carbon-Related Exhaust Emissions	0
Drive Trace Absolute Speed Change Rating	99.99
Drive Trace Energy Economy Rating	99.99
Drive Trace Inertia Work Ratio Rating	99.99
Integrated DC KW-HRS	15.1666
Manufacturer Fuel Economy	27.6104

Manufacturer Test Comments 05_ti_DA01672_04_FEDV_iX3 50 xDrive (22" Summer Tires)_A_ETW-5500_RG55_default mode_D; MCT UBE energy = 112245 Wh

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--
Fed	120,000 miles	Other	CREE	0	--	--	--	--	1	0	--	--

Fuel Properties

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--						
Consolidated List of Standards									
Exhaust Standards									
Cert Region	Federal	Cert/In-Use Code	Cert						
Vehicle Class	LDV/Passenger Car	Standard Level	Other						
Fuel	Electricity	Test Procedure	Multi-Cycle Test (MCT)						
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles	CREE	--	--	--	--	--	1	--	0
150,000 miles	CO	--	--	--	--	--	1	--	0

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	--
Glossary			
Useful Life			
4	4,000 miles	120	120,000 miles
50	50,000 miles	150	150,000 miles
100	100,000 miles		
Emission Name			
HC-TOTAL	Total Hydrocarbon	AS-VOLT	Average System Voltage
CO	Carbon Monoxide	CO2 BAG 1	Bag 1 Carbon Dioxide
CO2	Carbon dioxide	CO2 BAG 2	Bag 2 Carbon Dioxide
CREE	Carbon-Related Exhaust Emissions	CO2 BAG 3	Bag 3 Carbon Dioxide
OPT-CREE	Optional Carbon-Related Exhaust Emissions	CO2 BAG 4	Bag 4 Carbon Dioxide
NOX	Nitrogen Oxide	NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides
PM	Particulate Matter	NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides
PM-COMP	SFTP Composite Particulate Matter	DT-IWRR	Drive Trace Inertia Work Ratio Rating
HC-NM	Non-methane Hydrocarbon	DT-ASCR	Drive Trace Absolute Speed Change Rating
OMHCE	Organic material Hydrocarbon Equivalent	DT-EER	Drive Trace Energy Economy Rating
OMNMHCE	Organic material non-methane HC equivalent	COMB-CREE	Combined Carbon-Related Exhaust Emissions
NMOG	Non-methane organic gases	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions
HCHO	Formaldehyde	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only
H3C2HO	Acetaldehyde	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	LEAK-DIA	Effective Leak Diameter (inches)
CO-COMP	SFTP Composite Carbon Monoxide	LEAK-GAS CAP	Gas Cap Leakage (cc/min)
ETHANOL	C2H5OH - Ethanol	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only
FE BAG 1	Bag 1 Fuel Economy	KW-HRS	Integrated DC KW-HRS
FE BAG 2	Bag 2 Fuel Economy	CH4 BAG 1	Bag 1 Methane
FE BAG 3	Bag 3 Fuel Economy	CH4 BAG 2	Bag 2 Methane
FE BAG 4	Bag 4 Fuel Economy	CH4 BAG 3	Bag 3 Methane
MFR FE	Manufacturer Fuel Economy	CH4 BAG 4	Bag 4 Methane
HC	Hydrocarbon for Running Loss and ORVR	CO BAG 1	Bag 1 Carbon Monoxide
METHANE	CH4 - Methane	CO BAG 2	Bag 2 Carbon Monoxide
METHANOL	CH3OH - Methanol	CO BAG 3	Bag 3 Carbon Monoxide
N2O	Nitrous Oxide	CO BAG 4	Bag 4 Carbon Monoxide
SPITBACK	Spitback Hydrocarbon in grams	NMOG BAG 1	Bag 1 Non-methane organic gases
AMP-HRS	Integrated Amp-hours	NMOG BAG 2	Bag 2 Non-methane organic gases
START-SOC	System Start State of Charge Watt-hours	NMOG BAG 3	Bag 3 Non-methane organic gases
END-SOC	System End State of Charge Watt-hours	NMOG BAG 4	Bag 4 Non-methane organic gases
ACT-DISTANCE	Actual Distance Driven (miles)		
Certification Region			

Certification Summary Information Report

Test Group	VBMXV00.0N5C	Evaporative/Refueling Family	
CA	California + CAA Section 177 states	FA	Federal
Exhaust Emission Standard Level			
B1	Federal Tier 2 Bin 1	T3B160	Federal Tier 3 Bin 160
B2	Federal Tier 2 Bin 2	T3B125	Federal Tier 3 Bin 125
B3	Federal Tier 2 Bin 3	T3B110	Federal Tier 3 Transitional Bin 110
B4	Federal Tier 2 Bin 4	T3B85	Federal Tier 3 Transitional Bin 85
B5	Federal Tier 2 Bin 5	T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover
B6	Federal Tier 2 Bin 6	T3B70	Federal Tier 3 Bin 70
B7	Federal Tier 2 Bin 7	T3B50	Federal Tier 3 Bin 50
B8	Federal Tier 2 Bin 8	T3B30	Federal Tier 3 Bin 30
B9	Federal Tier 2 Bin 9	T3B20	Federal Tier 3 Bin 20
B10	Federal Tier 2 Bin 10	T3B0	Federal Tier 3 Bin 0
B11	Federal Tier 2 Bin 11	HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)	HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)	HDV2B250	Federal Tier 3 HD Class 2b Bin 250
L2	California LEV-II LEV	HDV2B200	Federal Tier 3 HD Class 2b Bin 200
L2OP	California LEV-II LEV Optional	HDV2B170	Federal Tier 3 HD Class 2b Bin 170
U2	California LEV-II ULEV	HDV2B150	Federal Tier 3 HD Class 2b Bin 150
S2	California LEV-II SULEV	HDV2B0	Federal Tier 3 HD Class 2b Bin 0
ZEV	California ZEV	HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630
OT	Other	HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570
T1	Federal Tier 1	HDV3B400	Federal Tier 3 HD Class 3 Bin 400
PZEV	California PZEV	HDV3B270	Federal Tier 3 HD Class 3 Bin 270
L2LEV160	California LEV-II LEV160	HDV3B230	Federal Tier 3 HD Class 3 Bin 230
L2ULEV125	California LEV-II ULEV125	HDV3B200	Federal Tier 3 HD Class 3 Bin 200
L2SULEV30	California LEV-II SULEV30	HDV3B0	Federal Tier 3 HD Class 3 Bin 0
L2LEV395	California LEV-II LEV395	L4SULEV100	California LEV-IV SULEV100
L2ULEV340	California LEV-II ULEV340	L4SULEV125	California LEV-IV SULEV125
L2LEV630	California LEV-II LEV630	L4SULEV15	California LEV-IV SULEV15
L2ULEV570	California LEV-II ULEV570	L4SULEV150	California LEV-IV SULEV150
L3LEV160	California LEV-III LEV160	L4SULEV170	California LEV-IV SULEV170
L3ULEV125	California LEV-III ULEV125	L4SULEV175	California LEV-IV SULEV175
L3ULEV70	California LEV-III ULEV70	L4SULEV20	California LEV-IV SULEV20
L3ULEV50	California LEV-III ULEV50	L4SULEV200	California LEV-IV SULEV200
L3SULEV30	California LEV-III SULEV30	L4SULEV230	California LEV-IV SULEV230
L3SULEV20	California LEV-III SULEV20	L4SULEV25	California LEV-IV SULEV25
L3LEV395	California LEV-III LEV395	L4SULEV30	California LEV-IV SULEV30
L3ULEV340	California LEV-III ULEV340	L4SULEV75	California LEV-IV SULEV75
L3ULEV250	California LEV-III ULEV250	L4SULEV85	California LEV-IV SULEV85
L3ULEV200	California LEV-III ULEV200	L4ULEV125	California LEV-IV ULEV125

Certification Summary Information Report

Test Group		VBMXV00.0N5C	Evaporative/Refueling Family		--
L3SULEV170	California LEV-III SULEV170		L4ULEV200	California LEV-IV ULEV200	
L3SULEV150	California LEV-III SULEV150		L4ULEV250	California LEV-IV ULEV250	
L3LEV630	California LEV-III LEV630		L4ULEV270	California LEV-IV ULEV270	
L3ULEV570	California LEV-III ULEV570		L4ULEV40	California LEV-IV ULEV40	
L3ULEV400	California LEV-III ULEV400		L4ULEV400	California LEV-IV ULEV400	
L3ULEV270	California LEV-III ULEV270		L4ULEV50	California LEV-IV ULEV50	
L3SULEV230	California LEV-III SULEV230		L4ULEV60	California LEV-IV ULEV60	
L3SULEV200	California LEV-III SULEV200		L4ULEV70	California LEV-IV ULEV70	
Transmission Type Code					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)		M	Manual	
A	Automatic		OT	Other	
AM	Automated Manual		SA	Semi-Automatic	
CVT	Continuously Variable		SCV	Selectable Continuously Variable (e.g. CVT with paddles)	
Drive System Code					
4	4-Wheel Drive		P	Part-time 4-Wheel Drive	
F	2-Wheel Drive, Front		A	All Wheel Drive	
R	2-Wheel Drive, Rear				
Additional Terms and Acronyms					
AFC	Alternative Fuel Converter		ICI	Independent Commercial Importer	
CSI	Certificate Summary Information		ORVR	Onboard Refueling Vapor Recovery	
DF	Deterioration Factor		SIL	Shift Indicator Light	
Evap	Evaporation, Evaporative		Trans	Transmission	