Application for Certification

Part 1

2027 Model Year

Durability Group: VMAXEEVNNM02

Evaporative Family: Not Applicable

Test Group: VMAXT00.0182

Battery Electric Vehicle

Test Group Description: LDT

Applicable Standards: 50-State

Tier 4 Interim Bin 0 / ACC I ZEV

Vehicles Covered:

Grecale Folgore

Vehicle Tested:

Vehicle ID 460728 (vehicle configuration number 0)

Vehicle ID 460728 (vehicle configuration number 1)

Vehicle ID 460728 (vehicle configuration number 2)

Application date:

May 22, 2026

For Questions, Contact:

Raj Mohan Gadangi at 810-341-2858

Maserati

TABLE OF CONTENTS

Section No.	Title
1.0	**Communications**
2.0	**Confidential Information**
2.1	Statement of confidentiality
2.2	Test vehicle selection
2.3	Projected California annual model-year sales
3.0	**Facilities, equipment, and test procedures**
3.1	(Reserved)
3.2	Battery pre-conditioning procedures (if necessary)
4.0	**(Reserved)**
5.0	**(Reserved)**
6.0	**Maintenance**
6.1	Test vehicle scheduled maintenance
6.2	Recommended customer maintenance schedule
6.3	Lubricants and heater fuels, if any
7.0	**Labels**
7.1	Vehicle Emission Control Information (VECI) Label Location
7.2	Sample VECI Label
7.3	Sample EP label (Formerly called the Smog Index label)
7.4	Statement of compliance
8.0	**General Technical Description**
8.1	Description of Propulsion System
8.2	Description of Motor(s)
8.3	Description of Batteries
8.3.1	Battery charging capacity
8.3.2	Self-discharge information
8.3.3	Description of thermal management system
8.3.4	Definition of end-of-life
8.3.5	Description of battery disposal plan
8.4	Description of Controller/Inverter
8.5	Description of Transmission
8.6	Description of climate control system
8.6.1	Electric Heat Pump
8.6.2	(Reserved)
8.6.3	Climate control system logic
8.6.4	(Reserved)
8.7	Description of Regenerative Braking System
8.7.1	Control logic
8.7.2	Percentage of braking performed on road by each axle
8.8	Description of charger
8.8.1	Proper recharging procedures
8.8.2	Power requirements necessary to recharge vehicle
8.9	Accessories which draw energy from the batteries

8.10 Other unique features (e.g. solar panels)
8.11 Description of warning system(s) for maintenance/malfunction
8.11.1 Cut off terminal voltages for prevention of battery damage

9.0 (Reserved)

10.0 (Reserved)

11.0 Starting and Shifting Schedules
11.1 Starting Procedures
11.2 Shifting Schedule
11.3 Drive Modes

12.0 Description of Vehicles Covered by Certificate
12.1 Calibration Parts List
12.2 Vehicle Description Report

13.0 (Reserved)

14.0 **Request for certificate**

15.0 Other Information
15.1 Fee Filing Form EPA
15.2 Fee Filing Form CARB

16.0 Test Results

17.0 California requirements
17.1 Statement of compliance
17.1.1 General statement
17.1.2 Drivability statement
17.1.2 Standardized Data Attestation
17.2 Supplemental Data and Certification Review Sheets
17.3 (Reserved)
17.4 ZEV Compliance
17.4.1 Description of multi-manufacturer arrangements
17.4.2 ZEV Value Calculation
17.5 Vehicle Safety
17.5.1 All information for safe operation of vehicle
17.5.2 Information on safe handling of battery system
17.5.3 Description of emergency procedures
17.6 Reserved

Maserati North America Contact List

Name	Title	Phone	E-mail
Raj Mohan Gadangi	Technical Safety & Regulatory Compliance Manager	810-341-2858	raj.gadangi@stellantis.com

For a complete description of the Correspondence and Communications information for Maserati North America, please see Section 1 of the Common Part 1.

2.1 Statement of confidentiality

Maserati North America considers sections 2.00-17.00 confidential. All pages constitute confidential business information and trade secrets of the Maserati North America.

DURATION OF CONFIDENTIALITY
FOI Application Until issuance of Certification of Conformity
CBI Application Permanent

ALL PORTIONS OF THIS DOCUMENT, AND ALL INFORMATION CONTAINED HEREIN, ARE DEEMED CONFIDENTIAL INFORMATION OF FCA US LLC.

Use, publication, or release of this confidential information by unauthorized persons is not permitted without the express written consent of Maserati North America.

2.2 Test Vehicle Selection

Configuration: 0
Fuel: Electricity
Vehicle Class Covered: LDT
Emission Standards Class: Bin 0 / ZEV
Test Vehicle ID: 460728
Engine Code: VMAX20
Transmission: A1
ETW (lbs.): 6000
Drive Mode While Testing: AWD

Configuration: 1
Fuel: Electricity
Vehicle Class Covered: LDT
Emission Standards Class: Bin 0 / ZEV
Test Vehicle ID: 460728
Engine Code: VMAX20
Transmission: A1
ETW (lbs.): 6000
Drive Mode While Testing: AWD

Configuration: 2
Fuel: Electricity
Vehicle Class Covered: LDT
Emission Standards Class: Bin 0 / ZEV
Test Vehicle ID: 460728
Engine Code: VMAX20
Transmission: A1
ETW (lbs.): 6000
Drive Mode While Testing: AWD

2.3 Projected annual model-year sales:

Maserati considers this information proprietary and confidential. The release of product planning volumes would allow competitors to gain insight into Maserati planning process.

Information regarding Maserati North America facilities and equipment Is on file.

Equipment:

48-inch, single roll electric dynamometer

Regenerative Braking:

Enabled

Vehicle & Battery break in Period:

3500 kilometers accumulated on this vehicle / battery before the test.

Range Test Procedure:

Multi Cycle Test (MCT) following SAE J1634 JUL2017

3.1 Procedure to Determine Mass Emissions of Fuel Fired Heater

Not applicable since a Fuel Fired Heater is not offered for this vehicle.

3.2 Battery and Vehicle Pre-Conditioning Procedures:

Maserati considers this information proprietary and confidential.

6.1 Test Vehicle Scheduled Maintenance

Not applicable (same as “Recommended Customer Maintenance Schedule” found in next section).

6.2 Recommended Customer Maintenance Schedule

The Maintenance Schedules and the required maintenance intervals can be found in the Owner’s manual.

6.3 Lubricants and heater fuels, if any.

Information about all the applicable lubricants can be found in the Owner’s manual.

7.1 VECI Label Locations:

The vehicle emission control information label is affixed in the location of the motor/"engine" compartment under the hood, See (A) in attached drawing. Attached below is this vehicle's VECI label.

A) VECI Label
B) Manufacturer Label



7.2 Sample VECI Label

*Note: the Maserati Trademark is included as a background design on the label.

Maserati S.p.A.	VEHICLE EMISSION CONTROL INFORMATION
GROUP:VMAXT00.0182 NO ADJUSTMENTS NEEDED	CONFORMS TO REGULATIONS: 2027 MY ENGINE: ELEC
	670362688
U.S. EPA: T4I B0 LDT OBD: NO OBD FUEL: ELECTRICITY	
CA: ZEV LDT OBD: NO OBD FUEL: ELECTRICITY	

7.3 EP Label included in the Monroney label.

The Fuel Economy Label is installed on the passenger side front door. The Monroney Label includes the EPA/DOT Fuel Economy and Environment Section (GHG, Smog Rating) based on the template published by EPA in May 2011. Attached below is a sample label.



7.4 Statement of Compliance

This vehicle conforms to US EPA Tier 4 Interim BIN 0 vehicle regulations applicable to 2027 model year new motor vehicles and to California regulations applicable to 2027 model year new ACC I ZEV light-duty vehicles.

8.0 General Technical Description

8.1 Description of Propulsion System
Maserati considers this information proprietary and confidential.

8.2 Description of Motor
Maserati considers this information proprietary and confidential.

8.3 Description of Battery
Maserati considers this information proprietary and confidential.

8.4 Description of Controller/Inverter
Maserati considers this information proprietary and confidential.

8.5 Description of Transmission
Maserati considers this information proprietary and confidential.

8.6 Description of Climate Control System
Maserati considers this information proprietary and confidential.

8.7 Description of Regenerative Braking System
Maserati considers this information proprietary and confidential.

8.8 Electric Vehicle Charging Requirements
Maserati considers this information proprietary and confidential.

8.9 Accessories which draw energy from the batteries
Maserati considers this information proprietary and confidential.

8.10 Other Unique Features
Maserati considers this information proprietary and confidential.

8.11 Description of Warning Systems for Maintenance/Malfunction
Maserati considers this information proprietary and confidential.

11.1 Starting Procedure

Start Vehicle by pressing brake pedal and depressing the start button located on the steering wheel. Simply depress button and 1 to 2 seconds later vehicle propulsion system will be ready. Do not depress accelerator pedal during engine starting procedure.

11.2 Shifting Schedule

The Grecale uses a Single-Speed Transmission to direct the output from the electric motor. The single-speed transmission is operated using push-buttons instead of a traditional shift lever.

11.3 Drive Modes

Grecale has 4 Drive modes:

- Max Range
- Range Extended - Optimizes residual range.
- GT - Best balance between performance and comfort, this is the default mode.
- Sport - Maximum performance on road
- Off-road – Efficiency is slightly reduced from GT mode in order to improve all terrain performance and traction control.

Test Group Name: VMAXT00.0182
Durability Group Name: VMAXEEVNNM02
Evaporative/Refueling Family Name: Not Applicable
Vehicles Covered: Grecale Folgore
Exhaust Standard Class: Bin 0 / ZEV

Vehicle/Engine

Vehicle Classification: LDT
Sales Area: 50St
Fuel(s) Used: Electricity
Engine Code: VMAX20
Curb Vehicle Weight:
- Grecale: 5745 lb

Gross Vehicle Weight Rating (GVWR):
- Grecale: 6817 lb

Equivalent Test Weight (ETW):
- Grecale: 6000 lb

Inertia Weight Class (IWC):
- Grecale: 6000 lb

Battery Capacity 288 Ah
Transmission Type: Single Speed Transmission (A1)

May 22, 2026

Mr. Joel Dalton
Certification and Compliance Division
U.S. Environmental Protection Agency
2000 Traverwood Drive
Ann Arbor, MI 48105

Dear Mr. Dalton:

RE: 2027 Model Year LDT Certificate of Conformity Request

Maserati North America, Inc. requests a 2027 MY Certificate of Conformity for the BEV (Battery Electric Vehicle) Tier 4 Interim BIN 0 Federal and 50-State test group VMAXT00.0182. This test group is being certified to Tier 4 Interim BIN 0 standards.

Maserati North America, Inc. agrees to meet the Tier 4 Interim BIN 0 standards, and the regulations applicable to such vehicles during the full useful lives of the vehicles in test group VMAXT00.0182. Maserati North America, Inc. agrees that the exhaust and evaporative emission standards listed below and in the application for certification apply to both certification and in-use vehicles according to the provisions of 40 CFR, Parts 86 and 88, as applicable. Maserati North America also elects to follow GHG path 86.1818(f)(1). The FTP emission standards for this LDT test group are as follows:

Emission Standards
Federal Tier 4 Interim BIN 0

Model: Grecale Folgore

If you have any questions regarding this correspondence, please contact me at your earliest convenience at 810-341-2858 or via email raj.gadangi@stellantis.com.

Sincerely,

_____
Raj Mohan Gadangi
Technical Safety & Regulatory Compliance Manager
Maserati North America
800 Chrysler Drive, Auburn Hills, MI 48326

May 22, 2026

Robin Lang, Chief
Emissions Compliance, Automotive Regulations and Science Division
Air Resources Board
4001 Iowa Avenue
Riverside, CA 92507

Dear Robin Lang:

RE: 2027 Model Year LDT Executive Order Request

Maserati North America, Inc. requests a 2027 MY Certificate of Conformity for the BEV (Battery Electric Vehicle) Tier 4 Interim BIN 0 Federal and 50-State test group VMAXT00.0182. This test group is being certified to ACC I ZEV standards.

Maserati North America, Inc. agrees to meet the ZEV emission standards, and the regulations applicable to such vehicles during the full useful lives of the vehicles in test group VMAXT00.0182. Maserati North America, Inc. agrees that the exhaust and evaporative emission standards listed below and in the application for certification apply to both certification and in-use vehicles according to the provisions of 40 CFR, Parts 86 and 88, as applicable. Maserati North America also elects to follow GHG path 86.1818(f)(1). The FTP emission standards for this LDT test group are as follows:

Emission Standards
California ACC I ZEV

If you have any questions regarding this correspondence, please contact me at your earliest convenience at 810-341-2858 or via email raj.gadangi@stellantis.com.

Sincerely,

_____
Raj Mohan Gadangi
Technical Safety & Regulatory Compliance Manager
Maserati North America
800 Chrysler Drive, Auburn Hills, MI 48326

US EPA Fee Form

Help and EPA Instructions

* Required Field

General Information

Date: 05/12/2026

Process Code *

Submit New Fee Filing Form

Manufacturer Code *

MAX

Manufacturer Name *

Maserati

Contact Name *

Raj Mohan Gadangi

Contact Email Address *

raj.gadangi@stellantis.com

Contact Phone *

8103412858

Calendar Year complete application submitted to EPA *

2026

PLEASE NOTE: These fees apply to complete certification applications received by EPA from January 1, 2026, through December 31, 2026. The applicable fee is determined by the

calendar year in which the complete certification application is received, not the model year.

Engine Family / Evaporative Family / Test Group *

VMAXT00.0182

Certificate Request Type (Industry Sector Code)

Certificate Request Type *

- (●) On-Highway LDV, LTD, MDVPV, HDV Chassis Cert (Federal) (A, B, D, J, T, V)
- ( ) On-Highway HDE Dyno Cert (Federal) (E, H)
- ( ) On-Highway LD ICI, MDPV ICI, HDV ICI (A, B, D, J, T, V)
- ( ) On-Highway Motorcycle (C)
- ( ) On-Highway HDV Evap (F)
- ( ) On-Highway LDV, LTD, MDVPV, HDV Chassis Cert (California-Only) (A, B, D, J, T, V)
- ( ) On-Highway HDE Dyno Cert (California-Only) (E, H)
- ( ) Nonroad CI (L)
- ( ) Nonroad SI (B, S)
- ( ) Locomotive (G, K)
- ( ) All Nonroad Recreational, excluding Marine engines (X, Y)
- ( ) All Marine (Including IMO) (M, N, W)
- ( ) Component Certification for Evaporative Emissions (P)

IMO Name (Required for dual US/IMO Marine Only)

ICI VIN Number (Required for ICIs Only)

Do you qualify for a Reduced Fee? *

No

Payment Information

Amount Owed

$32,317.00

Payment Type *

Offline Wire

Comments

Test Group: VMAXT00.0182

EPA Form Number 3520-29
OMB Control No. 2060-0545
Approval expires 7/31/2027

The public reporting and recordkeeping burden for this collection of information is estimated to average 12 minutes per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed forms to this address.

The content of this document may contain Sensitive But Unclassified (SBU) data and/or Controlled Unclassified Information (CUI).

STATE OF CALIFORNIA
CALIFORNIA ENVIRONMENTAL PROTECTION AGENCY
CALIFORNIA AIR RESOURCES BOARD

MOBILE SOURCE CERTIFICATION AND COMPLIANCE FEE PAYMENT FORM FOR ON-ROAD APPLICATIONS ONLY

CARB USE ONLY

Invoice Name	MSF251056
Invoice Date	Apr 09, 2026

COMPANY INFORMATION

Company Name	Maserati
Address	800 Chrysler Drive
City	Auburn Hills
State	Michigan
Zip	48326
Country	United States
Contact Name	Raj Mohan Gadangi
Contact Telephone Number	8103412858
Contact Email	raj.gadangi@stellantis.com
CARB Customer Number	CCAM000057

APPLICATION INFORMATION

Payment Row Number	Product Description or File Name	Model Year/Calendar Year	Unique Application Identifier: Test Group, Engine Family, Trailer Family, Vehicle Family, ZEP Family, if applicable (ID listed in payment row must match the unique identifier given to the certification application)	Category Type	Fee Type	Amount
1	CBI_VMAXV03.0SPR_APPIP	Model Year 2027	VMAXV03.0SPR	Light-duty vehicle test group and medium-duty vehicle test group	Base	$ 50,309.00
2	CBI_VMAXJ03.0TJI_APPIPT1	Model Year 2027	VMAXJ03.0TJI	Light-duty vehicle test group and medium-duty vehicle test group	Base	$ 50,309.00
3	CBI_VMAXT00.0182_APPIPT	Model Year 2027	VMAXT00.0182	Light-duty vehicle test group and medium-duty vehicle test group	Zero-Emission	$ 12,577.00
4	CBI_VMAXV00.0189_APPIPT	Model Year 2027	VMAXV00.0189	Light-duty vehicle test group and medium-duty vehicle test group	Zero-Emission	$ 12,577.00

Total Due	$ 125,772.00

I, _____, attest that any information provided is true, accurate, and complete.

(Responsible Party Signature Here)

Test Numbers from VERIFY

2027MY

- TMAX10091794 (Vehicle Config number 0 MCT)
- TMAX10091792 (Vehicle Config number 1 MCT)
- TMAX10091795 (Vehicle Config number 2 MCT)

Test Results

For the details regarding the Test Results of this test group, please see the following CSI Report (May 18, 2026) and the EPA EV Multicycle Calculator (SAE J1634 Oct 2012) Results.

17.1 Statement of Compliance

This vehicle conforms to US EPA Tier 4 Interim BIN 0 vehicle regulations applicable to 2027 model year new motor vehicles and to California regulations applicable to 2027 model year new ACC I ZEV light duty vehicles.

17.1.1 General Statement:

This vehicle regarding the vehicle control systems and all related parameters, the production vehicles will be identical to the test vehicles which are used for certification testing.

17.1.2 Drivability Statement:

The 2027 model year Grecale Folgore Electric vehicle meets the typical drivability requirements that the United States market expects, including acceleration rates, braking performance and stability performance. This vehicle also meets all applicable FMVSS standards.

17.2 Supplemental Data and Certification Review Sheet

17.3 (Reserved)

17.4 ZEV Compliance

17.4.1 Description of multi-manufacturer arrangements

Not Applicable

17.4.2 ZEV Value Calculation

Not Applicable

17.5 Vehicle Safety

17.5.1 All Information for Safe Operation of Vehicle

Details on how to operate the vehicle can be found in the Owner's Manual.

The vehicle is started and driven in the same manner as a conventional internal combustion engine vehicle.

17.5.2 Information on Safe Handling of Battery System

All replacement or repairs of Grecale Folgore System components, including the battery, should be performed by a factory-trained technician at a Maserati authorized dealer. Please refer to the owner's manual for details.

17.5.3 Description of Emergency Procedures

Emergency procedures are described in Owner's manual. Please refer to owner's manual for details.

17.6 (Reserved)