

MOBILE SOURCE CERTIFICATION AND COMPLIANCE FEE PAYMENT FORM FOR ON-ROAD APPLICATIONS ONLY

CARB USE ONLY

Invoice Name	MSF250697
Invoice Date	Jan 15, 2026

COMPANY INFORMATION

Company Name	Mercedes-Benz USA
Address	13470 International Pkwy
City	Jacksonville
State	FLORIDA
Zip	32218
Country	United States
Contact Name	Brandin Benson
Contact Telephone Number	5515797969
Contact Email	brandin.b.benson@mbusa.com
CARB Customer Number	CCAM000021

APPLICATION INFORMATION

Payment Row Number	Product Description or File Name	Model Year/Calendar Year	Unique Application Identifier: Test Group, Engine Family, Trailer Family, Vehicle Family, ZEP Family, if applicable (ID listed in payment row must match the unique identifier given to the certification application)	Category Type	Fee Type	Amount
1	n/a	Model Year 2027	VMBXT00.0ED3	Light-duty vehicle test group and medium-duty vehicle test group	Zero-Emission	\$ 12,577.00
2	n/a	Model Year 2027	VMBXT00.0ED4	Light-duty vehicle test group and medium-duty vehicle test group	Zero-Emission	\$ 12,577.00
3	n/a	Model Year 2027	VMBXV00.0E10	Light-duty vehicle test group and medium-duty vehicle test group	Zero-Emission	\$ 12,577.00
4	n/a	Model Year 2027	VMBXV00.0ED1	Light-duty vehicle test group and medium-duty vehicle test group	Zero-Emission	\$ 12,577.00
5	n/a	Model Year 2027	VMBXV00.0ED2	Light-duty vehicle test group and medium-duty vehicle test group	Zero-Emission	\$ 12,577.00
6	n/a	Model Year 2027	VMBXV00.0ED3	Light-duty vehicle test group and medium-duty vehicle test group	Zero-Emission	\$ 12,577.00
7	n/a	Model Year 2027	VMBXV00.0ED4	Light-duty vehicle test group and medium-duty vehicle test group	Zero-Emission	\$ 12,577.00
8	n/a	Model Year 2027	VMBXV00.0ED5	Light-duty vehicle test group and medium-duty vehicle test group	Zero-Emission	\$ 12,577.00
9	n/a	Model Year 2027	VMBXV00.0ED8	Light-duty vehicle test group and medium-duty vehicle test group	Zero-Emission	\$ 12,577.00

10	n/a	Model Year 2027	VMBXV00.0ED9	Light-duty vehicle test group and medium-duty vehicle test group	Zero-Emission	\$ 12,577.00
11	n/a	Model Year 2027	VMBXV04.0U3A	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
12	n/a	Model Year 2027	VMBXT02.0HY1	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
13	n/a	Model Year 2027	VMBXV02.0HY2	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
14	n/a	Model Year 2027	VMBXV01.5HY1	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
15	n/a	Model Year 2027	VMBXJ02.0HY3	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
16	n/a	Model Year 2027	VMBXV01.5HY2	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
17	n/a	Model Year 2027	VMBXV02.0HY4	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
18	n/a	Model Year 2027	VMBXT02.0HY2	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
19	n/a	Model Year 2027	VMBXV02.0HY7	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
20	n/a	Model Year 2027	VMBXT03.0HY2	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
21	n/a	Model Year 2027	VMBXV03.0HY1	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
22	n/a	Model Year 2027	VMBXT03.0HY1	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
23	n/a	Model Year 2027	VMBXJ03.0HY1	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
24	n/a	Model Year 2027	VMBXV03.0HY2	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
25	n/a	Model Year 2027	VMBXV03.0HY3	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
26	n/a	Model Year 2027	VMBXT04.0HY2	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
27	n/a	Model Year 2027	VMBXV04.0HY1	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
28	n/a	Model Year 2027	VMBXT04.0HY1	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
29	n/a	Model Year 2027	VMBXV02.0HY1	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
30	n/a	Model Year 2027	VMBXJ02.0HY1	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
31	n/a	Model Year 2027	VMBXV03.0HY4	Light-duty vehicle test group and medium-duty vehicle test group	Base	\$ 50,309.00
32	n/a	Model Year 2027	VMBXV04.0HY5	Light-duty vehicle test group and	Base	\$ 50,309.00

				medium-duty vehicle test group		
						Total Due \$ 1,232,568.00

I, John Healey
John Healey (Jan 15, 2026 10:38:03 EST), attest that any information provided is true, accurate, and complete.
(Responsible Party Signature Here)

From: noreply@salesforce.com <noreply@salesforce.com> **On Behalf Of** California Air
Sent: Wednesday, February 11, 2026 10:47 AM
To: Healey, John (171) <john.healey@mbusa.com>
Subject: MS Fee Payment Confirmation for Invoice MSF250697

****EXTERNAL E-MAIL****

Dear Brandin Benson

Attached is documentation for your MS Fee payment for Invoice Name MSF250697. Please include a copy of this invoice and email with each application that is listed when submitting your application to the applicable MS Fee program.

1. Payment ID – 25ATD221
2. Date of Payment – 2/6/2026
3. Payment Status - Paid



Application for Certification – Part 1

Model Year 2027 Specific Sections

Model(s) Covered:	GLC 400 4MATIC electric GLC 400 4MATIC electric (ST)
Test Group:	VMBXV00.0ED8
Test Group Description:	Battery Electric Vehicle
Durability Group:	VMBXEEVNED1
Durability Group Description:	N/A
Evaporative Family:	N/A
EPA Summary Sheet No.:	CSI-VMBXV00.0ED8
Applicable Standards:	Federal – Tier 4 BIN 0 California - ACC I ZEV
OBD Group:	N/A
Vehicle(s) Tested:	X540PSM140Rf-PSM300r-EB585 4x4 - Z2794 X540PSM140Rf-PSM300r-EB585 4x4 (ST) - Z2794-1
Vehicle(s) Tested EVAP:	N/A



Table of Contents

1	Correspondence
1.01	EPA Responsible Official
1.02	CARB Responsible Official
1.03	Mailing Information
2	Durability Group
2.01	Logic for Defining Durability Group
3	Evaporative/Refueling Family
3.01	Logic for Defining Evaporative/Refueling Family
4	Durability Procedure
4.01	Exhaust Durability
4.02	Evaporative/Refueling Durability
4.03	Durability Equivalency Factors
5	Test Group
5.01	Test Group Description
6	Test Vehicle
6.01	Test Vehicle Description
7	Test Results
7.01	Certification Summary Information
7.02	Supplemental Test Methods
7.03	Pressurized Fuel Tanks
7.04	Vehicle Lubricants
8	Statements
8.01	Conformity
8.02	Testing Waiver Statements
9	On-Board Diagnostic System
9.01	OBD System Description
9.02	Fuel Tank Leak Test
10	Alternate Fuel Vehicles
10.01	Applicable Alternate Fuel Vehicles
11	Auxiliary Emissions Control Devices
11.01	AECD Document
12	Vehicles Covered by Certificate
12.01	Vehicle Information & Test Parameters
12.02	Sub-Configuration Range Values
13	Sales Volume
13.01	Projected Sales Volume
13.02	Projected Conformity with Schedules
14	Request for Certificates
14.01	Request for EPA Certificate of Conformity



Mercedes-Benz AG

U.S. Certification

14.02	Request for CARB Executive Order
14.03	OBD Approval
14.04	EPA Fee Filing Form
14.05	CARB Fee Filing Form
15	Additional Information
15.01	Hybrid System Information
15.02	Fuel-Fired Heater
15.03	Exhaust System Leaks & Repair
15.04	Battery Monitor and Durability
16	Confidential Information
Attachments	Attachments



Revision History

Issue Date / Revision Date	Affected Sections	Description of Changes
14-Aug-2026	All	Initial Version



1 Correspondence

1.01 EPA Responsible Official

Paul Skorupskas
VP, US Certification & Regulatory Affairs
Government Liaison, EPA
Phone: +1 (734) 929 8658
Email: paul.skorupskas@mercedes-benz.com

1.02 CARB Responsible Official

Tobias Schmelzle
Manager, US OBD Certification
Government Liaison, CARB
Phone: +1 (562) 243 7672
Email: tobias.t.schmelzle@mercedes-benz.com

1.03 Mailing Information

Mercedes-Benz AG
Attention: HPC 059-L404
Leibnizstrasse 2
71032 Boeblingen
Germany



2 Durability Group

2.01 Logic for Defining Durability Group

Please refer to the Common Application for Certification.



3 Evaporative/Refueling Family

3.01 Logic for Defining Evaporative/Refueling Family

Please refer to the Common Application for Certification. Results are available in Section 7 Test Results.



4 Durability Procedure

4.01 Exhaust Durability

Not applicable for battery electric vehicles.

4.02 Evaporative/Refueling Durability

Not applicable for battery electric vehicles.

4.03 Durability Equivalency Factors

Not applicable for battery electric vehicles.



5 Test Group

5.01 Test Group Description

Please refer to the Cover Page, Section 7 Test Results, and the Common Application for Certification.

Category	Group	Status
EDV/ZEV	VMBXV00.0ED8	New Testing
EVAP	N/A	N/A
Durability	N/A	N/A



6 Test Vehicle

6.01 Test Vehicle Description

Please refer to Section 7 Test Results and Section 12 Vehicles Covered by Certificate for further information.



7 Test Results

7.01 Certification Summary Information

Please refer to the attachments for the Certification Summary Information Sheet.

7.02 Supplemental Test Methods

If a test vehicle is selected for EPA Confirmatory Testing, additional information will be provided under separate cover.

7.03 Pressurized Fuel Tanks

Not applicable for this test group.

7.04 Vehicle Lubricants

Please refer to the attachments for the Certification Summary Information Sheet and/or the owner's manual.



8 Statements

8.01 Conformity

Please refer to Section 14 Request for Certificates and the Common Application for Certification.

8.02 Testing Waiver Statements

Please refer to the Common Application for Certification.



9 On-Board Diagnostic System

9.01 OBD System

Please refer to Section 14 Request for Certificates and Section 16 Confidential Information.

9.02 Fuel Tank Leak Test

Not applicable for battery electric vehicles.



10 Alternate-Fueled Vehicles

10.01 Applicability

Alternate-fueled vehicles are not part of this test group.



11 Auxiliary Emissions Control Devices

11.01 AECD Document

Not applicable for battery electric vehicles.



12 Vehicles Covered by Certificate

12.01 Vehicle Information & Test Parameters

Additional vehicle information can be found in Section 7 Test Results.

	Vehicle 1	Vehicle 2
Vehicle Identification Text:	X540PSM140Rf-Z2794	X540PSM140Rf-Z2794-1
Actual Test Vehicle Make Text:	Mercedes-Benz	Mercedes-Benz
Actual Test Vehicle Model Text:	GLC 400 4MATIC electric	GLC 400 4MATIC electric (ST)
Carline Class:	Midsize Station Wagons	Midsize Station Wagons
Evaporative Refueling Family Name:	n/a	n/a
Drive Source Details 1		
Drive Source Identifier:	E	E
Fuel Identifier:	EL	EL
Drive Source Details 2		
Drive Source Identifier:	-	-
Fuel Identifier:	-	-
Fuel Cell Indicator:	N	N
Rechargeable Energy Storage System Indicator:	Y	Y
Rechargeable Energy Storage Device Identifier:	B	B
Off Board Charge Capability Indicator:	Y	Y
Test Drive Code:	A	A
Shift Indicator Light Usage Identifier:	1	1
Aged Component Usage Identifier:	4	4
Odometer Correction Details		
Correction Initial Value:	25	25
Correction Factor Value:	1	1
Correction Sign Identifier:	-	-
Correction Units Code:	M	M
Engine Code Text:	PSM140-PSM300	PSM140-PSM300
Engine Rated Horsepower Value:		
Engine Displacement Value:	0	0
Air Aspiration Details		
Air Aspiration Method Identifier:	-	-
Air Aspiration Device Count:	-	-
Air Aspiration Configuration Identifier:	-	-
Charge Air Cooler Identifier:	-	-
Emissions Control Device Comments Text:	-	-
Transmission Specifications Details		
Light Duty Transmission Type Identifier:	A	A
Transmission Lock up Indicator:	Y	Y
Transmission Creeper Gear Indicator:	N	N
Transmission Gear Count:	2	2
HYBRID Vehicle Indicator	N	N
⁽¹⁾ Vehicle Specifications Details		
Vehicle Class (EPA):	LDV	LDV



Mercedes-Benz AG

U.S. Certification

Vehicle Class (CARB):	PC	PC
Curb Weight Value:	5633	5633
Equivalent Test Weight Value:	6000	6000
Gross Vehicle Weight Rating Value:	6702	6702
Adjusted Loaded Vehicle Weight Value:	6168	6168
Loaded Vehicle Weight Value:	5933	5933
Vehicle Subconfigs Details		
Vehicle Configuration Number:	0	
Manufacturer Vehicle Configuration Number:	0	
Tire Description:	Tire 1 (ZEV)	Tire 1 (ZEV)
Front:	235/50 R20	235/50 R20
Rear:	265/45 R20	265/45 R20
Total Road Load Horsepower Value:	12.1	12.1
NV Ratio Value:	59.2	59.2
Axle Ratio Value:	1	1
Test Drive Mode (cycle based):	Default	Default
Test Procedure Dynamometer Coefficients		
Target Coefficient A Value:	36.19	36.19
Target Coefficient B Value:	0.0723	0.0723
Target Coefficient C Value:	0.02037	0.02037
Vehicle Configuration Number:	1	0
Manufacturer Vehicle Configuration Number:	1	0
Tire Description:	Tire 2 (Label)	Tire 2 (Label)
Front:	235/50 R20	235/50 R20
Rear:	265/45 R20	265/45 R20
Total Road Load Horsepower Value:	11.77	11.11
NV Ratio Value:	59.2	59.2
Axle Ratio Value:	1	1
Test Drive Mode:	Default	Default
Test Procedure Dynamometer Coefficients		
Target Coefficient A Value:	36.19	31.25
Target Coefficient B Value:	0.0723	0.0723
Target Coefficient C Value:	0.01938	0.01938

⁽¹⁾ Adjusted to current model year

Please refer to the Common Application for Certification for a comprehensive list of all available tires and road loads.



12.02 Sub-Configuration Range Values

Please refer to Section 16 Confidential Information.



13 Sales Volume

13.01 Projected Sales Volume

Please refer to the Common Application for Certification and the CARB E-Cert.

13.02 Projected Conformity with Schedules

Please refer to materials provided with the Compliance Preview Meeting.



14 Request for Certificates

14.01 Request for EPA Certificate of Conformity

Page left blank for formatting.



Mercedes-Benz AG | 70546 Stuttgart

Mercedes-Benz

Mr. Daniel Cullen
Environmental Protection Agency
2000 Traverwood Drive
Ann Arbor, MI 48105
USA

Datum/Date
Model Year 2027

Request for Issuance of Certificate of Conformity

Dear Mr. Cullen,

Mercedes-Benz requests that EPA issues a Certificate of Conformity for the test group listed on the cover page of this application.

The applicable test results can be found in Section 7 of this document. Compliance statements can be found in Section 8 of the Common Application for Certification.

Production vehicles which are subject to registration or sale in all fifty states will be, in all material respects, the same as the certification test vehicles. The test group complies with all applicable regulations contained within 40 CFR Part 86 and California Health and Safety Code.

The application is current as of the date of submission.

Mit freundlichen Grüßen/Yours sincerely,

i.V. Paul Skorupskas
VP – US Certification & Regulatory Affairs



14.02 Request for CARB Executive Order

Page left blank for formatting.



Mercedes-Benz AG | 70546 Stuttgart

Mercedes-Benz

Mr. Seung Yeon Yang
California Air Resources Board
Emissions Certification & Compliance Division
4001 Iowa Avenue
Riverside, CA 92507
USA

Datum/Date
Model Year 2027

Request for Issuance of Executive Order

Dear Mr. Yang,

Mercedes-Benz requests that CARB issue an Executive Order for the test group listed on the cover page of this application.

The applicable test results can be found in Section 7 of this document. Compliance statements can be found in Section 8 of the Common Application for Certification.

Production vehicles which are subject to registration or sale in the State of California will be, in all material respects, the same as the certification test vehicles. The test group complies with all applicable regulations contained within 40 CFR Part 86 and California Health and Safety Code. The Vehicle Emission Control label complies with the requirements of California Code of Regulations, Title 13, Section 1965.

The application is current as of the date of submission.

Mit freundlichen Grüßen/Yours sincerely,

i.V. Paul Skorupskas
VP – US Certification & Regulatory Affairs

i.A. Tobias Schmelzle
Manager – CARB Liaison & On-Board Diagnostics



14.03 OBD Approval

Please see Section 16 Confidential Information for information regarding the OBD approval.

14.04 EPA Fee Filing Form

Please refer to the attachments for the Fee Filing Forms.

14.05 CARB Fee Filing Form

Please refer to the beginning of this document.



15 Additional Information

15.01 Hybrid System Information

Not applicable for this test group.

15.02 Fuel-Fired Heater

There is no applicable fuel-fired heater for this test group.

15.03 Exhaust System Leaks & Repair

Not applicable for battery electric vehicles.

15.04 Battery Monitor & Durability

Please refer to Section 16 Confidential Information.



Mercedes-Benz AG

U.S. Certification

16 Confidential Information (FOI)

(Reserved)



Attachments

1	Certification Summary Information (FOI)
2	EPA Fee Filing Form (FOI)



Mercedes-Benz AG

U.S. Certification

Attachment 1: Certification Summary Information (FOI)

Certification Summary Information Report

Manufacturer	Mercedes Benz	Manufacturer Code	MBX
Test Group	VMBXV00.0ED8	Evaporative/Refueling Family	--
Certificate Number	--	CARB Executive Order #	--
Certificate Issue Date	--	Certificate Revision Date	--
Certificate Effective Date	--	Conditional Certificate	--
CSI Revision #	--	CSI Submission/Revision Date	08/13/2026 09:43:48 AM
Model Year	2027		

Test Group Information

CSI Type	Update for Correction	Running Change Reference Number	--
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Electric Motor

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Electricity	--	--

Hybrid Indicator	No		
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	Yes
Multiple Fuel Combustion	--	Off-board Charge Capable Indicator	Yes
Fuel Cell Indicator	No	EPA Vehicle Class	LDV
Federal Clean Fuel Vehicle	Yes	Federal Clean Fuel Vehicle Standard	ZEV
Federal Clean Fuel Vehicle ILEV	Yes	California Partial Zero Emissions Vehicle Indicator	No
Durability Group Name	VMBXEEVNNED1	Durability Group Equivalency Factor	1.0
Reduced Fee Test Group	No	Certification Region Code(s)	FA, CA
Complies with HD GHG 2b/3 regulations?	No		
Introduction into Commerce Date	--	CAP2000 Conditional Certificate?	N/A
Independent Commercial Importer?	--	Alternative Fuel Converter Certificate?	--
SFTP Federal Composite Compliance Identifier	Not Applicable	SFTP Tier 2 Composite CO Option	--
SFTP LEV-III Composite Compliance Indicator	No		
OBD Compliance Type	CARB	OBD Demonstration Vehicle Test Group	VMBXV00.0ED8
Test Group OBD Compliance Level	Full - no deficiencies	Number of Test Group OBD Deficiencies	0
OBD Deficiencies Comments	This is a Zero Emission Test Group.		
Mfr Test Group Comments	Sales: Federal = Nationwide (50 states) / CA = CA + 177 States		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group	VMBXV00.0ED8	Evaporative/Refueling Family	--
-------------------	--------------	-------------------------------------	----

Models Covered by this Certificate

Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
Mercedes Benz	1 - Mercedes-Benz	962 - GLC 400 4MATIC electric (ST)	Federal	All Wheel Drive	Automatic	1	No
Mercedes Benz	1 - Mercedes-Benz	962 - GLC 400 4MATIC electric (ST)	California + CAA Section 177 states	All Wheel Drive	Automatic	1	No
Mercedes Benz	1 - Mercedes-Benz	961 - GLC 400 4MATIC electric	Federal	All Wheel Drive	Automatic	1	No
Mercedes Benz	1 - Mercedes-Benz	961 - GLC 400 4MATIC electric	California + CAA Section 177 states	All Wheel Drive	Automatic	1	No

Engine Description

Hybrid Type	--	Hybrid Description	--
Engine Type	--	Mfr Engine Description	--
Engine Block Arrangement	--	Mfr Engine Block Arrangement Description	--
Camless Valvetrain Indicator	--	Oil Viscosity/Classification	
Number of Cylinders/Rotors	--	Mechanically Variable Compression Ratio Indicator	--

After Treatment Device(s) (ATD)

Mfr After Treatment Device (ATD) Comments	--
Direct Ozone Reduction (DOR) Device	--
Mfr Emission Control Device Comments	--

Official Test Numbers

Test Group	Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Electricity		--	--	--	--	--	--	--	--	--	--

Certification Summary Information Report

Test Group	VMBXV00.0ED8	Evaporative/Refueling Family	--
Hybrid Electric Vehicle And Fuel Cell Information			
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if Other	--
Battery Type	Lithium Ion	Number of Battery Packs	4
Total Voltage of Battery Packs	700	Battery Energy Capacity	141
Battery Specific Energy	181	Battery Charger Type	On-Board
Number of Capacitors	--	Capacitor Rating (In Farads)	--
Mfr Capacitor Comments	--		
Hydraulic System Description	--		
Regenerative Braking Type	Electrical Regen Brake		
Regenerative Braking Source	Both	Driver Controlled Regenerative Braking	Yes
Mfr Regenerative Braking Description	--		
Drive Motor(s)/Generator(s)	2		
Motor/Generator Type 1	PSM	Rated Motor/Generator Power	163
Motor/Generator Type 2	PSM	Rated Motor/Generator Power	300
Mfr Fuel Cell Description	--		
Fuel Cell On-Board H2 Storage Capacity (kg)	--	Usable H2 Fill Capacity (kg)	--
Mfr Hybrid Electric/ Electric Vehicle Comments	--		

Certification Summary Information Report

Test Group	VMBXV00.0ED8	Evaporative/Refueling Family	--						
Emission Data Vehicle Information									
Vehicle ID / Configuration	X540PSM140Rf-Z2794 / 0	Manufacturer Vehicle Configuration Number	0						
Original Test Group Name	VMBXV00.0ED8	Original Evaporative/Refueling Family	--						
Original Test Vehicle Model Year	2027								
Vehicle Model									
Represented Test Vehicle Make	Mercedes-Benz	Represented Test Vehicle Model	GLC 400 4MATIC electric						
Leak Family Details									
Leak Family Identifier	--	Leak Family Name	--						
Drive Sources and Fuel System Details									
	<table border="1"> <tr> <th>Drive Source and Fuel#</th><th>Drive Source</th><th>Fuel</th></tr> <tr> <td>1</td><td>Electric Motor</td><td>Electricity</td></tr> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity		
Drive Source and Fuel#	Drive Source	Fuel							
1	Electric Motor	Electricity							
Hybrid Indicator	No								
Multiple Fuel Storage	--	Multiple Fuel Combustion	--						
Fuel Cell Indicator	No	Rechargeable Energy Storage System Indicator	Yes						
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if 'Other'	--						
Off-board charge Capable Indicator	Yes								
Odometer Correction -- Initial	25	Odometer Correction Factor	1						
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles								
Odometer Correction Units	Miles								
Engine Code	PSM140-PSM270	Rated Horsepower	483						
Displacement (liters)	0.001								
Air Aspiration Method	Naturally Aspirated	Air Aspiration Method, if 'Other'							
Number of Air Aspiration Devices	0	Air Aspiration Device Configuration	--						
Charge Air Cooler Type	--	Drive Mode While Testing	All Wheel Drive						
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)						
Curb Weight (lbs)	5633	Equivalent Test Weight (pounds)	6000						
GVWR (lbs)	6702	N/V Ratio	59.2						
Axle Ratio	1								
Transmission Type	Automatic	# of Transmission Gears	2						
Transmission Lockup	Yes	Creep Gear	No						
Dynamometer Coefficients:									
	Target Coefficients								
	Set Coefficients								
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)						
City/Highway/Evap	36.19	0.0723	0.02037						
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)						
	0	0	0.02037						
	EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients								
	12.1								
Emission Control Device Comments	--								

Certification Summary Information Report

Test Group	VMBXV00.0ED8	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	265/45 R20 - The dyno match was calculated using the fix run method per SAE J2264		

Certification Summary Information Report

Test Group	VMBXV00.0ED8	Evaporative/Refueling Family	--
Test #	VMBX10094538	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	06/05/2026	Fuel	N/A
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	3953 Research Park Drive		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	2471	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	240	Recharge Event Energy (kiloWatt-hours)	109.673
Charge Depleting Range (Calculated miles)	480.9	Charge Depleting Range (Actual miles)	480.9
Charge Depleting Range Highway (Calculated miles)	448.3	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	480.9
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase #1			
Test Result/Emission Name		Unrounded Test Result	
Actual Distance Driven (miles)		7.4288106	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		-0.313	
Drive Trace Energy Economy Rating		-0.099	
Drive Trace Inertia Work Ratio Rating		0.109	
Integrated DC KW-HRS		1.786942	
Manufacturer Fuel Economy		24.0542134	
Charge Depleting Bag/Phase #2			

Certification Summary Information Report

Test Group	VMBXV00.0ED8	Evaporative/Refueling Family	--																
	<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>10.243255</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>1.506</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>-0.51</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>1.916</td></tr><tr><td>Integrated DC KW-HRS</td><td>2.2972761</td></tr><tr><td>Manufacturer Fuel Economy</td><td>22.4272084</td></tr></table>	Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.243255	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	1.506	Drive Trace Energy Economy Rating	-0.51	Drive Trace Inertia Work Ratio Rating	1.916	Integrated DC KW-HRS	2.2972761	Manufacturer Fuel Economy	22.4272084		
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	10.243255																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	1.506																		
Drive Trace Energy Economy Rating	-0.51																		
Drive Trace Inertia Work Ratio Rating	1.916																		
Integrated DC KW-HRS	2.2972761																		
Manufacturer Fuel Economy	22.4272084																		
Charge Depleting Bag/Phase #3																			
	<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>7.4398995</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>-0.452</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>-0.465</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>-0.702</td></tr><tr><td>Integrated DC KW-HRS</td><td>1.5638743</td></tr><tr><td>Manufacturer Fuel Economy</td><td>21.0200994</td></tr></table>	Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.4398995	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-0.452	Drive Trace Energy Economy Rating	-0.465	Drive Trace Inertia Work Ratio Rating	-0.702	Integrated DC KW-HRS	1.5638743	Manufacturer Fuel Economy	21.0200994		
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.4398995																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-0.452																		
Drive Trace Energy Economy Rating	-0.465																		
Drive Trace Inertia Work Ratio Rating	-0.702																		
Integrated DC KW-HRS	1.5638743																		
Manufacturer Fuel Economy	21.0200994																		
Charge Depleting Bag/Phase #4																			
	<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>265.6132777</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>0</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>0</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>0</td></tr><tr><td>Integrated DC KW-HRS</td><td>73.1856364</td></tr><tr><td>Manufacturer Fuel Economy</td><td>27.5534555</td></tr></table>	Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	265.6132777	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0	Drive Trace Energy Economy Rating	0	Drive Trace Inertia Work Ratio Rating	0	Integrated DC KW-HRS	73.1856364	Manufacturer Fuel Economy	27.5534555		
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	265.6132777																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	0																		
Drive Trace Energy Economy Rating	0																		
Drive Trace Inertia Work Ratio Rating	0																		
Integrated DC KW-HRS	73.1856364																		
Manufacturer Fuel Economy	27.5534555																		
Charge Depleting Bag/Phase #5																			
	<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>7.4423485</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>-1.876</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>-0.121</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>0.804</td></tr><tr><td>Integrated DC KW-HRS</td><td>1.5011548</td></tr><tr><td>Manufacturer Fuel Economy</td><td>20.1704453</td></tr></table>	Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.4423485	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	-1.876	Drive Trace Energy Economy Rating	-0.121	Drive Trace Inertia Work Ratio Rating	0.804	Integrated DC KW-HRS	1.5011548	Manufacturer Fuel Economy	20.1704453		
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.4423485																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	-1.876																		
Drive Trace Energy Economy Rating	-0.121																		
Drive Trace Inertia Work Ratio Rating	0.804																		
Integrated DC KW-HRS	1.5011548																		
Manufacturer Fuel Economy	20.1704453																		
Charge Depleting Bag/Phase #6																			

Certification Summary Information Report

Test Group	VMBXV00.0ED8	Evaporative/Refueling Family	--																
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>10.2390535</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>3.922</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>-0.11</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>5.734</td></tr><tr><td>Integrated DC KW-HRS</td><td>2.2331624</td></tr><tr><td>Manufacturer Fuel Economy</td><td>21.8102427</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.2390535	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	3.922	Drive Trace Energy Economy Rating	-0.11	Drive Trace Inertia Work Ratio Rating	5.734	Integrated DC KW-HRS	2.2331624	Manufacturer Fuel Economy	21.8102427		
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	10.2390535																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	3.922																		
Drive Trace Energy Economy Rating	-0.11																		
Drive Trace Inertia Work Ratio Rating	5.734																		
Integrated DC KW-HRS	2.2331624																		
Manufacturer Fuel Economy	21.8102427																		
Charge Depleting Bag/Phase #7																			
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>7.4534125</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>3.783</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>3.112</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>7.091</td></tr><tr><td>Integrated DC KW-HRS</td><td>1.5255715</td></tr><tr><td>Manufacturer Fuel Economy</td><td>20.4680936</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.4534125	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	3.783	Drive Trace Energy Economy Rating	3.112	Drive Trace Inertia Work Ratio Rating	7.091	Integrated DC KW-HRS	1.5255715	Manufacturer Fuel Economy	20.4680936		
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.4534125																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	3.783																		
Drive Trace Energy Economy Rating	3.112																		
Drive Trace Inertia Work Ratio Rating	7.091																		
Integrated DC KW-HRS	1.5255715																		
Manufacturer Fuel Economy	20.4680936																		
Charge Depleting Bag/Phase #8																			
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>54.927478</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>0</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>0</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>0</td></tr><tr><td>Integrated DC KW-HRS</td><td>15.0635323</td></tr><tr><td>Manufacturer Fuel Economy</td><td>27.4244018</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	54.927478	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0	Drive Trace Energy Economy Rating	0	Drive Trace Inertia Work Ratio Rating	0	Integrated DC KW-HRS	15.0635323	Manufacturer Fuel Economy	27.4244018		
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	54.927478																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	0																		
Drive Trace Energy Economy Rating	0																		
Drive Trace Inertia Work Ratio Rating	0																		
Integrated DC KW-HRS	15.0635323																		
Manufacturer Fuel Economy	27.4244018																		
Manufacturer Test Comments																			
		--																	

Certification Summary Information Report

Test Group	VMBXV00.0ED8		Evaporative/Refueling Family	--						
Emission Data Vehicle Information										
Vehicle ID / Configuration	X540PSM140Rf-Z2794 / 1		Manufacturer Vehicle Configuration Number	1						
Original Test Group Name	VMBXV00.0ED8		Original Evaporative/Refueling Family	--						
Original Test Vehicle Model Year	2027									
Vehicle Model										
Represented Test Vehicle Make	Mercedes-Benz		Represented Test Vehicle Model	GLC 400 4MATIC electric						
Leak Family Details										
Leak Family Identifier	--		Leak Family Name	--						
Drive Sources and Fuel System Details										
<table border="1"> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </table>					Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity
Drive Source and Fuel#	Drive Source	Fuel								
1	Electric Motor	Electricity								
Hybrid Indicator	No		Multiple Fuel Combustion	--						
Multiple Fuel Storage	--		Rechargeable Energy Storage System Indicator	Yes						
Fuel Cell Indicator	No		Rechargeable Energy Storage System, if 'Other'	--						
Rechargeable Energy Storage System	Battery(s)									
Off-board charge Capable Indicator	Yes		Odometer Correction Factor	1						
Odometer Correction -- Initial	25									
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles									
Odometer Correction Units	Miles									
Engine Code	PSM140-PSM270		Rated Horsepower	483						
Displacement (liters)	0.001		Air Aspiration Method, if 'Other'							
Air Aspiration Method	Naturally Aspirated		Air Aspiration Device Configuration	--						
Number of Air Aspiration Devices	0		Drive Mode While Testing	All Wheel Drive						
Charge Air Cooler Type	--		Aged Emission Components	4,000 (mi)						
Shift Indicator Light Usage	Not equipped		Equivalent Test Weight (pounds)	6000						
Curb Weight (lbs)	5633		N/V Ratio	59.2						
GVWR (lbs)	6702									
Axle Ratio	1		# of Transmission Gears	2						
Transmission Type	Automatic		Creep Gear	No						
Transmission Lockup	Yes									
Dynamometer Coefficients:										
Target Coefficients			Set Coefficients							
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients						
City/Highway/Evap	36.19	0.0723	0.01938	11.8						
Emission Control Device Comments	--									

Certification Summary Information Report

Test Group	VMBXV00.0ED8	Evaporative/Refueling Family	--
Manufacturer Test Vehicle Comments	265/45 R20 - The dyno match was calculated using the fix run method per SAE J2264		

Certification Summary Information Report

Test Group	VMBXV00.0ED8	Evaporative/Refueling Family	--
Test #	VMBX10095284	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	08/04/2026	Fuel	N/A
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	3953 Research Park Drive		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	5612	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	248.9	Recharge Event Energy (kiloWatt-hours)	108.921
Charge Depleting Range (Calculated miles)	488.926	Charge Depleting Range (Actual miles)	488.926
Charge Depleting Range Highway (Calculated miles)	453.097	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	488.926
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase #1			
Test Result/Emission Name		Unrounded Test Result	
Actual Distance Driven (miles)		7.44	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		2.09	
Drive Trace Energy Economy Rating		1.321	
Drive Trace Inertia Work Ratio Rating		3.029	
Integrated DC KW-HRS		1.6075003	
Manufacturer Fuel Economy		21.6062	
Charge Depleting Bag/Phase #2			

Certification Summary Information Report

Test Group	VMBXV00.0ED8	Evaporative/Refueling Family	--
		Test Result/Emission Name	Unrounded Test Result
		Actual Distance Driven (miles)	10.24
		Carbon-Related Exhaust Emissions	0
		Drive Trace Absolute Speed Change Rating	4.08
		Drive Trace Energy Economy Rating	1.025
		Drive Trace Inertia Work Ratio Rating	5.053
		Integrated DC KW-HRS	2.2579219
		Manufacturer Fuel Economy	22.05
Charge Depleting Bag/Phase #3			
		Test Result/Emission Name	Unrounded Test Result
		Actual Distance Driven (miles)	7.43
		Carbon-Related Exhaust Emissions	0
		Drive Trace Absolute Speed Change Rating	2.02
		Drive Trace Energy Economy Rating	1.629
		Drive Trace Inertia Work Ratio Rating	2.998
		Integrated DC KW-HRS	1.5322497
		Manufacturer Fuel Economy	20.6225
Charge Depleting Bag/Phase #4			
		Test Result/Emission Name	Unrounded Test Result
		Actual Distance Driven (miles)	293.6
		Carbon-Related Exhaust Emissions	0
		Drive Trace Absolute Speed Change Rating	0
		Drive Trace Energy Economy Rating	0
		Drive Trace Inertia Work Ratio Rating	0
		Integrated DC KW-HRS	79.559338
		Manufacturer Fuel Economy	27.0979
Charge Depleting Bag/Phase #5			
		Test Result/Emission Name	Unrounded Test Result
		Actual Distance Driven (miles)	7.43
		Carbon-Related Exhaust Emissions	0
		Drive Trace Absolute Speed Change Rating	2.2
		Drive Trace Energy Economy Rating	1.872
		Drive Trace Inertia Work Ratio Rating	3.596
		Integrated DC KW-HRS	1.4793941
		Manufacturer Fuel Economy	19.9111
Charge Depleting Bag/Phase #6			

Certification Summary Information Report

Test Group	VMBXV00.0ED8	Evaporative/Refueling Family	--																
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>10.24</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>9.06</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>1.622</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>11.718</td></tr><tr><td>Integrated DC KW-HRS</td><td>2.2029243</td></tr><tr><td>Manufacturer Fuel Economy</td><td>21.5129</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.24	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	9.06	Drive Trace Energy Economy Rating	1.622	Drive Trace Inertia Work Ratio Rating	11.718	Integrated DC KW-HRS	2.2029243	Manufacturer Fuel Economy	21.5129		
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	10.24																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	9.06																		
Drive Trace Energy Economy Rating	1.622																		
Drive Trace Inertia Work Ratio Rating	11.718																		
Integrated DC KW-HRS	2.2029243																		
Manufacturer Fuel Economy	21.5129																		
Charge Depleting Bag/Phase #7																			
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>7.42</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>2.21</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>1.37</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>3.353</td></tr><tr><td>Integrated DC KW-HRS</td><td>1.4804196</td></tr><tr><td>Manufacturer Fuel Economy</td><td>19.9517</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.42	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	2.21	Drive Trace Energy Economy Rating	1.37	Drive Trace Inertia Work Ratio Rating	3.353	Integrated DC KW-HRS	1.4804196	Manufacturer Fuel Economy	19.9517		
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.42																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	2.21																		
Drive Trace Energy Economy Rating	1.37																		
Drive Trace Inertia Work Ratio Rating	3.353																		
Integrated DC KW-HRS	1.4804196																		
Manufacturer Fuel Economy	19.9517																		
Charge Depleting Bag/Phase #8																			
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>31.83</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>0</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>0</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>0</td></tr><tr><td>Integrated DC KW-HRS</td><td>8.5714714</td></tr><tr><td>Manufacturer Fuel Economy</td><td>26.9289</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	31.83	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0	Drive Trace Energy Economy Rating	0	Drive Trace Inertia Work Ratio Rating	0	Integrated DC KW-HRS	8.5714714	Manufacturer Fuel Economy	26.9289		
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	31.83																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	0																		
Drive Trace Energy Economy Rating	0																		
Drive Trace Inertia Work Ratio Rating	0																		
Integrated DC KW-HRS	8.5714714																		
Manufacturer Fuel Economy	26.9289																		
Manufacturer Test Comments	EPA confirmatory MCT at the NVFEL, not Mercedes-Benz laboratory.																		

Certification Summary Information Report

Test Group	VMBXV00.0ED8		Evaporative/Refueling Family	--																						
Emission Data Vehicle Information																										
Vehicle ID / Configuration	X540PSM140Rf-Z2794-1 / 0		Manufacturer Vehicle Configuration Number	0																						
Original Test Group Name	VMBXV00.0ED8		Original Evaporative/Refueling Family	--																						
Original Test Vehicle Model Year	2027																									
Vehicle Model																										
Represented Test Vehicle Make	Mercedes-Benz		Represented Test Vehicle Model	GLC 400 4MATIC electric																						
Leak Family Details																										
Leak Family Identifier	--		Leak Family Name	--																						
Drive Sources and Fuel System Details																										
<table border="1"> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> <tr> <td>1</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </table>					Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity																
Drive Source and Fuel#	Drive Source	Fuel																								
1	Electric Motor	Electricity																								
Hybrid Indicator	No		Multiple Fuel Combustion	--																						
Multiple Fuel Storage	--		Rechargeable Energy Storage System Indicator	Yes																						
Fuel Cell Indicator	No		Rechargeable Energy Storage System, if 'Other'	--																						
Rechargeable Energy Storage System	Battery(s)																									
Off-board charge Capable Indicator	Yes																									
Odometer Correction -- Initial	25		Odometer Correction Factor	1																						
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles																									
Odometer Correction Units	Miles																									
Engine Code	PSM140-PSM270		Rated Horsepower	483																						
Displacement (liters)	0.001																									
Air Aspiration Method	Naturally Aspirated		Air Aspiration Method, if 'Other'																							
Number of Air Aspiration Devices	0		Air Aspiration Device Configuration	--																						
Charge Air Cooler Type	--		Drive Mode While Testing	All Wheel Drive																						
Shift Indicator Light Usage	Not equipped		Aged Emission Components	4,000 (mi)																						
Curb Weight (lbs)	5633		Equivalent Test Weight (pounds)	6000																						
GVWR (lbs)	6702		N/V Ratio	59.2																						
Axle Ratio	1																									
Transmission Type	Automatic		# of Transmission Gears	2																						
Transmission Lockup	Yes		Creep Gear	No																						
Dynamometer Coefficients:																										
<table border="1"> <tr> <th colspan="3">Target Coefficients</th> <th colspan="3">Set Coefficients</th> <th rowspan="2">EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients</th> </tr> <tr> <th>Coefficient Category</th> <th>A (lbf)</th> <th>B (lbf/mph)</th> <th>C (lbf/mph**2)</th> <th>A (lbf)</th> <th>B (lbf/mph)</th> <th>C (lbf/mph**2)</th> </tr> <tr> <td>City/Highway/Evap</td> <td>31.25</td> <td>0.0723</td> <td>0.01938</td> <td>4.02</td> <td>-0.10522</td> <td>0.019135</td> <td>11.1</td> </tr> </table>					Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	City/Highway/Evap	31.25	0.0723	0.01938	4.02	-0.10522	0.019135	11.1
Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients																				
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)		C (lbf/mph**2)																			
City/Highway/Evap	31.25	0.0723	0.01938	4.02	-0.10522	0.019135	11.1																			
Emission Control Device Comments	--																									

Page 15 of 23 CSI Submission/Revision Date: 08/13/2026 09:43:48 AM

Certification Summary Information Report

Test Group	VMBXV00.0ED8	Evaporative/Refueling Family	--
Test #	VMBX10094966	Test Procedure	77 - Multi-Cycle Test (MCT)
Exhaust Test # for this Evap Test	--	Test Fuel Type	62 - Electricity
Test Date	07/14/2026	Fuel	N/A
Fuel Batch ID	--	Fuel Calibration Number	--
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	3953 Research Park Drive		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	5177	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	240	Recharge Event Energy (kiloWatt-hours)	110.13
Charge Depleting Range (Calculated miles)	516.4	Charge Depleting Range (Actual miles)	516.4
Charge Depleting Range Highway (Calculated miles)	481.6	Derived 5-Cycle Coefficient Model Year	--
All Electric Range Unadjusted (miles)	--	Equivalent All Electric Range (miles)	516.4
Number of Charge Depleting Bags/Phases Conducted	8	Transition Bag/Phase Number	--
Charge Depleting Bag/Phase #1			
Test Result/Emission Name		Unrounded Test Result	
Actual Distance Driven (miles)		7.4200829	
Carbon-Related Exhaust Emissions		0	
Drive Trace Absolute Speed Change Rating		-0.134	
Drive Trace Energy Economy Rating		-0.919	
Drive Trace Inertia Work Ratio Rating		-0.25	
Integrated DC KW-HRS		1.564814	
Manufacturer Fuel Economy		21.0889015	
Charge Depleting Bag/Phase #2			

Certification Summary Information Report

Test Group	VMBXV00.0ED8	Evaporative/Refueling Family	--
		Test Result/Emission Name	Unrounded Test Result
		Actual Distance Driven (miles)	10.2371148
		Carbon-Related Exhaust Emissions	0
		Drive Trace Absolute Speed Change Rating	-0.172
		Drive Trace Energy Economy Rating	-0.417
		Drive Trace Inertia Work Ratio Rating	-0.238
		Integrated DC KW-HRS	2.1293889
		Manufacturer Fuel Economy	20.8006746
Charge Depleting Bag/Phase #3			
		Test Result/Emission Name	Unrounded Test Result
		Actual Distance Driven (miles)	7.4086313
		Carbon-Related Exhaust Emissions	0
		Drive Trace Absolute Speed Change Rating	0.081
		Drive Trace Energy Economy Rating	-0.212
		Drive Trace Inertia Work Ratio Rating	0.143
		Integrated DC KW-HRS	1.4532583
		Manufacturer Fuel Economy	19.6157465
Charge Depleting Bag/Phase #4			
		Test Result/Emission Name	Unrounded Test Result
		Actual Distance Driven (miles)	284.7490404
		Carbon-Related Exhaust Emissions	0
		Drive Trace Absolute Speed Change Rating	0
		Drive Trace Energy Economy Rating	0
		Drive Trace Inertia Work Ratio Rating	0
		Integrated DC KW-HRS	72.9260389
		Manufacturer Fuel Economy	25.6106355
Charge Depleting Bag/Phase #5			
		Test Result/Emission Name	Unrounded Test Result
		Actual Distance Driven (miles)	7.4494156
		Carbon-Related Exhaust Emissions	0
		Drive Trace Absolute Speed Change Rating	-1.413
		Drive Trace Energy Economy Rating	0.891
		Drive Trace Inertia Work Ratio Rating	2.236
		Integrated DC KW-HRS	1.3944146
		Manufacturer Fuel Economy	18.7184425
Charge Depleting Bag/Phase #6			

Certification Summary Information Report

Test Group	VMBXV00.0ED8	Evaporative/Refueling Family	--																
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>10.2709085</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>0.491</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>-0.009</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>1.088</td></tr><tr><td>Integrated DC KW-HRS</td><td>2.0799863</td></tr><tr><td>Manufacturer Fuel Economy</td><td>20.2512401</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.2709085	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0.491	Drive Trace Energy Economy Rating	-0.009	Drive Trace Inertia Work Ratio Rating	1.088	Integrated DC KW-HRS	2.0799863	Manufacturer Fuel Economy	20.2512401		
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	10.2709085																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	0.491																		
Drive Trace Energy Economy Rating	-0.009																		
Drive Trace Inertia Work Ratio Rating	1.088																		
Integrated DC KW-HRS	2.0799863																		
Manufacturer Fuel Economy	20.2512401																		
Charge Depleting Bag/Phase #7																			
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>7.439822</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>1.448</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>0.748</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>1.944</td></tr><tr><td>Integrated DC KW-HRS</td><td>1.4134271</td></tr><tr><td>Manufacturer Fuel Economy</td><td>18.9981304</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	7.439822	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	1.448	Drive Trace Energy Economy Rating	0.748	Drive Trace Inertia Work Ratio Rating	1.944	Integrated DC KW-HRS	1.4134271	Manufacturer Fuel Economy	18.9981304		
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	7.439822																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	1.448																		
Drive Trace Energy Economy Rating	0.748																		
Drive Trace Inertia Work Ratio Rating	1.944																		
Integrated DC KW-HRS	1.4134271																		
Manufacturer Fuel Economy	18.9981304																		
Charge Depleting Bag/Phase #8																			
<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>62.5747705</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>0</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>0</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>0</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>0</td></tr><tr><td>Integrated DC KW-HRS</td><td>15.8945569</td></tr><tr><td>Manufacturer Fuel Economy</td><td>25.4009033</td></tr></table>		Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	62.5747705	Carbon-Related Exhaust Emissions	0	Drive Trace Absolute Speed Change Rating	0	Drive Trace Energy Economy Rating	0	Drive Trace Inertia Work Ratio Rating	0	Integrated DC KW-HRS	15.8945569	Manufacturer Fuel Economy	25.4009033		
Test Result/Emission Name	Unrounded Test Result																		
Actual Distance Driven (miles)	62.5747705																		
Carbon-Related Exhaust Emissions	0																		
Drive Trace Absolute Speed Change Rating	0																		
Drive Trace Energy Economy Rating	0																		
Drive Trace Inertia Work Ratio Rating	0																		
Integrated DC KW-HRS	15.8945569																		
Manufacturer Fuel Economy	25.4009033																		
Manufacturer Test Comments	--																		
Fuel Properties																			

Certification Summary Information Report

Test Group		VMBXV00.0ED8			Evaporative/Refueling Family			--			
Consolidated List of Standards											
Exhaust Standards											
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Both			
Vehicle Class		LDV/Passenger Car			Standard Level			California ZEV			
Fuel		Electricity			Test Procedure			CVS 75 and later (w/o can. load)			
Useful Life		Emission Name		Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles		CREE		--	--	--	--	--	--	0	0
150,000 miles		CO		--	--	--	--	--	--	0	0.0
Cert Region		Federal			Cert/In-Use Code			Both			
Vehicle Class		LDV/Passenger Car			Standard Level			Federal Tier 4 Bin 0			
Fuel		Electricity			Test Procedure			CVS 75 and later (w/o can. load)			
Useful Life		Emission Name		Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles		CREE		--	--	--	--	--	--	0	0
150,000 miles		CO		--	--	--	--	--	--	0	0.0

Certification Summary Information Report

Test Group		VMBXV00.0ED8	Evaporative/Refueling Family		--
Glossary					
Useful Life					
4	4,000 miles		120	120,000 miles	
50	50,000 miles		150	150,000 miles	
100	100,000 miles				
Emission Name					
HC-TOTAL	Total Hydrocarbon		COMB-CREE	Combined Carbon-Related Exhaust Emissions	
CO	Carbon Monoxide		COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions	
CO2	Carbon dioxide		HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only	
CREE	Carbon-Related Exhaust Emissions		METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only	
OPT-CREE	Optional Carbon-Related Exhaust Emissions		N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only	
NOX	Nitrogen Oxide		LEAK-DIA	Effective Leak Diameter (inches)	
PM	Particulate Matter		LEAK-GAS CAP	Gas Cap Leakage (cc/min)	
PM-COMP	SFTP Composite Particulate Matter		CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only	
HC-NM	Non-methane Hydrocarbon		KW-HRS	Integrated DC KW-HRS	
OMHCE	Organic material Hydrocarbon Equivalent		CH4 BAG 1	Bag 1 Methane	
OMNMHCE	Organic material non-methane HC equivalent		CH4 BAG 2	Bag 2 Methane	
NMOG	Non-methane organic gases		CH4 BAG 3	Bag 3 Methane	
HCHO	Formaldehyde		CH4 BAG 4	Bag 4 Methane	
H3C2HO	Acetaldehyde		CO BAG 1	Bag 1 Carbon Monoxide	
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03		CO BAG 2	Bag 2 Carbon Monoxide	
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides		CO BAG 3	Bag 3 Carbon Monoxide	
CO-COMP	SFTP Composite Carbon Monoxide		CO BAG 4	Bag 4 Carbon Monoxide	
ETHANOL	C2H5OH - Ethanol		NMOG BAG 1	Bag 1 Non-methane organic gases	
FE BAG 1	Bag 1 Fuel Economy		NMOG BAG 2	Bag 2 Non-methane organic gases	
FE BAG 2	Bag 2 Fuel Economy		NMOG BAG 3	Bag 3 Non-methane organic gases	
FE BAG 3	Bag 3 Fuel Economy		NMOG BAG 4	Bag 4 Non-methane organic gases	
FE BAG 4	Bag 4 Fuel Economy		ACT-DISTANCE BAG 1	Bag 1 Actual Distance	
MFR FE	Manufacturer Fuel Economy		ACT-DISTANCE BAG 2	Bag 2 Actual Distance	
HC	Hydrocarbon for Running Loss and ORVR		ACT-DISTANCE BAG 3	Bag 3 Actual Distance	
METHANE	CH4 - Methane		ACT-DISTANCE BAG 4	Bag 4 Actual Distance	
METHANOL	CH3OH - Methanol		HC-TOTAL BAG 1	Bag 1 Total Hydrocarbon	
N2O	Nitrous Oxide		HC-TOTAL BAG 2	Bag 2 Total Hydrocarbon	
SPITBACK	Spitback Hydrocarbon in grams		HC-TOTAL BAG 3	Bag 3 Total Hydrocarbon	
AMP-HRS	Integrated Amp-hours		HC-TOTAL BAG 4	Bag 4 Total Hydrocarbon	
START-SOC	System Start State of Charge Watt-hours		WATT-HRS BAG 1	Bag 1 Watt Hours	
END-SOC	System End State of Charge Watt-hours		WATT-HRS BAG 2	Bag 2 Watt Hours	

Certification Summary Information Report

Test Group		VMBXV00.0ED8	Evaporative/Refueling Family		--
ACT-DISTANCE	Actual Distance Driven (miles)		WATT-HRS BAG 3	Bag 3 Watt Hours	
AS-VOLT	Average System Voltage		WATT-HRS BAG 4	Bag 4 Watt Hours	
CO2 BAG 1	Bag 1 Carbon Dioxide		WATT-HRS	Watt Hours	
CO2 BAG 2	Bag 2 Carbon Dioxide		HC-NM BAG 1	Bag 1 Non-methane Hydrocarbon	
CO2 BAG 3	Bag 3 Carbon Dioxide		HC-NM BAG 2	Bag 2 Non-methane Hydrocarbon	
CO2 BAG 4	Bag 4 Carbon Dioxide		HC-NM BAG 3	Bag 3 Non-methane Hydrocarbon	
NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides		HC-NM BAG 4	Bag 4 Non-methane Hydrocarbon	
NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides		N2O BAG 1	Bag 1 Nitrous Oxide	
DT-IWRR	Drive Trace Inertia Work Ratio Rating		N2O BAG 2	Bag 2 Nitrous Oxide	
DT-ASCR	Drive Trace Absolute Speed Change Rating		N2O BAG 3	Bag 3 Nitrous Oxide	
DT-EER	Drive Trace Energy Economy Rating		N2O BAG 4	Bag 4 Nitrous Oxide	
Certification Region					
CA	California + CAA Section 177 states		FA	Federal	
Exhaust Emission Standard Level					
B1	Federal Tier 2 Bin 1		HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
B2	Federal Tier 2 Bin 2		HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
B3	Federal Tier 2 Bin 3		HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
B4	Federal Tier 2 Bin 4		HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
B5	Federal Tier 2 Bin 5		HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
B6	Federal Tier 2 Bin 6		HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
B7	Federal Tier 2 Bin 7		HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
B8	Federal Tier 2 Bin 8		HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
B9	Federal Tier 2 Bin 9		HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
B10	Federal Tier 2 Bin 10		HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
B11	Federal Tier 2 Bin 11		HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)		HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)		HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
L2	California LEV-II LEV		L4SULEV100	California LEV-IV SULEV100	
L2OP	California LEV-II LEV Optional		L4SULEV125	California LEV-IV SULEV125	
U2	California LEV-II ULEV		L4SULEV15	California LEV-IV SULEV15	
S2	California LEV-II SULEV		L4SULEV150	California LEV-IV SULEV150	
ZEV	California ZEV		L4SULEV170	California LEV-IV SULEV170	
OT	Other		L4SULEV175	California LEV-IV SULEV175	
T1	Federal Tier 1		L4SULEV20	California LEV-IV SULEV20	
PZEV	California PZEV		L4SULEV200	California LEV-IV SULEV200	
L2LEV160	California LEV-II LEV160		L4SULEV230	California LEV-IV SULEV230	
L2ULEV125	California LEV-II ULEV125		L4SULEV25	California LEV-IV SULEV25	
L2SULEV30	California LEV-II SULEV30		L4SULEV30	California LEV-IV SULEV30	
L2LEV395	California LEV-II LEV395		L4SULEV75	California LEV-IV SULEV75	

Certification Summary Information Report

Test Group		VMBXV00.0ED8	Evaporative/Refueling Family		--
L2ULEV340	California LEV-II ULEV340		L4SULEV85	California LEV-IV SULEV85	
L2LEV630	California LEV-II LEV630		L4ULEV125	California LEV-IV ULEV125	
L2ULEV570	California LEV-II ULEV570		L4ULEV200	California LEV-IV ULEV200	
L3LEV160	California LEV-III LEV160		L4ULEV250	California LEV-IV ULEV250	
L3ULEV125	California LEV-III ULEV125		L4ULEV270	California LEV-IV ULEV270	
L3ULEV70	California LEV-III ULEV70		L4ULEV40	California LEV-IV ULEV40	
L3ULEV50	California LEV-III ULEV50		L4ULEV400	California LEV-IV ULEV400	
L3SULEV30	California LEV-III SULEV30		L4ULEV50	California LEV-IV ULEV50	
L3SULEV20	California LEV-III SULEV20		L4ULEV60	California LEV-IV ULEV60	
L3LEV395	California LEV-III LEV395		L4ULEV70	California LEV-IV ULEV70	
L3ULEV340	California LEV-III ULEV340		T4B170	Federal Tier 4 MDV Bin 170	
L3ULEV250	California LEV-III ULEV250		T4B150	Federal Tier 4 MDV Bin 150	
L3ULEV200	California LEV-III ULEV200		T4B125	Federal Tier 4 MDV Bin 125	
L3SULEV170	California LEV-III SULEV170		T4B100	Federal Tier 4 MDV Bin 100	
L3SULEV150	California LEV-III SULEV150		T4B85	Federal Tier 4 MDV Bin 85	
L3LEV630	California LEV-III LEV630		T4B75	Federal Tier 4 MDV Bin 75	
L3ULEV570	California LEV-III ULEV570		T4B70	Federal Tier 4 Bin 70	
L3ULEV400	California LEV-III ULEV400		T4B65	Federal Tier 4 Bin 65	
L3ULEV270	California LEV-III ULEV270		T4B60	Federal Tier 4 Bin 60	
L3SULEV230	California LEV-III SULEV230		T4B55	Federal Tier 4 Bin 55	
L3SULEV200	California LEV-III SULEV200		T4B50	Federal Tier 4 Bin 50	
T3B160	Federal Tier 3 Bin 160		T4B45	Federal Tier 4 Bin 45	
T3B125	Federal Tier 3 Bin 125		T4B40	Federal Tier 4 Bin 40	
T3B110	Federal Tier 3 Transitional Bin 110		T4B35	Federal Tier 4 Bin 35	
T3B85	Federal Tier 3 Transitional Bin 85		T4B30	Federal Tier 4 Bin 30	
T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover		T4B25	Federal Tier 4 Bin 25	
T3B70	Federal Tier 3 Bin 70		T4B20	Federal Tier 4 Bin 20	
T3B50	Federal Tier 3 Bin 50		T4B15	Federal Tier 4 Bin 15	
T3B30	Federal Tier 3 Bin 30		T4B10	Federal Tier 4 Bin 10	
T3B20	Federal Tier 3 Bin 20		T4B5	Federal Tier 4 Bin 5	
T3B0	Federal Tier 3 Bin 0		T4B0	Federal Tier 4 Bin 0	
HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395				
Transmission Type Code					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual		
A	Automatic	OT	Other		
AM	Automated Manual	SA	Semi-Automatic		
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)		
Drive System Code					
4	4-Wheel Drive	P	Part-time 4-Wheel Drive		

Certification Summary Information Report

Test Group		VMBXV00.0ED8		Evaporative/Refueling Family		--	
F	2-Wheel Drive, Front			A	All Wheel Drive		
R	2-Wheel Drive, Rear						
Additional Terms and Acronyms							
AFC	Alternative Fuel Converter			ICI	Independent Commercial Importer		
CSI	Certificate Summary Information			ORVR	Onboard Refueling Vapor Recovery		
DF	Deterioration Factor			SIL	Shift Indicator Light		
Evap	Evaporation, Evaporative			Trans	Transmission		



Mercedes-Benz AG

U.S. Certification

Attachment 2: EPA Fee Filing Form (FOI)

US EPA Fee Form

[Help and EPA Instructions](#)

* Required Field

General Information

Date: 01/14/2026

Process Code *

Submit New Fee Filing Form

Manufacturer Code *

MBX

Manufacturer Name *

Mercedes-Benz USA

Contact Name *

Brandin Benson

Contact Email Address *

brandin.b.benson@mbusa.com

Contact Phone *

5515797969

Calendar Year complete application submitted
to EPA *

2026

PLEASE NOTE: These fees apply to complete certification applications received by EPA from January 1, 2026, through December 31, 2026. The applicable fee is determined by the

calendar year in which the complete certification application is received, not the model year.

Engine Family / Evaporative Family / Test Group *

VMBXV00.0ED8

Certificate Request Type (Industry Sector Code)

Certificate Request Type *

- ☒ On-Highway LDV, LTD, MDVPV, HDV Chassis Cert (Federal) (A, B, D, J, T, V)
- ☐ On-Highway HDE Dyno Cert (Federal) (E, H)
- ☐ On-Highway LD ICI, MDPV ICI, HDV ICI (A, B, D, J, T, V)
- ☐ On-Highway Motorcycle (C)
- ☐ On-Highway HDV Evap (F)
- ☐ On-Highway LDV, LTD, MDVPV, HDV Chassis Cert (California-Only) (A, B, D, J, T, V)
- ☐ On-Highway HDE Dyno Cert (California-Only) (E, H)
- ☐ Nonroad CI (L)
- ☐ Nonroad SI (B, S)
- ☐ Locomotive (G, K)
- ☐ All Nonroad Recreational, excluding Marine engines (X, Y)
- ☐ All Marine (Including IMO) (M, N, W)
- ☐ Component Certification for Evaporative Emissions (P)

IMO Name (Required for dual US/IMO Marine Only)

ICI VIN Number (Required for ICIs Only)

Do you qualify for a Reduced Fee? *

No

Payment Information

Amount Owed

\$32,317.00

Payment Type *

Offline Wire

Comments

EPA Form Number 3520-29

OMB Control No.2060-0545

Approval expires 7/31/2027

The public reporting and recordkeeping burden for this collection of information is estimated to average 12 minutes per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed forms to this address.

The content of this document may contain Sensitive But Unclassified (SBU) data and/or Controlled Unclassified Information (CUI).