

Application for Certification: Initial Part 1

Model Year: 2027

Durability Group: VPRXHHGNNCH6

Test Group: VPRXJ03.0HV6

Evaporative/Refueling Family(ies): VPRXR0176REH
VPRXR0180RPH

Certification Summary Information Report Number(s): CSI-VPRXJ03.0HV6-VPRXR0176REH
CSI-VPRXJ03.0HV6-VPRXR0180RPH

Durability Group Description: Four Stroke, Otto Cycle, Gasoline-Fueled Direct Injection, Unheated Monolith Ceramic Catalyst

Test Group Description: 3.0 Liter 6-Cylinder LDT
2.9 Liter 6-Cylinder PC

Applicable Standards: EPA Exhaust: BIN 70, INT-TIER 4
CARB Exhaust: ULEV 70, LEV IV
EPA Evap: Tier 3
CARB Evap: LEV IV

Carlines Covered: Cayenne e-Hybrid
Cayenne e-Hybrid Coupe
Cayenne S e-Hybrid
Cayenne S e-Hybrid Coupe
Panamera 4 e-Hybrid
Panamera 4S e-Hybrid

Vehicles Tested: Exhaust: ECFE-9YASH-24
Evap: ECFE-9YAH-24
Evap: ECFE-972TH-25

Agency Response Requested By: August 3, 2026

Special Instructions: N/A

For Questions Contact: emissions@porsche.us

Table of Contents

Section	Description	Page No.
1	Correspondence and Communication	1.01
2	Durability Group Description	2.01
3	Evaporative / Refueling Family Description Carry-Over Statements	3.01 3.01
4	Durability Information Exhaust / Evaporative / Refueling Deterioration	4.01 4.01
5	Test Group Description	5.01
6	Test Vehicle Descriptions Test Parameters	6.01 6.02
7	Test Results Certification Summary Information Report	7.01 7.02
8	Manufacturer Statements Emissions Testing Waiver Statements Manufacturer Attestations	8.01 8.01 8.02
9	OBD Description OBD System Description ARB Approval	9.01 9.01 9.02
10	Description of Alternate-fueled Vehicles	10.1
11	AECD Description	11.01
12	Description of Vehicles Covered By Certificate and Test Parameters Vehicle Parameters	12.01 12.01
13	Projected Sales Sales / Phase-Ins	13.01 13.01
14	Request for Certification Statement of Compliance	14.01 14.01
15	Other Information Fee Filing Forms	15.01 15.01
16	Confidential Information	16.01

Blank cells are intentionally blank.

Section 1~Correspondence and Communications

Persons Authorized to
Contact Agencies:

Regulatory Affairs
Porsche Cars North America, Inc.
One Porsche Drive
Atlanta, Georgia 30354
E-mail: emissions@porsche.us

Section 2~Durability Group Description

Durability Group Name: VPRXHHGNNCH6

Combustion Cycle: 4-stroke otto

Engine Type: 6-cylinder, v-shaped arrangement

Fuel Used: gasoline

Basic Fuel Metering System: direct injection

Catalyst Construction: Refer to Section 16.02

Catalyst Type: Refer to Section 16.02

Model(s):

Cayenne /S e-Hybrid, Panamera 4/4S e-Hybrid

Catalyst Primary and Secondary Bricks:

Precious Metal Composition, Primary:

Precious Metal Composition, Secondary:

Precious Metal Loading, Primary (g):

Precious Metal Loading, Secondary (g):

Number of cans (lines):

Total Precious Metal Loading (g):

Refer to Section 16.02

Particulate Filter: Refer to Section 16.02

	<u>GS</u>	<u>% of Max GS</u>
Cayenne /S e-Hybrid, Panamera 4/4S e-Hybrid	Refer to Section 16.02	

Note: blank cells or tables are intentionally blank.

Section 3~Evaporative / Refueling Family Description

Evaporative/Refueling Families

Please refer to Section 3 of the LDV/LDT Common Section for a detailed description of this Evaporative/ORVR system.

Family Name	VPRXR0176REH
Carryover Family	TPRXR0176REH
Models Covered	Cayenne Series (V6 and V8, hybrid)
In-Use Performance	To date, no Porsche vehicle ORVR systems have exhibited problems in the field.
ORVR Family: Carryover	Carried over ORVR family originally approved by EPA on 10/16/2002 (1) No substantial changes have been made from the previously certified system (2) Porsche is not aware of any in-use problems with this system as of this time (3) Please refer to the Porsche LDV/LDT Common Section documentation for the ORVR system description.

Section 3~Evaporative / Refueling Family Description

Evaporative/Refueling Families

Please refer to Section 3 of the LDV Common Section for a detailed description of this Evaporative/ORVR system.

Family Name	VPRXR0180RPH
Carryover Family	TPRXR0180RPH
Models Covered	Panamera 4/4S e-Hybrid
In-Use Performance	To date, no Porsche vehicle ORVR systems have exhibited problems in the field.
ORVR Family	Carried over ORVR family originally approved by EPA on 10/16/2002 (1) No substantial changes have been made from the previously certified system (2) Porsche is not aware of any in-use problems with this system as of this time

Section 4~Durability Procedure Description

Exhaust / Evaporative Deterioration

Based on Porsche's engineering judgment, all the vehicles described in this Application for Certification comply with all applicable useful life standards.

Exhaust Deterioration Factors (g/mile):

Method: Porsche SBC

Cayenne /S e-Hybrid, Panamera 4/4S e-Hybrid

<u>Basis</u>	<u>NMOG</u>	<u>NOx</u>	<u>NMOG + NOx</u>	<u>CO</u>	<u>HCHO</u>	<u>N2O</u>	<u>CH4</u>	<u>PM</u>	<u>NMHC</u>
150K *	0.00444	0.0093	0.01374	0.09463	0.00013	0.00227	0.005865	0.0	0.0038

*N20 and CH4 basis is 120K

Evaporative Deterioration Factors:

VPRXR0176REH

Assigned DF

<u>Basis</u>	<u>2-day</u>	<u>3-day</u>	<u>RL</u>	<u>ORVR</u>
150K	0.0030	0.0067	0.0000	0.005

VPRXR0180RPH

Assigned DF

<u>Basis</u>	<u>2-day</u>	<u>3-day</u>	<u>RL</u>	<u>ORVR</u>
150K	0.003	0.007	0.00	0.005

Section 5~Test Group Description

Durability Group Name:	VPRXHHGNNCH6
Test Group Name:	VPRXJ03.0HV6
Certification Summary Information Reports:	CSI-VPRXJ03.0HV6-VPRXR0176REH CSI-VPRXJ03.0HV6-VPRXR0180RPH
No. Cylinders and Arrangement	6-cylinder, v-shaped arrangement
Engine Displacement:	3.0 Liter 2.9 Liter
Vehicle Classe(s):	LDT4 PC
NLEV Participation:	No
Emissions Standards Class:	Federal: BIN 70, INT-TIER 4 California: ULEV 70, LEV IV
Applicable Emissions Standards:	Please refer to the Certification Summary Information Report in Section 7
Hybrid Description:	Hybrid
High Voltage Battery Description:	Type : Lithium-Ion Nominal Voltage 360 Rated Capacity (Ah) : 2.2
Electric Motor Description:	Type : PMSM Rated Power (kW) : 102

Section 6~Test Vehicle Description

6.01>> Test Vehicles

	Test Vehicle ID	Vehicle/Config Purpose
Certification Test Vehicles:	ECFE-9YASH-24	Exhaust Emissions
	ECFE-9YAH-24	Evaporative Data (Cayenne)
	ECFE-972TH-25	Evaporative Data (Panamera)
Durability Test Vehicles:	ECFE-9YAH-24_2	Exhaust Durability
	DDV-972TH-25	Exhaust Durability

Test Vehicle Information	Exhaust	Evaporative	Evaporative
Test Group Name	RPRXT03.0CH6	RPRXT03.0CH6	SPRXV04.0PH8
Evaporative Family Name	RPRXR0176REH	RPRXR0176REH	SPRXR0180RPH
Test Vehicle ID	ECFE-9YASH-24	ECFE-9YAH-24	ECFE-972TH-25
Test Vehicle Model Name	Cayenne S E-Hybrid Coupe	Cayenne E-Hybrid	Panamera Turbo E-Hybrid
Engine Code	DCB	DCB	DVT
Displacement (L)	3.0	3.0	0.0
Rated Engine Power (HP)	348	300	512
Transmission	A8	A8	AMS-8
Equivalent Test Weight (ETW) (lbs)	6000	6000	6000
Gross Vehicle Weight (lbs)	6878	6889	6239
Axle Ratio	3.21	3.21	3.15
Drive Mode for Testing	AWD	AWD	AWD
SIL usage	No	No	No
Start - Stop	Yes	Yes	Yes
Aged components	No	No	No
Fuel	Gasoline	Gasoline	Gasoline
Drive Source	ICE	ICE	ICE
Fuels stored separately or together	N/A	N/A	N/A
Fuels combusted separately or together	N/A	N/A	N/A
RESS type	N/A	N/A	N/A
Off-board charge capable	N/A	N/A	N/A
Regenerative Braking	N/A	N/A	N/A

Note: blank cells or tables are intentionally blank

Section 6~Test Vehicle Description

6.02>> Test Parameters, Instructions

Carlines		Cayenne and Panamera		
Engine Starting Procedures		1) Depress brake pedal 2) Turn ignition key clockwise or press button to crank (do not depress accelerator pedal), release key/button as soon as engine starts 3) If engine fails to start within 15 seconds, turn ignition key to the OFF position or depress button, wait 10 seconds, then restart		
Transmission Shift Schedules, Mode	Transmission	Automatic, 8-speed		
	1st to 2nd	N/A		
	2nd to 3rd	N/A		
	3rd to 4th	N/A		
	4th to 5th	N/A		
	5th to 6th	N/A		
	6th to 7th	N/A		
	7th to 8th	N/A		
	SS II.D.	FTP – FTA; HWFE - HWA		
	Transmission Mode	Auto Mode: operate in "D" and auto mode only. Do not shift manually		
Selectable modes	Start-stop	Leave in default mode -- indicator on center console should not be illuminated		
	Other (Sport, Wet, etc.)	Leave all selectable mode buttons in default		
Other	Cooling fan	One road-speed fan, centered upright, front of vehicle		
	Body apertures	Leave all apertures closed		
	Test lab considerations	Porsche can supply instructions separately for E-Brake, Dyno Mode, Soak Area, and Canister loading		

Note: blank cells or tables are intentionally blank

Section 6~Test Vehicle Description

6.03>> Dynamometer Parameters

Vehicle ID	Trans	ETW [lbf]	Single Roll Coefficients (target)		
			A [lbf]	B [lbf/mph]	C [lbf/mph2]
ECFE-9YASH-24	A8	6000	47.39	0.2420	0.02838
ECFE-9YAH-24	A8	6000	49.86	0.0384	0.03191
ECFE-972TH-25	AMS-8	6000	47.84	0.7113	0.01783

Vehicle ID	Trans	ETW [lbf]	Single Roll Coefficients (set)		
			A [lbf]	B [lbf/mph]	C [lbf/mph2]
ECFE-9YASH-24	A8	6000	-12.30	0.3292	0.02499
ECFE-9YAH-24	A8	6000	22.48	0.1809	0.03197
ECFE-972TH-25	AMS-8	6000	9.13	0.28495	0.01817

Note: Porsche's RLHP measurement and calculation methods are available upon request.


Note: blank cells or tables are intentionally blank.

Section 6~Test Vehicle Description

6.04>> FTTP Summary

Carlines	Cayenne E-Hybrid Base and S	
Evaporative Testing Parameters	Canister Loading	Canister Working Capacity = 176g
	FTTP REPORT ID *	23047270

TEST RESULTS




* Full report is available for review

Section 6~Test Vehicle Description

6.04>> FFTP Summary

Carlines	Panamera E-Hybrid; Panamera Turbo E-Hybrid	
Evaporative Testing Parameters	Canister Loading	Canister Working Capacity = 180g
	FFTP REPORT ID *	2407017_03

TEST RESULTS



Section 6~Test Vehicle Description

6.05>> Durability Test Vehicle(s)

Available by request.

Section 7~Test Results

7.01>> Exhaust / Evaporative Standards

Exhaust Standards:

Federal: BIN 70, INT-TIER 4

California: ULEV 70

Test Cycle	Constituent	Certification Standard (g/mi)		High Altitude (g/mi)	In-Use Standard (g/mi)	
		Federal	California		Federal	California
FTP	NMOG+NOx	0.070	0.070	0.105	0.070	0.070
	CO	1.7	1.7	1.7	1.7	1.7
	HCHO	0.004	0.004	0.004	0.004	0.004
	PM	0.003	0.003	0.003	0.003	0.003
	CH4	0.030	0.030	0.030	0.030	0.030
	N2O	0.010	0.010	0.010	0.010	0.010
HFET	NMOG+NOx	0.070	0.070	0.070	0.070	0.070
SFTP	Composite NMOG+NOx	0.080	--	0.080	0.080	--
	Composite CO	4.2	--	4.2	4.2	--
	Fleet Average NMOG+NOx	0.050	--	--	0.050	--
US06	NMOG+NOx	--	0.070	--	--	0.084
	CO	--	9.6	--	--	--
	PM	0.006	0.006	--	0.010	0.010
SC03	NMOG+NOx	--	0.050	--	--	--
	CO	--	1.7	--	--	--
Cold CO	CO	10.0	10.0	--	10.0	10.0
	NMHC	0.3	0.3	--	0.3	0.3
50 Deg F	NMOG+NOx	--	0.100	--	--	--
	CO	--	1.7	--	--	--
	HCHO	--	0.016	--	--	--

-- = N/A

Evaporative Standards: Cayenne

Test Cycle	Constituent	Certification Standard		High Altitude	In-Use Standard	
		Federal	California		Federal	California
2-Day	HC-EQUIV (g/test)	0.450	0.450	1.10	0.450	0.450
3-Day	HC-EQUIV (g/test)	0.450	0.450	1.10	0.450	0.450
Running Loss	HC-EQUIV (g/mi)	0.05	0.05	0.05	0.05	0.05
ORVR	HC-EQUIV (g/gal)	0.20	0.20	0.20	0.20	0.20
BETP	HC-EQUIV (g/test)	0.020	0.020	--	--	--

Section 7~Test Results

7.01.01>> Exhaust / Evaporative Standards

Evaporative Standards: Panamera

Test Cycle	Constituent	<u>Certification Standard</u>		<u>High Altitude</u>	<u>In-Use Standard</u>	
		Federal	California		Federal	California
2-Day	HC-EQUIV (g/test)	0.400	0.400	0.85	0.400	0.400
3-Day	HC-EQUIV (g/test)	0.400	0.400	0.85	0.400	0.400
Running Loss	HC-EQUIV (g/mi)	0.05	0.05	0.05	0.05	0.05
ORVR	HC-EQUIV (g/gal)	0.20	0.20	0.20	0.20	0.20
BETP	HC-EQUIV (g/test)	0.020	0.020	N/A	N/A	N/A

Section 7-Test Results

7.02>> GHG Compliance Statements / Certification Tests

GHG in-use standards: Please refer to the VW Group's final GHG Report for this Model Year.

Start-Stop: For all models in this test group, the Auto Start-Stop system defaults to ON. Therefore, in-use tests should be conducted in the Default mode, and no weighting of test data is required for demonstrating compliance with in-use GHG standards.

N₂O and CH₄: Please see attestations of GHG fleet averaging in Section 8.02. Porsche has elected to comply with N₂O and CH₄ standards for all test groups of the following model year:

2027

Certification Tests

Exhaust:			
RPRX10082535	FTP		
RPRX10082536	HFET		
RPRX10082537	US06		
RPRX10082545	SC03		
RPRX10082547	Cold CO		
RPRX10082546	50 F		

Evaporative:		(VPRXR0176REH)
RPRX10084707		2-Day Evap
RPRX10084709		3-Day Evap
RPRX10084754		Running Loss
RPRX10084708		ORVR
		BETP

GHG Compliance:	
RPRX10084526	FTP
RPRX10084527	HFET

Evaporative:		(VPRXR0180RPH)
SPRX10087689		2-Day Evap
SPRX10087692		3-Day Evap
SPRX10087693		Running Loss
SPRX10087694		ORVR
		BETP

Note: blank cells or tables are intentionally blank.

Section 7-Test Results

7.03>> CSI Report, Evap Family VPRXR0176REH

The Certification Summary Information (CSI) report begins on the following page.

Certification Summary Information Report

Manufacturer	Porsche AG	Manufacturer Code	PRX
Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Certificate Number	--	CARB Executive Order #	--
Certificate Issue Date	--	Certificate Revision Date	--
Certificate Effective Date	--	Conditional Certificate	--
CSI Revision #	--	CSI Submission/Revision Date	07/06/2026 10:11:58 AM
Model Year	2027		

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
-------------------	--------------	-------------------------------------	--------------

Test Group Information

CSI Type	Update for Correction	Running Change Reference Number	--
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Electric Motor

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Electricity	--	--

Drive Source #2: Combustion Engine

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Gasoline	Spark Ignition Direct fuel injection	No

Hybrid Indicator	Yes		
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	Yes
Multiple Fuel Combustion	--	Off-board Charge Capable Indicator	Yes
Fuel Cell Indicator	No	EPA Vehicle Class	LDT4, LDV
Federal Clean Fuel Vehicle	No	Federal Clean Fuel Vehicle Standard	--
Federal Clean Fuel Vehicle ILEV	No	California Partial Zero Emissions Vehicle Indicator	No
Durability Group Name	VPRXHHGNNCH6	Durability Group Equivalency Factor	1
Reduced Fee Test Group	No	Certification Region Code(s)	FA, CA
Complies with HD GHG 2b/3 regulations?	No		
Introduction into Commerce Date	--	CAP2000 Conditional Certificate?	N/A
Independent Commercial Importer?	--	Alternative Fuel Converter Certificate?	--
SFTP Federal Composite Compliance Identifier	Tier 3	SFTP Tier 2 Composite CO Option	No
SFTP LEV-III Composite Compliance Indicator	No		
OBD Compliance Type	CARB	OBD Demonstration Vehicle Test Group	VPRXJ04.0HV8
Test Group OBD Compliance Level	Partial - with deficiencies	Number of Test Group OBD Deficiencies	2
OBD Deficiencies Comments	APPROVAL E-26-101: SAE J1979-2 IMPLEMENTATION - CAYENNE E-HYBRID, CAYENNE S E-HYBRID; PCV MONITORING ALTERNATE PHASE-IN IMPLEMENTATION - PANAMERA 4 E-HYBRID, PANAMERA 4S E-HYBRID; SAE J1979-2 IMPLEMENTATION		
Mfr Test Group Comments	--		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH				
Evaporative/Refueling Family Information							
Evaporative Summary Information Type	New	Submission/Correction Date	03/23/2026 03:48:02 PM				
Integrated ORVR?	No	Fuel(s)	Gasoline				
Multiple Fuel Storage	--						
Bladder Fuel Tank?	No						
Fuel Tank Material	Metal	Fuel Tank Material Description	Stainless Steel				
Fill Pipe Seal Type	Liquid seal						
Air Intake System Vapor Storage Device?	No	Air Intake System Vapor Storage Device Description	--				
Fuel System Vapor Storage Canister?	Yes	Other Vapor Storage	--				
Fuel System Vapor Storage Canister(s) Total Working Capacity (grams)	176	Number of Primary Canisters	1				
Number of Bleed Canisters	0	Bleed Canister Total Working Capacity (grams)	--				
Mfr Evaporative/Refueling Family Comments	Evap system for all Cayenne hybrid (PHEV) models						
Leak Family Details							
Leak Family Indicator	No						
Canister Bleed Test Indicator	No	Applicability of Evaporative Canister Bleed Test	--				
Evaporative Canister Bleed Test Comments	--						
CARB Fuel Only (Rig) Test Indicator	No	Applicability of CARB Fuel Only (Rig) Test	--				
CARB Fuel Only (Rig) Test Comments	--						
Models Covered by this Certificate							
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
Porsche AG	1 - Porsche	445 - Cayenne S E-Hybrid Coupe	Federal	All Wheel Drive	Semi-Automatic	8	Yes
Porsche AG	1 - Porsche	430 - Cayenne E-Hybrid	California + CAA Section 177 states	All Wheel Drive	Semi-Automatic	8	Yes
Porsche AG	1 - Porsche	435 - Cayenne E-Hybrid Coupe	California + CAA Section 177 states	All Wheel Drive	Semi-Automatic	8	Yes
Porsche AG	1 - Porsche	440 - Cayenne S E-Hybrid	California + CAA Section 177 states	All Wheel Drive	Semi-Automatic	8	Yes
Porsche AG	1 - Porsche	430 - Cayenne E-Hybrid	Federal	All Wheel Drive	Semi-Automatic	8	Yes
Porsche AG	1 - Porsche	445 - Cayenne S E-Hybrid Coupe	California + CAA Section 177 states	All Wheel Drive	Semi-Automatic	8	Yes
Porsche AG	1 - Porsche	440 - Cayenne S E-Hybrid	Federal	All Wheel Drive	Semi-Automatic	8	Yes
Porsche AG	1 - Porsche	435 - Cayenne E-Hybrid Coupe	Federal	All Wheel Drive	Semi-Automatic	8	Yes

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH	
Engine Description				
Hybrid Type	IC Engine/Electric Motor	Hybrid Description	--	
Engine Type	4-Stroke Spark Ignition	Mfr Engine Description	--	
Engine Block Arrangement	V-shaped engine	Mfr Engine Block Arrangement Description	--	
Camless Valvetrain Indicator	No	Oil Viscosity/Classification	0W40	
Number of Cylinders/Rotors	6	Mechanically Variable Compression Ratio Indicator	N	
After Treatment Device(s) (ATD)				
ATD Number	ATD Type	ATD Precious Metal	Substrate Material	Substrate Construction
1	Three-way catalyst	Palladium + Rhodium	Ceramic	Monolith
2	Three-way catalyst	Palladium + Rhodium	Ceramic	Monolith
Mfr After Treatment Device (ATD) Comments				
--				
Direct Ozone Reduction (DOR) Device				
Not Equipped				
Mfr Emission Control Device Comments				
--				
Engine Configuration Number 1				
Engine Displacement (liters)	3.0	Engine Rated Horsepower	348	
Number of Inlet Valves Per Cylinder	2	Number of Exhaust Valves Per Cylinder	2	
Air Aspiration Method	Turbocharged	Number of Air Aspiration Devices	1	
Air Aspiration Device Configuration	Single	Charge Air Cooler Type	Air	
Air Aspiration Drive Method(s)	Mechanical			
Cylinder Deactivation	No			
Cylinder Deactivation Description	--			
Variable Valve Timing	Yes			
Variable Valve Timing System Description	VarioCam			
Variable Valve Lift?	Yes			
Variable Valve Lift System Description	Inlet valve is variable			
Number of Knock Sensors	4	Number of Air/Fuel Sensors	2	
Air/Fuel Sensor # 1 Type	Heated oxygen	Air/Fuel Sensor # 1 Description	--	
Air/Fuel Sensor # 2 Type	Heated oxygen	Air/Fuel Sensor # 2 Description	--	
Mfr Air/Fuel Sensor Comments	--			
Exhaust Gas Recirculation	No	Cooled Exhaust Gas Recirculation	--	
EGR Type	--	Exhaust Gas Recirculation Description if 'Other'	--	
Closed Loop Air Injection System	--			
Air Injection Type	--	Air Injection Type if 'Other'	--	
Mfr Engine Configuration Comments	TWC/MAP/DFI/WR-HO2S/HO2S/1TC/2CAC			

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Engine Configuration Number 2			
Engine Displacement (liters)	3.0	Engine Rated Horsepower	300
Number of Inlet Valves Per Cylinder	2	Number of Exhaust Valves Per Cylinder	2
Air Aspiration Method	Turbocharged	Number of Air Aspiration Devices	1
Air Aspiration Device Configuration	Single	Charge Air Cooler Type	Air
Air Aspiration Drive Method(s)	Mechanical		
Cylinder Deactivation	No		
Cylinder Deactivation Description	--		
Variable Valve Timing	Yes		
Variable Valve Timing System Description	VarioCam		
Variable Valve Lift?	Yes		
Variable Valve Lift System Description	Inlet valve is variable		
Number of Knock Sensors	4	Number of Air/Fuel Sensors	2
Air/Fuel Sensor # 1 Type	Heated oxygen	Air/Fuel Sensor # 1 Description	--
Air/Fuel Sensor # 2 Type	Heated oxygen	Air/Fuel Sensor # 2 Description	--
Mfr Air/Fuel Sensor Comments	--		
Exhaust Gas Recirculation	No	Cooled Exhaust Gas Recirculation	--
EGR Type	--	Exhaust Gas Recirculation Description if 'Other'	--
Closed Loop Air Injection System	--		
Air Injection Type	--	Air Injection Type if 'Other'	--
Mfr Engine Configuration Comments	TWC/MAP/DFI/WR-HO2S/HO2S/1TC/2CAC		

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Engine Configuration Number 3			
Engine Displacement (liters)	2.9	Engine Rated Horsepower	348
Number of Inlet Valves Per Cylinder	2	Number of Exhaust Valves Per Cylinder	2
Air Aspiration Method	Turbocharged	Number of Air Aspiration Devices	2
Air Aspiration Device Configuration	Parallel	Charge Air Cooler Type	Air
Air Aspiration Drive Method(s)	Mechanical		
Cylinder Deactivation	No		
Cylinder Deactivation Description	--		
Variable Valve Timing	Yes		
Variable Valve Timing System Description	VarioCam		
Variable Valve Lift?	Yes		
Variable Valve Lift System Description	VarioCam Plus		
Number of Knock Sensors	4	Number of Air/Fuel Sensors	4
Air/Fuel Sensor # 1 Type	Heated oxygen	Air/Fuel Sensor # 1 Description	--
Air/Fuel Sensor # 2 Type	Heated oxygen	Air/Fuel Sensor # 2 Description	--
Air/Fuel Sensor # 3 Type	Heated oxygen	Air/Fuel Sensor # 3 Description	--
Air/Fuel Sensor # 4 Type	Heated oxygen	Air/Fuel Sensor # 4 Description	--
Mfr Air/Fuel Sensor Comments	--		
Exhaust Gas Recirculation	No	Cooled Exhaust Gas Recirculation	--
EGR Type	--	Exhaust Gas Recirculation Description if 'Other'	--
Closed Loop Air Injection System	--		
Air Injection Type	--	Air Injection Type if 'Other'	--
Mfr Engine Configuration Comments	Panamera 4S E-Hybrid (PHEV)		

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH								
Engine Configuration Number 4											
Engine Displacement (liters)	2.9	Engine Rated Horsepower	300								
Number of Inlet Valves Per Cylinder	2	Number of Exhaust Valves Per Cylinder	2								
Air Aspiration Method	Turbocharged	Number of Air Aspiration Devices	2								
Air Aspiration Device Configuration	Parallel	Charge Air Cooler Type	Air								
Air Aspiration Drive Method(s)	Mechanical										
Cylinder Deactivation	No										
Cylinder Deactivation Description	--										
Variable Valve Timing	Yes										
Variable Valve Timing System Description	VarioCam										
Variable Valve Lift?	Yes										
Variable Valve Lift System Description	VarioCam Plus										
Number of Knock Sensors	4	Number of Air/Fuel Sensors	4								
Air/Fuel Sensor # 1 Type	Heated oxygen	Air/Fuel Sensor # 1 Description	--								
Air/Fuel Sensor # 2 Type	Heated oxygen	Air/Fuel Sensor # 2 Description	--								
Air/Fuel Sensor # 3 Type	Heated oxygen	Air/Fuel Sensor # 3 Description	--								
Air/Fuel Sensor # 4 Type	Heated oxygen	Air/Fuel Sensor # 4 Description	--								
Mfr Air/Fuel Sensor Comments	--										
Exhaust Gas Recirculation	No	Cooled Exhaust Gas Recirculation	--								
EGR Type	--	Exhaust Gas Recirculation Description if 'Other'	--								
Closed Loop Air Injection System	--										
Air Injection Type	--	Air Injection Type if 'Other'	--								
Mfr Engine Configuration Comments	Panamera 4 E-Hybrid (PHEV)										
Official Test Numbers											
Test Group	Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Gasoline	RPRX10085338	RPRX10085338	RPRX10085340	RPRX10085341	RPRX10085342	RPRX10085339	21.8	228.2	29.3	286.1	--
Electricity	RPRX10085338	RPRX10085338	RPRX10085340	RPRX10085341	RPRX10085342	RPRX10085339	--	--	--	--	--
SFTP LEV-III Official Test Numbers											
Test Group	Fuel	FTP	US06	SC03							
Gasoline	RPRX10085338	RPRX10085338	RPRX10085340	RPRX10085341							

Certification Summary Information Report

Test Group		VPRXJ03.0HV6	Evaporative/Refueling Family		VPRXR0176REH
Official Charge Depleting Test Numbers					
Test Group Fuel		UDDS		Highway	
Gasoline		RPRX10085344		RPRX10085345	
Electricity		RPRX10085344		RPRX10085345	
Hybrid Electric Vehicle And Fuel Cell Information					
Rechargeable Energy Storage System		Battery(s)		Rechargeable Energy Storage System, if Other	
Battery Type		Lithium Ion		Number of Battery Packs	
Total Voltage of Battery Packs		360		Battery Energy Capacity	
Battery Specific Energy		161		Battery Charger Type	
Number of Capacitors		--		Capacitor Rating (In Farads)	
Mfr Capacitor Comments		--			
Hydraulic System Description		--			
Regenerative Braking Type		Electrical Regen Brake			
Regenerative Braking Source		Both		Driver Controlled Regenerative Braking	
Mfr Regenerative Braking Description		--			
Drive Motor(s)/Generator(s)		2			
Motor/Generator Type 1		DC Brushless		Rated Motor/Generator Power	
Motor/Generator Type 2		DC Brushless		Rated Motor/Generator Power	
Mfr Fuel Cell Description		--			
Fuel Cell On-Board H2 Storage Capacity (kg)		--		Usable H2 Fill Capacity (kg)	
Mfr Hybrid Electric/ Electric Vehicle Comments		130kW for Cayenne PHEVs and 140 kW for Panamera PHEVs			

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
-------------------	--------------	-------------------------------------	--------------

Emission Data Vehicle Information

Vehicle ID / Configuration	ECFE-9YAH-24 / 3	Manufacturer Vehicle Configuration Number	0
Original Test Group Name	RPRXT03.0CH6	Original Evaporative/Refueling Family	RPRXR0176REH
Original Test Vehicle Model Year	2024		

Vehicle Model

Represented Test Vehicle Make	Porsche	Represented Test Vehicle Model	Cayenne E-Hybrid
--------------------------------------	---------	---------------------------------------	------------------

Leak Family Details

Leak Family Identifier	--	Leak Family Name	--
-------------------------------	----	-------------------------	----

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Combustion Engine	Gasoline
2	Electric Motor	Electricity

Hybrid Indicator	Yes		
Multiple Fuel Storage	--	Multiple Fuel Combustion	--
Fuel Cell Indicator	No	Rechargeable Energy Storage System Indicator	Yes
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if 'Other'	--
Off-board charge Capable Indicator	Yes		
Odometer Correction -- Initial	0	Odometer Correction Factor	1
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles		
Odometer Correction Units	Miles		
Engine Code	DCB	Rated Horsepower	348
Displacement (liters)	3		
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'	
Number of Air Aspiration Devices	1	Air Aspiration Device Configuration	Single
Charge Air Cooler Type	Air	Drive Mode While Testing	All Wheel Drive
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)
Curb Weight (lbs)	5525	Equivalent Test Weight (pounds)	6000
GVWR (lbs)	6889	N/V Ratio	24
Axle Ratio	3.21		
Transmission Type	Semi-Automatic	# of Transmission Gears	8
Transmission Lockup	Yes	Creep Gear	No

Dynamometer Coefficients:

Target Coefficients				Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	49.86	0.0383	0.03191	22.48	0.1809	0.03197	17.5

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH						
Emission Control Device Comments	TWC/MAP/DFI/WR-HO2S/HO2S/1TC/2CAC								
Manufacturer Test Vehicle Comments	Cayenne E-Hybrid (plug-in hybrid), EVAP Configuration								
Test #	RPRX10084707	Test Procedure	23 - 2-day evap						
Exhaust Test # for this Evap Test	RPRX10084704	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)						
Test Date	01/20/2023	Fuel	Gasoline						
Fuel Batch ID	W22	Fuel Calibration Number	24						
Vehicle Class	N/A	DF Type	EPA Assigned						
Verify Test Lab ID	Porsche AG, Labs and Engineering								
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)								
Test Start Odometer Reading	5309	Odometer Units	M						
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--						
State of Charge Delta	Yes								
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes						
Test Results									
<table border="1"> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value (miles per gallon)</th> </tr> <tr> <td>HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)</td> <td>0.1223</td> <td>--</td> </tr> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.1223	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)							
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.1223	--							
Manufacturer Test Comments									
2-day evap, E10 fuel; Porsche test number 23059064									
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail	
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.1223	0.003	0.125	0.500	Pass	
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.1223	0.003	0.125	0.500	Pass	

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Test #	RPRX10084709	Test Procedure	34 - Federal fuel 3-day evap
Exhaust Test # for this Evap Test	RPRX10084705	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	10/27/2023	Fuel	Gasoline
Fuel Batch ID	W22	Fuel Calibration Number	24
Vehicle Class	N/A	DF Type	EPA Assigned
Verify Test Lab ID	Porsche AG, Labs and Engineering		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	4619	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.2156	--

Manufacturer Test Comments

3-day evap, E10 fuel; Porsche test number 23047273

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.2156	0.0067	0.222	0.500	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.2156	0.0067	0.222	0.500	Pass

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH						
Test #	RPRX10084708	Test Procedure	24 - Federal fuel refueling test (ORVR)						
Exhaust Test # for this Evap Test	RPRX10084704	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)						
Test Date	11/03/2023	Fuel	Gasoline						
Fuel Batch ID	W22	Fuel Calibration Number	24						
Vehicle Class	N/A	DF Type	EPA Assigned						
Verify Test Lab ID	Porsche AG, Labs and Engineering								
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)								
Test Start Odometer Reading	4627	Odometer Units	M						
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--						
State of Charge Delta	Yes								
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes						
Test Results									
<table border="1"> <thead> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value (miles per gallon)</th> </tr> </thead> <tbody> <tr> <td>HC (Hydrocarbon for Running Loss and ORVR)</td> <td>0.0048</td> <td>--</td> </tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	HC (Hydrocarbon for Running Loss and ORVR)	0.0048	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)							
HC (Hydrocarbon for Running Loss and ORVR)	0.0048	--							
Manufacturer Test Comments									
ORVR for evap; E10 fuel; Porsche test number 23047275									
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail	
Fed	150,000 miles	Federal Tier 3 Evap	HC	0.005	0.005	0.01	0.20	Pass	
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC	0.005	0.005	0.01	0.20	Pass	

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Test #	RPRX10084754	Test Procedure	32 - Federal Fuel Running Loss
Exhaust Test # for this Evap Test	RPRX10084705	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	10/27/2023	Fuel	Gasoline
Fuel Batch ID	W22	Fuel Calibration Number	24
Vehicle Class	N/A	DF Type	EPA Assigned
Verify Test Lab ID	Porsche AG, Labs and Engineering		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	4601	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	--

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0	--

Manufacturer Test Comments

Running Loss test, E10 fuel; Porsche test number 23047270

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.000	0	0.00	0.05	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.000	0	0.00	0.05	Pass

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH									
Emission Data Vehicle Information												
Vehicle ID / Configuration	ECFE-9YASH-24 / 0	Manufacturer Vehicle Configuration Number	0									
Original Test Group Name	RPRXT03.0CH6	Original Evaporative/Refueling Family	RPRXR0176REH									
Original Test Vehicle Model Year	2024											
Vehicle Model												
Represented Test Vehicle Make	Porsche	Represented Test Vehicle Model	Cayenne S E-Hybrid									
Leak Family Details												
Leak Family Identifier	--	Leak Family Name	--									
Drive Sources and Fuel System Details												
<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Combustion Engine</td> <td>Gasoline</td> </tr> <tr> <td>2</td> <td>Electric Motor</td> <td>Electricity</td> </tr> </tbody> </table>				Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline	2	Electric Motor	Electricity
Drive Source and Fuel#	Drive Source	Fuel										
1	Combustion Engine	Gasoline										
2	Electric Motor	Electricity										
Hybrid Indicator	Yes											
Multiple Fuel Storage	--	Multiple Fuel Combustion	--									
Fuel Cell Indicator	No	Rechargeable Energy Storage System Indicator	Yes									
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if 'Other'	--									
Off-board charge Capable Indicator	Yes											
Odometer Correction -- Initial	0	Odometer Correction Factor	1									
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles											
Odometer Correction Units	Miles											
Engine Code	DCB	Rated Horsepower	348									
Displacement (liters)	3											
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'										
Number of Air Aspiration Devices	1	Air Aspiration Device Configuration	Single									
Charge Air Cooler Type	Air	Drive Mode While Testing	All Wheel Drive									
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)									
Curb Weight (lbs)	5531	Equivalent Test Weight (pounds)	6000									
GVWR (lbs)	6878	N/V Ratio	24									
Axle Ratio	3.21											
Transmission Type	Semi-Automatic	# of Transmission Gears	8									
Transmission Lockup	Yes	Creep Gear	No									

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family		VPRXR0176REH
Dynamometer Coefficients:							
Target Coefficients				Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	47.39	0.24204	0.028385	-12.302	0.32916	0.02499	17.4
Cold CO	52.133	0.26592	0.031226	-19.826	0.14096	0.0291	N/A
US06	47.39	0.24204	0.028385	-12.302	0.32916	0.02499	N/A
Emission Control Device Comments		TWC/MAP/DFI/WR-HO2S/HO2S/1TC/2CAC					
Manufacturer Test Vehicle Comments		Cayenne S E-Hybrid Coupe (plug-in hybrid) EDV Configuration, V6 engine					

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Test #	RPRX10085338	Test Procedure	21 - Federal fuel 2-day exhaust (w/can load)
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	12/06/2023	Fuel	Gasoline
Fuel Batch ID	HF2042	Fuel Calibration Number	337
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4435	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	492.77	--
FE BAG 1 (Bag 1 Fuel Economy)	17.4	17.4
CO2 BAG 2 (Bag 2 Carbon Dioxide)	252.71	--
FE BAG 2 (Bag 2 Fuel Economy)	34.02	34.02
CO2 BAG 3 (Bag 3 Carbon Dioxide)	362.44	--
FE BAG 3 (Bag 3 Fuel Economy)	23.68	23.68
CO2 BAG 4 (Bag 4 Carbon Dioxide)	242.58	--
FE BAG 4 (Bag 4 Fuel Economy)	35.44	35.44
METHANE (CH4 - Methane)	0.0031	--
CO (Carbon Monoxide)	0.3211	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.4106	--
DT-EER (Drive Trace Energy Economy Rating)	-0.2747	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-0.1099	--
MFR FE (Manufacturer Fuel Economy)	26.04	26.04
NOX (Nitrogen Oxide)	0.0075	--
N2O (Nitrous Oxide)	0.001	--
HC-NM (Non-methane Hydrocarbon)	0.0114	--
NMOG (Non-methane organic gases)	0.0126	--
PM (Particulate Matter)	0.0016	--
HC-TOTAL (Total Hydrocarbon)	0.0144	--

Page 17 of 65 CSI Submission/Revision Date: 07/06/2026 10:11:58 AM

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family					VPRXR0176REH		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 70	METHANE	0.0031	--	--	--	0.0059	--	0.009	0.030	Pass
Fed	120,000 miles	Federal Tier 3 Bin 70	N2O	0.0010	--	--	--	0.0023	--	0.003	0.010	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	CO	0.32	--	--	--	0.09	--	0.4	1.7	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	CO-COMP	0.48	--	--	--	0.09	--	0.5	4.2	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	CREE	999	--	--	--	0	--	999	--	--
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG	0.0126	--	1.1	--	0.0044	--	0.017	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG+NOX	0.0201	--	1.1	--	--	--	0.034	0.070	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG+NOX-COMP	0.0300	--	1.1	--	0.0137	--	0.030	0.080	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NOX	0.0075	--	--	--	0.0093	--	0.017	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	PM	0.0016	--	--	--	0	--	0.002	0.003	Pass
CA	120,000 miles	California LEV-IV ULEV70	METHANE	0.0031	--	--	--	0.0059	--	0.009	0.030	Pass
CA	120,000 miles	California LEV-IV ULEV70	N2O	0.0010	--	--	--	0.0023	--	0.003	0.010	Pass
CA	150,000 miles	California LEV-IV ULEV70	CO	0.32	--	--	--	0.09	--	0.4	1.7	Pass
CA	150,000 miles	California LEV-IV ULEV70	CO-COMP	0.48	--	--	--	0.09	--	0.5	4.2	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG	0.0126	--	1.1	--	0.0044	--	0.017	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG+NOX	0.0201	--	1.1	--	--	--	0.034	0.070	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG+NOX-COMP	0.0300	--	--	--	0.0137	--	0.030	0.080	Pass
CA	150,000 miles	California LEV-IV ULEV70	NOX	0.0075	--	--	--	0.0093	--	0.017	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	PM	0.0016	--	--	--	0	--	0.002	0.003	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Test #	RPRX10085342	Test Procedure	11 - Cold CO
Exhaust Test # for this Evap Test	--	Test Fuel Type	29 - Cold CO E10 Premium Gasoline (Tier 3)
Test Date	12/08/2023	Fuel	Gasoline
Fuel Batch ID	HF2043	Fuel Calibration Number	20
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4556	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	687.73	--
FE BAG 1 (Bag 1 Fuel Economy)	12.49	12.49
CO2 BAG 2 (Bag 2 Carbon Dioxide)	523.05	--
FE BAG 2 (Bag 2 Fuel Economy)	16.48	16.48
CO2 BAG 3 (Bag 3 Carbon Dioxide)	502.99	--
FE BAG 3 (Bag 3 Fuel Economy)	17.12	17.12
CO2 BAG 4 (Bag 4 Carbon Dioxide)	292.75	--
FE BAG 4 (Bag 4 Fuel Economy)	29.44	29.44
METHANE (CH4 - Methane)	0.0046	--
CO (Carbon Monoxide)	0.6341	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.3032	--
DT-EER (Drive Trace Energy Economy Rating)	-0.6779	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-0.9845	--
MFR FE (Manufacturer Fuel Economy)	17.8	17.8
NOX (Nitrogen Oxide)	0.0046	--
N2O (Nitrous Oxide)	0.0004	--
HC-NM (Non-methane Hydrocarbon)	0.0304	--
NMOG (Non-methane organic gases)	0.0335	--
HC-TOTAL (Total Hydrocarbon)	0.0349	--

Certification Summary Information Report

Test Group		VPRXJ03.0HV6				Evaporative/Refueling Family				VPRXR0176REH			
		Test Result Name		Unrounded Test Result		Verify Calculated CREE/OPT-CREE							
		Carbon-Related Exhaust Emissions		485		--							
		Test Result Name		Unrounded Test Result		Verify Calculated CO2							
		Carbon dioxide		483.73		--							
Manufacturer Test Comments		Cayenne S E-Hybrid; CS COLD CO E10; Internal Test #20231208TC104											
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail	
Fed	50,000 miles	Federal Tier 3 Bin 70	CO	0.63	--	--	--	0.09	--	0.7	12.5	Pass	
Fed	120,000 miles	Federal Tier 3 Bin 70	HC-NM	0.03	--	--	--	0.0038	--	0.0	0.3	Pass	
CA	50,000 miles	California LEV-IV ULEV70	CO	0.63	--	--	--	0.09	--	0.7	12.5	Pass	

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Test #	RPRX10085343	Test Procedure	52 - Fed. fuel 50 F exh.
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	12/12/2023	Fuel	N/A
Fuel Batch ID	HF2042	Fuel Calibration Number	337
Vehicle Class	N/A	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4587	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	500.42	--
FE BAG 1 (Bag 1 Fuel Economy)	17.14	17.14
CO2 BAG 2 (Bag 2 Carbon Dioxide)	274.36	--
FE BAG 2 (Bag 2 Fuel Economy)	31.31	31.31
CO2 BAG 3 (Bag 3 Carbon Dioxide)	365.4	--
FE BAG 3 (Bag 3 Fuel Economy)	23.52	23.52
CO2 BAG 4 (Bag 4 Carbon Dioxide)	251.67	--
FE BAG 4 (Bag 4 Fuel Economy)	34.15	34.15
METHANE (CH4 - Methane)	0.0028	--
CO (Carbon Monoxide)	0.2548	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.5472	--
DT-EER (Drive Trace Energy Economy Rating)	-1.0672	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-1.3956	--
MFR FE (Manufacturer Fuel Economy)	25.3	25.3
NOX (Nitrogen Oxide)	0.003	--
N2O (Nitrous Oxide)	0.001	--
HC-NM (Non-methane Hydrocarbon)	0.0147	--
NMOG (Non-methane organic gases)	0.0162	--
PM (Particulate Matter)	0.002	--
HC-TOTAL (Total Hydrocarbon)	0.0174	--

Page 22 of 65 CSI Submission/Revision Date: 07/06/2026 10:11:58 AM

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Test #	RPRX10085339	Test Procedure	3 - HWFE
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	12/06/2023	Fuel	Gasoline
Fuel Batch ID	HF2042	Fuel Calibration Number	337
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4450	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0.0011	--
CO (Carbon Monoxide)	0.1274	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	1.7916	--
DT-EER (Drive Trace Energy Economy Rating)	-1.4204	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	2.3934	--
MFR FE (Manufacturer Fuel Economy)	33.72	33.72
NOX (Nitrogen Oxide)	0.0019	--
N2O (Nitrous Oxide)	0	--
HC-NM (Non-methane Hydrocarbon)	0.0008	--
NMOG (Non-methane organic gases)	0.0009	--
PM (Particulate Matter)	0.0006	--
HC-TOTAL (Total Hydrocarbon)	0.002	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	255	999

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	254.84	--

Manufacturer Test Comments

Cayenne S E-Hybrid models; CS HFET E10; Internal test #20231206TC102

Certification Summary Information Report

Test Group		VPRXJ03.0HV6				Evaporative/Refueling Family				VPRXR0176REH		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 70	CREE	999	--	--	--	0	--	999	--	--
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG	0.0009	--	1.1	--	0.0044	--	0.005	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG+NOX	0.0028	--	1.1	--	--	--	0.016	0.070	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NOX	0.0019	--	--	--	0.0093	--	0.011	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG	0.0009	--	1.1	--	0.0044	--	0.005	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG+NOX	0.0028	--	1.1	--	--	--	0.016	0.070	Pass
CA	150,000 miles	California LEV-IV ULEV70	NOX	0.0019	--	--	--	0.0093	--	0.011	999.999	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Test #	RPRX10085340	Test Procedure	90 - US06
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	12/06/2023	Fuel	Gasoline
Fuel Batch ID	HF2042	Fuel Calibration Number	337
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4474	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	538.84	--
FE BAG 1 (Bag 1 Fuel Economy)	15.95	15.95
CO2 BAG 2 (Bag 2 Carbon Dioxide)	348.71	--
FE BAG 2 (Bag 2 Fuel Economy)	24.61	24.61
METHANE (CH4 - Methane)	0.0032	--
CO (Carbon Monoxide)	0.4119	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.2198	--
DT-EER (Drive Trace Energy Economy Rating)	-1.8906	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-1.357	--
MFR FE (Manufacturer Fuel Economy)	21.96	21.96
NOX (Nitrogen Oxide)	0.0177	--
N2O (Nitrous Oxide)	0.0002	--
HC-NM (Non-methane Hydrocarbon)	0.003	--
NMOG (Non-methane organic gases)	0.0031	--
PM (Particulate Matter)	0.0012	--
HC-TOTAL (Total Hydrocarbon)	0.0061	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	392	--

Certification Summary Information Report

Test Group		VPRXJ03.0HV6				Evaporative/Refueling Family				VPRXR0176REH		
		Test Result Name		Unrounded Test Result		Verify Calculated CO2						
		Carbon dioxide		390.91		--						
Manufacturer Test Comments		Cayenne S E-Hybrid; CS US06 E10; Internal Test #20231206TC103										
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 70	CO	0.41	--	--	--	0.09	--	0.5	999.9	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG	0.0031	--	1.1	--	0.0044	--	0.008	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NOX	0.0177	--	--	--	0.0093	--	0.027	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	PM	0.0012	--	--	--	0	--	0.001	0.006	Pass
CA	4,000 miles	California LEV-IV ULEV70	CO	0.41	--	--	--	0.09	--	0.5	999.9	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG	0.0031	--	--	--	0.0044	--	0.008	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NOX	0.0177	--	--	--	0.0093	--	0.027	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	PM	0.0012	--	--	--	0	--	0.001	0.006	Pass

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Test #	RPRX10085341	Test Procedure	95 - SC03
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	12/18/2023	Fuel	Gasoline
Fuel Batch ID	HF2042	Fuel Calibration Number	337
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4687	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
METHANE (CH4 - Methane)	0.0045	--	
CO (Carbon Monoxide)	0.4473	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.366	--	
DT-EER (Drive Trace Energy Economy Rating)	0.2764	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-0.034	--	
MFR FE (Manufacturer Fuel Economy)	20.74	20.74	
NOX (Nitrogen Oxide)	0.0065	--	
N2O (Nitrous Oxide)	0.0006	--	
HC-NM (Non-methane Hydrocarbon)	0.0026	--	
NMOG (Non-methane organic gases)	0.0027	--	
HC-TOTAL (Total Hydrocarbon)	0.007	--	
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	
Carbon-Related Exhaust Emissions	415	--	
Test Result Name	Unrounded Test Result	Verify Calculated CO2	
Carbon dioxide	414.01	--	
Manufacturer Test Comments	Cayenne S E-Hybrid models; CS SC03 E10; Internal Test #20231218TC108		

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family					VPRXR0176REH		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 70	CO	0.45	--	--	--	0.09	--	0.5	999.9	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG	0.0027	--	1.1	--	0.0044	--	0.007	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NOX	0.0065	--	--	--	0.0093	--	0.016	999.999	Pass
CA	4,000 miles	California LEV-IV ULEV70	CO	0.45	--	--	--	0.09	--	0.5	999.9	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG	0.0027	--	--	--	0.0044	--	0.007	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NOX	0.0065	--	--	--	0.0093	--	0.016	999.999	Pass

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Test #	RPRX10085344	Test Procedure	81 - Charge Depleting UDDS
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	12/19/2023	Fuel	N/A
Fuel Batch ID	HF2042	Fuel Calibration Number	337
Vehicle Class	N/A	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4691	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	237.6	Recharge Event Energy (kiloWatt-hours)	17.5286
Charge Depleting Range (Calculated miles)	52.15	Charge Depleting Range (Actual miles)	44.02
Charge Depleting Range Highway (Calculated miles)	--	Derived 5-Cycle Coefficient Model Year	2017
All Electric Range Unadjusted (miles)	38.52	Equivalent All Electric Range (miles)	47.43
Number of Charge Depleting Bags/Phases Conducted	9	Transition Bag/Phase Number	6
Charge Depleting Bag/Phase #1			

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.44	
	Average System Voltage	393.48	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	-0.84	
	Drive Trace Energy Economy Rating	-1.065	
	Drive Trace Inertia Work Ratio Rating	-2.151	
	Formaldehyde	0	
	Integrated Amp-hours	7.12	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	2.76	
	System Start State of Charge Watt-hours	0	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #2

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.46	
	Average System Voltage	384.33	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	0.26	
	Drive Trace Energy Economy Rating	0.022	
	Drive Trace Inertia Work Ratio Rating	-0.246	
	Formaldehyde	0	
	Integrated Amp-hours	14.29	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	5.483	
	System Start State of Charge Watt-hours	2.76	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #3

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.46	
	Average System Voltage	373.57	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	-0.12	
	Drive Trace Energy Economy Rating	-0.316	
	Drive Trace Inertia Work Ratio Rating	-0.908	
	Formaldehyde	0	
	Integrated Amp-hours	21.65	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	8.199	
	System Start State of Charge Watt-hours	5.483	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #4

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.46	
	Average System Voltage	365.98	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	0.37	
	Drive Trace Energy Economy Rating	-0.39	
	Drive Trace Inertia Work Ratio Rating	0.356	
	Formaldehyde	0	
	Integrated Amp-hours	29.04	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	10.863	
	System Start State of Charge Watt-hours	8.199	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #5

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.46	
	Average System Voltage	359.28	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	0.17	
	Drive Trace Energy Economy Rating	-0.8	
	Drive Trace Inertia Work Ratio Rating	-0.164	
	Formaldehyde	0	
	Integrated Amp-hours	36.58	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	13.532	
	System Start State of Charge Watt-hours	10.863	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #6

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.44	
	Average System Voltage	357.33	
	CH4 - Methane	0	
	Carbon Monoxide	0.28	
	Carbon dioxide	234.32	
	Carbon-Related Exhaust Emissions	235	
	Drive Trace Absolute Speed Change Rating	0.91	
	Drive Trace Energy Economy Rating	0.029	
	Drive Trace Inertia Work Ratio Rating	0.824	
	Formaldehyde	0	
	Integrated Amp-hours	38.31	
	Manufacturer Fuel Economy	36.62	
	Nitrogen Oxide	0.01	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0.03	
	Non-methane organic gases	0.033	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	235	
	Particulate Matter	0.0006	
	System End State of Charge Watt-hours	14.104	
	System Start State of Charge Watt-hours	13.532	
	Total Hydrocarbon	0.03	

Charge Depleting Bag/Phase #7

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.46	
	Average System Voltage	358.19	
	CH4 - Methane	0	
	Carbon Monoxide	0.17	
	Carbon dioxide	290.41	
	Carbon-Related Exhaust Emissions	291	
	Drive Trace Absolute Speed Change Rating	1.53	
	Drive Trace Energy Economy Rating	0.671	
	Drive Trace Inertia Work Ratio Rating	2.261	
	Formaldehyde	0	
	Integrated Amp-hours	38.13	
	Manufacturer Fuel Economy	29.59	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	291	
	Particulate Matter	0.0009	
	System End State of Charge Watt-hours	14.002	
	System Start State of Charge Watt-hours	14.104	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #8

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.46	
	Average System Voltage	357.93	
	CH4 - Methane	0	
	Carbon Monoxide	0.19	
	Carbon dioxide	281.8	
	Carbon-Related Exhaust Emissions	282	
	Drive Trace Absolute Speed Change Rating	0.61	
	Drive Trace Energy Economy Rating	0.026	
	Drive Trace Inertia Work Ratio Rating	0.443	
	Formaldehyde	0	
	Integrated Amp-hours	38.04	
	Manufacturer Fuel Economy	30.49	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	282	
	Particulate Matter	0.0021	
	System End State of Charge Watt-hours	13.93	
	System Start State of Charge Watt-hours	14.002	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #9

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.45	
	Average System Voltage	357.98	
	CH4 - Methane	0	
	Carbon Monoxide	0.12	
	Carbon dioxide	295.53	
	Carbon-Related Exhaust Emissions	296	
	Drive Trace Absolute Speed Change Rating	1.89	
	Drive Trace Energy Economy Rating	1.011	
	Drive Trace Inertia Work Ratio Rating	2.493	
	Formaldehyde	0	
	Integrated Amp-hours	37.77	
	Manufacturer Fuel Economy	29.08	
	Nitrogen Oxide	0.01	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	296	
	System End State of Charge Watt-hours	13.798	
	System Start State of Charge Watt-hours	13.93	
	Total Hydrocarbon	0	

Manufacturer Test Comments

CD UDDS test, Cayenne S PHEV Coupe, Internal Test No.:20231219TC105

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Test #	RPRX10085345	Test Procedure	84 - Charge Depleting Highway
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	12/20/2023	Fuel	N/A
Fuel Batch ID	HF2042	Fuel Calibration Number	337
Vehicle Class	N/A	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4691	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	238.4	Recharge Event Energy (kiloWatt-hours)	17.431
Charge Depleting Range (Calculated miles)	51.28	Charge Depleting Range (Actual miles)	40.3
Charge Depleting Range Highway (Calculated miles)	--	Derived 5-Cycle Coefficient Model Year	2017
All Electric Range Unadjusted (miles)	31.78	Equivalent All Electric Range (miles)	45.77
Number of Charge Depleting Bags/Phases Conducted	7	Transition Bag/Phase Number	5
Charge Depleting Bag/Phase #1			

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	10.25	
	Average System Voltage	387.71	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	7.35	
	Drive Trace Energy Economy Rating	0.443	
	Drive Trace Inertia Work Ratio Rating	8.76	
	Formaldehyde	0	
	Integrated Amp-hours	9.34	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	3.604	
	System Start State of Charge Watt-hours	0	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #2

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	10.26	
	Average System Voltage	375.38	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	6.55	
	Drive Trace Energy Economy Rating	-0.151	
	Drive Trace Inertia Work Ratio Rating	8.202	
	Formaldehyde	0	
	Integrated Amp-hours	18.63	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	7.065	
	System Start State of Charge Watt-hours	3.604	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #3

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	10.25	
	Average System Voltage	364.03	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	5.39	
	Drive Trace Energy Economy Rating	-0.15	
	Drive Trace Inertia Work Ratio Rating	6.649	
	Formaldehyde	0	
	Integrated Amp-hours	28.14	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	10.494	
	System Start State of Charge Watt-hours	7.065	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #4

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	10.25	
	Average System Voltage	355.04	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	6.49	
	Drive Trace Energy Economy Rating	-0.272	
	Drive Trace Inertia Work Ratio Rating	7.843	
	Formaldehyde	0	
	Integrated Amp-hours	37.83	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	13.906	
	System Start State of Charge Watt-hours	10.494	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #5

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	10.25	
	Average System Voltage	359.29	
	CH4 - Methane	0	
	Carbon Monoxide	0.34	
	Carbon dioxide	278.17	
	Carbon-Related Exhaust Emissions	279	
	Drive Trace Absolute Speed Change Rating	-0.09	
	Drive Trace Energy Economy Rating	-0.899	
	Drive Trace Inertia Work Ratio Rating	-0.006	
	Formaldehyde	0	
	Integrated Amp-hours	37.11	
	Manufacturer Fuel Economy	30.85	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0.02	
	Non-methane organic gases	0.022	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	280	
	Particulate Matter	0.00034	
	System End State of Charge Watt-hours	13.649	
	System Start State of Charge Watt-hours	13.906	
	Total Hydrocarbon	0.02	

Charge Depleting Bag/Phase #6

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	10.24	
	Average System Voltage	359.18	
	CH4 - Methane	0	
	Carbon Monoxide	0.23	
	Carbon dioxide	249.68	
	Carbon-Related Exhaust Emissions	250	
	Drive Trace Absolute Speed Change Rating	-1.18	
	Drive Trace Energy Economy Rating	-1.196	
	Drive Trace Inertia Work Ratio Rating	-1.415	
	Formaldehyde	0	
	Integrated Amp-hours	37.01	
	Manufacturer Fuel Economy	34.4	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	251	
	Particulate Matter	0.00026	
	System End State of Charge Watt-hours	13.602	
	System Start State of Charge Watt-hours	13.649	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #7

Manufacturer Test Comments	CD HWFET test, Cayenne S PHEV Coupe, Internal Test No.:20231220TC106
-----------------------------------	--

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
-------------------	--------------	-------------------------------------	--------------

Emission Data Vehicle Information

Vehicle ID / Configuration	ECFE-9YASH-24 / 1	Manufacturer Vehicle Configuration Number	0
Original Test Group Name	RPRXT03.0CH6	Original Evaporative/Refueling Family	RPRXR0176REH
Original Test Vehicle Model Year	2024		

Vehicle Model

Represented Test Vehicle Make	Porsche	Represented Test Vehicle Model	Cayenne S E-Hybrid
--------------------------------------	---------	---------------------------------------	--------------------

Leak Family Details

Leak Family Identifier	--	Leak Family Name	--
-------------------------------	----	-------------------------	----

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Combustion Engine	Gasoline
2	Electric Motor	Electricity

Hybrid Indicator	Yes		
Multiple Fuel Storage	--	Multiple Fuel Combustion	--
Fuel Cell Indicator	No	Rechargeable Energy Storage System Indicator	Yes
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if 'Other'	--
Off-board charge Capable Indicator	Yes		
Odometer Correction -- Initial	0	Odometer Correction Factor	1
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles		
Odometer Correction Units	Miles		
Engine Code	DCB	Rated Horsepower	348
Displacement (liters)	3		
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'	
Number of Air Aspiration Devices	1	Air Aspiration Device Configuration	Single
Charge Air Cooler Type	Air	Drive Mode While Testing	All Wheel Drive
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)
Curb Weight (lbs)	5549	Equivalent Test Weight (pounds)	6000
GVWR (lbs)	6878	N/V Ratio	24
Axle Ratio	3.21		
Transmission Type	Semi-Automatic	# of Transmission Gears	8
Transmission Lockup	Yes	Creep Gear	No

Dynamometer Coefficients:

Target Coefficients				Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	56.09	0.31187	0.028501	-0.097	0.32312	0.025637	19.1

Page 48 of 65 CSI Submission/Revision Date: 07/06/2026 10:11:58 AM

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Test #	RPRX10084526	Test Procedure	21 - Federal fuel 2-day exhaust (w/can load)
Exhaust Test # for this Evap Test	--	Test Fuel Type	61 - Tier 2 Cert Gasoline
Test Date	11/29/2023	Fuel	Gasoline
Fuel Batch ID	HF0437	Fuel Calibration Number	420
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4257	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	492.79	--
FE BAG 1 (Bag 1 Fuel Economy)	18.05	18.05
CO2 BAG 2 (Bag 2 Carbon Dioxide)	263.02	--
FE BAG 2 (Bag 2 Fuel Economy)	33.92	33.92
CO2 BAG 3 (Bag 3 Carbon Dioxide)	387.91	--
FE BAG 3 (Bag 3 Fuel Economy)	22.96	22.96
CO2 BAG 4 (Bag 4 Carbon Dioxide)	252.45	--
FE BAG 4 (Bag 4 Fuel Economy)	35.33	35.33
METHANE (CH4 - Methane)	0.0025	--
CO (Carbon Monoxide)	0.2968	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-2.2408	--
DT-EER (Drive Trace Energy Economy Rating)	-1.5747	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-3.6032	--
MFR FE (Manufacturer Fuel Economy)	26.06	26.06
NOX (Nitrogen Oxide)	0.0052	--
N2O (Nitrous Oxide)	0.0009	--
HC-NM (Non-methane Hydrocarbon)	0.0138	--
NMOG (Non-methane organic gases)	0.0142	--
PM (Particulate Matter)	0.0021	--
HC-TOTAL (Total Hydrocarbon)	0.0163	--

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family				VPRXR0176REH			
		Test Result Name		Unrounded Test Result		Verify Calculated CREE/OPT-CREE						
		Carbon-Related Exhaust Emissions		343		343						
		Test Result Name		Unrounded Test Result		Verify Calculated CO2						
		Carbon dioxide		341.88		--						
Manufacturer Test Comments		Cayenne S E-Hybrid (V6 PHEV, blended); CS UDDS E0; for fuel economy/GHG; Porsche Test Number 20231129TC201										
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 70	METHANE	0.0025	--	--	--	0.0059	--	0.008	0.030	Pass
Fed	120,000 miles	Federal Tier 3 Bin 70	N2O	0.0009	--	--	--	0.0023	--	0.003	0.010	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	CO	0.30	--	--	--	0.09	--	0.4	1.7	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	CREE	343	--	--	--	0	--	343	--	--
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG	0.0142	--	1.1	--	0.0044	--	0.019	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG+NOX	0.0194	--	1.1	--	--	--	0.033	0.070	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NOX	0.0052	--	--	--	0.0093	--	0.014	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	PM	0.0021	--	--	--	0	--	0.002	0.003	Pass
CA	120,000 miles	California LEV-IV ULEV70	METHANE	0.0025	--	--	--	0.0059	--	0.008	0.030	Pass
CA	120,000 miles	California LEV-IV ULEV70	N2O	0.0009	--	--	--	0.0023	--	0.003	0.010	Pass
CA	150,000 miles	California LEV-IV ULEV70	CO	0.30	--	--	--	0.09	--	0.4	1.7	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG	0.0142	--	1.1	--	0.0044	--	0.019	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG+NOX	0.0194	--	1.1	--	--	--	0.033	0.070	Pass
CA	150,000 miles	California LEV-IV ULEV70	NOX	0.0052	--	--	--	0.0093	--	0.014	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	PM	0.0021	--	--	--	0	--	0.002	0.003	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Test #	RPRX10084527	Test Procedure	3 - HWFE
Exhaust Test # for this Evap Test	--	Test Fuel Type	61 - Tier 2 Cert Gasoline
Test Date	11/29/2023	Fuel	Gasoline
Fuel Batch ID	HF0437	Fuel Calibration Number	420
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4272	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0.0018	--
CO (Carbon Monoxide)	0.2385	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-1.9453	--
DT-EER (Drive Trace Energy Economy Rating)	-0.8162	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-2.254	--
MFR FE (Manufacturer Fuel Economy)	32.46	32.46
NOX (Nitrogen Oxide)	0.0008	--
N2O (Nitrous Oxide)	0.0001	--
HC-NM (Non-methane Hydrocarbon)	0.0052	--
NMOG (Non-methane organic gases)	0.0054	--
PM (Particulate Matter)	0.0006	--
HC-TOTAL (Total Hydrocarbon)	0.007	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	275	274

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	274.43	--

Manufacturer Test Comments

Cayenne S E-Hybrid (V6 PHEV, blended); CS Hwy E0; for FE/GHG; Porsche Test Number 20231129TC202 FEDV1

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family					VPRXR0176REH		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 70	CREE	274	--	--	--	0	--	274	--	--
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG	0.0054	--	1.1	--	0.0044	--	0.010	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG+NOX	0.0062	--	1.1	--	--	--	0.020	0.070	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NOX	0.0008	--	--	--	0.0093	--	0.010	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG	0.0054	--	1.1	--	0.0044	--	0.010	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG+NOX	0.0062	--	1.1	--	--	--	0.020	0.070	Pass
CA	150,000 miles	California LEV-IV ULEV70	NOX	0.0008	--	--	--	0.0093	--	0.010	999.999	Pass
NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.												

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Fuel Properties			
Fuel Batch ID	HF0437	Fuel Calibration Number	420
Test Fuel Type	61 - Tier 2 Cert Gasoline	Fuel Batch Calibration Date	07/06/2023
Fuel Batch Calibration Effective Date	07/06/2023	Fuel Batch Calibration Ineffective Date	07/31/2028
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.743
Fuel Ethanol Volume Percent (%)	--	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	18591
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.867	Weight Fraction CO2	--
Fuel Batch ID	HF2042	Fuel Calibration Number	337
Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	03/29/2022
Fuel Batch Calibration Effective Date	03/29/2022	Fuel Batch Calibration Ineffective Date	03/31/2026
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.744
Fuel Ethanol Volume Percent (%)	9.9	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17890
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.821	Weight Fraction CO2	--
Fuel Batch ID	W22	Fuel Calibration Number	24
Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	01/19/2023
Fuel Batch Calibration Effective Date	01/19/2023	Fuel Batch Calibration Ineffective Date	01/31/2028
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.741
Fuel Ethanol Volume Percent (%)	10.1	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17962
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.834	Weight Fraction CO2	--
Fuel Batch ID	HF2043	Fuel Calibration Number	20
Test Fuel Type	29 - Cold CO E10 Premium Gasoline (Tier 3)	Fuel Batch Calibration Date	10/30/2020
Fuel Batch Calibration Effective Date	10/30/2020	Fuel Batch Calibration Ineffective Date	10/30/2024
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--

Certification Summary Information Report

Test Group		VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Exhaust Carbon Weight Fraction	--		Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--		Fuel Specific Gravity	0.742
Fuel Ethanol Volume Percent (%)	10		Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17943
Fuel Net Heat of Combustion (E10) (MJ/kg)	--		Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.826		Weight Fraction CO2	--

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family			VPRXR0176REH	
Consolidated List of Standards									
Exhaust Standards									
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			California LEV-IV ULEV70	
Fuel		Gasoline			Test Procedure			SC03	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
4,000 miles	CO	--	--	--	--	--	--	0.09	999.9
150,000 miles	NMOG	--	--	--	--	--	--	0.0044	999.999
150,000 miles	NOX	--	--	--	--	--	--	0.0093	999.999
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			California LEV-IV ULEV70	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	NMOG	--	--	1.1	--	--	--	0.0044	999.999
150,000 miles	NMOG+NOX	--	--	1.1	--	--	--	0.0137	0.070
150,000 miles	NOX	--	--	--	--	--	--	0.0093	999.999

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family			VPRXR0176REH	
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			California LEV-IV ULEV70	
Fuel		Gasoline			Test Procedure			Federal fuel 2-day exhaust (w/can load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles	METHANE	--	--	--	--	--	--	0.0059	0.030
120,000 miles	N2O	--	--	--	--	--	--	0.0023	0.010
150,000 miles	CO	--	--	--	--	--	--	0.09	1.7
150,000 miles	CO-COMP	--	--	--	--	--	--	0.09	4.2
150,000 miles	HCHO	--	--	--	--	--	--	0.0001	0.004
150,000 miles	NMOG	--	--	1.1	--	--	--	0.0044	999.999
150,000 miles	NMOG+NOX	--	--	1.1	--	--	--	0.0137	0.070
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	0.0137	0.080
150,000 miles	NOX	--	--	--	--	--	--	0.0093	999.999
150,000 miles	PM	--	--	--	--	--	--	0	0.003

Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			Federal Tier 3 Bin 70	
Fuel		Gasoline			Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.09	999.9
150,000 miles	NMOG	--	--	1.1	--	--	--	0.0044	999.999
150,000 miles	NOX	--	--	--	--	--	--	0.0093	999.999
150,000 miles	PM	--	--	--	--	--	--	0	0.006

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family			VPRXR0176REH	
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			Federal Tier 3 Bin 70	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CREE	--	--	--	--	--	--	0	999.9
150,000 miles	NMOG	--	--	1.1	--	--	--	0.0044	999.999
150,000 miles	NMOG+NOX	--	--	1.1	--	--	--	0.0137	0.070
150,000 miles	NOX	--	--	--	--	--	--	0.0093	999.999

Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			Federal Tier 3 Bin 70	
Fuel		Gasoline			Test Procedure			SC03	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.09	999.9
150,000 miles	NMOG	--	--	1.1	--	--	--	0.0044	999.999
150,000 miles	NOX	--	--	--	--	--	--	0.0093	999.999

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family					VPRXR0176REH		
Cert Region	Federal	Cert/In-Use Code					Cert		
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	Standard Level					Federal Tier 3 Bin 70		
Fuel	Gasoline	Test Procedure					Federal fuel 2-day exhaust (w/can load)		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles	METHANE	--	--	--	--	--	--	0.0059	0.030
120,000 miles	N2O	--	--	--	--	--	--	0.0023	0.010
150,000 miles	CO	--	--	--	--	--	--	0.09	1.7
150,000 miles	CO-COMP	--	--	--	--	--	--	0.09	4.2
150,000 miles	CREE	--	--	--	--	--	--	0	999.9
150,000 miles	HCHO	--	--	--	--	--	--	0.0001	0.004
150,000 miles	NMOG	--	--	1.1	--	--	--	0.0044	999.999
150,000 miles	NMOG+NOX	--	--	1.1	--	--	--	0.0137	0.070
150,000 miles	NMOG+NOX-COMP	--	--	1.1	--	--	--	0.0137	0.080
150,000 miles	NOX	--	--	--	--	--	--	0.0093	999.999
150,000 miles	PM	--	--	--	--	--	--	0	0.003

Cert Region	Federal	Cert/In-Use Code					Cert		
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	Standard Level					Federal Tier 3 Bin 70		
Fuel	Gasoline	Test Procedure					Cold CO		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	0.09	12.5
120,000 miles	HC-NM	--	--	--	--	--	--	0.0038	0.3

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family			VPRXR0176REH	
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			California LEV-IV ULEV70	
Fuel		Gasoline			Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
4,000 miles	CO	--	--	--	--	--	--	0.09	999.9
150,000 miles	NMOG	--	--	--	--	--	--	0.0044	999.999
150,000 miles	NOX	--	--	--	--	--	--	0.0093	999.999
150,000 miles	PM	--	--	--	--	--	--	0	0.006

Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			California LEV-IV ULEV70	
Fuel		Gasoline			Test Procedure			Cold CO	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	0.09	12.5

Evaporative/Refueling Standards

Evaporative/Refueling Family		VPRXR0176REH		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		2-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.500	0.003		

Evaporative/Refueling Family		VPRXR0176REH		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		Federal Fuel Running Loss					
Fuel	Useful Life	Emission Name		Rounded Result		Std	Add DF
Gasoline	150,000 miles	HC-TOTAL-EQUIV		--		0.05	0

Certification Summary Information Report

Test Group		VPRXJ03.0HV6		Evaporative/Refueling Family		VPRXR0176REH	
Evaporative/Refueling Family		VPRXR0176REH		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal fuel 3-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.500	0.0067		
Evaporative/Refueling Family		VPRXR0176REH		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		2-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.500	0.003		
Evaporative/Refueling Family		VPRXR0176REH		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		Federal fuel 3-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.500	0.0067		
Evaporative/Refueling Family		VPRXR0176REH		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal Fuel Running Loss					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.05	0		
Evaporative/Refueling Family		VPRXR0176REH		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal fuel refueling test (ORVR)					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC	--	0.20	0.005		

Certification Summary Information Report

Test Group		VPRXJ03.0HV6		Evaporative/Refueling Family		VPRXR0176REH	
Evaporative/Refueling Family		VPRXR0176REH		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		Federal fuel refueling test (ORVR)					
Fuel		Useful Life		Emission Name		Rounded Result	
Std		Add DF					
Gasoline		150,000 miles		HC		--	
						0.20	
						0.005	

Certification Summary Information Report

Test Group		VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0176REH
Glossary				
Useful Life				
4	4,000 miles	120	120,000 miles	
50	50,000 miles	150	150,000 miles	
100	100,000 miles			
Emission Name				
HC-TOTAL	Total Hydrocarbon	COMB-CREE	Combined Carbon-Related Exhaust Emissions	
CO	Carbon Monoxide	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions	
CO2	Carbon dioxide	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only	
CREE	Carbon-Related Exhaust Emissions	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only	
OPT-CREE	Optional Carbon-Related Exhaust Emissions	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only	
NOX	Nitrogen Oxide	LEAK-DIA	Effective Leak Diameter (inches)	
PM	Particulate Matter	LEAK-GAS CAP	Gas Cap Leakage (cc/min)	
PM-COMP	SFTP Composite Particulate Matter	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only	
HC-NM	Non-methane Hydrocarbon	KW-HRS	Integrated DC KW-HRS	
OMHCE	Organic material Hydrocarbon Equivalent	CH4 BAG 1	Bag 1 Methane	
OMNMHCE	Organic material non-methane HC equivalent	CH4 BAG 2	Bag 2 Methane	
NMOG	Non-methane organic gases	CH4 BAG 3	Bag 3 Methane	
HCHO	Formaldehyde	CH4 BAG 4	Bag 4 Methane	
H3C2HO	Acetaldehyde	CO BAG 1	Bag 1 Carbon Monoxide	
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	CO BAG 2	Bag 2 Carbon Monoxide	
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	CO BAG 3	Bag 3 Carbon Monoxide	
CO-COMP	SFTP Composite Carbon Monoxide	CO BAG 4	Bag 4 Carbon Monoxide	
ETHANOL	C2H5OH - Ethanol	NMOG BAG 1	Bag 1 Non-methane organic gases	
FE BAG 1	Bag 1 Fuel Economy	NMOG BAG 2	Bag 2 Non-methane organic gases	
FE BAG 2	Bag 2 Fuel Economy	NMOG BAG 3	Bag 3 Non-methane organic gases	
FE BAG 3	Bag 3 Fuel Economy	NMOG BAG 4	Bag 4 Non-methane organic gases	
FE BAG 4	Bag 4 Fuel Economy	ACT-DISTANCE BAG 1	Bag 1 Actual Distance	
MFR FE	Manufacturer Fuel Economy	ACT-DISTANCE BAG 2	Bag 2 Actual Distance	
HC	Hydrocarbon for Running Loss and ORVR	ACT-DISTANCE BAG 3	Bag 3 Actual Distance	
METHANE	CH4 - Methane	ACT-DISTANCE BAG 4	Bag 4 Actual Distance	
METHANOL	CH3OH - Methanol	HC-TOTAL BAG 1	Bag 1 Total Hydrocarbon	
N2O	Nitrous Oxide	HC-TOTAL BAG 2	Bag 2 Total Hydrocarbon	
SPITBACK	Spitback Hydrocarbon in grams	HC-TOTAL BAG 3	Bag 3 Total Hydrocarbon	
AMP-HRS	Integrated Amp-hours	HC-TOTAL BAG 4	Bag 4 Total Hydrocarbon	
START-SOC	System Start State of Charge Watt-hours	WATT-HRS BAG 1	Bag 1 Watt Hours	
END-SOC	System End State of Charge Watt-hours	WATT-HRS BAG 2	Bag 2 Watt Hours	

Certification Summary Information Report

Test Group		VPRXJ03.0HV6	Evaporative/Refueling Family		VPRXR0176REH
ACT-DISTANCE	Actual Distance Driven (miles)		WATT-HRS BAG 3	Bag 3 Watt Hours	
AS-VOLT	Average System Voltage		WATT-HRS BAG 4	Bag 4 Watt Hours	
CO2 BAG 1	Bag 1 Carbon Dioxide		WATT-HRS	Watt Hours	
CO2 BAG 2	Bag 2 Carbon Dioxide		HC-NM BAG 1	Bag 1 Non-methane Hydrocarbon	
CO2 BAG 3	Bag 3 Carbon Dioxide		HC-NM BAG 2	Bag 2 Non-methane Hydrocarbon	
CO2 BAG 4	Bag 4 Carbon Dioxide		HC-NM BAG 3	Bag 3 Non-methane Hydrocarbon	
NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides		HC-NM BAG 4	Bag 4 Non-methane Hydrocarbon	
NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides		N2O BAG 1	Bag 1 Nitrous Oxide	
DT-IWRR	Drive Trace Inertia Work Ratio Rating		N2O BAG 2	Bag 2 Nitrous Oxide	
DT-ASCR	Drive Trace Absolute Speed Change Rating		N2O BAG 3	Bag 3 Nitrous Oxide	
DT-EER	Drive Trace Energy Economy Rating		N2O BAG 4	Bag 4 Nitrous Oxide	
Certification Region					
CA	California + CAA Section 177 states		FA	Federal	
Exhaust Emission Standard Level					
B1	Federal Tier 2 Bin 1		HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
B2	Federal Tier 2 Bin 2		HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
B3	Federal Tier 2 Bin 3		HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
B4	Federal Tier 2 Bin 4		HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
B5	Federal Tier 2 Bin 5		HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
B6	Federal Tier 2 Bin 6		HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
B7	Federal Tier 2 Bin 7		HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
B8	Federal Tier 2 Bin 8		HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
B9	Federal Tier 2 Bin 9		HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
B10	Federal Tier 2 Bin 10		HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
B11	Federal Tier 2 Bin 11		HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)		HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)		HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
L2	California LEV-II LEV		L4SULEV100	California LEV-IV SULEV100	
L2OP	California LEV-II LEV Optional		L4SULEV125	California LEV-IV SULEV125	
U2	California LEV-II ULEV		L4SULEV15	California LEV-IV SULEV15	
S2	California LEV-II SULEV		L4SULEV150	California LEV-IV SULEV150	
ZEV	California ZEV		L4SULEV170	California LEV-IV SULEV170	
OT	Other		L4SULEV175	California LEV-IV SULEV175	
T1	Federal Tier 1		L4SULEV20	California LEV-IV SULEV20	
PZEV	California PZEV		L4SULEV200	California LEV-IV SULEV200	
L2LEV160	California LEV-II LEV160		L4SULEV230	California LEV-IV SULEV230	
L2ULEV125	California LEV-II ULEV125		L4SULEV25	California LEV-IV SULEV25	
L2SULEV30	California LEV-II SULEV30		L4SULEV30	California LEV-IV SULEV30	
L2LEV395	California LEV-II LEV395		L4SULEV75	California LEV-IV SULEV75	

Certification Summary Information Report

Test Group		VPRXJ03.0HV6	Evaporative/Refueling Family		VPRXR0176REH
L2ULEV340	California LEV-II ULEV340		L4SULEV85	California LEV-IV SULEV85	
L2LEV630	California LEV-II LEV630		L4ULEV125	California LEV-IV ULEV125	
L2ULEV570	California LEV-II ULEV570		L4ULEV200	California LEV-IV ULEV200	
L3LEV160	California LEV-III LEV160		L4ULEV250	California LEV-IV ULEV250	
L3ULEV125	California LEV-III ULEV125		L4ULEV270	California LEV-IV ULEV270	
L3ULEV70	California LEV-III ULEV70		L4ULEV40	California LEV-IV ULEV40	
L3ULEV50	California LEV-III ULEV50		L4ULEV400	California LEV-IV ULEV400	
L3SULEV30	California LEV-III SULEV30		L4ULEV50	California LEV-IV ULEV50	
L3SULEV20	California LEV-III SULEV20		L4ULEV60	California LEV-IV ULEV60	
L3LEV395	California LEV-III LEV395		L4ULEV70	California LEV-IV ULEV70	
L3ULEV340	California LEV-III ULEV340		T4B170	Federal Tier 4 MDV Bin 170	
L3ULEV250	California LEV-III ULEV250		T4B150	Federal Tier 4 MDV Bin 150	
L3ULEV200	California LEV-III ULEV200		T4B125	Federal Tier 4 MDV Bin 125	
L3SULEV170	California LEV-III SULEV170		T4B100	Federal Tier 4 MDV Bin 100	
L3SULEV150	California LEV-III SULEV150		T4B85	Federal Tier 4 MDV Bin 85	
L3LEV630	California LEV-III LEV630		T4B75	Federal Tier 4 MDV Bin 75	
L3ULEV570	California LEV-III ULEV570		T4B70	Federal Tier 4 Bin 70	
L3ULEV400	California LEV-III ULEV400		T4B65	Federal Tier 4 Bin 65	
L3ULEV270	California LEV-III ULEV270		T4B60	Federal Tier 4 Bin 60	
L3SULEV230	California LEV-III SULEV230		T4B55	Federal Tier 4 Bin 55	
L3SULEV200	California LEV-III SULEV200		T4B50	Federal Tier 4 Bin 50	
T3B160	Federal Tier 3 Bin 160		T4B45	Federal Tier 4 Bin 45	
T3B125	Federal Tier 3 Bin 125		T4B40	Federal Tier 4 Bin 40	
T3B110	Federal Tier 3 Transitional Bin 110		T4B35	Federal Tier 4 Bin 35	
T3B85	Federal Tier 3 Transitional Bin 85		T4B30	Federal Tier 4 Bin 30	
T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover		T4B25	Federal Tier 4 Bin 25	
T3B70	Federal Tier 3 Bin 70		T4B20	Federal Tier 4 Bin 20	
T3B50	Federal Tier 3 Bin 50		T4B15	Federal Tier 4 Bin 15	
T3B30	Federal Tier 3 Bin 30		T4B10	Federal Tier 4 Bin 10	
T3B20	Federal Tier 3 Bin 20		T4B5	Federal Tier 4 Bin 5	
T3B0	Federal Tier 3 Bin 0		T4B0	Federal Tier 4 Bin 0	
HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395				
Transmission Type Code					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual		
A	Automatic	OT	Other		
AM	Automated Manual	SA	Semi-Automatic		
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)		
Drive System Code					
4	4-Wheel Drive	P	Part-time 4-Wheel Drive		

Certification Summary Information Report

Test Group		VPRXJ03.0HV6	Evaporative/Refueling Family		VPRXR0176REH
F	2-Wheel Drive, Front		A	All Wheel Drive	
R	2-Wheel Drive, Rear				
Additional Terms and Acronyms					
AFC	Alternative Fuel Converter		ICI	Independent Commercial Importer	
CSI	Certificate Summary Information		ORVR	Onboard Refueling Vapor Recovery	
DF	Deterioration Factor		SIL	Shift Indicator Light	
Evap	Evaporation, Evaporative		Trans	Transmission	

Section 7-Test Results

7.04>> CSI Report, Evap Family VPRXR0180RPH

The Certification Summary Information (CSI) report for this Test Group and second Evaporative Family combination begins on the following page.

Certification Summary Information Report

Manufacturer	Porsche AG	Manufacturer Code	PRX
Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Certificate Number	--	CARB Executive Order #	--
Certificate Issue Date	--	Certificate Revision Date	--
Certificate Effective Date	--	Conditional Certificate	--
CSI Revision #	--	CSI Submission/Revision Date	07/06/2026 10:11:58 AM
Model Year	2027		

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
-------------------	--------------	-------------------------------------	--------------

Test Group Information

CSI Type	Update for Correction	Running Change Reference Number	--
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Electric Motor

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Electricity	--	--

Drive Source #2: Combustion Engine

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Gasoline	Spark Ignition Direct fuel injection	No

Hybrid Indicator	Yes		
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	Yes
Multiple Fuel Combustion	--	Off-board Charge Capable Indicator	Yes
Fuel Cell Indicator	No	EPA Vehicle Class	LDT4, LDV
Federal Clean Fuel Vehicle	No	Federal Clean Fuel Vehicle Standard	--
Federal Clean Fuel Vehicle ILEV	No	California Partial Zero Emissions Vehicle Indicator	No
Durability Group Name	VPRXHHGNNCH6	Durability Group Equivalency Factor	1
Reduced Fee Test Group	No	Certification Region Code(s)	FA, CA
Complies with HD GHG 2b/3 regulations?	No		
Introduction into Commerce Date	--	CAP2000 Conditional Certificate?	N/A
Independent Commercial Importer?	--	Alternative Fuel Converter Certificate?	--
SFTP Federal Composite Compliance Identifier	Tier 3	SFTP Tier 2 Composite CO Option	No
SFTP LEV-III Composite Compliance Indicator	No		
OBD Compliance Type	CARB	OBD Demonstration Vehicle Test Group	VPRXJ04.0HV8
Test Group OBD Compliance Level	Partial - with deficiencies	Number of Test Group OBD Deficiencies	2
OBD Deficiencies Comments	APPROVAL E-26-101: SAE J1979-2 IMPLEMENTATION - CAYENNE E-HYBRID, CAYENNE S E-HYBRID; PCV MONITORING ALTERNATE PHASE-IN IMPLEMENTATION - PANAMERA 4 E-HYBRID, PANAMERA 4S E-HYBRID; SAE J1979-2 IMPLEMENTATION		
Mfr Test Group Comments	--		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH				
Evaporative/Refueling Family Information							
Evaporative Summary Information Type	New	Submission/Correction Date	03/23/2026 03:57:27 PM				
Integrated ORVR?	No	Fuel(s)	Gasoline				
Multiple Fuel Storage	--						
Bladder Fuel Tank?	No						
Fuel Tank Material	Metal	Fuel Tank Material Description	Stainless Steel				
Fill Pipe Seal Type	Liquid seal						
Air Intake System Vapor Storage Device?	No	Air Intake System Vapor Storage Device Description	--				
Fuel System Vapor Storage Canister?	Yes	Other Vapor Storage	--				
Fuel System Vapor Storage Canister(s) Total Working Capacity (grams)	180	Number of Primary Canisters	1				
Number of Bleed Canisters	0	Bleed Canister Total Working Capacity (grams)	--				
Mfr Evaporative/Refueling Family Comments	Evap system for all Panamera hybrid (PHEV) models						
Leak Family Details							
Leak Family Indicator	No						
Canister Bleed Test Indicator	No	Applicability of Evaporative Canister Bleed Test	--				
Evaporative Canister Bleed Test Comments	--						
CARB Fuel Only (Rig) Test Indicator	No	Applicability of CARB Fuel Only (Rig) Test	--				
CARB Fuel Only (Rig) Test Comments	--						
Models Covered by this Certificate							
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
Porsche AG	1 - Porsche	635 - Panamera 4S E-Hybrid	California + CAA Section 177 states	All Wheel Drive	Automated Manual-Selectable (e.g. Automated Manual with paddles)	8	No
Porsche AG	1 - Porsche	630 - Panamera 4 E-Hybrid	California + CAA Section 177 states	All Wheel Drive	Automated Manual-Selectable (e.g. Automated Manual with paddles)	8	No
Porsche AG	1 - Porsche	630 - Panamera 4 E-Hybrid	Federal	All Wheel Drive	Automated Manual-Selectable (e.g. Automated Manual with paddles)	8	No
Porsche AG	1 - Porsche	635 - Panamera 4S E-Hybrid	Federal	All Wheel Drive	Automated Manual-Selectable (e.g. Automated Manual with paddles)	8	No

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH	
Engine Description				
Hybrid Type	IC Engine/Electric Motor	Hybrid Description	--	
Engine Type	4-Stroke Spark Ignition	Mfr Engine Description	--	
Engine Block Arrangement	V-shaped engine	Mfr Engine Block Arrangement Description	--	
Camless Valvetrain Indicator	No	Oil Viscosity/Classification	0W40	
Number of Cylinders/Rotors	6	Mechanically Variable Compression Ratio Indicator	N	
After Treatment Device(s) (ATD)				
ATD Number	ATD Type	ATD Precious Metal	Substrate Material	Substrate Construction
1	Three-way catalyst	Palladium + Rhodium	Ceramic	Monolith
2	Three-way catalyst	Palladium + Rhodium	Ceramic	Monolith
Mfr After Treatment Device (ATD) Comments				
--				
Direct Ozone Reduction (DOR) Device				
Not Equipped				
Mfr Emission Control Device Comments				
--				
Engine Configuration Number 1				
Engine Displacement (liters)	3.0	Engine Rated Horsepower	348	
Number of Inlet Valves Per Cylinder	2	Number of Exhaust Valves Per Cylinder	2	
Air Aspiration Method	Turbocharged	Number of Air Aspiration Devices	1	
Air Aspiration Device Configuration	Single	Charge Air Cooler Type	Air	
Air Aspiration Drive Method(s)	Mechanical			
Cylinder Deactivation	No			
Cylinder Deactivation Description	--			
Variable Valve Timing	Yes			
Variable Valve Timing System Description	VarioCam			
Variable Valve Lift?	Yes			
Variable Valve Lift System Description	Inlet valve is variable			
Number of Knock Sensors	4	Number of Air/Fuel Sensors	2	
Air/Fuel Sensor # 1 Type	Heated oxygen	Air/Fuel Sensor # 1 Description	--	
Air/Fuel Sensor # 2 Type	Heated oxygen	Air/Fuel Sensor # 2 Description	--	
Mfr Air/Fuel Sensor Comments	--			
Exhaust Gas Recirculation	No	Cooled Exhaust Gas Recirculation	--	
EGR Type	--	Exhaust Gas Recirculation Description if 'Other'	--	
Closed Loop Air Injection System	--			
Air Injection Type	--	Air Injection Type if 'Other'	--	
Mfr Engine Configuration Comments	TWC/MAP/DFI/WR-HO2S/HO2S/1TC/2CAC			

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Engine Configuration Number 2			
Engine Displacement (liters)	3.0	Engine Rated Horsepower	300
Number of Inlet Valves Per Cylinder	2	Number of Exhaust Valves Per Cylinder	2
Air Aspiration Method	Turbocharged	Number of Air Aspiration Devices	1
Air Aspiration Device Configuration	Single	Charge Air Cooler Type	Air
Air Aspiration Drive Method(s)	Mechanical		
Cylinder Deactivation	No		
Cylinder Deactivation Description	--		
Variable Valve Timing	Yes		
Variable Valve Timing System Description	VarioCam		
Variable Valve Lift?	Yes		
Variable Valve Lift System Description	Inlet valve is variable		
Number of Knock Sensors	4	Number of Air/Fuel Sensors	2
Air/Fuel Sensor # 1 Type	Heated oxygen	Air/Fuel Sensor # 1 Description	--
Air/Fuel Sensor # 2 Type	Heated oxygen	Air/Fuel Sensor # 2 Description	--
Mfr Air/Fuel Sensor Comments	--		
Exhaust Gas Recirculation	No	Cooled Exhaust Gas Recirculation	--
EGR Type	--	Exhaust Gas Recirculation Description if 'Other'	--
Closed Loop Air Injection System	--		
Air Injection Type	--	Air Injection Type if 'Other'	--
Mfr Engine Configuration Comments	TWC/MAP/DFI/WR-HO2S/HO2S/1TC/2CAC		

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Engine Configuration Number 3			
Engine Displacement (liters)	2.9	Engine Rated Horsepower	348
Number of Inlet Valves Per Cylinder	2	Number of Exhaust Valves Per Cylinder	2
Air Aspiration Method	Turbocharged	Number of Air Aspiration Devices	2
Air Aspiration Device Configuration	Parallel	Charge Air Cooler Type	Air
Air Aspiration Drive Method(s)	Mechanical		
Cylinder Deactivation	No		
Cylinder Deactivation Description	--		
Variable Valve Timing	Yes		
Variable Valve Timing System Description	VarioCam		
Variable Valve Lift?	Yes		
Variable Valve Lift System Description	VarioCam Plus		
Number of Knock Sensors	4	Number of Air/Fuel Sensors	4
Air/Fuel Sensor # 1 Type	Heated oxygen	Air/Fuel Sensor # 1 Description	--
Air/Fuel Sensor # 2 Type	Heated oxygen	Air/Fuel Sensor # 2 Description	--
Air/Fuel Sensor # 3 Type	Heated oxygen	Air/Fuel Sensor # 3 Description	--
Air/Fuel Sensor # 4 Type	Heated oxygen	Air/Fuel Sensor # 4 Description	--
Mfr Air/Fuel Sensor Comments	--		
Exhaust Gas Recirculation	No	Cooled Exhaust Gas Recirculation	--
EGR Type	--	Exhaust Gas Recirculation Description if 'Other'	--
Closed Loop Air Injection System	--		
Air Injection Type	--	Air Injection Type if 'Other'	--
Mfr Engine Configuration Comments	Panamera 4S E-Hybrid (PHEV)		

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH								
Engine Configuration Number 4											
Engine Displacement (liters)	2.9	Engine Rated Horsepower	300								
Number of Inlet Valves Per Cylinder	2	Number of Exhaust Valves Per Cylinder	2								
Air Aspiration Method	Turbocharged	Number of Air Aspiration Devices	2								
Air Aspiration Device Configuration	Parallel	Charge Air Cooler Type	Air								
Air Aspiration Drive Method(s)	Mechanical										
Cylinder Deactivation	No										
Cylinder Deactivation Description	--										
Variable Valve Timing	Yes										
Variable Valve Timing System Description	VarioCam										
Variable Valve Lift?	Yes										
Variable Valve Lift System Description	VarioCam Plus										
Number of Knock Sensors	4	Number of Air/Fuel Sensors	4								
Air/Fuel Sensor # 1 Type	Heated oxygen	Air/Fuel Sensor # 1 Description	--								
Air/Fuel Sensor # 2 Type	Heated oxygen	Air/Fuel Sensor # 2 Description	--								
Air/Fuel Sensor # 3 Type	Heated oxygen	Air/Fuel Sensor # 3 Description	--								
Air/Fuel Sensor # 4 Type	Heated oxygen	Air/Fuel Sensor # 4 Description	--								
Mfr Air/Fuel Sensor Comments	--										
Exhaust Gas Recirculation	No	Cooled Exhaust Gas Recirculation	--								
EGR Type	--	Exhaust Gas Recirculation Description if 'Other'	--								
Closed Loop Air Injection System	--										
Air Injection Type	--	Air Injection Type if 'Other'	--								
Mfr Engine Configuration Comments	Panamera 4 E-Hybrid (PHEV)										
Official Test Numbers											
Test Group	Fuel	FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Gasoline	RPRX10085338	RPRX10085340	RPRX10085341	RPRX10085342	RPRX10085339	21.8	228.2	29.3	286.1	--	
Electricity	RPRX10085338	RPRX10085340	RPRX10085341	RPRX10085342	RPRX10085339	--	--	--	--	--	
SFTP LEV-III Official Test Numbers											
Test Group	Fuel	FTP	US06	SC03							
Gasoline	RPRX10085338	RPRX10085340	RPRX10085341	RPRX10085342							

Certification Summary Information Report

Test Group		VPRXJ03.0HV6	Evaporative/Refueling Family		VPRXR0180RPH
Official Charge Depleting Test Numbers					
Test Group Fuel		UDDS		Highway	
Gasoline		RPRX10085344		RPRX10085345	
Electricity		RPRX10085344		RPRX10085345	
Hybrid Electric Vehicle And Fuel Cell Information					
Rechargeable Energy Storage System		Battery(s)		Rechargeable Energy Storage System, if Other	
Battery Type		Lithium Ion		Number of Battery Packs	
Total Voltage of Battery Packs		360		Battery Energy Capacity	
Battery Specific Energy		161		Battery Charger Type	
Number of Capacitors		--		Capacitor Rating (In Farads)	
Mfr Capacitor Comments		--			
Hydraulic System Description		--			
Regenerative Braking Type		Electrical Regen Brake			
Regenerative Braking Source		Both		Driver Controlled Regenerative Braking	
Mfr Regenerative Braking Description		--			
Drive Motor(s)/Generator(s)		2			
Motor/Generator Type 1		DC Brushless		Rated Motor/Generator Power	
Motor/Generator Type 2		DC Brushless		Rated Motor/Generator Power	
Mfr Fuel Cell Description		--			
Fuel Cell On-Board H2 Storage Capacity (kg)		--		Usable H2 Fill Capacity (kg)	
Mfr Hybrid Electric/ Electric Vehicle Comments		130kW for Cayenne PHEVs and 140 kW for Panamera PHEVs			

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
-------------------	--------------	-------------------------------------	--------------

Emission Data Vehicle Information

Vehicle ID / Configuration	ECFE-9YASH-24 / 0	Manufacturer Vehicle Configuration Number	0
Original Test Group Name	RPRXT03.0CH6	Original Evaporative/Refueling Family	RPRXR0176REH
Original Test Vehicle Model Year	2024		

Vehicle Model

Represented Test Vehicle Make	Porsche	Represented Test Vehicle Model	Cayenne S E-Hybrid
--------------------------------------	---------	---------------------------------------	--------------------

Leak Family Details

Leak Family Identifier	--	Leak Family Name	--
-------------------------------	----	-------------------------	----

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Combustion Engine	Gasoline
2	Electric Motor	Electricity

Hybrid Indicator	Yes		
Multiple Fuel Storage	--	Multiple Fuel Combustion	--
Fuel Cell Indicator	No	Rechargeable Energy Storage System Indicator	Yes
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if 'Other'	--
Off-board charge Capable Indicator	Yes		
Odometer Correction -- Initial	0	Odometer Correction Factor	1
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles		
Odometer Correction Units	Miles		
Engine Code	DCB	Rated Horsepower	348
Displacement (liters)	3		
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'	
Number of Air Aspiration Devices	1	Air Aspiration Device Configuration	Single
Charge Air Cooler Type	Air	Drive Mode While Testing	All Wheel Drive
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)
Curb Weight (lbs)	5531	Equivalent Test Weight (pounds)	6000
GVWR (lbs)	6878	N/V Ratio	24
Axle Ratio	3.21		
Transmission Type	Semi-Automatic	# of Transmission Gears	8
Transmission Lockup	Yes	Creeper Gear	No

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family		VPRXR0180RPH	
Dynamometer Coefficients:								
Target Coefficients				Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)		
City/Highway/Evap	47.39	0.24204	0.028385	-12.302	0.32916	0.02499	17.4	
Cold CO	52.133	0.26592	0.031226	-19.826	0.14096	0.0291	N/A	
US06	47.39	0.24204	0.028385	-12.302	0.32916	0.02499	N/A	
Emission Control Device Comments		TWC/MAP/DFI/WR-HO2S/HO2S/1TC/2CAC						
Manufacturer Test Vehicle Comments		Cayenne S E-Hybrid Coupe (plug-in hybrid) EDV Configuration, V6 engine						

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Test #	RPRX10085338	Test Procedure	21 - Federal fuel 2-day exhaust (w/can load)
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	12/06/2023	Fuel	Gasoline
Fuel Batch ID	HF2042	Fuel Calibration Number	337
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4435	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	492.77	--
FE BAG 1 (Bag 1 Fuel Economy)	17.4	17.4
CO2 BAG 2 (Bag 2 Carbon Dioxide)	252.71	--
FE BAG 2 (Bag 2 Fuel Economy)	34.02	34.02
CO2 BAG 3 (Bag 3 Carbon Dioxide)	362.44	--
FE BAG 3 (Bag 3 Fuel Economy)	23.68	23.68
CO2 BAG 4 (Bag 4 Carbon Dioxide)	242.58	--
FE BAG 4 (Bag 4 Fuel Economy)	35.44	35.44
METHANE (CH4 - Methane)	0.0031	--
CO (Carbon Monoxide)	0.3211	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.4106	--
DT-EER (Drive Trace Energy Economy Rating)	-0.2747	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-0.1099	--
MFR FE (Manufacturer Fuel Economy)	26.04	26.04
NOX (Nitrogen Oxide)	0.0075	--
N2O (Nitrous Oxide)	0.001	--
HC-NM (Non-methane Hydrocarbon)	0.0114	--
NMOG (Non-methane organic gases)	0.0126	--
PM (Particulate Matter)	0.0016	--
HC-TOTAL (Total Hydrocarbon)	0.0144	--

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH						
	<table><tr><td>Test Result Name</td><td>Unrounded Test Result</td><td>Verify Calculated CREE/OPT-CREE</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>331</td><td>999</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	Carbon-Related Exhaust Emissions	331	999		
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE							
Carbon-Related Exhaust Emissions	331	999							
	<table><tr><td>Test Result Name</td><td>Unrounded Test Result</td><td>Verify Calculated CO2</td></tr><tr><td>Carbon dioxide</td><td>329.69</td><td>--</td></tr></table>	Test Result Name	Unrounded Test Result	Verify Calculated CO2	Carbon dioxide	329.69	--		
Test Result Name	Unrounded Test Result	Verify Calculated CO2							
Carbon dioxide	329.69	--							
Manufacturer Test Comments	Cayenne S E-Hybrid models; CS FTP E10; Internal Test #20231206TC101								

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family					VPRXR0180RPH		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 70	METHANE	0.0031	--	--	--	0.0059	--	0.009	0.030	Pass
Fed	120,000 miles	Federal Tier 3 Bin 70	N2O	0.0010	--	--	--	0.0023	--	0.003	0.010	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	CO	0.32	--	--	--	0.09	--	0.4	1.7	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	CO-COMP	0.48	--	--	--	0.09	--	0.5	4.2	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	CREE	999	--	--	--	0	--	999	--	--
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG	0.0126	--	1.1	--	0.0044	--	0.017	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG+NOX	0.0201	--	1.1	--	--	--	0.034	0.070	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG+NOX-COMP	0.0300	--	1.1	--	0.0137	--	0.030	0.080	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NOX	0.0075	--	--	--	0.0093	--	0.017	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	PM	0.0016	--	--	--	0	--	0.002	0.003	Pass
CA	120,000 miles	California LEV-IV ULEV70	METHANE	0.0031	--	--	--	0.0059	--	0.009	0.030	Pass
CA	120,000 miles	California LEV-IV ULEV70	N2O	0.0010	--	--	--	0.0023	--	0.003	0.010	Pass
CA	150,000 miles	California LEV-IV ULEV70	CO	0.32	--	--	--	0.09	--	0.4	1.7	Pass
CA	150,000 miles	California LEV-IV ULEV70	CO-COMP	0.48	--	--	--	0.09	--	0.5	4.2	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG	0.0126	--	1.1	--	0.0044	--	0.017	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG+NOX	0.0201	--	1.1	--	--	--	0.034	0.070	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG+NOX-COMP	0.0300	--	--	--	0.0137	--	0.030	0.080	Pass
CA	150,000 miles	California LEV-IV ULEV70	NOX	0.0075	--	--	--	0.0093	--	0.017	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	PM	0.0016	--	--	--	0	--	0.002	0.003	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Test #	RPRX10085342	Test Procedure	11 - Cold CO
Exhaust Test # for this Evap Test	--	Test Fuel Type	29 - Cold CO E10 Premium Gasoline (Tier 3)
Test Date	12/08/2023	Fuel	Gasoline
Fuel Batch ID	HF2043	Fuel Calibration Number	20
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4556	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	687.73	--
FE BAG 1 (Bag 1 Fuel Economy)	12.49	12.49
CO2 BAG 2 (Bag 2 Carbon Dioxide)	523.05	--
FE BAG 2 (Bag 2 Fuel Economy)	16.48	16.48
CO2 BAG 3 (Bag 3 Carbon Dioxide)	502.99	--
FE BAG 3 (Bag 3 Fuel Economy)	17.12	17.12
CO2 BAG 4 (Bag 4 Carbon Dioxide)	292.75	--
FE BAG 4 (Bag 4 Fuel Economy)	29.44	29.44
METHANE (CH4 - Methane)	0.0046	--
CO (Carbon Monoxide)	0.6341	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.3032	--
DT-EER (Drive Trace Energy Economy Rating)	-0.6779	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-0.9845	--
MFR FE (Manufacturer Fuel Economy)	17.8	17.8
NOX (Nitrogen Oxide)	0.0046	--
N2O (Nitrous Oxide)	0.0004	--
HC-NM (Non-methane Hydrocarbon)	0.0304	--
NMOG (Non-methane organic gases)	0.0335	--
HC-TOTAL (Total Hydrocarbon)	0.0349	--

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family				VPRXR0180RPH			
		Test Result Name		Unrounded Test Result			Verify Calculated CREE/OPT-CREE					
		Carbon-Related Exhaust Emissions		485			--					
		Test Result Name		Unrounded Test Result			Verify Calculated CO2					
		Carbon dioxide		483.73			--					
Manufacturer Test Comments		Cayenne S E-Hybrid; CS COLD CO E10; Internal Test #20231208TC104										
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	50,000 miles	Federal Tier 3 Bin 70	CO	0.63	--	--	--	0.09	--	0.7	12.5	Pass
Fed	120,000 miles	Federal Tier 3 Bin 70	HC-NM	0.03	--	--	--	0.0038	--	0.0	0.3	Pass
CA	50,000 miles	California LEV-IV ULEV70	CO	0.63	--	--	--	0.09	--	0.7	12.5	Pass

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Test #	RPRX10085343	Test Procedure	52 - Fed. fuel 50 F exh.
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	12/12/2023	Fuel	N/A
Fuel Batch ID	HF2042	Fuel Calibration Number	337
Vehicle Class	N/A	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4587	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	500.42	--
FE BAG 1 (Bag 1 Fuel Economy)	17.14	17.14
CO2 BAG 2 (Bag 2 Carbon Dioxide)	274.36	--
FE BAG 2 (Bag 2 Fuel Economy)	31.31	31.31
CO2 BAG 3 (Bag 3 Carbon Dioxide)	365.4	--
FE BAG 3 (Bag 3 Fuel Economy)	23.52	23.52
CO2 BAG 4 (Bag 4 Carbon Dioxide)	251.67	--
FE BAG 4 (Bag 4 Fuel Economy)	34.15	34.15
METHANE (CH4 - Methane)	0.0028	--
CO (Carbon Monoxide)	0.2548	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.5472	--
DT-EER (Drive Trace Energy Economy Rating)	-1.0672	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-1.3956	--
MFR FE (Manufacturer Fuel Economy)	25.3	25.3
NOX (Nitrogen Oxide)	0.003	--
N2O (Nitrous Oxide)	0.001	--
HC-NM (Non-methane Hydrocarbon)	0.0147	--
NMOG (Non-methane organic gases)	0.0162	--
PM (Particulate Matter)	0.002	--
HC-TOTAL (Total Hydrocarbon)	0.0174	--

Page 17 of 65 CSI Submission/Revision Date: 07/06/2026 10:11:58 AM

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Test #	RPRX10085339	Test Procedure	3 - HWFE
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	12/06/2023	Fuel	Gasoline
Fuel Batch ID	HF2042	Fuel Calibration Number	337
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4450	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0.0011	--
CO (Carbon Monoxide)	0.1274	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	1.7916	--
DT-EER (Drive Trace Energy Economy Rating)	-1.4204	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	2.3934	--
MFR FE (Manufacturer Fuel Economy)	33.72	33.72
NOX (Nitrogen Oxide)	0.0019	--
N2O (Nitrous Oxide)	0	--
HC-NM (Non-methane Hydrocarbon)	0.0008	--
NMOG (Non-methane organic gases)	0.0009	--
PM (Particulate Matter)	0.0006	--
HC-TOTAL (Total Hydrocarbon)	0.002	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	255	999

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	254.84	--

Manufacturer Test Comments

Cayenne S E-Hybrid models; CS HFET E10; Internal test #20231206TC102

Certification Summary Information Report

Test Group		VPRXJ03.0HV6				Evaporative/Refueling Family				VPRXR0180RPH		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 70	CREE	999	--	--	--	0	--	999	--	--
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG	0.0009	--	1.1	--	0.0044	--	0.005	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG+NOX	0.0028	--	1.1	--	--	--	0.016	0.070	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NOX	0.0019	--	--	--	0.0093	--	0.011	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG	0.0009	--	1.1	--	0.0044	--	0.005	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG+NOX	0.0028	--	1.1	--	--	--	0.016	0.070	Pass
CA	150,000 miles	California LEV-IV ULEV70	NOX	0.0019	--	--	--	0.0093	--	0.011	999.999	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Test #	RPRX10085340	Test Procedure	90 - US06
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	12/06/2023	Fuel	Gasoline
Fuel Batch ID	HF2042	Fuel Calibration Number	337
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4474	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	538.84	--
FE BAG 1 (Bag 1 Fuel Economy)	15.95	15.95
CO2 BAG 2 (Bag 2 Carbon Dioxide)	348.71	--
FE BAG 2 (Bag 2 Fuel Economy)	24.61	24.61
METHANE (CH4 - Methane)	0.0032	--
CO (Carbon Monoxide)	0.4119	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-0.2198	--
DT-EER (Drive Trace Energy Economy Rating)	-1.8906	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-1.357	--
MFR FE (Manufacturer Fuel Economy)	21.96	21.96
NOX (Nitrogen Oxide)	0.0177	--
N2O (Nitrous Oxide)	0.0002	--
HC-NM (Non-methane Hydrocarbon)	0.003	--
NMOG (Non-methane organic gases)	0.0031	--
PM (Particulate Matter)	0.0012	--
HC-TOTAL (Total Hydrocarbon)	0.0061	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	392	--

Certification Summary Information Report

Test Group		VPRXJ03.0HV6				Evaporative/Refueling Family				VPRXR0180RPH		
		Test Result Name		Unrounded Test Result		Verify Calculated CO2						
		Carbon dioxide		390.91		--						
Manufacturer Test Comments		Cayenne S E-Hybrid; CS US06 E10; Internal Test #20231206TC103										
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 70	CO	0.41	--	--	--	0.09	--	0.5	999.9	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG	0.0031	--	1.1	--	0.0044	--	0.008	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NOX	0.0177	--	--	--	0.0093	--	0.027	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	PM	0.0012	--	--	--	0	--	0.001	0.006	Pass
CA	4,000 miles	California LEV-IV ULEV70	CO	0.41	--	--	--	0.09	--	0.5	999.9	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG	0.0031	--	--	--	0.0044	--	0.008	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NOX	0.0177	--	--	--	0.0093	--	0.027	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	PM	0.0012	--	--	--	0	--	0.001	0.006	Pass

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH																																				
Test #	RPRX10085341	Test Procedure	95 - SC03																																				
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)																																				
Test Date	12/18/2023	Fuel	Gasoline																																				
Fuel Batch ID	HF2042	Fuel Calibration Number	337																																				
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	EPA Assigned																																				
Verify Test Lab ID	VW Test Center California																																						
E10 Evaporative Test Measurement Method	--																																						
Test Start Odometer Reading	4687	Odometer Units	M																																				
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--																																				
State of Charge Delta	Yes																																						
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes																																				
Test Results																																							
<table border="1"> <thead> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value (miles per gallon)</th> </tr> </thead> <tbody> <tr> <td>METHANE (CH4 - Methane)</td> <td>0.0045</td> <td>--</td> </tr> <tr> <td>CO (Carbon Monoxide)</td> <td>0.4473</td> <td>--</td> </tr> <tr> <td>DT-ASCR (Drive Trace Absolute Speed Change Rating)</td> <td>0.366</td> <td>--</td> </tr> <tr> <td>DT-EER (Drive Trace Energy Economy Rating)</td> <td>0.2764</td> <td>--</td> </tr> <tr> <td>DT-IWRR (Drive Trace Inertia Work Ratio Rating)</td> <td>-0.034</td> <td>--</td> </tr> <tr> <td>MFR FE (Manufacturer Fuel Economy)</td> <td>20.74</td> <td>20.74</td> </tr> <tr> <td>NOX (Nitrogen Oxide)</td> <td>0.0065</td> <td>--</td> </tr> <tr> <td>N2O (Nitrous Oxide)</td> <td>0.0006</td> <td>--</td> </tr> <tr> <td>HC-NM (Non-methane Hydrocarbon)</td> <td>0.0026</td> <td>--</td> </tr> <tr> <td>NMOG (Non-methane organic gases)</td> <td>0.0027</td> <td>--</td> </tr> <tr> <td>HC-TOTAL (Total Hydrocarbon)</td> <td>0.007</td> <td>--</td> </tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	METHANE (CH4 - Methane)	0.0045	--	CO (Carbon Monoxide)	0.4473	--	DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.366	--	DT-EER (Drive Trace Energy Economy Rating)	0.2764	--	DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-0.034	--	MFR FE (Manufacturer Fuel Economy)	20.74	20.74	NOX (Nitrogen Oxide)	0.0065	--	N2O (Nitrous Oxide)	0.0006	--	HC-NM (Non-methane Hydrocarbon)	0.0026	--	NMOG (Non-methane organic gases)	0.0027	--	HC-TOTAL (Total Hydrocarbon)	0.007	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)																																					
METHANE (CH4 - Methane)	0.0045	--																																					
CO (Carbon Monoxide)	0.4473	--																																					
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.366	--																																					
DT-EER (Drive Trace Energy Economy Rating)	0.2764	--																																					
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-0.034	--																																					
MFR FE (Manufacturer Fuel Economy)	20.74	20.74																																					
NOX (Nitrogen Oxide)	0.0065	--																																					
N2O (Nitrous Oxide)	0.0006	--																																					
HC-NM (Non-methane Hydrocarbon)	0.0026	--																																					
NMOG (Non-methane organic gases)	0.0027	--																																					
HC-TOTAL (Total Hydrocarbon)	0.007	--																																					
<table border="1"> <thead> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated CREE/OPT-CREE</th> </tr> </thead> <tbody> <tr> <td>Carbon-Related Exhaust Emissions</td> <td>415</td> <td>--</td> </tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	Carbon-Related Exhaust Emissions	415	--																														
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE																																					
Carbon-Related Exhaust Emissions	415	--																																					
<table border="1"> <thead> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated CO2</th> </tr> </thead> <tbody> <tr> <td>Carbon dioxide</td> <td>414.01</td> <td>--</td> </tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated CO2	Carbon dioxide	414.01	--																														
Test Result Name	Unrounded Test Result	Verify Calculated CO2																																					
Carbon dioxide	414.01	--																																					
Manufacturer Test Comments	Cayenne S E-Hybrid models; CS SC03 E10; Internal Test #20231218TC108																																						

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family					VPRXR0180RPH		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 70	CO	0.45	--	--	--	0.09	--	0.5	999.9	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG	0.0027	--	1.1	--	0.0044	--	0.007	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NOX	0.0065	--	--	--	0.0093	--	0.016	999.999	Pass
CA	4,000 miles	California LEV-IV ULEV70	CO	0.45	--	--	--	0.09	--	0.5	999.9	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG	0.0027	--	--	--	0.0044	--	0.007	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NOX	0.0065	--	--	--	0.0093	--	0.016	999.999	Pass

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Test #	RPRX10085344	Test Procedure	81 - Charge Depleting UDDS
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	12/19/2023	Fuel	N/A
Fuel Batch ID	HF2042	Fuel Calibration Number	337
Vehicle Class	N/A	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4691	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	237.6	Recharge Event Energy (kiloWatt-hours)	17.5286
Charge Depleting Range (Calculated miles)	52.15	Charge Depleting Range (Actual miles)	44.02
Charge Depleting Range Highway (Calculated miles)	--	Derived 5-Cycle Coefficient Model Year	2017
All Electric Range Unadjusted (miles)	38.52	Equivalent All Electric Range (miles)	47.43
Number of Charge Depleting Bags/Phases Conducted	9	Transition Bag/Phase Number	6
Charge Depleting Bag/Phase #1			

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.44	
	Average System Voltage	393.48	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	-0.84	
	Drive Trace Energy Economy Rating	-1.065	
	Drive Trace Inertia Work Ratio Rating	-2.151	
	Formaldehyde	0	
	Integrated Amp-hours	7.12	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	2.76	
	System Start State of Charge Watt-hours	0	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #2

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.46	
	Average System Voltage	384.33	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	0.26	
	Drive Trace Energy Economy Rating	0.022	
	Drive Trace Inertia Work Ratio Rating	-0.246	
	Formaldehyde	0	
	Integrated Amp-hours	14.29	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	5.483	
	System Start State of Charge Watt-hours	2.76	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #3

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.46	
	Average System Voltage	373.57	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	-0.12	
	Drive Trace Energy Economy Rating	-0.316	
	Drive Trace Inertia Work Ratio Rating	-0.908	
	Formaldehyde	0	
	Integrated Amp-hours	21.65	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	8.199	
	System Start State of Charge Watt-hours	5.483	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #4

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.46	
	Average System Voltage	365.98	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	0.37	
	Drive Trace Energy Economy Rating	-0.39	
	Drive Trace Inertia Work Ratio Rating	0.356	
	Formaldehyde	0	
	Integrated Amp-hours	29.04	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	10.863	
	System Start State of Charge Watt-hours	8.199	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #5

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.46	
	Average System Voltage	359.28	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	0.17	
	Drive Trace Energy Economy Rating	-0.8	
	Drive Trace Inertia Work Ratio Rating	-0.164	
	Formaldehyde	0	
	Integrated Amp-hours	36.58	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	13.532	
	System Start State of Charge Watt-hours	10.863	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #6

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.44	
	Average System Voltage	357.33	
	CH4 - Methane	0	
	Carbon Monoxide	0.28	
	Carbon dioxide	234.32	
	Carbon-Related Exhaust Emissions	235	
	Drive Trace Absolute Speed Change Rating	0.91	
	Drive Trace Energy Economy Rating	0.029	
	Drive Trace Inertia Work Ratio Rating	0.824	
	Formaldehyde	0	
	Integrated Amp-hours	38.31	
	Manufacturer Fuel Economy	36.62	
	Nitrogen Oxide	0.01	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0.03	
	Non-methane organic gases	0.033	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	235	
	Particulate Matter	0.0006	
	System End State of Charge Watt-hours	14.104	
	System Start State of Charge Watt-hours	13.532	
	Total Hydrocarbon	0.03	

Charge Depleting Bag/Phase #7

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.46	
	Average System Voltage	358.19	
	CH4 - Methane	0	
	Carbon Monoxide	0.17	
	Carbon dioxide	290.41	
	Carbon-Related Exhaust Emissions	291	
	Drive Trace Absolute Speed Change Rating	1.53	
	Drive Trace Energy Economy Rating	0.671	
	Drive Trace Inertia Work Ratio Rating	2.261	
	Formaldehyde	0	
	Integrated Amp-hours	38.13	
	Manufacturer Fuel Economy	29.59	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	291	
	Particulate Matter	0.0009	
	System End State of Charge Watt-hours	14.002	
	System Start State of Charge Watt-hours	14.104	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #8

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.46	
	Average System Voltage	357.93	
	CH4 - Methane	0	
	Carbon Monoxide	0.19	
	Carbon dioxide	281.8	
	Carbon-Related Exhaust Emissions	282	
	Drive Trace Absolute Speed Change Rating	0.61	
	Drive Trace Energy Economy Rating	0.026	
	Drive Trace Inertia Work Ratio Rating	0.443	
	Formaldehyde	0	
	Integrated Amp-hours	38.04	
	Manufacturer Fuel Economy	30.49	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	282	
	Particulate Matter	0.0021	
	System End State of Charge Watt-hours	13.93	
	System Start State of Charge Watt-hours	14.002	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #9

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	7.45	
	Average System Voltage	357.98	
	CH4 - Methane	0	
	Carbon Monoxide	0.12	
	Carbon dioxide	295.53	
	Carbon-Related Exhaust Emissions	296	
	Drive Trace Absolute Speed Change Rating	1.89	
	Drive Trace Energy Economy Rating	1.011	
	Drive Trace Inertia Work Ratio Rating	2.493	
	Formaldehyde	0	
	Integrated Amp-hours	37.77	
	Manufacturer Fuel Economy	29.08	
	Nitrogen Oxide	0.01	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	296	
	System End State of Charge Watt-hours	13.798	
	System Start State of Charge Watt-hours	13.93	
	Total Hydrocarbon	0	

Manufacturer Test Comments

CD UDDS test, Cayenne S PHEV Coupe, Internal Test No.:20231219TC105

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Test #	RPRX10085345	Test Procedure	84 - Charge Depleting Highway
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	12/20/2023	Fuel	N/A
Fuel Batch ID	HF2042	Fuel Calibration Number	337
Vehicle Class	N/A	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4691	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
PHEV/EV Charge Depleting Test Information			
Recharge Event Voltage	238.4	Recharge Event Energy (kiloWatt-hours)	17.431
Charge Depleting Range (Calculated miles)	51.28	Charge Depleting Range (Actual miles)	40.3
Charge Depleting Range Highway (Calculated miles)	--	Derived 5-Cycle Coefficient Model Year	2017
All Electric Range Unadjusted (miles)	31.78	Equivalent All Electric Range (miles)	45.77
Number of Charge Depleting Bags/Phases Conducted	7	Transition Bag/Phase Number	5
Charge Depleting Bag/Phase #1			

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	10.25	
	Average System Voltage	387.71	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	7.35	
	Drive Trace Energy Economy Rating	0.443	
	Drive Trace Inertia Work Ratio Rating	8.76	
	Formaldehyde	0	
	Integrated Amp-hours	9.34	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	3.604	
	System Start State of Charge Watt-hours	0	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #2

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	10.26	
	Average System Voltage	375.38	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	6.55	
	Drive Trace Energy Economy Rating	-0.151	
	Drive Trace Inertia Work Ratio Rating	8.202	
	Formaldehyde	0	
	Integrated Amp-hours	18.63	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	7.065	
	System Start State of Charge Watt-hours	3.604	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #3

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	10.25	
	Average System Voltage	364.03	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	5.39	
	Drive Trace Energy Economy Rating	-0.15	
	Drive Trace Inertia Work Ratio Rating	6.649	
	Formaldehyde	0	
	Integrated Amp-hours	28.14	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	10.494	
	System Start State of Charge Watt-hours	7.065	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #4

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	10.25	
	Average System Voltage	355.04	
	CH4 - Methane	0	
	Carbon Monoxide	0	
	Carbon dioxide	0	
	Carbon-Related Exhaust Emissions	0	
	Drive Trace Absolute Speed Change Rating	6.49	
	Drive Trace Energy Economy Rating	-0.272	
	Drive Trace Inertia Work Ratio Rating	7.843	
	Formaldehyde	0	
	Integrated Amp-hours	37.83	
	Manufacturer Fuel Economy	0	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	0	
	Particulate Matter	0	
	System End State of Charge Watt-hours	13.906	
	System Start State of Charge Watt-hours	10.494	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #5

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	10.25	
	Average System Voltage	359.29	
	CH4 - Methane	0	
	Carbon Monoxide	0.34	
	Carbon dioxide	278.17	
	Carbon-Related Exhaust Emissions	279	
	Drive Trace Absolute Speed Change Rating	-0.09	
	Drive Trace Energy Economy Rating	-0.899	
	Drive Trace Inertia Work Ratio Rating	-0.006	
	Formaldehyde	0	
	Integrated Amp-hours	37.11	
	Manufacturer Fuel Economy	30.85	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0.02	
	Non-methane organic gases	0.022	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	280	
	Particulate Matter	0.00034	
	System End State of Charge Watt-hours	13.649	
	System Start State of Charge Watt-hours	13.906	
	Total Hydrocarbon	0.02	

Charge Depleting Bag/Phase #6

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
	Test Result/Emission Name	Unrounded Test Result	
	Actual Distance Driven (miles)	10.24	
	Average System Voltage	359.18	
	CH4 - Methane	0	
	Carbon Monoxide	0.23	
	Carbon dioxide	249.68	
	Carbon-Related Exhaust Emissions	250	
	Drive Trace Absolute Speed Change Rating	-1.18	
	Drive Trace Energy Economy Rating	-1.196	
	Drive Trace Inertia Work Ratio Rating	-1.415	
	Formaldehyde	0	
	Integrated Amp-hours	37.01	
	Manufacturer Fuel Economy	34.4	
	Nitrogen Oxide	0	
	Nitrous Oxide	0	
	Non-methane Hydrocarbon	0	
	Non-methane organic gases	0	
	Non-methane organic gases plus Nitrogen Oxides	999.999	
	Optional Carbon-Related Exhaust Emissions	251	
	Particulate Matter	0.00026	
	System End State of Charge Watt-hours	13.602	
	System Start State of Charge Watt-hours	13.649	
	Total Hydrocarbon	0	

Charge Depleting Bag/Phase #7

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH																																														
	<table><tr><th>Test Result/Emission Name</th><th>Unrounded Test Result</th></tr><tr><td>Actual Distance Driven (miles)</td><td>10.24</td></tr><tr><td>Average System Voltage</td><td>359.15</td></tr><tr><td>CH4 - Methane</td><td>0</td></tr><tr><td>Carbon Monoxide</td><td>0.14</td></tr><tr><td>Carbon dioxide</td><td>247.95</td></tr><tr><td>Carbon-Related Exhaust Emissions</td><td>248</td></tr><tr><td>Drive Trace Absolute Speed Change Rating</td><td>-0.22</td></tr><tr><td>Drive Trace Energy Economy Rating</td><td>-1.404</td></tr><tr><td>Drive Trace Inertia Work Ratio Rating</td><td>-0.176</td></tr><tr><td>Formaldehyde</td><td>0</td></tr><tr><td>Integrated Amp-hours</td><td>36.96</td></tr><tr><td>Manufacturer Fuel Economy</td><td>34.65</td></tr><tr><td>Nitrogen Oxide</td><td>0</td></tr><tr><td>Nitrous Oxide</td><td>0</td></tr><tr><td>Non-methane Hydrocarbon</td><td>0</td></tr><tr><td>Non-methane organic gases</td><td>0</td></tr><tr><td>Non-methane organic gases plus Nitrogen Oxides</td><td>999.999</td></tr><tr><td>Optional Carbon-Related Exhaust Emissions</td><td>249</td></tr><tr><td>Particulate Matter</td><td>0.00014</td></tr><tr><td>System End State of Charge Watt-hours</td><td>13.576</td></tr><tr><td>System Start State of Charge Watt-hours</td><td>13.602</td></tr><tr><td>Total Hydrocarbon</td><td>0</td></tr></table>			Test Result/Emission Name	Unrounded Test Result	Actual Distance Driven (miles)	10.24	Average System Voltage	359.15	CH4 - Methane	0	Carbon Monoxide	0.14	Carbon dioxide	247.95	Carbon-Related Exhaust Emissions	248	Drive Trace Absolute Speed Change Rating	-0.22	Drive Trace Energy Economy Rating	-1.404	Drive Trace Inertia Work Ratio Rating	-0.176	Formaldehyde	0	Integrated Amp-hours	36.96	Manufacturer Fuel Economy	34.65	Nitrogen Oxide	0	Nitrous Oxide	0	Non-methane Hydrocarbon	0	Non-methane organic gases	0	Non-methane organic gases plus Nitrogen Oxides	999.999	Optional Carbon-Related Exhaust Emissions	249	Particulate Matter	0.00014	System End State of Charge Watt-hours	13.576	System Start State of Charge Watt-hours	13.602	Total Hydrocarbon	0
	Test Result/Emission Name	Unrounded Test Result																																															
	Actual Distance Driven (miles)	10.24																																															
	Average System Voltage	359.15																																															
	CH4 - Methane	0																																															
	Carbon Monoxide	0.14																																															
	Carbon dioxide	247.95																																															
	Carbon-Related Exhaust Emissions	248																																															
	Drive Trace Absolute Speed Change Rating	-0.22																																															
	Drive Trace Energy Economy Rating	-1.404																																															
	Drive Trace Inertia Work Ratio Rating	-0.176																																															
	Formaldehyde	0																																															
	Integrated Amp-hours	36.96																																															
	Manufacturer Fuel Economy	34.65																																															
	Nitrogen Oxide	0																																															
	Nitrous Oxide	0																																															
	Non-methane Hydrocarbon	0																																															
	Non-methane organic gases	0																																															
	Non-methane organic gases plus Nitrogen Oxides	999.999																																															
	Optional Carbon-Related Exhaust Emissions	249																																															
	Particulate Matter	0.00014																																															
	System End State of Charge Watt-hours	13.576																																															
	System Start State of Charge Watt-hours	13.602																																															
	Total Hydrocarbon	0																																															
	Manufacturer Test Comments																																																
	CD HWFET test, Cayenne S PHEV Coupe, Internal Test No.:20231220TC106																																																

Manufacturer Test Comments

CD HWFET test, Cayenne S PHEV Coupe, Internal Test No.:20231220TC106

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
-------------------	--------------	-------------------------------------	--------------

Emission Data Vehicle Information

Vehicle ID / Configuration	ECFE-9YASH-24 / 1	Manufacturer Vehicle Configuration Number	0
Original Test Group Name	RPRXT03.0CH6	Original Evaporative/Refueling Family	RPRXR0176REH
Original Test Vehicle Model Year	2024		

Vehicle Model

Represented Test Vehicle Make	Porsche	Represented Test Vehicle Model	Cayenne S E-Hybrid
--------------------------------------	---------	---------------------------------------	--------------------

Leak Family Details

Leak Family Identifier	--	Leak Family Name	--
-------------------------------	----	-------------------------	----

Drive Sources and Fuel System Details

Drive Source and Fuel#	Drive Source	Fuel
1	Combustion Engine	Gasoline
2	Electric Motor	Electricity

Hybrid Indicator	Yes		
Multiple Fuel Storage	--	Multiple Fuel Combustion	--
Fuel Cell Indicator	No	Rechargeable Energy Storage System Indicator	Yes
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if 'Other'	--
Off-board charge Capable Indicator	Yes		
Odometer Correction -- Initial	0	Odometer Correction Factor	1
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles		
Odometer Correction Units	Miles		
Engine Code	DCB	Rated Horsepower	348
Displacement (liters)	3		
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'	
Number of Air Aspiration Devices	1	Air Aspiration Device Configuration	Single
Charge Air Cooler Type	Air	Drive Mode While Testing	All Wheel Drive
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)
Curb Weight (lbs)	5549	Equivalent Test Weight (pounds)	6000
GVWR (lbs)	6878	N/V Ratio	24
Axle Ratio	3.21		
Transmission Type	Semi-Automatic	# of Transmission Gears	8
Transmission Lockup	Yes	Creeper Gear	No

Dynamometer Coefficients:

Target Coefficients				Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	56.09	0.31187	0.028501	-0.097	0.32312	0.025637	19.1

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Emission Control Device Comments	TWC/MAP/DFI/WR-HO2S/HO2S/1TC/2CAC		
Manufacturer Test Vehicle Comments	Cayenne S E-Hybrid Coupe (plug-in hybrid) FEDV1 configuration, V6 engine		

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Test #	RPRX10084526	Test Procedure	21 - Federal fuel 2-day exhaust (w/can load)
Exhaust Test # for this Evap Test	--	Test Fuel Type	61 - Tier 2 Cert Gasoline
Test Date	11/29/2023	Fuel	Gasoline
Fuel Batch ID	HF0437	Fuel Calibration Number	420
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4257	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	492.79	--
FE BAG 1 (Bag 1 Fuel Economy)	18.05	18.05
CO2 BAG 2 (Bag 2 Carbon Dioxide)	263.02	--
FE BAG 2 (Bag 2 Fuel Economy)	33.92	33.92
CO2 BAG 3 (Bag 3 Carbon Dioxide)	387.91	--
FE BAG 3 (Bag 3 Fuel Economy)	22.96	22.96
CO2 BAG 4 (Bag 4 Carbon Dioxide)	252.45	--
FE BAG 4 (Bag 4 Fuel Economy)	35.33	35.33
METHANE (CH4 - Methane)	0.0025	--
CO (Carbon Monoxide)	0.2968	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-2.2408	--
DT-EER (Drive Trace Energy Economy Rating)	-1.5747	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-3.6032	--
MFR FE (Manufacturer Fuel Economy)	26.06	26.06
NOX (Nitrogen Oxide)	0.0052	--
N2O (Nitrous Oxide)	0.0009	--
HC-NM (Non-methane Hydrocarbon)	0.0138	--
NMOG (Non-methane organic gases)	0.0142	--
PM (Particulate Matter)	0.0021	--
HC-TOTAL (Total Hydrocarbon)	0.0163	--

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family				VPRXR0180RPH			
		Test Result Name		Unrounded Test Result		Verify Calculated CREE/OPT-CREE						
		Carbon-Related Exhaust Emissions		343		343						
		Test Result Name		Unrounded Test Result		Verify Calculated CO2						
		Carbon dioxide		341.88		--						
Manufacturer Test Comments		Cayenne S E-Hybrid (V6 PHEV, blended); CS UDDS E0; for fuel economy/GHG; Porsche Test Number 20231129TC201										
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 70	METHANE	0.0025	--	--	--	0.0059	--	0.008	0.030	Pass
Fed	120,000 miles	Federal Tier 3 Bin 70	N2O	0.0009	--	--	--	0.0023	--	0.003	0.010	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	CO	0.30	--	--	--	0.09	--	0.4	1.7	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	CREE	343	--	--	--	0	--	343	--	--
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG	0.0142	--	1.1	--	0.0044	--	0.019	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG+NOX	0.0194	--	1.1	--	--	--	0.033	0.070	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NOX	0.0052	--	--	--	0.0093	--	0.014	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	PM	0.0021	--	--	--	0	--	0.002	0.003	Pass
CA	120,000 miles	California LEV-IV ULEV70	METHANE	0.0025	--	--	--	0.0059	--	0.008	0.030	Pass
CA	120,000 miles	California LEV-IV ULEV70	N2O	0.0009	--	--	--	0.0023	--	0.003	0.010	Pass
CA	150,000 miles	California LEV-IV ULEV70	CO	0.30	--	--	--	0.09	--	0.4	1.7	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG	0.0142	--	1.1	--	0.0044	--	0.019	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG+NOX	0.0194	--	1.1	--	--	--	0.033	0.070	Pass
CA	150,000 miles	California LEV-IV ULEV70	NOX	0.0052	--	--	--	0.0093	--	0.014	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	PM	0.0021	--	--	--	0	--	0.002	0.003	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Test #	RPRX10084527	Test Procedure	3 - HWFE
Exhaust Test # for this Evap Test	--	Test Fuel Type	61 - Tier 2 Cert Gasoline
Test Date	11/29/2023	Fuel	Gasoline
Fuel Batch ID	HF0437	Fuel Calibration Number	420
Vehicle Class	LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	EPA Assigned
Verify Test Lab ID	VW Test Center California		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4272	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
METHANE (CH4 - Methane)	0.0018	--	
CO (Carbon Monoxide)	0.2385	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-1.9453	--	
DT-EER (Drive Trace Energy Economy Rating)	-0.8162	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-2.254	--	
MFR FE (Manufacturer Fuel Economy)	32.46	32.46	
NOX (Nitrogen Oxide)	0.0008	--	
N2O (Nitrous Oxide)	0.0001	--	
HC-NM (Non-methane Hydrocarbon)	0.0052	--	
NMOG (Non-methane organic gases)	0.0054	--	
PM (Particulate Matter)	0.0006	--	
HC-TOTAL (Total Hydrocarbon)	0.007	--	
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	
Carbon-Related Exhaust Emissions	275	274	
Test Result Name	Unrounded Test Result	Verify Calculated CO2	
Carbon dioxide	274.43	--	
Manufacturer Test Comments	Cayenne S E-Hybrid (V6 PHEV, blended); CS Hwy E0; for FE/GHG; Porsche Test Number 20231129TC202 FEDV1		

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family					VPRXR0180RPH		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 70	CREE	274	--	--	--	0	--	274	--	--
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG	0.0054	--	1.1	--	0.0044	--	0.010	999.999	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NMOG+NOX	0.0062	--	1.1	--	--	--	0.020	0.070	Pass
Fed	150,000 miles	Federal Tier 3 Bin 70	NOX	0.0008	--	--	--	0.0093	--	0.010	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG	0.0054	--	1.1	--	0.0044	--	0.010	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG+NOX	0.0062	--	1.1	--	--	--	0.020	0.070	Pass
CA	150,000 miles	California LEV-IV ULEV70	NOX	0.0008	--	--	--	0.0093	--	0.010	999.999	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH									
Emission Data Vehicle Information												
Vehicle ID / Configuration	EVAP-972TH-25 / 0	Manufacturer Vehicle Configuration Number	0									
Original Test Group Name	SPRXV04.0PH8	Original Evaporative/Refueling Family	SPRXR0180RPH									
Original Test Vehicle Model Year	2025											
Vehicle Model												
Represented Test Vehicle Make	Porsche	Represented Test Vehicle Model	Panamera Turbo PHEV									
Leak Family Details												
Leak Family Identifier	--	Leak Family Name	--									
Drive Sources and Fuel System Details												
	<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th><th>Drive Source</th><th>Fuel</th></tr> </thead> <tbody> <tr> <td>1</td><td>Electric Motor</td><td>Electricity</td></tr> <tr> <td>2</td><td>Combustion Engine</td><td>Gasoline</td></tr> </tbody> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Electric Motor	Electricity	2	Combustion Engine	Gasoline		
Drive Source and Fuel#	Drive Source	Fuel										
1	Electric Motor	Electricity										
2	Combustion Engine	Gasoline										
Hybrid Indicator	Yes											
Multiple Fuel Storage	--	Multiple Fuel Combustion	--									
Fuel Cell Indicator	No	Rechargeable Energy Storage System Indicator	Yes									
Rechargeable Energy Storage System	Battery(s)	Rechargeable Energy Storage System, if 'Other'	--									
Off-board charge Capable Indicator	Yes											
Odometer Correction -- Initial	0	Odometer Correction Factor	0.997									
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles											
Odometer Correction Units	Miles											
Engine Code	DVT	Rated Horsepower	512									
Displacement (liters)	4											
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'										
Number of Air Aspiration Devices	2	Air Aspiration Device Configuration	Parallel									
Charge Air Cooler Type	Air	Drive Mode While Testing	All Wheel Drive									
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)									
Curb Weight (lbs)	5481	Equivalent Test Weight (pounds)	6000									
GVWR (lbs)	6239	N/V Ratio	20.3									
Axle Ratio	3.15											
Transmission Type	Automated Manual- Selectable (e.g. Automated Manual with paddles)	# of Transmission Gears	8									
Transmission Lockup	No	Creep Gear	No									

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
-------------------	--------------	-------------------------------------	--------------

Dynamometer Coefficients:

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	35.924	0.66426	0.016938	-2.709	0.33495	0.016454	14.9
US06	35.924	0.66426	0.016938	-2.709	0.33495	0.016454	N/A

Emission Control Device Comments --

Manufacturer Test Vehicle Comments EVAP EDV - Panamera Turbo E-Hybrid PHEV; Internal Vehicle ID: SE0208

Test #	SPRX10087689	Test Procedure	23 - 2-day evap
Exhaust Test # for this Evap Test	SPRX10087688	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	07/12/2024	Fuel	Gasoline
Fuel Batch ID	W23	Fuel Calibration Number	2518
Vehicle Class	N/A	DF Type	EPA Assigned
Verify Test Lab ID	Porsche AG, Labs and Engineering		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	6581	Odometer Units	K
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.1332	--

Manufacturer Test Comments 2-day evap, E10 fuel; Porsche test number 24031371+24031370

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.1332	0.003	0.136	0.300	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.1332	0.003	0.136	0.300	Pass

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Test #	SPRX10087692	Test Procedure	34 - Federal fuel 3-day evap
Exhaust Test # for this Evap Test	SPRX10087690	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	08/10/2024	Fuel	Gasoline
Fuel Batch ID	T3E10	Fuel Calibration Number	6088
Vehicle Class	N/A	DF Type	EPA Assigned
Verify Test Lab ID	IDIADA-Santa Oliva		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	7109	Odometer Units	K
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.169	--

Manufacturer Test Comments3-day diurnal, E10 fuel; Porsche test number LM240701703

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.1690	0.0067	0.176	0.300	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.1690	0.0067	0.176	0.300	Pass

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Test #	SPRX10087693	Test Procedure	32 - Federal Fuel Running Loss
Exhaust Test # for this Evap Test	SPRX10087690	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	08/10/2024	Fuel	Gasoline
Fuel Batch ID	T3E10	Fuel Calibration Number	6088
Vehicle Class	N/A	DF Type	EPA Assigned
Verify Test Lab ID	IDIADA-Santa Oliva		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	7081	Odometer Units	K
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	--

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0	--

Manufacturer Test CommentsRunning Loss test, E10 fuel; Porsche test number LM2407017_03

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.000	0	0.00	0.05	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.000	0	0.00	0.05	Pass

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH						
Test #	SPRX10087694	Test Procedure	24 - Federal fuel refueling test (ORVR)						
Exhaust Test # for this Evap Test	SPRX10087688	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)						
Test Date	07/11/2024	Fuel	Gasoline						
Fuel Batch ID	W23	Fuel Calibration Number	2518						
Vehicle Class	N/A	DF Type	EPA Assigned						
Verify Test Lab ID	Porsche AG, Labs and Engineering								
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)								
Test Start Odometer Reading	6539	Odometer Units	K						
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--						
State of Charge Delta	Yes								
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes						
Test Results									
<table border="1"> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value (miles per gallon)</th> </tr> <tr> <td>HC (Hydrocarbon for Running Loss and ORVR)</td> <td>0.0023</td> <td>--</td> </tr> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	HC (Hydrocarbon for Running Loss and ORVR)	0.0023	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)							
HC (Hydrocarbon for Running Loss and ORVR)	0.0023	--							
Manufacturer Test Comments									
ORVR for evap; E10 fuel; Porsche test number 24031358									
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail	
Fed	150,000 miles	Federal Tier 3 Evap	HC	0.002	0.005	0.01	0.20	Pass	
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC	0.002	0.005	0.01	0.20	Pass	

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Fuel Properties			
Fuel Batch ID	HF0437	Fuel Calibration Number	420
Test Fuel Type	61 - Tier 2 Cert Gasoline	Fuel Batch Calibration Date	07/06/2023
Fuel Batch Calibration Effective Date	07/06/2023	Fuel Batch Calibration Ineffective Date	07/31/2028
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.743
Fuel Ethanol Volume Percent (%)	--	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	18591
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.867	Weight Fraction CO2	--
Fuel Batch ID	HF2042	Fuel Calibration Number	337
Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	03/29/2022
Fuel Batch Calibration Effective Date	03/29/2022	Fuel Batch Calibration Ineffective Date	03/31/2026
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.744
Fuel Ethanol Volume Percent (%)	9.9	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17890
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.821	Weight Fraction CO2	--
Fuel Batch ID	T3E10	Fuel Calibration Number	6088
Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	07/05/2024
Fuel Batch Calibration Effective Date	07/05/2024	Fuel Batch Calibration Ineffective Date	07/05/2026
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.754
Fuel Ethanol Volume Percent (%)	9.7	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17730
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.83	Weight Fraction CO2	--
Fuel Batch ID	W23	Fuel Calibration Number	2518
Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	07/05/2024
Fuel Batch Calibration Effective Date	07/05/2024	Fuel Batch Calibration Ineffective Date	07/31/2028

Certification Summary Information Report

Test Group	VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.739
Fuel Ethanol Volume Percent (%)	9.9	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17954
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.827	Weight Fraction CO2	--
Fuel Batch ID	HF2043	Fuel Calibration Number	20
Test Fuel Type	29 - Cold CO E10 Premium Gasoline (Tier 3)	Fuel Batch Calibration Date	10/30/2020
Fuel Batch Calibration Effective Date	10/30/2020	Fuel Batch Calibration Ineffective Date	10/30/2024
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.742
Fuel Ethanol Volume Percent (%)	10	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17943
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.826	Weight Fraction CO2	--

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family			VPRXR0180RPH	
Consolidated List of Standards									
Exhaust Standards									
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			California LEV-IV ULEV70	
Fuel		Gasoline			Test Procedure			SC03	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
4,000 miles	CO	--	--	--	--	--	--	0.09	999.9
150,000 miles	NMOG	--	--	--	--	--	--	0.0044	999.999
150,000 miles	NOX	--	--	--	--	--	--	0.0093	999.999
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			California LEV-IV ULEV70	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	NMOG	--	--	1.1	--	--	--	0.0044	999.999
150,000 miles	NMOG+NOX	--	--	1.1	--	--	--	0.0137	0.070
150,000 miles	NOX	--	--	--	--	--	--	0.0093	999.999

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family			VPRXR0180RPH	
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			California LEV-IV ULEV70	
Fuel		Gasoline			Test Procedure			Federal fuel 2-day exhaust (w/can load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles	METHANE	--	--	--	--	--	--	0.0059	0.030
120,000 miles	N2O	--	--	--	--	--	--	0.0023	0.010
150,000 miles	CO	--	--	--	--	--	--	0.09	1.7
150,000 miles	CO-COMP	--	--	--	--	--	--	0.09	4.2
150,000 miles	HCHO	--	--	--	--	--	--	0.0001	0.004
150,000 miles	NMOG	--	--	1.1	--	--	--	0.0044	999.999
150,000 miles	NMOG+NOX	--	--	1.1	--	--	--	0.0137	0.070
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	0.0137	0.080
150,000 miles	NOX	--	--	--	--	--	--	0.0093	999.999
150,000 miles	PM	--	--	--	--	--	--	0	0.003

Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			Federal Tier 3 Bin 70	
Fuel		Gasoline			Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.09	999.9
150,000 miles	NMOG	--	--	1.1	--	--	--	0.0044	999.999
150,000 miles	NOX	--	--	--	--	--	--	0.0093	999.999
150,000 miles	PM	--	--	--	--	--	--	0	0.006

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family			VPRXR0180RPH	
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			Federal Tier 3 Bin 70	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CREE	--	--	--	--	--	--	0	999.9
150,000 miles	NMOG	--	--	1.1	--	--	--	0.0044	999.999
150,000 miles	NMOG+NOX	--	--	1.1	--	--	--	0.0137	0.070
150,000 miles	NOX	--	--	--	--	--	--	0.0093	999.999

Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			Federal Tier 3 Bin 70	
Fuel		Gasoline			Test Procedure			SC03	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.09	999.9
150,000 miles	NMOG	--	--	1.1	--	--	--	0.0044	999.999
150,000 miles	NOX	--	--	--	--	--	--	0.0093	999.999

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family			VPRXR0180RPH	
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			Federal Tier 3 Bin 70	
Fuel		Gasoline			Test Procedure			Federal fuel 2-day exhaust (w/can load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles	METHANE	--	--	--	--	--	--	0.0059	0.030
120,000 miles	N2O	--	--	--	--	--	--	0.0023	0.010
150,000 miles	CO	--	--	--	--	--	--	0.09	1.7
150,000 miles	CO-COMP	--	--	--	--	--	--	0.09	4.2
150,000 miles	CREE	--	--	--	--	--	--	0	999.9
150,000 miles	HCHO	--	--	--	--	--	--	0.0001	0.004
150,000 miles	NMOG	--	--	1.1	--	--	--	0.0044	999.999
150,000 miles	NMOG+NOX	--	--	1.1	--	--	--	0.0137	0.070
150,000 miles	NMOG+NOX-COMP	--	--	1.1	--	--	--	0.0137	0.080
150,000 miles	NOX	--	--	--	--	--	--	0.0093	999.999
150,000 miles	PM	--	--	--	--	--	--	0	0.003
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			Federal Tier 3 Bin 70	
Fuel		Gasoline			Test Procedure			Cold CO	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	0.09	12.5
120,000 miles	HC-NM	--	--	--	--	--	--	0.0038	0.3

Certification Summary Information Report

Test Group		VPRXJ03.0HV6			Evaporative/Refueling Family			VPRXR0180RPH	
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			California LEV-IV ULEV70	
Fuel		Gasoline			Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
4,000 miles	CO	--	--	--	--	--	--	0.09	999.9
150,000 miles	NMOG	--	--	--	--	--	--	0.0044	999.999
150,000 miles	NOX	--	--	--	--	--	--	0.0093	999.999
150,000 miles	PM	--	--	--	--	--	--	0	0.006

Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			California LEV-IV ULEV70	
Fuel		Gasoline			Test Procedure			Cold CO	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	0.09	12.5

Evaporative/Refueling Standards

Evaporative/Refueling Family		VPRXR0180RPH		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		Federal fuel refueling test (ORVR)					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC	--	0.20	0.005		

Evaporative/Refueling Family		VPRXR0180RPH		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		Federal Fuel Running Loss					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.05	0		

Certification Summary Information Report

Test Group		VPRXJ03.0HV6		Evaporative/Refueling Family		VPRXR0180RPH	
Evaporative/Refueling Family		VPRXR0180RPH		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal fuel 3-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.300	0.0067		
Evaporative/Refueling Family		VPRXR0180RPH		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal Fuel Running Loss					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.05	0		
Evaporative/Refueling Family		VPRXR0180RPH		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		2-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.300	0.003		
Evaporative/Refueling Family		VPRXR0180RPH		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		Federal fuel 3-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.300	0.0067		
Evaporative/Refueling Family		VPRXR0180RPH		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		2-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.300	0.003		

Certification Summary Information Report

Test Group		VPRXJ03.0HV6		Evaporative/Refueling Family		VPRXR0180RPH					
Evaporative/Refueling Family		VPRXR0180RPH		Cert Region		Federal					
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap					
Test Procedure		Federal fuel refueling test (ORVR)									
Fuel		Useful Life		Emission Name		Rounded Result		Std		Add DF	
Gasoline		150,000 miles		HC		--		0.20		0.005	

Certification Summary Information Report

Test Group		VPRXJ03.0HV6	Evaporative/Refueling Family	VPRXR0180RPH
Glossary				
Useful Life				
4	4,000 miles	120	120,000 miles	
50	50,000 miles	150	150,000 miles	
100	100,000 miles			
Emission Name				
HC-TOTAL	Total Hydrocarbon	COMB-CREE	Combined Carbon-Related Exhaust Emissions	
CO	Carbon Monoxide	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions	
CO2	Carbon dioxide	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only	
CREE	Carbon-Related Exhaust Emissions	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only	
OPT-CREE	Optional Carbon-Related Exhaust Emissions	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only	
NOX	Nitrogen Oxide	LEAK-DIA	Effective Leak Diameter (inches)	
PM	Particulate Matter	LEAK-GAS CAP	Gas Cap Leakage (cc/min)	
PM-COMP	SFTP Composite Particulate Matter	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only	
HC-NM	Non-methane Hydrocarbon	KW-HRS	Integrated DC KW-HRS	
OMHCE	Organic material Hydrocarbon Equivalent	CH4 BAG 1	Bag 1 Methane	
OMNMHCE	Organic material non-methane HC equivalent	CH4 BAG 2	Bag 2 Methane	
NMOG	Non-methane organic gases	CH4 BAG 3	Bag 3 Methane	
HCHO	Formaldehyde	CH4 BAG 4	Bag 4 Methane	
H3C2HO	Acetaldehyde	CO BAG 1	Bag 1 Carbon Monoxide	
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	CO BAG 2	Bag 2 Carbon Monoxide	
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	CO BAG 3	Bag 3 Carbon Monoxide	
CO-COMP	SFTP Composite Carbon Monoxide	CO BAG 4	Bag 4 Carbon Monoxide	
ETHANOL	C2H5OH - Ethanol	NMOG BAG 1	Bag 1 Non-methane organic gases	
FE BAG 1	Bag 1 Fuel Economy	NMOG BAG 2	Bag 2 Non-methane organic gases	
FE BAG 2	Bag 2 Fuel Economy	NMOG BAG 3	Bag 3 Non-methane organic gases	
FE BAG 3	Bag 3 Fuel Economy	NMOG BAG 4	Bag 4 Non-methane organic gases	
FE BAG 4	Bag 4 Fuel Economy	ACT-DISTANCE BAG 1	Bag 1 Actual Distance	
MFR FE	Manufacturer Fuel Economy	ACT-DISTANCE BAG 2	Bag 2 Actual Distance	
HC	Hydrocarbon for Running Loss and ORVR	ACT-DISTANCE BAG 3	Bag 3 Actual Distance	
METHANE	CH4 - Methane	ACT-DISTANCE BAG 4	Bag 4 Actual Distance	
METHANOL	CH3OH - Methanol	HC-TOTAL BAG 1	Bag 1 Total Hydrocarbon	
N2O	Nitrous Oxide	HC-TOTAL BAG 2	Bag 2 Total Hydrocarbon	
SPITBACK	Spitback Hydrocarbon in grams	HC-TOTAL BAG 3	Bag 3 Total Hydrocarbon	
AMP-HRS	Integrated Amp-hours	HC-TOTAL BAG 4	Bag 4 Total Hydrocarbon	
START-SOC	System Start State of Charge Watt-hours	WATT-HRS BAG 1	Bag 1 Watt Hours	
END-SOC	System End State of Charge Watt-hours	WATT-HRS BAG 2	Bag 2 Watt Hours	

Certification Summary Information Report

Test Group		VPRXJ03.0HV6	Evaporative/Refueling Family		VPRXR0180RPH
ACT-DISTANCE	Actual Distance Driven (miles)		WATT-HRS BAG 3	Bag 3 Watt Hours	
AS-VOLT	Average System Voltage		WATT-HRS BAG 4	Bag 4 Watt Hours	
CO2 BAG 1	Bag 1 Carbon Dioxide		WATT-HRS	Watt Hours	
CO2 BAG 2	Bag 2 Carbon Dioxide		HC-NM BAG 1	Bag 1 Non-methane Hydrocarbon	
CO2 BAG 3	Bag 3 Carbon Dioxide		HC-NM BAG 2	Bag 2 Non-methane Hydrocarbon	
CO2 BAG 4	Bag 4 Carbon Dioxide		HC-NM BAG 3	Bag 3 Non-methane Hydrocarbon	
NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides		HC-NM BAG 4	Bag 4 Non-methane Hydrocarbon	
NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides		N2O BAG 1	Bag 1 Nitrous Oxide	
DT-IWRR	Drive Trace Inertia Work Ratio Rating		N2O BAG 2	Bag 2 Nitrous Oxide	
DT-ASCR	Drive Trace Absolute Speed Change Rating		N2O BAG 3	Bag 3 Nitrous Oxide	
DT-EER	Drive Trace Energy Economy Rating		N2O BAG 4	Bag 4 Nitrous Oxide	
Certification Region					
CA	California + CAA Section 177 states		FA	Federal	
Exhaust Emission Standard Level					
B1	Federal Tier 2 Bin 1		HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
B2	Federal Tier 2 Bin 2		HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
B3	Federal Tier 2 Bin 3		HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
B4	Federal Tier 2 Bin 4		HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
B5	Federal Tier 2 Bin 5		HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
B6	Federal Tier 2 Bin 6		HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
B7	Federal Tier 2 Bin 7		HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
B8	Federal Tier 2 Bin 8		HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
B9	Federal Tier 2 Bin 9		HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
B10	Federal Tier 2 Bin 10		HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
B11	Federal Tier 2 Bin 11		HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)		HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)		HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
L2	California LEV-II LEV		L4SULEV100	California LEV-IV SULEV100	
L2OP	California LEV-II LEV Optional		L4SULEV125	California LEV-IV SULEV125	
U2	California LEV-II ULEV		L4SULEV15	California LEV-IV SULEV15	
S2	California LEV-II SULEV		L4SULEV150	California LEV-IV SULEV150	
ZEV	California ZEV		L4SULEV170	California LEV-IV SULEV170	
OT	Other		L4SULEV175	California LEV-IV SULEV175	
T1	Federal Tier 1		L4SULEV20	California LEV-IV SULEV20	
PZEV	California PZEV		L4SULEV200	California LEV-IV SULEV200	
L2LEV160	California LEV-II LEV160		L4SULEV230	California LEV-IV SULEV230	
L2ULEV125	California LEV-II ULEV125		L4SULEV25	California LEV-IV SULEV25	
L2SULEV30	California LEV-II SULEV30		L4SULEV30	California LEV-IV SULEV30	
L2LEV395	California LEV-II LEV395		L4SULEV75	California LEV-IV SULEV75	

Certification Summary Information Report

Test Group		VPRXJ03.0HV6	Evaporative/Refueling Family		VPRXR0180RPH
L2ULEV340	California LEV-II ULEV340		L4SULEV85	California LEV-IV SULEV85	
L2LEV630	California LEV-II LEV630		L4ULEV125	California LEV-IV ULEV125	
L2ULEV570	California LEV-II ULEV570		L4ULEV200	California LEV-IV ULEV200	
L3LEV160	California LEV-III LEV160		L4ULEV250	California LEV-IV ULEV250	
L3ULEV125	California LEV-III ULEV125		L4ULEV270	California LEV-IV ULEV270	
L3ULEV70	California LEV-III ULEV70		L4ULEV40	California LEV-IV ULEV40	
L3ULEV50	California LEV-III ULEV50		L4ULEV400	California LEV-IV ULEV400	
L3SULEV30	California LEV-III SULEV30		L4ULEV50	California LEV-IV ULEV50	
L3SULEV20	California LEV-III SULEV20		L4ULEV60	California LEV-IV ULEV60	
L3LEV395	California LEV-III LEV395		L4ULEV70	California LEV-IV ULEV70	
L3ULEV340	California LEV-III ULEV340		T4B170	Federal Tier 4 MDV Bin 170	
L3ULEV250	California LEV-III ULEV250		T4B150	Federal Tier 4 MDV Bin 150	
L3ULEV200	California LEV-III ULEV200		T4B125	Federal Tier 4 MDV Bin 125	
L3SULEV170	California LEV-III SULEV170		T4B100	Federal Tier 4 MDV Bin 100	
L3SULEV150	California LEV-III SULEV150		T4B85	Federal Tier 4 MDV Bin 85	
L3LEV630	California LEV-III LEV630		T4B75	Federal Tier 4 MDV Bin 75	
L3ULEV570	California LEV-III ULEV570		T4B70	Federal Tier 4 Bin 70	
L3ULEV400	California LEV-III ULEV400		T4B65	Federal Tier 4 Bin 65	
L3ULEV270	California LEV-III ULEV270		T4B60	Federal Tier 4 Bin 60	
L3SULEV230	California LEV-III SULEV230		T4B55	Federal Tier 4 Bin 55	
L3SULEV200	California LEV-III SULEV200		T4B50	Federal Tier 4 Bin 50	
T3B160	Federal Tier 3 Bin 160		T4B45	Federal Tier 4 Bin 45	
T3B125	Federal Tier 3 Bin 125		T4B40	Federal Tier 4 Bin 40	
T3B110	Federal Tier 3 Transitional Bin 110		T4B35	Federal Tier 4 Bin 35	
T3B85	Federal Tier 3 Transitional Bin 85		T4B30	Federal Tier 4 Bin 30	
T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover		T4B25	Federal Tier 4 Bin 25	
T3B70	Federal Tier 3 Bin 70		T4B20	Federal Tier 4 Bin 20	
T3B50	Federal Tier 3 Bin 50		T4B15	Federal Tier 4 Bin 15	
T3B30	Federal Tier 3 Bin 30		T4B10	Federal Tier 4 Bin 10	
T3B20	Federal Tier 3 Bin 20		T4B5	Federal Tier 4 Bin 5	
T3B0	Federal Tier 3 Bin 0		T4B0	Federal Tier 4 Bin 0	
HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395				
Transmission Type Code					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual		
A	Automatic	OT	Other		
AM	Automated Manual	SA	Semi-Automatic		
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)		
Drive System Code					
4	4-Wheel Drive	P	Part-time 4-Wheel Drive		

Certification Summary Information Report

Test Group		VPRXJ03.0HV6	Evaporative/Refueling Family		VPRXR0180RPH
F	2-Wheel Drive, Front		A	All Wheel Drive	
R	2-Wheel Drive, Rear				
Additional Terms and Acronyms					
AFC	Alternative Fuel Converter		ICI	Independent Commercial Importer	
CSI	Certificate Summary Information		ORVR	Onboard Refueling Vapor Recovery	
DF	Deterioration Factor		SIL	Shift Indicator Light	
Evap	Evaporation, Evaporative		Trans	Transmission	

Section 8~Manufacturer Statements

8.01>> Emission Testing Waiver Statements

Fuel Spitback	In accordance with 40 CFR 86.1829-15(e)(5), Porsche hereby certifies that the vehicles covered by this test group inherently meet the fuel dispensing spitback standard for the full useful life of the vehicles as part of compliance with the refueling emissions standard.
Total Hydrocarbon	In accordance with 40 CFR 86.1829-15(c), Porsche hereby certifies that, based upon good engineering judgment and previous emissions testing, vehicles of this test group comply with applicable total hydrocarbon emissions standards.
Formaldehyde Emissions	Based on prior emissions testing, as allowed by 40 CFR 86.1829-15(e)(5), Porsche attests that vehicles in this test group comply with applicable formaldehyde standards.
Particulate Matter	For vehicles in test groups certified to Tier-4 standards, Porsche hereby certifies, in accordance with 40 CFR 86.1829-15(d)(9), that the vehicles of this test group comply with the Particulate Matter standard for -7 °C.
N2O Compliance	Porsche has elected not to include N2O in its GHG fleet averaging calculations. Compliance with the N2O standards on the FTP cycle is indicated in the CSI report(s) in Section 7.
CH4 Compliance	Porsche has elected not to include CH4 in its GHG fleet averaging calculations. Compliance with the CH4 standards on the FTP cycle is indicated in the CSI report(s) in Section 7.
FTP High Altitude Compliance and Strategies	In accordance with 40 CFR 86.1829-15 (c), Porsche attests that emissions control strategies used at low altitude are similarly used across all altitudes, and that the vehicles in this test group comply with all applicable emissions standards at high altitude.
Evaporative / Refueling Emissions Testing at High Altitude	In accordance with 40 CFR 86.1829-01 (b) (2) (ii) (B), Porsche certifies that, based upon good engineering judgment and appropriate emissions tests, vehicles of this test group comply with applicable evaporative/refueling emissions standards at high altitude.
OBD Performance Warranty Test	Porsche attests that the emission control diagnostic system for all vehicles in this test group comply with all the performance warranty test requirements of 40 CFR 86.1844-01(d)(9)(iv).
Testing of Configurations	The worst-case configuration has been verified by development testing. At the final stages of development testing Porsche ensures all tested configurations and sub-configurations meet criteria pollutant standards.
Transmission modes, and other modes	Porsche vehicles typically have multiple driver-selectable driving / transmission modes, such as "Sport" and "Sport Plus", which can be driven over emission test cycles. Porsche evaluates emission performance to ensure all modes meet emissions standards. These modes, and other modes that may adapt to real-world driving conditions, such as "Towing" and "Off-Road", in that they may initiate alternate transmission scheduling and engine parameters, are described in the AECD description, Section 16. Emission standards are met in all modes.
Production Intent Calibrations	Porsche attests that final development testing is conducted with production-intent calibrations, and that test vehicles are fully representative of the final products.

Section 8~Manufacturer Statements

8.02>> Manufacturer Attestations

SFTP Air/Fuel Ratio Requirements	For vehicles in test groups certified to Interim Tier-4 standards, in accordance with 40 CFR 86.1811-17(d), Porsche hereby attests that for all vehicles of this test group, at no time is the air/fuel ratio richer than the leanest mixture required to obtain maximum torque, plus a tolerance of 6%.
Lean-on-Cruise Calibration Strategies	For vehicles in test groups certified to Interim Tier-4 standards, Porsche hereby attests that any lean-on-cruise calibration strategies comply with terms in accordance with 40 CFR 86.1811-17(d)(4).
91 RON	As required by VPCD 97-01, Porsche attests that calibrations are designed to operate on 91 RON gasoline with no need for spark adjustment. Knock sensors have no influence on fuel economy or emissions results, beyond normal test variability.
Adjustable Parameters and Tamper Resistance	Porsche attests that no calibration parameters are adjustable, and therefore no tamper resistance measures are required.
Cold Temperature Defeat Device (Continuity of Emissions)	Based on engineering evaluation of emissions data at ambient, cold, and intermediate temperatures, Porsche hereby attests that this test group complies with the prohibition of defeat device requirements described in 40 CFR 86.1809. Please refer to the Final Part 2 Common Application for supporting data and analysis.
A/C Specific Calibrations	For vehicles in test groups certified to Interim Tier-4 standards, as required by 40 CFR 86.1811-17(d)(4), Porsche hereby attests that no A/C-On specific calibrations are employed which unnecessarily reduce the effectiveness of NMOG+Nox emissions control under reasonably expected real world conditions.
Leak-Free Exhaust System	Porsche has conducted a thorough engineering analysis to ensure that the complete exhaust systems described in this Application for Certification are designed to facilitate leak-free assembly, installation and operation for the full useful life of the vehicle, as required by CFR 86.1844.01(d)(16). Porsche further attests that such repairs as might be necessary on a properly maintained vehicle throughout its full useful life can be performed in such a manner as to maintain leak-free operation, using tools commonly available in a motor vehicle dealership or independent repair facility.
California ASM and Inspection / Maintenance Standards	Porsche hereby certifies that all vehicles in this test group are designed to comply with OBD inspection requirements specified in ARB MAC#99-05.
California Fill Pipe Standards	In accordance with the Title 13, California Code of Regulations Section 2235, Porsche hereby certifies that based upon good engineering judgment and previous emissions testing, vehicles of this test group comply with the applicable fill pipe requirements.
GHG Compliance	As part of the Volkswagen Group of America, Porsche is not subject to GHG compliance as an independent entity. GHG compliance is managed at the Group level by VWGoA.
Criteria Pollutant Fleet Averages and Phase-Ins	As part of the Volkswagen Group of America, Porsche is not subject to these requirements as an independent entity. Fleet emission compliance is managed at the Group level by VWGoA.

Section 8~Manufacturer Statements

8.02>> Manufacturer Attestations

Production Vehicle same as Test Vehicle statement	The production vehicles represented by the particular engine families will be in all material respects of the same design as those for which vehicle approval is granted.
California LEV IV SC03 Standards	Porsche hereby attests that vehicles in this test group meet applicable standards in accordance with 13 CCR 1961.4(d)(4).
Partial Soak Standard(s)	Vehicles in this test group are not part of Porsche's phase in for Partial Soak as set forth in 13 CCR 1961.4(d)(2)(B)1)
Quick Drive-Away Phase-In	Vehicles in this test group are not part of Porsche's phase in for Quick drive-away as set forth in 13 CCR 1961.4(d)(2)(C)1(a))
Partial Soak Phase-In	Vehicles in this test group are not part of Porsche's phase in for Partial Soak as set forth in 13 CCR 1961.4(d)(2)(B)1)
Intermediate Soak Compliance Statement	In accordance with 40 CFR 86.1829-15 (d)(7), Porsche hereby certifies that vehicles in this test group comply with the intermediate soak standards of 40 CFR 86.1811-27 (b)(4)(ii) for soak times not covered by testing.
LEV IV PM Attestation (in lieu of data submission)	Starting in MY26 - For all test groups that are certified to LEV IV PM standards for which test data is not submitted, the manufacturer must, in accordance with good engineering practices, attest that such test groups will comply with the applicable LEV IV PM standards.
California LEV IV SC03 Standards	Porsche hereby attests that vehicles in this test group meet applicable standards in accordance with 13 CCR 1961.4(d)(4).
ORVR-Safety Statement	Porsche is using standard technology in all MY2027 vehicles ORVR systems, as mentioned in the Pre-Certification meeting. In accordance with EPA Guidance letter CISD-06-06, ORVR application will not be submitted.
Federal Emissions Warranty	Per 40 CFR 85.2103, Porsche model year 2027 vehicles are provided with applicable Federal emissions performance warranties for 2 years or 24,000 miles and for 8 years or 80,000 miles for major emissions control components. Porsche electric vehicles and plug-in hybrid electric vehicles over 6,000 lbs GVWR will be provided with the optional warranty in 40 CFR 85.2103(d) (1)(v) upon first certification to full Tier-4 standards in 40 CFR 86.1811-27.

Section 9~OBD Description

9.01>> OBD System Description

The OBD Application for this test group was submitted to EV-CIS as the following stand-alone PDF document:

CBI_VPRXJ03.0HV6_OBD Application

Section 9~OBD Description

9.02>> ARB OBD Approval

Please refer to Section 16.

Section 10~Description of Alternate-Fueled Vehicles

This section is Not Applicable (Porsche has no Alternate-Fueled Vehicles).

Section 11~AECD Description

Please refer to Section 16.

Section 12~Test Parameters and Description of Vehicles Covered by Certificate

12.01>> Vehicle Description and Parameters

Carline		430	435	430	440
Model Name		Cayenne e-Hybrid	Cayenne e-Hybrid Coupe	Cayenne e-Hybrid	Cayenne S e-Hybrid
Vehicle Classification		LDT4	LDT4	LDT4	LDT4
Sales Area		50 State	50 State	50 State	50 State
Transmission		A8	A8	A8	AT
Engine Displ. (L)		3.0	3.0	3.0	3.0
Engine Code		DCB	DCB	DCB	DCB
Catalysts		See Section 2	See Section 2	See Section 2	See Section 2
EGR Type		Not Applicable	Not Applicable	Not Applicable	Not Applicable
Air Pump Type		None	None	None	None
Intake Air Aspiration Method		Turbocharged	Turbocharged	Turbocharged	Turbocharged
Idle Start/Stop		Default On	Default On	Default On	Default On
Drive Type		AWD	AWD	AWD	AWD
Starting Procedure		See Section 6.02	See Section 6.02	See Section 6.02	See Section 6.02
Cooling Fan					
Drive Accuracy Per 1066.425		Yes	Yes	Yes	Yes
SIL		None	None	None	None
Fuel System Type		Direct Injection	Direct Injection	Direct Injection	Direct Injection
Fuel Tank Vol. (Gal)		19.8	19.8	19.8	18.5
Optional Tank (Gal)		N/A	N/A	N/A	0.0
Canister Working Capacity (g)		176	176	176	176
Canister Bed Vol (L)		2.79	2.79	2.79	2.79
Fuel Temperature Profile		See Section 6.04	See Section 6.04	See Section 6.04	See Section 6.04
ETW (Lb)		6000	6000	6000	6000
Curb Weight		5564	5549	5564	5560
Gross Vehicle Weight		6889	6856	6889	6911
Test Horsepower		300	300	300	348
Shift Schedules		See Section 6	See Section 6	See Section 6	See Section 6
Cooling Fan Configuration					
Axle Ratio		3.21	3.21	3.21	3.21
N/V Ratio		24.0	24.0	24.0	24.0
Tire Sizes	Front	285/45 R21	285/45 R21	285/45 R21	285/45 R21
	Rear	315/40 R21	315/40 R21	315/40 R21	315/40 R21
RLHP		19.1	19.1	17.9	18.8
Single Roll Coefficients (target)	A [lbf]	56.79	56.79	52.13	58.20
	B [lbf/mph]	0.2536	0.2536	0.0384	0.1371
	C [lbf/mph²]	0.02946	0.02946	0.03213	0.03048

Note: RLHP details for all model types and sub-configurations are available from Porsche upon request.

Section 12~Test Parameters and Description of Vehicles Covered by Certificate

12.01.02>> Vehicle Description Continued

Carline	445	630	635	
Model Name	Cayenne S e-Hybrid Coupe	Panamera 4 e-Hybrid	Panamera 4S e-Hybrid	
Vehicle Classification	LDT4	PC	PC	
Sales Area	50 State	50 State	50 State	
Transmission	AT	AMS-8	AMS-8	
Engine Displ. (L)	3.0	2.9	2.9	
Engine Code	DCB	DGP	DGP	
Catalysts	See Section 2	See Section 2	See Section 2	
EGR Type	Not Applicable	Not Applicable	Not Applicable	
Air Pump Type	None	None	None	
Intake Air Aspiration Method	Turbocharged	Turbocharged	Turbocharged	
Idle Start/Stop	Default On	Default On	Default On	
Drive Type	AWD	AWD	AWD	
Starting Procedure	See Section 6.02	See Section 6.02	See Section 6.02	
Cooling Fan				
Drive Accuracy Per 1066.425	Yes	Yes	Yes	
SIL	None	None	None	
Fuel System Type	Direct Injection	Direct Injection	Direct Injection	
Fuel Tank Vol. (Gal)	18.5	21.1	21.1	
Optional Tank (Gal)	18.5	N/A	N/A	
Canister Working Capacity (g)	176	180	180	
Canister Bed Vol. (L)	2.79	3.3	3.3	
Fuel Temperature Profile	See Section 6	See Section 6	See Section 6	
ETW [Lb]	6000	5500	5500	
Curb Weight	5549	5507	5247	
Gross Vehicle Weight	6878	6228	6261	
Test Horsepower	348	300	348	
Shift Schedules	See Section 6	See Section 6	See Section 6	
Cooling Fan Configuration				
Axle Ratio	3.21	3.36	3.36	
N/V Ratio	24.0	21.7	21.7	
Tire Sizes	Front	285/45 R21	275/35 R21	275/40 R20
	Rear	315/40 R21	325/30 R21	315/35 R20
RLHP	19.1	16.6	16.7	
Single Roll Coefficients (target)	A [lbf]	56.09	48.38	49.10
	B [lbf/mph]	0.3119	0.5912	0.5912
	C [lbf/mph²]	0.02850	0.01849	0.01864

Note: blank cells or tables are intentionally blank.

Section 13~Projected Sales

13.01>> Sales / Phase-ins

Confidential. See Section 16 in CBI version.

Section 14~Request for Certification

14.01>> Statement of Compliance

Porsche states that any element of design, system, or emission control device installed on or incorporated in Porsche's new motor vehicles or new motor vehicle engines for the purpose of complying with standards prescribed under section 202 of the Clean Air Act, will not, to the best of Porsche's information and belief, cause the emission into the ambient air of pollutants in the operation of its motor vehicles or motor vehicle engines which cause or contribute to an unreasonable risk to public health or welfare except as specifically permitted by the standards prescribed under section 202 of the Clean Air Act. Porsche further states that any element of design, system, or emission control device installed or incorporated in Porsche's new motor vehicles or motor vehicle engines for the purpose of complying with standards prescribed under section 202 of the Clean Air Act, will not, to the best of Porsche's information and belief, cause or contribute to an unreasonable risk to public safety.

The term pollutants means:

- a. Diesel particulates
- b. Nickel
- c. MMT combustion products
- d. Ammonia
- e. Sulfates
- f. Hydrogen sulfide
- g. Hydrogen cyanide
- h. Ruthenium combustion products
- i. Nitrosamines,

or any other pollutant, which Porsche has identified, which can reasonably be expected to be emitted from these vehicles.

All vehicles have been tested in accordance with good engineering practice to ascertain that such test vehicles meet the requirements of this section for the useful life of the vehicle.

The test vehicles with respect to which data are submitted are in all materials respects as described in the application for certification, have been tested in accordance with the applicable test procedures utilizing the fuels and equipment described in the application for certification, they meet the requirements of such tests, and on the basis of such tests, they conform to the requirements of the regulations in 40CFR, Part 86, Subpart A.

Signed and dated by:



May 8, 2026

Michael Scott – Porsche Cars North America, Inc.

Section 15~Other Information

15.01>> EPA Fee Filing Form

Appears on the following page.

Khamphouvong, Peter (PCNA-BR2)

From: fees@epa.gov
Sent: Monday, April 13, 2026 8:49 AM
To: Khamphouvong, Peter (PCNA-BR2)
Subject: Confirmation of Certification Fees Payment

ATTENTION: This is an external email. Do not click links or open attachments unless you recognize the sender and know the content is safe. Please use the Phish Alert Button in your Outlook ribbon to report suspicious emails.

To the representative for Porsche AG:

Your certification Fee Filing Form(s) submitted for the following family or test group(s) and the associated financial documentation for your payment of \$258536.00 were received on 04/13/2026.

- VPRXJ03.0CV6
- VPRXJ03.0HV6
- VPRXJ04.0CE8
- VPRXJ04.0HV8
- VPRXT00.0ECT
- VPRXT00.0EMT
- VPRXT04.0CV8
- VPRXV00.0EMS

This message indicates only that EPA has received record of your payment and form(s) for the above certification fee. It does not constitute the granting of a Certificate of Conformity by EPA or convey any information about the status of your certification application for the subject family or test group(s).

Please do not respond to this email. If you have any questions regarding certification of the family or test group(s), please contact your EPA Certification Representative; for questions on fees, contact Fees@epa.gov.

US EPA Fee Form

[Help and EPA Instructions](#)

* Required Field

General Information

Date: 03/31/2026

Process Code *

Submit New Fee Filing Form

Manufacturer Code *

PRX

Manufacturer Name *

Porsche Cars North America

Contact Name *

Peter Khamphouvong

Contact Email Address *

peter.khamphouvong@porsche.us

Contact Phone *

6787091264

Calendar Year complete application submitted
to EPA *

2026

PLEASE NOTE: These fees apply to complete certification applications received by EPA from January 1, 2026, through December 31, 2026. The applicable fee is determined by the

calendar year in which the complete certification application is received, not the model year.

Engine Family / Evaporative Family / Test Group *

VPRXJ03.0CV6

Certificate Request Type (Industry Sector Code)

Certificate Request Type *

- ☒ On-Highway LDV, LTD, MDVPV, HDV Chassis Cert (Federal) (A, B, D, J, T, V)
- ☐ On-Highway HDE Dyno Cert (Federal) (E, H)
- ☐ On-Highway LD ICI, MDPV ICI, HDV ICI (A, B, D, J, T, V)
- ☐ On-Highway Motorcycle (C)
- ☐ On-Highway HDV Evap (F)
- ☐ On-Highway LDV, LTD, MDVPV, HDV Chassis Cert (California-Only) (A, B, D, J, T, V)
- ☐ On-Highway HDE Dyno Cert (California-Only) (E, H)
- ☐ Nonroad CI (L)
- ☐ Nonroad SI (B, S)
- ☐ Locomotive (G, K)
- ☐ All Nonroad Recreational, excluding Marine engines (X, Y)
- ☐ All Marine (Including IMO) (M, N, W)
- ☐ Component Certification for Evaporative Emissions (P)

IMO Name (Required for dual US/IMO Marine Only)

ICI VIN Number (Required for ICIs Only)

Do you qualify for a Reduced Fee? *

No

Payment Information

Amount Owed

\$32,317.00

Payment Type *

Offline ACH

Comments

EPA Form Number 3520-29

OMB Control No. 2060-0545

Approval expires 7/31/2027

The public reporting and recordkeeping burden for this collection of information is estimated to average 12 minutes per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed forms to this address.

Section 16~Confidential Information

16.01>> OBD Approval Letter

Section 16~Confidential Information

16.02>> Durability Group and Catalyst Information

Durability Group Name: VPRXHHGNNCH6
Combustion Cycle: 4-stroke otto
Engine Type: 6-cylinder, v-shaped arrangement
Fuel Used: gasoline
Basic Fuel Metering System: direct injection
Catalyst Construction: monolith (ceramic)
Catalyst Type: Pd/Rh 3-way cat

Model(s):

Catalyst Primary and Secondary Bricks:
Precious Metal Composition, Primary:
Precious Metal Composition, Secondary:
Precious Metal Loading, Primary (g):
Precious Metal Loading, Secondary (g):
Number of cans (lines):
Total Precious Metal Loading (g):

Cayenne /S e-Hybrid	Panamera 4/4S e-Hybrid
Both	Both
[0:14:1]	[0:14:1]
[0:14:1]	[0:14:1]
8.517	5.531
3.982	3.933
1	2
12.50	18.93

Particulate Filter N/A

	<u>GS</u>	<u>% of Max GS</u>
Cayenne /S e-Hybrid	4.2	100%
Panamera 4/4S e-Hybrid	4.2	100%

Note: blank cells or tables are intentionally blank.

Section 16~Confidential Information

16.03>> Projected Sales / Phase-ins

Durability Group	Test Group [Exhaust Standards]	Evap / Refueling Family [Evaporative Standards]	Models	Federal Sales	California Sales
VPRXHGGNNCH6	VPRXJ03.0HV6	VPRXR0176REH, VPRXR0180RPH	Cayenne e-Hybrid	877	219
	[BIN 70 / ULEV 70]	[Tier 3 / LEV IV]	Cayenne e-Hybrid Coupe	409	102
			Cayenne S e-Hybrid	653	163
			Cayenne S e-Hybrid Coupe	395	99
			Panamera 4 e-Hybrid	641	160
			Panamera 4S e-Hybrid	273	68
Total:				3248	811

Note: blank cells or tables are intentionally blank.

Section 16~Confidential Information

None.

END OF DOCUMENT