

TOYOTA

Application For Certification - Part 1 2027 Model Year

Durability Group : VTYXGPGNN62F

Evap/refueling Families : VTYXR0165P62

Test Group : VTYXT03.4B5B

Durability Group Description : Four Stroke, Otto Cycle, Gasoline Fueled,
Ported FI,
Catalyst code: 3-IIZ53+3-IIZ53+3-IIh14+3-IIh14

Test Group Description : 3.4 Liter V6 LDT4

Applicable Standards : Federal State: Interim Tier4 - Bin 70 - LDT4
California: See Federal

Carlines Covered : GX 550

Engine Series : V35A-FTS

Vehicles Tested :

Vehicle I.D.	Config.	Test	Test Number
24-VJ1A	00	FTP	RTYX10081370
24-VJ1A	00	HWY	RTYX10081368
24-VJ1A	00	SFTP	RTYX10081369, RTYX10081331
24-VJ1A	00	C.CO, C.HC	RTYX10081328
22-VA1A	00	EVAP	NTYX10071381
22-VA1A	00	Running Loss	NTYX10071382
22-VA1A	00	Refueling	NTYX10071384
22-VA1A	00	Canister Bleed	NTYX10071732

EPA Response Requested By : **September 11, 2026**

For Questions, Contact : Lisa Florida 734-695-2697

Note :

Table of Contents

Section 1	Correspondence and Communications
Section 2	Durability Group Description
Section 3	Evaporative/Refueling Family Description
Section 4	Durability Procedure Description
Section 5	Test Group Description
Section 6	Test Vehicle Description
Section 7	Test Results
Section 8	Emission Testing Waiver Statements
Section 9	OBD System Description
Section 10	Description of Alternate-fueled Vehicles
Section 11	AECD Descriptions
Section 12	Description of vehicles covered by certificate and test parameters
Section 13	Projected Sales
Section 14	Request for Certificate
Section 15	Other Information
Section 16	Confidential Information

1. **Correspondence and Communications**

Please refer to the FOI common file.

2. **Durability Group Description**

Durability Group Name : VTYXGPGNN62F

Please refer to the common file for details.

3. **Evaporative/Refueling Family Description**

Evaporative/Refueling Family Name : VTYXR0165P62

Please refer to the FOI common file for details.

4. **Durability Procedure Description**

4.1 Exhaust Durability Test Procedure

4.2 Durability Showing

4.3 Evap/refueling Durability Test Procedure

Please refer to the CBI common file.

4.4 Exhaust Emission Deterioration Factors

4.5 Evap/refueling Emission Deterioration Factors

4.6 Equivalency Factor

Please refer to Certification Summary Information Report in Section 7 or FOI common file.

5. Test Group Description

5.1	Test group name	:	VTYXT03.4B5B
5.2	Engine displacements covered	:	3,445 cm ³ (210.2 CID)
5.3	Arrangement and number of cylinders	:	V6
5.4	Vehicle class (es) covered	:	LDT4
5.5	Federal emission standards class	:	Interim Tier4 - Bin70 - LDT4
5.6	Applicable emission standards		

Please refer to Certification Summary Information Report in Section 7.

6. Test Vehicle Description

DDV: Utilizing good engineering judgement that considered vehicle curb weight, road load coefficients, catalyst heat stress, we judged 24MY GX 550 is the representative DDV in this Durability Group. GX 550 was chosen as representative DDV because it has the same engine (V35A-FTS), same ECS, and the exact same catalyst specification.

EDV: Utilizing good engineering judgement that considered vehicle curb weight, road load coefficients, catalyst heat stress, we judged 24MY GX 550 is the representative EDV in this Test Group. GX 550 was chosen as representative EDV because it has the same engine (V35A-FTS), same ECS, and the exact same catalyst specification.

Certification Summary Information Report

Manufacturer	Toyota Motor Corporation	Manufacturer Code	TYX
Test Group	VTYXT03.4B5B	Evaporative/Refueling Family	VTYXR0165P62
Certificate Number	--	CARB Executive Order #	--
Certificate Issue Date	--	Certificate Revision Date	--
Certificate Effective Date	--	Conditional Certificate	--
CSI Revision #	--	CSI Submission/Revision Date	07/08/2026 05:02:02 AM
Model Year	2027		

Test Group Information

CSI Type	New	Running Change Reference Number	--
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Combustion Engine

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Gasoline	Spark Ignition direct & ported injection	No

Hybrid Indicator	No		
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	--
Multiple Fuel Combustion	--	Off-board Charge Capable Indicator	--
Fuel Cell Indicator	--	EPA Vehicle Class	LDT4
Federal Clean Fuel Vehicle	No	Federal Clean Fuel Vehicle Standard	--
Federal Clean Fuel Vehicle ILEV	No	California Partial Zero Emissions Vehicle Indicator	No
Durability Group Name	VTYXGPGNN62F	Durability Group Equivalency Factor	0.9
Reduced Fee Test Group	No	Certification Region Code(s)	FA, CA
Complies with HD GHG 2b/3 regulations?	No		
Introduction into Commerce Date	--	CAP2000 Conditional Certificate?	N/A
Independent Commercial Importer?	--	Alternative Fuel Converter Certificate?	--
SFTP Federal Composite Compliance Identifier	Tier 3	SFTP Tier 2 Composite CO Option	No
SFTP LEV-III Composite Compliance Indicator	Yes		
OBD Compliance Type	CARB	OBD Demonstration Vehicle Test Group	VTYXT03.4B5A
Test Group OBD Compliance Level	Full - no deficiencies	Number of Test Group OBD Deficiencies	0
OBD Deficiencies Comments	--		
Mfr Test Group Comments	--		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group	VTYXT03.4B5B	Evaporative/Refueling Family	VTYXR0165P62				
Evaporative/Refueling Family Information							
Evaporative Summary Information Type	New	Submission/Correction Date	07/07/2026 02:02:47 AM				
Integrated ORVR?	Yes	Fuel(s)	Gasoline				
Multiple Fuel Storage	--						
Bladder Fuel Tank?	No						
Fuel Tank Material	Plastic	Fuel Tank Material Description	EVOH				
Fill Pipe Seal Type	Liquid seal						
Air Intake System Vapor Storage Device?	No	Air Intake System Vapor Storage Device Description	--				
Fuel System Vapor Storage Canister?	Yes	Other Vapor Storage	--				
Fuel System Vapor Storage Canister(s) Total Working Capacity (grams)	165	Number of Primary Canisters	1				
Number of Bleed Canisters	1	Bleed Canister Total Working Capacity (grams)	2				
Mfr Evaporative/Refueling Family Comments	--						
Leak Family Details							
Leak Family Indicator	No						
Canister Bleed Test Indicator	Yes	Applicability of Evaporative Canister Bleed Test	50 State				
Evaporative Canister Bleed Test Comments	--						
CARB Fuel Only (Rig) Test Indicator	No	Applicability of CARB Fuel Only (Rig) Test	--				
CARB Fuel Only (Rig) Test Comments	--						
Models Covered by this Certificate							
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
Toyota Motor Corporation	2 - LEXUS	110 - GX 550	California + CAA Section 177 states	4-Wheel Drive	Semi-Automatic	10	Yes
Toyota Motor Corporation	2 - LEXUS	110 - GX 550	Federal	4-Wheel Drive	Semi-Automatic	10	Yes
Engine Description							
Hybrid Type	--	Hybrid Description	--				
Engine Type	4-Stroke Spark Ignition	Mfr Engine Description	--				
Engine Block Arrangement	V-shaped engine	Mfr Engine Block Arrangement Description	--				
Camless Valvetrain Indicator	No	Oil Viscosity/Classification	0W-20				
Number of Cylinders/Rotors	6	Mechanically Variable Compression Ratio Indicator	N				

Certification Summary Information Report

Test Group	VTYXT03.4B5B	Evaporative/Refueling Family	VTYXR0165P62
After Treatment Device(s) (ATD)			
ATD Number	ATD Type	ATD Precious Metal	Substrate Material
1	Three-way catalyst	Palladium + Rhodium	Ceramic
2	Three-way catalyst	Platinum + Rhodium	Ceramic
3	Three-way catalyst	Palladium + Rhodium	Ceramic
4	Three-way catalyst	Platinum + Rhodium	Ceramic
Mfr After Treatment Device (ATD) Comments			
--			
Direct Ozone Reduction (DOR) Device			
Not Equipped			
Mfr Emission Control Device Comments			
--			
Engine Configuration Number 1			
Engine Displacement (liters)	3.4	Engine Rated Horsepower	349
Number of Inlet Valves Per Cylinder	2	Number of Exhaust Valves Per Cylinder	2
Air Aspiration Method	Turbocharged	Number of Air Aspiration Devices	2
Air Aspiration Device Configuration	Parallel	Charge Air Cooler Type	Liquid
Air Aspiration Drive Method(s)	Mechanical		
Cylinder Deactivation	No		
Cylinder Deactivation Description	--		
Variable Valve Timing	Yes		
Variable Valve Timing System Description	Intake and exhaust		
Variable Valve Lift?	No		
Variable Valve Lift System Description	--		
Number of Knock Sensors	2	Number of Air/Fuel Sensors	4
Air/Fuel Sensor # 1 Type	Heated air fuel	Air/Fuel Sensor # 1 Description	--
Air/Fuel Sensor # 2 Type	Heated air fuel	Air/Fuel Sensor # 2 Description	--
Air/Fuel Sensor # 3 Type	Heated air fuel	Air/Fuel Sensor # 3 Description	--
Air/Fuel Sensor # 4 Type	Heated air fuel	Air/Fuel Sensor # 4 Description	--
Mfr Air/Fuel Sensor Comments	--		
Exhaust Gas Recirculation	No	Cooled Exhaust Gas Recirculation	No
EGR Type	--	Exhaust Gas Recirculation Description if 'Other'	--
Closed Loop Air Injection System	No		
Air Injection Type	Not Applicable	Air Injection Type if 'Other'	--
Mfr Engine Configuration Comments	--		

Certification Summary Information Report

Test Group		VTYXT03.4B5B				Evaporative/Refueling Family			VTYXR0165P62		
Official Test Numbers											
Test Group Fuel		FTP	US06	SC03	Cold CO	Highway	EPA City Litmus Value	EPA City Litmus Threshold	EPA Highway Litmus Value	EPA Highway Litmus Threshold	CREE Weighting Factor
Gasoline		RTYX10081370	RTYX10081369	RTYX10081331	RTYX10081328	RTYX10081368	999.9	228.2	999.9	286.1	--
SFTP LEV-III Official Test Numbers											
Test Group Fuel		FTP			US06		SC03				
Gasoline		RTYX10081370			RTYX10081369		RTYX10081331				

Certification Summary Information Report

Test Group	VTYXT03.4B5B	Evaporative/Refueling Family	VTYXR0165P62																														
Emission Data Vehicle Information																																	
Vehicle ID / Configuration	22-VA1A / 0	Manufacturer Vehicle Configuration Number	0																														
Original Test Group Name	NTYXT03.4M5W	Original Evaporative/Refueling Family	NTYXR0165P92																														
Original Test Vehicle Model Year	2022																																
Vehicle Model																																	
Represented Test Vehicle Make	LEXUS	Represented Test Vehicle Model	LX 600																														
Leak Family Details																																	
Leak Family Identifier	--	Leak Family Name	--																														
Drive Sources and Fuel System Details																																	
	<table border="1"> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> <tr> <td>1</td> <td>Combustion Engine</td> <td>Gasoline</td> </tr> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline																										
Drive Source and Fuel#	Drive Source	Fuel																															
1	Combustion Engine	Gasoline																															
Hybrid Indicator	No																																
Multiple Fuel Storage	--	Multiple Fuel Combustion	--																														
Fuel Cell Indicator	--	Rechargeable Energy Storage System Indicator	--																														
Rechargeable Energy Storage System	--	Rechargeable Energy Storage System, if 'Other'	--																														
Off-board charge Capable Indicator	--																																
Odometer Correction -- Initial	24	Odometer Correction Factor	1																														
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor																																
Odometer Correction Units	Kilometers																																
Engine Code	01	Rated Horsepower	409																														
Displacement (liters)	3.445																																
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'																															
Number of Air Aspiration Devices	2	Air Aspiration Device Configuration	Parallel																														
Charge Air Cooler Type	Liquid	Drive Mode While Testing	2-Wheel Drive, Rear																														
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)																														
Curb Weight (lbs)	5945	Equivalent Test Weight (pounds)	6000																														
GVWR (lbs)	7230	N/V Ratio	22.6																														
Axle Ratio	3.31																																
Transmission Type	Automatic	# of Transmission Gears	10																														
Transmission Lockup	Yes	Creep Gear	No																														
Dynamometer Coefficients:																																	
	<table border="1"> <tr> <th colspan="3">Target Coefficients</th> <th colspan="3">Set Coefficients</th> <th rowspan="2">EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients</th> </tr> <tr> <th>Coefficient Category</th> <th>A (lbf)</th> <th>B (lbf/mph)</th> <th>C (lbf/mph**2)</th> <th>A (lbf)</th> <th>B (lbf/mph)</th> <th>C (lbf/mph**2)</th> </tr> <tr> <td>City/Highway/Evap</td> <td>43.65</td> <td>0.57487</td> <td>0.029926</td> <td>27.549</td> <td>0.04536</td> <td>0.033261</td> <td>19.6</td> </tr> <tr> <td>US06</td> <td>43.65</td> <td>0.57487</td> <td>0.029926</td> <td>27.549</td> <td>0.04536</td> <td>0.033261</td> <td>N/A</td> </tr> </table>			Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	City/Highway/Evap	43.65	0.57487	0.029926	27.549	0.04536	0.033261	19.6	US06	43.65	0.57487	0.029926	27.549	0.04536	0.033261	N/A
Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients																											
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)		C (lbf/mph**2)																										
City/Highway/Evap	43.65	0.57487	0.029926	27.549	0.04536	0.033261	19.6																										
US06	43.65	0.57487	0.029926	27.549	0.04536	0.033261	N/A																										

Certification Summary Information Report

Test Group	VTYXT03.4B5B	Evaporative/Refueling Family	VTYXR0165P62
Emission Control Device Comments	--		
Manufacturer Test Vehicle Comments	Drive mode is ECO. Testing with Stop and Start swith ON.		

Certification Summary Information Report

Test Group	VTYXT03.4B5B	Evaporative/Refueling Family	VTYXR0165P62
Test #	NTYX10071381	Test Procedure	34 - Federal fuel 3-day evap
Exhaust Test # for this Evap Test	NTYX10071380	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	07/21/2021	Fuel	Gasoline
Fuel Batch ID	2C0A21	Fuel Calibration Number	5
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	Toyota Motor Corporation		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	5152	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	0	--
FE BAG 1 (Bag 1 Fuel Economy)	999	999
CO2 BAG 2 (Bag 2 Carbon Dioxide)	0	--
FE BAG 2 (Bag 2 Fuel Economy)	999	999
CO2 BAG 3 (Bag 3 Carbon Dioxide)	0	--
FE BAG 3 (Bag 3 Fuel Economy)	999	999
MFR FE (Manufacturer Fuel Economy)	999	999
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.2582	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	0	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	0	--

Manufacturer Test Comments HSL=0.0644, 1ST DBL=0.1938, 2ND DBL=0.1496, 3RD DBL=0.1357, 1ST DBL IS ADDED KEY OFF MONITOR LOSS(0.0003GRAM)

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.2582	0.0000	0.258	0.500	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.2582	0.0000	0.258	0.500	Pass

Certification Summary Information Report

Test Group	VTYXT03.4B5B	Evaporative/Refueling Family	VTYXR0165P62
Test #	NTYX10071382	Test Procedure	32 - Federal Fuel Running Loss
Exhaust Test # for this Evap Test	NTYX10071380	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	07/21/2021	Fuel	Gasoline
Fuel Batch ID	2C0A21	Fuel Calibration Number	5
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	Toyota Motor Corporation		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	5152	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	0	--
CO BAG 1 (Bag 1 Carbon Monoxide)	0	--
FE BAG 1 (Bag 1 Fuel Economy)	999	999
CH4 BAG 1 (Bag 1 Methane)	0	--
NMOG BAG 1 (Bag 1 Non-methane organic gases)	0	--
CO2 BAG 2 (Bag 2 Carbon Dioxide)	0	--
CO BAG 2 (Bag 2 Carbon Monoxide)	0	--
FE BAG 2 (Bag 2 Fuel Economy)	999	999
CH4 BAG 2 (Bag 2 Methane)	0	--
NMOG BAG 2 (Bag 2 Non-methane organic gases)	0	--
CO2 BAG 3 (Bag 3 Carbon Dioxide)	0	--
CO BAG 3 (Bag 3 Carbon Monoxide)	0	--
FE BAG 3 (Bag 3 Fuel Economy)	999	999
CH4 BAG 3 (Bag 3 Methane)	0	--
NMOG BAG 3 (Bag 3 Non-methane organic gases)	0	--
MFR FE (Manufacturer Fuel Economy)	999	999
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.0001246	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	0	--

Certification Summary Information Report

Test Group		VTYXT03.4B5B		Evaporative/Refueling Family		VTYXR0165P62		
		Test Result Name		Unrounded Test Result		Verify Calculated CO2		
		Carbon dioxide		0		--		
Manufacturer Test Comments		--						
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.000	0.000	0.00	0.05	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.000	0.000	0.00	0.01	Pass

Certification Summary Information Report

Test Group	VTYXT03.4B5B	Evaporative/Refueling Family	VTYXR0165P62
Test #	NTYX10071384	Test Procedure	24 - Federal fuel refueling test (ORVR)
Exhaust Test # for this Evap Test	NTYX10071383	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	07/15/2021	Fuel	Gasoline
Fuel Batch ID	2C0A21	Fuel Calibration Number	5
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	Toyota Motor Corporation		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	5115	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	0	--
FE BAG 1 (Bag 1 Fuel Economy)	999	999
CO2 BAG 2 (Bag 2 Carbon Dioxide)	0	--
FE BAG 2 (Bag 2 Fuel Economy)	999	999
CO2 BAG 3 (Bag 3 Carbon Dioxide)	0	--
FE BAG 3 (Bag 3 Fuel Economy)	999	999
MFR FE (Manufacturer Fuel Economy)	999	999
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.0061	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	0	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	0	--

Manufacturer Test Comments --

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.006	0.000	0.01	0.20	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.006	0.000	0.01	0.20	Pass

Certification Summary Information Report

Test Group	VTYXT03.4B5B	Evaporative/Refueling Family	VTYXR0165P62						
Test #	NTYX10071732	Test Procedure	65 - Evap Canister Bleed Test						
Exhaust Test # for this Evap Test	--	Test Fuel Type	47 - CARB LEV3 E10 Premium Gasoline						
Test Date	07/21/2021	Fuel	Gasoline						
Fuel Batch ID	--	Fuel Calibration Number	--						
Vehicle Class	N/A	DF Type	Mfr. Determined						
Verify Test Lab ID	Toyota Motor Corporation								
E10 Evaporative Test Measurement Method	--								
Test Start Odometer Reading	5152	Odometer Units	M						
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--						
State of Charge Delta	--								
Drive Cycle Speed Tolerance Criteria	--	Road Speed Fan Usage	--						
Test Results									
<table border="1"> <thead> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value</th> </tr> </thead> <tbody> <tr> <td>HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)</td> <td>0.00572</td> <td>--</td> </tr> </tbody> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value	HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.00572	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value							
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.00572	--							
Manufacturer Test Comments --									
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail	
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.0057	0.0000	0.006	0.020	Pass	
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.0057	0.0000	0.006	0.020	Pass	

Certification Summary Information Report

Test Group	VTYXT03.4B5B	Evaporative/Refueling Family	VTYXR0165P62						
Emission Data Vehicle Information									
Vehicle ID / Configuration	24-VJ1A / 0	Manufacturer Vehicle Configuration Number	0						
Original Test Group Name	RTYXT03.4M5X	Original Evaporative/Refueling Family	RTYXR0165P92						
Original Test Vehicle Model Year	2024								
Vehicle Model									
Represented Test Vehicle Make	LEXUS	Represented Test Vehicle Model	GX 550						
Leak Family Details									
Leak Family Identifier	--	Leak Family Name	--						
Drive Sources and Fuel System Details									
	<table border="1"> <tr> <th>Drive Source and Fuel#</th><th>Drive Source</th><th>Fuel</th></tr> <tr> <td>1</td><td>Combustion Engine</td><td>Gasoline</td></tr> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline		
Drive Source and Fuel#	Drive Source	Fuel							
1	Combustion Engine	Gasoline							
Hybrid Indicator	No								
Multiple Fuel Storage	--	Multiple Fuel Combustion	--						
Fuel Cell Indicator	--	Rechargeable Energy Storage System Indicator	--						
Rechargeable Energy Storage System	--	Rechargeable Energy Storage System, if 'Other'	--						
Off-board charge Capable Indicator	--								
Odometer Correction -- Initial	8	Odometer Correction Factor	1						
Odometer Correction Sign	- = System Miles is equal to (Test odometer reading - Initial system miles) * Correction factor								
Odometer Correction Units	Miles								
Engine Code	01	Rated Horsepower	349						
Displacement (liters)	3.445								
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'							
Number of Air Aspiration Devices	2	Air Aspiration Device Configuration	Parallel						
Charge Air Cooler Type	Liquid	Drive Mode While Testing	2-Wheel Drive, Rear						
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)						
Curb Weight (lbs)	5585	Equivalent Test Weight (pounds)	6000						
GVWR (lbs)	7030	N/V Ratio	21.9						
Axle Ratio	3.31								
Transmission Type	Automatic	# of Transmission Gears	10						
Transmission Lockup	Yes	Creep Gear	No						

Certification Summary Information Report

Test Group		VTYXT03.4B5B			Evaporative/Refueling Family		VTYXR0165P62	
Dynamometer Coefficients:								
Target Coefficients				Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)		
City/Highway/Evap	44.055	0.42816	0.034803	23.115	-0.16172	0.037905	20.3	
Cold CO	48.461	0.47097	0.038284	24.432	-0.41791	0.043399	N/A	
US06	44.055	0.42816	0.034803	23.115	-0.16172	0.037905	N/A	
Emission Control Device Comments		--						
Manufacturer Test Vehicle Comments		Drive mode is SPORT S+.						

Certification Summary Information Report

Test Group	VTYXT03.4B5B	Evaporative/Refueling Family	VTYXR0165P62
Test #	RTYX10081328	Test Procedure	11 - Cold CO
Exhaust Test # for this Evap Test	--	Test Fuel Type	29 - Cold CO E10 Premium Gasoline (Tier 3)
Test Date	06/20/2023	Fuel	Gasoline
Fuel Batch ID	2M0A01	Fuel Calibration Number	28
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000), LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	Mfr. Determined
Verify Test Lab ID	Toyota Motor Corporation		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4125	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	0	--
FE BAG 1 (Bag 1 Fuel Economy)	999	999
CO2 BAG 2 (Bag 2 Carbon Dioxide)	0	--
FE BAG 2 (Bag 2 Fuel Economy)	999	999
CO2 BAG 3 (Bag 3 Carbon Dioxide)	0	--
FE BAG 3 (Bag 3 Fuel Economy)	999	999
METHANE (CH4 - Methane)	0.0189355	--
CO (Carbon Monoxide)	0.7326767	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	1.97	--
DT-EER (Drive Trace Energy Economy Rating)	0.94	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	2.98	--
MFR FE (Manufacturer Fuel Economy)	999	999
NOX (Nitrogen Oxide)	0.0109208	--
N2O (Nitrous Oxide)	0.0189738	--
HC-NM (Non-methane Hydrocarbon)	0.1133637	--
HC-TOTAL (Total Hydrocarbon)	0.1310614	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	0	--

Certification Summary Information Report

Test Group		VTYXT03.4B5B				Evaporative/Refueling Family				VTYXR0165P62		
		Test Result Name		Unrounded Test Result			Verify Calculated CO2					
		Carbon dioxide		0			--					
Manufacturer Test Comments		--										
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	50,000 miles	Federal Tier 4 Bin 70	CO	0.73	--	--	--	0.03	--	0.8	12.5	Pass
Fed	120,000 miles	Federal Tier 4 Bin 70	HC-NM	0.11	--	--	--	0.01	--	0.1	0.5	Pass
CA	50,000 miles	California LEV-IV ULEV70	CO	0.73	--	--	--	0.03	--	0.8	12.5	Pass

Certification Summary Information Report

Test Group	VTYXT03.4B5B	Evaporative/Refueling Family	VTYXR0165P62
Test #	RTYX10081370	Test Procedure	21 - Federal fuel 2-day exhaust (w/can load)
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	06/22/2023	Fuel	Gasoline
Fuel Batch ID	2C3A01	Fuel Calibration Number	2
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000), LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	Mfr. Determined
Verify Test Lab ID	Toyota Motor Corporation		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4152	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	0	--
FE BAG 1 (Bag 1 Fuel Economy)	999	999
CO2 BAG 2 (Bag 2 Carbon Dioxide)	0	--
FE BAG 2 (Bag 2 Fuel Economy)	999	999
CO2 BAG 3 (Bag 3 Carbon Dioxide)	0	--
FE BAG 3 (Bag 3 Fuel Economy)	999	999
METHANE (CH4 - Methane)	0.0042195	--
CO (Carbon Monoxide)	0.0878385	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.56	--
DT-EER (Drive Trace Energy Economy Rating)	-0.09	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	0.92	--
MFR FE (Manufacturer Fuel Economy)	999	999
NOX (Nitrogen Oxide)	0.013883	--
N2O (Nitrous Oxide)	0.0012015	--
HC-NM (Non-methane Hydrocarbon)	0.0076371	--
NMOG (Non-methane organic gases)	0.00841	--
PM (Particulate Matter)	0.0013643	--
HC-TOTAL (Total Hydrocarbon)	0.0113977	--

Certification Summary Information Report

Test Group		VTYXT03.4B5B			Evaporative/Refueling Family				VTYXR0165P62			
		Test Result Name		Unrounded Test Result			Verify Calculated CREE/OPT-CREE					
		Carbon-Related Exhaust Emissions		0			999					
		Test Result Name		Unrounded Test Result			Verify Calculated CO2					
		Carbon dioxide		0			--					
Manufacturer Test Comments		NMOG = HC-NM x 1.1012										
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 4 Bin 70	CO	0.09	--	--	--	0.10	--	0.2	1.7	Pass
Fed	150,000 miles	Federal Tier 4 Bin 70	CO-COMP	0.33	--	--	--	0.10	--	0.3	4.2	Pass
Fed	150,000 miles	Federal Tier 4 Bin 70	CREE	999	--	--	--	0.112	--	999	--	--
Fed	150,000 miles	Federal Tier 4 Bin 70	NMOG	0.0084	1	1.10	--	0.0078	--	0.016	999.999	Pass
Fed	150,000 miles	Federal Tier 4 Bin 70	NMOG+NOX	0.0223	1	1.10	--	--	--	0.036	0.070	Pass
Fed	150,000 miles	Federal Tier 4 Bin 70	NMOG+NOX-COMP	0.0354	1	1.03	--	0.0137	--	0.035	0.060	Pass
Fed	150,000 miles	Federal Tier 4 Bin 70	NOX	0.0139	--	--	--	0.0059	--	0.020	999.999	Pass
Fed	150,000 miles	Federal Tier 4 Bin 70	PM	0.0014	--	--	--	0.0000	--	0.001	0.003	Pass
CA	150,000 miles	California LEV-IV ULEV70	CO	0.09	--	--	--	0.10	--	0.2	1.7	Pass
CA	150,000 miles	California LEV-IV ULEV70	METHANE	0.0042	--	--	--	0.0061	--	0.010	0.030	Pass
CA	150,000 miles	California LEV-IV ULEV70	N2O	0.0012	--	--	--	0.0019	--	0.003	0.010	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG	0.0084	1	1.10	--	0.0078	--	0.016	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG+NOX	0.0223	1	1.10	--	--	--	0.036	0.070	Pass
CA	150,000 miles	California LEV-IV ULEV70	NOX	0.0139	--	--	--	0.0059	--	0.020	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	PM	0.0014	--	--	--	0.0000	--	0.001	0.003	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VTYXT03.4B5B	Evaporative/Refueling Family	VTYXR0165P62
Test #	RTYX10081368	Test Procedure	3 - HWFE
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	06/22/2023	Fuel	Gasoline
Fuel Batch ID	2C3A01	Fuel Calibration Number	2
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000), LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	Mfr. Determined
Verify Test Lab ID	Toyota Motor Corporation		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4163	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes
Test Results			
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	
METHANE (CH4 - Methane)	0.0015217	--	
CO (Carbon Monoxide)	0.0709174	--	
DT-ASCR (Drive Trace Absolute Speed Change Rating)	1.32	--	
DT-EER (Drive Trace Energy Economy Rating)	-0.09	--	
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	1.57	--	
MFR FE (Manufacturer Fuel Economy)	999	999	
NOX (Nitrogen Oxide)	0.0021925	--	
N2O (Nitrous Oxide)	0.0008233	--	
HC-NM (Non-methane Hydrocarbon)	0.0000346	--	
NMOG (Non-methane organic gases)	0.0000356	--	
HC-TOTAL (Total Hydrocarbon)	0.0014706	--	
Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE	
Carbon-Related Exhaust Emissions	0	999	
Test Result Name	Unrounded Test Result	Verify Calculated CO2	
Carbon dioxide	0	--	
Manufacturer Test Comments	NMOG = HC-NM x 1.03		

Certification Summary Information Report

Test Group		VTYXT03.4B5B			Evaporative/Refueling Family					VTYXR0165P62		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 4 Bin 70	CREE	999	--	--	--	0.112	--	999	--	--
Fed	150,000 miles	Federal Tier 4 Bin 70	NMOG	0.0000	1	1.03	--	0.0078	--	0.008	999.999	Pass
Fed	150,000 miles	Federal Tier 4 Bin 70	NMOG+NOX	0.0022	1	1.03	--	--	--	0.016	0.070	Pass
Fed	150,000 miles	Federal Tier 4 Bin 70	NOX	0.0022	--	--	--	0.0059	--	0.008	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG	0.0000	1	1.03	--	0.0078	--	0.008	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG+NOX	0.0022	1	1.03	--	--	--	0.016	0.070	Pass
CA	150,000 miles	California LEV-IV ULEV70	NOX	0.0022	--	--	--	0.0059	--	0.008	999.999	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VTYXT03.4B5B	Evaporative/Refueling Family	VTYXR0165P62
Test #	RTYX10081369	Test Procedure	90 - US06
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	06/22/2023	Fuel	Gasoline
Fuel Batch ID	2C3A01	Fuel Calibration Number	2
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000), LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)	DF Type	Mfr. Determined
Verify Test Lab ID	Toyota Motor Corporation		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4183	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	0	--
FE BAG 1 (Bag 1 Fuel Economy)	999	999
CO2 BAG 2 (Bag 2 Carbon Dioxide)	0	--
FE BAG 2 (Bag 2 Fuel Economy)	999	999
METHANE (CH4 - Methane)	0.0048916	--
CO (Carbon Monoxide)	0.5383756	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.55	--
DT-EER (Drive Trace Energy Economy Rating)	-0.29	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	1.32	--
MFR FE (Manufacturer Fuel Economy)	999	999
NOX (Nitrogen Oxide)	0.01564	--
N2O (Nitrous Oxide)	0.0012303	--
HC-NM (Non-methane Hydrocarbon)	0.0191417	--
NMOG (Non-methane organic gases)	0.019716	--
PM (Particulate Matter)	0.0036798	--
HC-TOTAL (Total Hydrocarbon)	0.023758	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	0	--

Certification Summary Information Report

Test Group		VTYXT03.4B5B				Evaporative/Refueling Family				VTYXR0165P62		
		Test Result Name		Unrounded Test Result		Verify Calculated CO2						
		Carbon dioxide		0		--						
Manufacturer Test Comments		NMOG = HC-NM x 1.03										
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 4 Bin 70	PM	0.0037	--	--	--	0.0000	--	0.004	0.006	Pass
CA	150,000 miles	California LEV-IV ULEV70	CO	0.54	--	--	--	0.10	--	0.6	9.6	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG	0.0197	--	1.03	--	0.0078	--	0.028	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG+NOX	0.0353	--	1.03	--	--	--	0.049	0.070	Pass
CA	150,000 miles	California LEV-IV ULEV70	NOX	0.0156	--	--	--	0.0059	--	0.022	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	PM	0.0037	--	--	--	0.0000	--	0.004	0.006	Pass

Certification Summary Information Report

Test Group	VTYXT03.4B5B	Evaporative/Refueling Family	VTYXR0165P62
Test #	RTYX10081331	Test Procedure	95 - SC03
Exhaust Test # for this Evap Test	--	Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)
Test Date	06/15/2023	Fuel	Gasoline
Fuel Batch ID	2C3A01	Fuel Calibration Number	2
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	Toyota Motor Corporation		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4090	Odometer Units	M
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--
State of Charge Delta	Yes		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0.0035205	--
CO (Carbon Monoxide)	0.1233414	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.45	--
DT-EER (Drive Trace Energy Economy Rating)	-0.16	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	1.18	--
MFR FE (Manufacturer Fuel Economy)	999	999
NOX (Nitrogen Oxide)	0.0078676	--
N2O (Nitrous Oxide)	0.0136218	--
HC-NM (Non-methane Hydrocarbon)	0.0028909	--
NMOG (Non-methane organic gases)	0.0029776	--
HC-TOTAL (Total Hydrocarbon)	0.0061813	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	0	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	0	--

Manufacturer Test Comments NMOG = HC-NM x 1.03

Certification Summary Information Report

Test Group		VTYXT03.4B5B				Evaporative/Refueling Family				VTYXR0165P62		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
CA	150,000 miles	California LEV-IV ULEV70	CO	0.12	--	--	--	0.10	--	0.2	1.7	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG	0.0030	1	1.03	--	0.0078	--	0.011	999.999	Pass
CA	150,000 miles	California LEV-IV ULEV70	NMOG+NOX	0.0109	1	1.03	--	--	--	0.025	0.070	Pass
CA	150,000 miles	California LEV-IV ULEV70	NOX	0.0079	--	--	--	0.0059	--	0.014	999.999	Pass

Certification Summary Information Report

Test Group	VTYXT03.4B5B	Evaporative/Refueling Family	VTYXR0165P62
Fuel Properties			
Fuel Batch ID	2C0A21	Fuel Calibration Number	5
Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	03/27/2020
Fuel Batch Calibration Effective Date	07/01/2021	Fuel Batch Calibration Ineffective Date	07/31/2021
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.737
Fuel Ethanol Volume Percent (%)	9.6	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17861
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.826	Weight Fraction CO2	--
Fuel Batch ID	2M0A01	Fuel Calibration Number	28
Test Fuel Type	29 - Cold CO E10 Premium Gasoline (Tier 3)	Fuel Batch Calibration Date	12/24/2020
Fuel Batch Calibration Effective Date	06/01/2023	Fuel Batch Calibration Ineffective Date	06/30/2023
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.736
Fuel Ethanol Volume Percent (%)	9.6	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17867
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.825	Weight Fraction CO2	--
Fuel Batch ID	2C3A01	Fuel Calibration Number	2
Test Fuel Type	49 - Tier 3 E10 Premium Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	03/22/2023
Fuel Batch Calibration Effective Date	06/01/2023	Fuel Batch Calibration Ineffective Date	06/30/2023
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.738
Fuel Ethanol Volume Percent (%)	9.6	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17857
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.826	Weight Fraction CO2	--

Certification Summary Information Report

Test Group		VTYXT03.4B5B			Evaporative/Refueling Family		VTYXR0165P62		
Consolidated List of Standards									
Exhaust Standards									
Cert Region		California + CAA Section 177 states			Cert/In-Use Code		Cert		
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level		California LEV-IV ULEV70		
Fuel		Gasoline			Test Procedure		CA fuel 50 Deg(F) exhaust test		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
4,000 miles	CO	--	--	--	--	--	--	--	1.7
4,000 miles	HCHO	--	--	--	--	--	--	--	0.016
4,000 miles	NMOG	--	1	1.10	--	--	--	--	999.999
4,000 miles	NMOG+NOX	--	1	1.10	--	--	1	--	0.140
4,000 miles	NOX	--	--	--	--	--	--	--	999.999
Cert Region		Federal			Cert/In-Use Code		Cert		
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level		Federal Tier 4 Bin 70		
Fuel		Gasoline			Test Procedure		Federal fuel 2-day exhaust (w/can load)		
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.10	1.7
150,000 miles	CO-COMP	--	--	--	--	--	--	0.10	4.2
150,000 miles	CREE	--	--	--	--	--	--	0.112	999.999
150,000 miles	HCHO	--	--	--	--	--	--	--	0.004
150,000 miles	NMOG	--	1	1.10	--	--	--	0.0078	999.999
150,000 miles	NMOG+NOX	--	1	1.10	--	--	--	0.0137	0.070
150,000 miles	NMOG+NOX-COMP	--	1	1.03	--	--	--	0.0137	0.060
150,000 miles	NOX	--	--	--	--	--	--	0.0059	999.999
150,000 miles	PM	--	--	--	--	--	--	0.0000	0.003

Certification Summary Information Report

Test Group		VTYXT03.4B5B			Evaporative/Refueling Family			VTYXR0165P62	
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			Federal Tier 4 Bin 70	
Fuel		Gasoline			Test Procedure			Cold CO	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	0.03	12.5
120,000 miles	HC-NM	--	--	--	--	--	--	0.01	0.5
Cert Region		Federal			Cert/In-Use Code			Cert	
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			Federal Tier 4 Bin 70	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CREE	--	--	--	--	--	--	0.112	999.999
150,000 miles	NMOG	--	1	1.03	--	--	--	0.0078	999.999
150,000 miles	NMOG+NOX	--	1	1.03	--	--	--	0.0137	0.070
150,000 miles	NOX	--	--	--	--	--	--	0.0059	999.999
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-IV ULEV70	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	NMOG	--	1	1.03	--	--	--	0.0078	999.999
150,000 miles	NMOG+NOX	--	1	1.03	--	--	--	0.0137	0.070
150,000 miles	NOX	--	--	--	--	--	--	0.0059	999.999

Certification Summary Information Report

Test Group		VTYXT03.4B5B			Evaporative/Refueling Family			VTYXR0165P62	
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-IV ULEV70	
Fuel		Gasoline			Test Procedure			SC03	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.10	1.7
150,000 miles	NMOG	--	1	1.03	--	--	--	0.0078	999.999
150,000 miles	NMOG+NOX	--	1	1.03	--	--	--	0.0137	0.070
150,000 miles	NOX	--	--	--	--	--	--	0.0059	999.999
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-IV ULEV70	
Fuel		Gasoline			Test Procedure			Federal fuel 2-day exhaust (w/can load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.10	1.7
150,000 miles	HCHO	--	--	--	--	--	--	--	0.004
150,000 miles	METHANE	--	--	--	--	--	--	0.0061	0.030
150,000 miles	N2O	--	--	--	--	--	--	0.0019	0.010
150,000 miles	NMOG	--	1	1.10	--	--	--	0.0078	999.999
150,000 miles	NMOG+NOX	--	1	1.10	--	--	--	0.0137	0.070
150,000 miles	NOX	--	--	--	--	--	--	0.0059	999.999
150,000 miles	PM	--	--	--	--	--	--	0.0000	0.003
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-IV ULEV70	
Fuel		Gasoline			Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.10	9.6
150,000 miles	NMOG	--	--	1.03	--	--	--	0.0078	999.999
150,000 miles	NMOG+NOX	--	--	1.03	--	--	--	0.0137	0.070
150,000 miles	NOX	--	--	--	--	--	--	0.0059	999.999
150,000 miles	PM	--	--	--	--	--	--	0.0000	0.006

Certification Summary Information Report

Test Group		VTYXT03.4B5B			Evaporative/Refueling Family			VTYXR0165P62		
Cert Region		Federal			Cert/In-Use Code			Cert		
Vehicle Class		LDT4 (ALVW > 5750, LVW 0-3750, GVW > 6000)			Standard Level			Federal Tier 4 Bin 70		
Fuel		Gasoline			Test Procedure			US06		
Useful Life		Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	PM	--	--	--	--	--	--	--	0.0000	0.006
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert		
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-IV ULEV70		
Fuel		Gasoline			Test Procedure			Cold CO		
Useful Life		Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	--	0.03	12.5
Evaporative/Refueling Standards										
Evaporative/Refueling Family		VTYXR0165P62			Cert Region			California + CAA Section 177 states		
Cert/In-Use Code		Cert			Standard Level			California LEV-IV Zero Evap (Option 2)		
Test Procedure		Federal Fuel Running Loss								
Fuel	Useful Life	Emission Name		Rounded Result			Std		Add DF	
Gasoline	150,000 miles	HC-TOTAL-EQUIV		--			0.01		0.000	
Evaporative/Refueling Family		VTYXR0165P62			Cert Region			Federal		
Cert/In-Use Code		Cert			Standard Level			Federal Tier 3 Evap		
Test Procedure		2-day evap								
Fuel	Useful Life	Emission Name		Rounded Result			Std		Add DF	
Gasoline	150,000 miles	HC-TOTAL-EQUIV		--			0.500		0.0000	
Evaporative/Refueling Family		VTYXR0165P62			Cert Region			California + CAA Section 177 states		
Cert/In-Use Code		Cert			Standard Level			California LEV-IV Zero Evap (Option 2)		
Test Procedure		Evap Canister Bleed Test								
Fuel	Useful Life	Emission Name		Rounded Result			Std		Add DF	
Gasoline	150,000 miles	HC-TOTAL-EQUIV		--			0.020		0.0000	

Certification Summary Information Report

Test Group		VTYXT03.4B5B		Evaporative/Refueling Family		VTYXR0165P62	
Evaporative/Refueling Family		VTYXR0165P62		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		Evap Canister Bleed Test					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.020	0.0000		
Evaporative/Refueling Family		VTYXR0165P62		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Cert		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		Federal fuel 3-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.500	0.0000		
Evaporative/Refueling Family		VTYXR0165P62		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Cert		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		2-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.500	0.0000		
Evaporative/Refueling Family		VTYXR0165P62		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal Fuel Running Loss					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.05	0.000		
Evaporative/Refueling Family		VTYXR0165P62		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal fuel refueling test (ORVR)					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.20	0.000		

Certification Summary Information Report

Test Group		VTYXT03.4B5B		Evaporative/Refueling Family		VTYXR0165P62	
Evaporative/Refueling Family		VTYXR0165P62		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal fuel 3-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.500	0.0000		
Evaporative/Refueling Family		VTYXR0165P62		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Cert		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		Federal fuel refueling test (ORVR)					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.20	0.000		
Evaporative/Refueling Family		VTYXR0165P62		Cert Region		Federal	
Cert/In-Use Code		Cert		Standard Level		Federal Tier 3 Evap	
Test Procedure		Spitback					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	4,000 miles	SPITBACK	--	1.0	--		

Certification Summary Information Report

Test Group		VTYXT03.4B5B	Evaporative/Refueling Family		VTYXR0165P62
Glossary					
Useful Life					
4	4,000 miles		120	120,000 miles	
50	50,000 miles		150	150,000 miles	
100	100,000 miles				
Emission Name					
HC-TOTAL	Total Hydrocarbon		COMB-CREE	Combined Carbon-Related Exhaust Emissions	
CO	Carbon Monoxide		COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions	
CO2	Carbon dioxide		HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only	
CREE	Carbon-Related Exhaust Emissions		METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only	
OPT-CREE	Optional Carbon-Related Exhaust Emissions		N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only	
NOX	Nitrogen Oxide		LEAK-DIA	Effective Leak Diameter (inches)	
PM	Particulate Matter		LEAK-GAS CAP	Gas Cap Leakage (cc/min)	
PM-COMP	SFTP Composite Particulate Matter		CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only	
HC-NM	Non-methane Hydrocarbon		KW-HRS	Integrated DC KW-HRS	
OMHCE	Organic material Hydrocarbon Equivalent		CH4 BAG 1	Bag 1 Methane	
OMNMHCE	Organic material non-methane HC equivalent		CH4 BAG 2	Bag 2 Methane	
NMOG	Non-methane organic gases		CH4 BAG 3	Bag 3 Methane	
HCHO	Formaldehyde		CH4 BAG 4	Bag 4 Methane	
H3C2HO	Acetaldehyde		CO BAG 1	Bag 1 Carbon Monoxide	
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03		CO BAG 2	Bag 2 Carbon Monoxide	
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides		CO BAG 3	Bag 3 Carbon Monoxide	
CO-COMP	SFTP Composite Carbon Monoxide		CO BAG 4	Bag 4 Carbon Monoxide	
ETHANOL	C2H5OH - Ethanol		NMOG BAG 1	Bag 1 Non-methane organic gases	
FE BAG 1	Bag 1 Fuel Economy		NMOG BAG 2	Bag 2 Non-methane organic gases	
FE BAG 2	Bag 2 Fuel Economy		NMOG BAG 3	Bag 3 Non-methane organic gases	
FE BAG 3	Bag 3 Fuel Economy		NMOG BAG 4	Bag 4 Non-methane organic gases	
FE BAG 4	Bag 4 Fuel Economy		ACT-DISTANCE BAG 1	Bag 1 Actual Distance	
MFR FE	Manufacturer Fuel Economy		ACT-DISTANCE BAG 2	Bag 2 Actual Distance	
HC	Hydrocarbon for Running Loss and ORVR		ACT-DISTANCE BAG 3	Bag 3 Actual Distance	
METHANE	CH4 - Methane		ACT-DISTANCE BAG 4	Bag 4 Actual Distance	
METHANOL	CH3OH - Methanol		HC-TOTAL BAG 1	Bag 1 Total Hydrocarbon	
N2O	Nitrous Oxide		HC-TOTAL BAG 2	Bag 2 Total Hydrocarbon	
SPITBACK	Spitback Hydrocarbon in grams		HC-TOTAL BAG 3	Bag 3 Total Hydrocarbon	
AMP-HRS	Integrated Amp-hours		HC-TOTAL BAG 4	Bag 4 Total Hydrocarbon	
START-SOC	System Start State of Charge Watt-hours		WATT-HRS BAG 1	Bag 1 Watt Hours	
END-SOC	System End State of Charge Watt-hours		WATT-HRS BAG 2	Bag 2 Watt Hours	

Certification Summary Information Report

Test Group		VTYXT03.4B5B	Evaporative/Refueling Family		VTYXR0165P62
ACT-DISTANCE	Actual Distance Driven (miles)		WATT-HRS BAG 3	Bag 3 Watt Hours	
AS-VOLT	Average System Voltage		WATT-HRS BAG 4	Bag 4 Watt Hours	
CO2 BAG 1	Bag 1 Carbon Dioxide		WATT-HRS	Watt Hours	
CO2 BAG 2	Bag 2 Carbon Dioxide		HC-NM BAG 1	Bag 1 Non-methane Hydrocarbon	
CO2 BAG 3	Bag 3 Carbon Dioxide		HC-NM BAG 2	Bag 2 Non-methane Hydrocarbon	
CO2 BAG 4	Bag 4 Carbon Dioxide		HC-NM BAG 3	Bag 3 Non-methane Hydrocarbon	
NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides		HC-NM BAG 4	Bag 4 Non-methane Hydrocarbon	
NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides		N2O BAG 1	Bag 1 Nitrous Oxide	
DT-IWRR	Drive Trace Inertia Work Ratio Rating		N2O BAG 2	Bag 2 Nitrous Oxide	
DT-ASCR	Drive Trace Absolute Speed Change Rating		N2O BAG 3	Bag 3 Nitrous Oxide	
DT-EER	Drive Trace Energy Economy Rating		N2O BAG 4	Bag 4 Nitrous Oxide	
Certification Region					
CA	California + CAA Section 177 states		FA	Federal	
Exhaust Emission Standard Level					
B1	Federal Tier 2 Bin 1		HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
B2	Federal Tier 2 Bin 2		HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
B3	Federal Tier 2 Bin 3		HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
B4	Federal Tier 2 Bin 4		HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
B5	Federal Tier 2 Bin 5		HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
B6	Federal Tier 2 Bin 6		HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
B7	Federal Tier 2 Bin 7		HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
B8	Federal Tier 2 Bin 8		HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
B9	Federal Tier 2 Bin 9		HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
B10	Federal Tier 2 Bin 10		HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
B11	Federal Tier 2 Bin 11		HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)		HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)		HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
L2	California LEV-II LEV		L4SULEV100	California LEV-IV SULEV100	
L2OP	California LEV-II LEV Optional		L4SULEV125	California LEV-IV SULEV125	
U2	California LEV-II ULEV		L4SULEV15	California LEV-IV SULEV15	
S2	California LEV-II SULEV		L4SULEV150	California LEV-IV SULEV150	
ZEV	California ZEV		L4SULEV170	California LEV-IV SULEV170	
OT	Other		L4SULEV175	California LEV-IV SULEV175	
T1	Federal Tier 1		L4SULEV20	California LEV-IV SULEV20	
PZEV	California PZEV		L4SULEV200	California LEV-IV SULEV200	
L2LEV160	California LEV-II LEV160		L4SULEV230	California LEV-IV SULEV230	
L2ULEV125	California LEV-II ULEV125		L4SULEV25	California LEV-IV SULEV25	
L2SULEV30	California LEV-II SULEV30		L4SULEV30	California LEV-IV SULEV30	
L2LEV395	California LEV-II LEV395		L4SULEV75	California LEV-IV SULEV75	

Certification Summary Information Report

Test Group		VTYXT03.4B5B	Evaporative/Refueling Family		VTYXR0165P62
L2ULEV340	California LEV-II ULEV340		L4SULEV85	California LEV-IV SULEV85	
L2LEV630	California LEV-II LEV630		L4ULEV125	California LEV-IV ULEV125	
L2ULEV570	California LEV-II ULEV570		L4ULEV200	California LEV-IV ULEV200	
L3LEV160	California LEV-III LEV160		L4ULEV250	California LEV-IV ULEV250	
L3ULEV125	California LEV-III ULEV125		L4ULEV270	California LEV-IV ULEV270	
L3ULEV70	California LEV-III ULEV70		L4ULEV40	California LEV-IV ULEV40	
L3ULEV50	California LEV-III ULEV50		L4ULEV400	California LEV-IV ULEV400	
L3SULEV30	California LEV-III SULEV30		L4ULEV50	California LEV-IV ULEV50	
L3SULEV20	California LEV-III SULEV20		L4ULEV60	California LEV-IV ULEV60	
L3LEV395	California LEV-III LEV395		L4ULEV70	California LEV-IV ULEV70	
L3ULEV340	California LEV-III ULEV340		T4B170	Federal Tier 4 MDV Bin 170	
L3ULEV250	California LEV-III ULEV250		T4B150	Federal Tier 4 MDV Bin 150	
L3ULEV200	California LEV-III ULEV200		T4B125	Federal Tier 4 MDV Bin 125	
L3SULEV170	California LEV-III SULEV170		T4B100	Federal Tier 4 MDV Bin 100	
L3SULEV150	California LEV-III SULEV150		T4B85	Federal Tier 4 MDV Bin 85	
L3LEV630	California LEV-III LEV630		T4B75	Federal Tier 4 MDV Bin 75	
L3ULEV570	California LEV-III ULEV570		T4B70	Federal Tier 4 Bin 70	
L3ULEV400	California LEV-III ULEV400		T4B65	Federal Tier 4 Bin 65	
L3ULEV270	California LEV-III ULEV270		T4B60	Federal Tier 4 Bin 60	
L3SULEV230	California LEV-III SULEV230		T4B55	Federal Tier 4 Bin 55	
L3SULEV200	California LEV-III SULEV200		T4B50	Federal Tier 4 Bin 50	
T3B160	Federal Tier 3 Bin 160		T4B45	Federal Tier 4 Bin 45	
T3B125	Federal Tier 3 Bin 125		T4B40	Federal Tier 4 Bin 40	
T3B110	Federal Tier 3 Transitional Bin 110		T4B35	Federal Tier 4 Bin 35	
T3B85	Federal Tier 3 Transitional Bin 85		T4B30	Federal Tier 4 Bin 30	
T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover		T4B25	Federal Tier 4 Bin 25	
T3B70	Federal Tier 3 Bin 70		T4B20	Federal Tier 4 Bin 20	
T3B50	Federal Tier 3 Bin 50		T4B15	Federal Tier 4 Bin 15	
T3B30	Federal Tier 3 Bin 30		T4B10	Federal Tier 4 Bin 10	
T3B20	Federal Tier 3 Bin 20		T4B5	Federal Tier 4 Bin 5	
T3B0	Federal Tier 3 Bin 0		T4B0	Federal Tier 4 Bin 0	
HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395				
Transmission Type Code					
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual		
A	Automatic	OT	Other		
AM	Automated Manual	SA	Semi-Automatic		
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)		
Drive System Code					
4	4-Wheel Drive	P	Part-time 4-Wheel Drive		

Certification Summary Information Report

Test Group		VTYXT03.4B5B	Evaporative/Refueling Family		VTYXR0165P62
F	2-Wheel Drive, Front		A	All Wheel Drive	
R	2-Wheel Drive, Rear				
Additional Terms and Acronyms					
AFC	Alternative Fuel Converter		ICI	Independent Commercial Importer	
CSI	Certificate Summary Information		ORVR	Onboard Refueling Vapor Recovery	
DF	Deterioration Factor		SIL	Shift Indicator Light	
Evap	Evaporation, Evaporative		Trans	Transmission	

7. Test Results

Test group: VTYXT03.4B5B

1. Litmus test result

Test Group Fuel	FTP	US06	SC03	Cold CO	Highway	City Litmus Value	City Litmus Threshold	Highway Litmus Value	Highway Litmus Threshold
Gasoline	RTYX10081370	RTYX10081369	RTYX10081331	RTYX10081328	RTYX10081368	14.7	14.3	19.2	18.2

2. Interim/In-Use Standard

	Federal	California
FTP	Not applicable	Not applicable
SFTP (Composite)	Not applicable	-
SFTP (US06)	-	NMOG+NO _x

8. **Emission testing waiver statements**

Please refer to the FOI common file for the following test waiver statements:

- High Altitude Exhaust Emissions
- High Altitude Evap/Refueling Emissions
- 91 RON fuel testing
- Formaldehyde (HCHO)
- Spitback
- 2DBL Evap Emissions
- Tier 4 Evaporative Leak Standard

9. **OBD System Description**

Please refer to OBD documents.

Toyota states that the OBD application meets the requirements of 40 CFR 86.1806-17 and 86.1844-01(d)(9) and is considered part of the Part 1 certification application.

10. **Description of Alternate-fueled Vehicles**

Please refer to the FOI common file.

11. AECD Descriptions

11.1 AECD and EI-AECD Descriptions

Confidential information

11.2 SFTP / Lean Best Torque (LBT) Air fuel Ratio Information

Please refer to the CBI common file.

12. Description of Vehicles Covered by Certificate and Test Parameters**12.1 Vehicle parameters**

Durability Group : VTYXGPGNN62F
 Test Group : VTYXT03.4B5B
 Evap./Refueling Family : VTYXR0165P62
 Emission Control System : DFI+SFI,2WR-HO2S(2),2TWC(2),2TC,1CAC

Carline	Model name	Model code	Engine Code	Valves/ cyl	Engine Disp. (L)	Sales Area	Trans-mission*2/ Overdrive	SIL	Tire*1	N/V	ETW (lb.)	Fuel tank vol. (L)	Rated HP
GX 550	LEXUS GX 550 PREMIUM/ LEXUS GX 550 PREMIUM+/ LEXUS GX 550 LUXURY/ LEXUS GX 550 LUXURY+/ LEXUS GX 550 OVERTRAIL/ LEXUS GX 550 OVERTRAIL+	VJA252L-GNUZZA	01	4	3.445	50	AJA0F-C (S10-3) / Yes	N/A	265/50R22 AS	21.8	6000	80	349@4800-5200
			01	4	3.445	50	AJA0F-C (S10-3) / Yes	N/A	265/50R22 AS#2	21.8	6000	80	349@4800-5200
			01	4	3.445	50	AJA0F-C (S10-3) / Yes	N/A	265/55R20 AS	22.6	6000	80	349@4800-5200
			01	4	3.445	50	AJA0F-C (S10-3) / Yes	N/A	265/55R20 AS#2	22.6	6000	80	349@4800-5200
			01	4	3.445	50	AJA0F-C (S10-3) / Yes	N/A	265/70R18 AS	21.9	6000	80	349@4800-5200

Note *1: AS : All-season tire

*2: The number after “-“ indicates the number of transmission mode.

12.2 Test Parameters

Please refer to the FOI common file.

13. **Projected Sales and Compliance Plans**

Please refer to the CBI common file.

14. **Request for Certificate**

Test group : VTYXT03.4B5B
 Evap/refueling family : VTYXR0165P62

TOYOTA MOTOR CORPORATION requests that EPA/CARB issue a 2027 model year certificate of conformity and Executive Order for the above specified test group/evaporative family combination more fully described in this application. This combination complies with the following emission standards:

		low-altitude	high altitude	Bin No
Federal:	Interim Tier4	<u> X </u>	<u> X </u>	<u> 70 </u>
California:	See Federal			



Kevin Webber
 General Manager
 Regulatory Affairs & Environmental Sustainability
 Toyota Motor North America, Inc.

15. Other Information

15.1 Fee filing form

US EPA Fee Form

[Help and EPA Instructions](#)

* Required Field

General Information

Date: 06/02/2026

Process Code *

Submit New Fee Filing Form

Manufacturer Code *

TYX

Manufacturer Name *

Toyota Motor Corporation

Contact Name *

Keisha Anderson

Contact Email Address *

keisha.anderson@toyota.com

Contact Phone *

734-995-3552

Calendar Year complete application submitted to EPA *

2026

PLEASE NOTE: These fees apply to complete certification applications received by EPA from January 1, 2026, through December 31, 2026. The applicable fee is determined by the

Payment Information

Amount Owed

\$32,317.00

Payment Type *

Offline ACH

Comments

EPA Form Number 3520-29
OMB Control No. 2060-0545
Approval expires 7/31/2027
The public reporting and recordkeeping burden for this collection of information is estimated to average 12 minutes per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed forms to this address.

calendar year in which the complete certification application is received, not the model year.

Engine Family / Evaporative Family / Test Group *

VTYXT03.4B5B

Certificate Request Type (Industry Sector Code)

Certificate Request Type *

- ☒ On-Highway LDV, LTD, MDVPV, HDV Chassis Cert (Federal) (A, B, D, J, T, V)
- ☐ On-Highway HDE Dyno Cert (Federal) (E, H)
- ☐ On-Highway LD ICI, MDPV ICI, HDV ICI (A, B, D, J, T, V)
- ☐ On-Highway Motorcycle (C)
- ☐ On-Highway HDV Evap (F)
- ☐ On-Highway LDV, LTD, MDVPV, HDV Chassis Cert (California-Only) (A, B, D, J, T, V)
- ☐ On-Highway HDE Dyno Cert (California-Only) (E, H)
- ☐ Nonroad CI (L)
- ☐ Nonroad SI (B, S)
- ☐ Locomotive (G, K)
- ☐ All Nonroad Recreational, excluding Marine engines (X, Y)
- ☐ All Marine (Including IMO) (M, N, W)
- ☐ Component Certification for Evaporative Emissions (P)

IMO Name (Required for dual US/IMO Marine Only)

ICI VIN Number (Required for ICIs Only)

Do you qualify for a Reduced Fee? *

No

16. **Confidential Information**

Please refer to the CBI common file.

17.8 Emission Control Information Labels

LEXUS	VEHICLE EMISSION CONTROL INFORMATION	
	TOYOTA	TOYOTA MOTOR CORPORATION
Conforms to regulations 2027MY	TEST GROUP : VTYXT03.4B5B EVAP FAMILY : VTYXR0165P62	
U. S. EPA : IT4B70 LDT4 OBD : CA II Fuel : Gasoline		
This vehicle is authorized for sale in California		
DFI+SFI, 2WR-HO2S(2), 2TWC(2), 2TC, 1CAC		
No adjustments needed.		
70123	V35A-FTS	NV