



Volkswagen, a member of the Volkswagen Group

Application for Emissions Certification

2027 Model Year

Durability Group: VVGAGPGNNV3G

Evap. Family: VVGAR0157VEP

Test Group: VVGAJ02.0V3G

Certificate Number: VVGAJ02.0V3G -XXX

Durability Group Description: Four Stroke, Otto Cycle, Gasoline Fueled, Direct Fuel Injection,
Catalyst Code: JM1102 (Front), JM1105 (Underbody)

Test Group Description: 2.0l CAC/DFI/AIR/TC/WR-HO2S/TWC(2)/GPF/HO2S

Applicable Exhaust Standards: 50 State

Federal: Tier 4 Interim Bin 30

California: LEV IV SULEV30

Applicable Evaporative Standards: 50 State

Federal: Tier 3 FEL: 300 mg

California: LEV IV FEL: 300 mg

Carlines Covered: Tiguan SEL 4Motion, Tiguan 4Motion

Vehicles Tested:

VID	Config.	Test Type / #	
VW336360404	0	FTP /	TVGA10091273
		US06 /	TVGA10091279
		SC03 /	TVGA10091277
		Quick Drive Away /	TVGA10091278
VW336350654	0	2-Day /	SVGA10088731
		3-Day /	SVGA10088732
		Running Loss /	SVGA10088733

Issue Date: 05/27/2026

Questions, Contact:

EEO Office, Auburn Hills, Michigan

Table of Contents

Section 01	Correspondence and Communications
Section 02	Durability Group Description
Section 03	Evaporative/Refueling Family Description
Section 04	Durability Procedure Description
Section 05	Test Group Description
Section 06	Test Vehicle Description
Section 07	Test Results
Section 08	Emission Testing Waiver Statements
Section 09	OBD System Description
Section 10	Description of Alternate-fueled Vehicles
Section 11	AECD Description
Section 12	Description of vehicles covered by certificate and test parameters
Section 13	Projected Sales
Section 14	Request for Certificate
Section 15	Other Information
Section 16	Confidential Information
Section 17	California ARB Information

1. **Correspondence and Communication**

Please refer to the Common Section

2. Durability Group Description

Durability Source Basics	
Durability Procedure	VW ADP
Durability Group Name	VVGAGPGNNV3G
Source of Durability Data	VW336360355
Relation Factor BAT VWADP / BAT SRC	2.2
Engine Type	Piston
Combustion Method	Otto cycle 4 stroke
Fuel Used	Gasoline
Basic Fuel Metering System	Spark Ignition Direct Fuel Injection
Displacement [l]	2.0

Catalyst / After treatment device specifics		
	Durability Group Statistics	Durability Data Vehicle
Catalyst Construction		Monolith
Precious Metal Composition TWC		Platinum, Palladium, Rhodium
PTOX TWC		n/a
NAC:1 SCRC: 2		n/a
Total Catalyst Volume [l]		2.7
Total Precious Metal Loading [g]		8.3
Precious Metal Load Rate PM [g] / CV [l]		3.0
Cat. Grouping Statistic	4.2	4.2
Durability Group Limit (25% or 0.2 g/l)	3.2	3.2
Test Group Covered		VVGAJ02.0V3G

3. Evaporative / Refueling Family Description

		C/O – BETP VW336350654	
Evaporative / Refueling Family Name		SVGAR0157VEP	VVGAR0157VEP
Vapor storage device	Canister	Yes	Yes
	Other	-	-
Basic canister design	Working Capacity (g)	157	157
	Bed Volume (cm ³)	2555	2555
	Number, config.	1	1
	Geometry	Cylinder	Cylinder
	Construction	2-chamber	2-chamber
	Bleeding trap	Yes	Yes
	Bleed trap Working Capacity (g)	4	4
	Material	Plastic	Plastic
Fuel System		DFI	DFI
Type of refueling system	Integrated	Yes	Yes
	Non-integrated	-	-
	Other	-	-
Fill pipe seal mechanism	Liquid seal	Yes	Yes
	Mechanical Seal	-	-
	Other	-	-
Method of controlling vapor flow to the engine	Vacuum	-	-
	Purge valve	Yes	Yes
	Other	Fuel vapor purge pump	Fuel vapor purge pump
Purge control system	Valve type	Duty Cycle	Duty Cycle
	Control	ECM	ECM
Vapor hose material	4 / multi-layer hose	Yes	Yes
	Stainless Steel	-	-
	Alloy	-	-
Fuel tank material	Metal	-	-
	Plastic	Yes	Yes
	Other	-	-
Test groups combined with this Evap. family		SVGAJ02.0V3G	VVGAJ02.0V3G

4. Durability Procedure Description

Please refer to the Common Section

5.0 Test Group Description

Evap. Family:	VVGAR0157VEP
Test Group Name:	VVGAJ02.0V3G
Certificate Number:	VVGAJ02.0V3G-XXX
Engine displacements covered:	2.0
Arrangement and number of cylinders:	L4
Vehicle class(es) covered:	LDT
Federal Emissions Standards Class:	Tier 4 Interim BIN 30
California Emissions Standards Class:	LEV IV SULEV 30

5.1 Test Group Emission Standards

Please refer to Certification Summary Information Report included in Section 7 for applicable emission standards.

6. Test Vehicle Description

Certificate Number: VVG AJ02.0V3G-XXX

Models: Tiguan SEL 4Motion, Tiguan 4Motion,

Test Group: VVG AJ02.0V3G

Evaporative/Refueling Family: VVG AR0157VEP

VID	Config.	Vehicle Type	Tests Performed
VW336360404	0	E10 Emissions	FTP, HWY, US06, SC03, Cold FTP, 50deg FTP, Quick Drive Away
		E0 Emissions	FTP, HWY
VW336350654	0	Evap	3Day Evap, 2Day Evap, Running Loss, ORVR, BETP
VW336370127	0	E10 Emissions	FTP, HWY
VW336370127	1	E0 Fuel Economy	FTP, HWY
VW336370121	0	E0 Fuel Economy	FTP, HWY
VW336370121	1	E0 Fuel Economy	FTP, HWY

7. Test Results

Please refer to the Certification Summary Information Report.

Certification Summary Information Report

Manufacturer	Volkswagen Group of America, Inc.	Manufacturer Code	VGA
Test Group	VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP
Certificate Number	--	CARB Executive Order #	--
Certificate Issue Date	--	Certificate Revision Date	--
Certificate Effective Date	--	Conditional Certificate	--
CSI Revision #	--	CSI Submission/Revision Date	07/09/2026 03:15:50 PM
Model Year	2027		

Test Group Information

CSI Type	Update for Correction	Running Change Reference Number	--
GHG Exempt Status	Not Exempt		

Drive Sources and Fuel(s)

Drive Source #1: Combustion Engine

Fuel	Basic Fuel Metering System	Lean Burn Strategy Indicator
Gasoline	Spark Ignition Direct fuel injection	No

Hybrid Indicator	No		
Multiple Fuel Storage	--	Rechargeable Energy Storage System Indicator	--
Multiple Fuel Combustion	--	Off-board Charge Capable Indicator	--
Fuel Cell Indicator	--	EPA Vehicle Class	LDT2
Federal Clean Fuel Vehicle	No	Federal Clean Fuel Vehicle Standard	--
Federal Clean Fuel Vehicle ILEV	No	California Partial Zero Emissions Vehicle Indicator	--
Durability Group Name	VVGAGPGNNV3G	Durability Group Equivalency Factor	2.2
Reduced Fee Test Group	No	Certification Region Code(s)	FA, CA
Complies with HD GHG 2b/3 regulations?	No		
Introduction into Commerce Date	08/10/2026	CAP2000 Conditional Certificate?	N/A
Independent Commercial Importer?	--	Alternative Fuel Converter Certificate?	--
SFTP Federal Composite Compliance Identifier	Tier 3	SFTP Tier 2 Composite CO Option	No
SFTP LEV-III Composite Compliance Indicator	Yes		
OBD Compliance Type	CARB	OBD Demonstration Vehicle Test Group	VVGAJ02.0V3T
Test Group OBD Compliance Level	Full - no deficiencies	Number of Test Group OBD Deficiencies	0
OBD Deficiencies Comments	CARB OBD Approval Ref #: E-26-113		
Mfr Test Group Comments	--		
Mfr Exhaust / Evap Standards Comments	--		

Certification Summary Information Report

Test Group	VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP				
Evaporative/Refueling Family Information							
Evaporative Summary Information Type	New	Submission/Correction Date	05/26/2026 02:26:30 PM				
Integrated ORVR?	Yes	Fuel(s)	Gasoline				
Multiple Fuel Storage	--						
Bladder Fuel Tank?	No						
Fuel Tank Material	Plastic	Fuel Tank Material Description	HDPE				
Fill Pipe Seal Type	Liquid seal						
Air Intake System Vapor Storage Device?	No	Air Intake System Vapor Storage Device Description	--				
Fuel System Vapor Storage Canister?	Yes	Other Vapor Storage	--				
Fuel System Vapor Storage Canister(s) Total Working Capacity (grams)	157	Number of Primary Canisters	1				
Number of Bleed Canisters	2	Bleed Canister Total Working Capacity (grams)	4				
Mfr Evaporative/Refueling Family Comments	MY27 Tiguan PC1/PC2 Electric Purge Air Pump						
Leak Family Details							
Leak Family Indicator	Yes						
Canister Bleed Test Indicator	Yes	Applicability of Evaporative Canister Bleed Test	50 State				
Evaporative Canister Bleed Test Comments	--						
CARB Fuel Only (Rig) Test Indicator	No	Applicability of CARB Fuel Only (Rig) Test	--				
CARB Fuel Only (Rig) Test Comments	--						
Leak Family Name	Applicability of Leak Family Requirements	Leak Family Standard (inches)	Leak Family Description				
VVGAR0157VEP-001	50 State	0.02	--				
Models Covered by this Certificate							
Carline Manufacturer	Division	Carline	Certification Region Code(s)	Drive System	Trans - Type	- # of Gears	Trans - Lockup
Volkswagen Group of America, Inc.	1 - Volkswagen	175 - Tiguan 4Motion	Federal	All Wheel Drive	Semi-Automatic	8	Yes
Volkswagen Group of America, Inc.	1 - Volkswagen	173 - Tiguan SEL 4Motion	California + CAA Section 177 states	All Wheel Drive	Semi-Automatic	8	Yes
Volkswagen Group of America, Inc.	1 - Volkswagen	175 - Tiguan 4Motion	California + CAA Section 177 states	All Wheel Drive	Semi-Automatic	8	Yes
Volkswagen Group of America, Inc.	1 - Volkswagen	173 - Tiguan SEL 4Motion	Federal	All Wheel Drive	Semi-Automatic	8	Yes
Engine Description							
Hybrid Type	--	Hybrid Description	--				
Engine Type	4-Stroke Spark Ignition	Mfr Engine Description	--				
Engine Block Arrangement	Inline	Mfr Engine Block Arrangement Description	--				
Camless Valvetrain Indicator	No	Oil Viscosity/Classification	0W20 VW50800				
Number of Cylinders/Rotors	4	Mechanically Variable Compression Ratio Indicator	N				

Certification Summary Information Report

Test Group	VVG AJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP
After Treatment Device(s) (ATD)			
ATD Number	ATD Type	ATD Precious Metal	Substrate Material
1	Three-way catalyst	Palladium + Rhodium	Ceramic
2	Other	Gasoline particulate filter	Ceramic
3	Three-way catalyst	Platinum + Rhodium	Ceramic
Substrate Construction			
Monolith			
Mfr After Treatment Device (ATD) Comments			
Applied to Engine Code DYKA / DYLA			
Direct Ozone Reduction (DOR) Device			
Not Equipped			
Mfr Emission Control Device Comments			
CAC/DFI/AIR/TC/WR-HO2S/TWC(2)/GPF/HO2S			
Engine Configuration Number 1			
Engine Displacement (liters)	2.0	Engine Rated Horsepower	268
Number of Inlet Valves Per Cylinder	2	Number of Exhaust Valves Per Cylinder	2
Air Aspiration Method	Turbocharged	Number of Air Aspiration Devices	1
Air Aspiration Device Configuration	Single	Charge Air Cooler Type	Liquid
Air Aspiration Drive Method(s)	Mechanical		
Cylinder Deactivation	No		
Cylinder Deactivation Description	--		
Variable Valve Timing	Yes		
Variable Valve Timing System Description	Hydraulic/Hydraulic		
Variable Valve Lift?	No		
Variable Valve Lift System Description	--		
Number of Knock Sensors	1	Number of Air/Fuel Sensors	2
Air/Fuel Sensor # 1 Type	Heated oxygen	Air/Fuel Sensor # 1 Description	--
Air/Fuel Sensor # 2 Type	Heated oxygen	Air/Fuel Sensor # 2 Description	--
Mfr Air/Fuel Sensor Comments	--		
Exhaust Gas Recirculation	No	Cooled Exhaust Gas Recirculation	No
EGR Type	--	Exhaust Gas Recirculation Description if 'Other'	--
Closed Loop Air Injection System	Yes		
Air Injection Type	Secondary Air Injection	Air Injection Type if 'Other'	--
Mfr Engine Configuration Comments	DYKA var: 0 for SEL 4Motion		

Certification Summary Information Report

Test Group		VVGAJ02.0V3G			Evaporative/Refueling Family			VVGAR0157VEP		
Engine Configuration Number 2										
Engine Displacement (liters)		2.0			Engine Rated Horsepower			201		
Number of Inlet Valves Per Cylinder		2			Number of Exhaust Valves Per Cylinder			2		
Air Aspiration Method		Turbocharged			Number of Air Aspiration Devices			1		
Air Aspiration Device Configuration		Single			Charge Air Cooler Type			Liquid		
Air Aspiration Drive Method(s)		Mechanical								
Cylinder Deactivation		No								
Cylinder Deactivation Description		--								
Variable Valve Timing		Yes								
Variable Valve Timing System Description		Hydraulic/Hydraulic								
Variable Valve Lift?		No								
Variable Valve Lift System Description		--								
Number of Knock Sensors		1			Number of Air/Fuel Sensors			2		
Air/Fuel Sensor # 1 Type		Heated oxygen			Air/Fuel Sensor # 1 Description			--		
Air/Fuel Sensor # 2 Type		Heated oxygen			Air/Fuel Sensor # 2 Description			--		
Mfr Air/Fuel Sensor Comments		--								
Exhaust Gas Recirculation		No			Cooled Exhaust Gas Recirculation			No		
EGR Type		--			Exhaust Gas Recirculation Description if 'Other'			--		
Closed Loop Air Injection System		Yes								
Air Injection Type		Secondary Air Injection			Air Injection Type if 'Other'			--		
Mfr Engine Configuration Comments		DYLA var: 0 for 4Motion								
Official Test Numbers										
Test Group						EPA City		EPA		CREE
Fuel	FTP	US06	SC03	Cold CO	Highway	Litmus Value	Litmus Threshold	Highway Litmus Value	Highway Litmus Threshold	Weighting Factor
Gasoline	TVGA10091273	TVGA10091279	TVGA10091277	TVGA10091275	TVGA10091274	22.4	228.2	37.4	286.1	--

Certification Summary Information Report

Test Group	VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP
-------------------	--------------	-------------------------------------	--------------

Emission Data Vehicle Information			
Vehicle ID / Configuration	VW336350654 / 0	Manufacturer Vehicle Configuration Number	0
Original Test Group Name	SVGAJ02.0V3G	Original Evaporative/Refueling Family	SVGAR0157VEP
Original Test Vehicle Model Year	2025		
Vehicle Model			
Represented Test Vehicle Make	Volkswagen	Represented Test Vehicle Model	Tiguan 4Motion

Leak Family Details			
Leak Family Identifier	--	Leak Family Name	--

Drive Sources and Fuel System Details			
--	--	--	--

Drive Source and Fuel#	Drive Source	Fuel
1	Combustion Engine	Gasoline

Hybrid Indicator	No		
Multiple Fuel Storage	--	Multiple Fuel Combustion	--
Fuel Cell Indicator	--	Rechargeable Energy Storage System Indicator	--
Rechargeable Energy Storage System	--	Rechargeable Energy Storage System, if 'Other'	--
Off-board charge Capable Indicator	--		
Odometer Correction -- Initial	0	Odometer Correction Factor	1
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles		
Odometer Correction Units	Miles		
Engine Code	DYLA	Rated Horsepower	201
Displacement (liters)	2		
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'	
Number of Air Aspiration Devices	1	Air Aspiration Device Configuration	Single
Charge Air Cooler Type	Liquid	Drive Mode While Testing	All Wheel Drive
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)
Curb Weight (lbs)	3937	Equivalent Test Weight (pounds)	4250
GVWR (lbs)	5115	N/V Ratio	26.7
Axle Ratio	3.32		
Transmission Type	Semi-Automatic	# of Transmission Gears	8
Transmission Lockup	Yes	Creep Gear	No

Certification Summary Information Report

Test Group	VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP
-------------------	--------------	-------------------------------------	--------------

Dynamometer Coefficients:

Coefficient Category	Target Coefficients			Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients
	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	
City/Highway/Evap	29.67	0.3834	0.02296	2.86	0.0481	0.02451	14.2
Cold CO	32.64	0.4218	0.02526	-26.93	0.1042	0.02492	N/A
US06	29.67	0.3834	0.02296	2.86	0.0481	0.02451	N/A

Emission Control Device Comments	CAC/DFI/AIR/TC/WR-HO2S/TWC(2)/GPF/HO2S
Manufacturer Test Vehicle Comments	Tiguan 4Motion EVAP EDV - ETW 4250

Test #	SVGA10088731	Test Procedure	23 - 2-day evap
Exhaust Test # for this Evap Test	SVGA10088728	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	11/06/2024	Fuel	Gasoline
Fuel Batch ID	WB0027	Fuel Calibration Number	1
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	Volkswagen AG WOB2		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	4453	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.205	--

Manufacturer Test Comments	MY25 Tiguan Evap EDV: 2-Day Evap tested as Tiguan 4Motion ETW 4250
-----------------------------------	--

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.2050	0.0512	0.256	0.300	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.2050	0.0512	0.256	0.300	Pass

Certification Summary Information Report

Test Group	VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP
Test #	SVGA10088732	Test Procedure	34 - Federal fuel 3-day evap
Exhaust Test # for this Evap Test	SVGA10088729	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	11/21/2024	Fuel	Gasoline
Fuel Batch ID	WB0029	Fuel Calibration Number	1
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	Volkswagen AG WOB2		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	4515	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.195	--

Manufacturer Test Comments

MY25 Tiguan Evap EDV: 3-Day Evap tested as Tiguan 4Motion ETW 4250

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.1950	0.0000	0.195	0.300	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.1950	0.0000	0.195	0.300	Pass

Certification Summary Information Report

Test Group	VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP
Test #	SVGA10088733	Test Procedure	32 - Federal Fuel Running Loss
Exhaust Test # for this Evap Test	SVGA10088729	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	11/21/2024	Fuel	Gasoline
Fuel Batch ID	WB0029	Fuel Calibration Number	1
Vehicle Class	N/A	DF Type	Mfr. Determined
Verify Test Lab ID	Volkswagen AG WOB2		
E10 Evaporative Test Measurement Method	Calculated (1.08 x FID Total Hydrocarbons)		
Test Start Odometer Reading	4515	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.003	--

Manufacturer Test Comments

MY25 Tiguan Evap EDV: Running Loss Evap tested as Tiguan 4Motion ETW 4250

Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.003	0.000	0.00	0.05	Pass
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.003	0.000	0.00	0.05	Pass

Certification Summary Information Report

Test Group	VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP						
Test #	SVGA10088734	Test Procedure	24 - Federal fuel refueling test (ORVR)						
Exhaust Test # for this Evap Test	SVGA10088730	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)						
Test Date	11/28/2024	Fuel	Gasoline						
Fuel Batch ID	WB0029	Fuel Calibration Number	1						
Vehicle Class	N/A	DF Type	Mfr. Determined						
Verify Test Lab ID	Volkswagen AG WOB2								
E10 Evaporative Test Measurement Method	Actual Total Hydrocarbon Equivalent Measurement (with speciation)								
Test Start Odometer Reading	4551	Odometer Units	M						
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--						
State of Charge Delta	--								
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes						
Test Results									
<table border="1"> <tr> <th>Test Result Name</th> <th>Unrounded Test Result</th> <th>Verify Calculated FE Equivalent Value (miles per gallon)</th> </tr> <tr> <td>HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)</td> <td>0.017</td> <td>--</td> </tr> </table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)	HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.017	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)							
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.017	--							
Manufacturer Test Comments									
MY25 Tiguan Evap EDV: ORVR Evap tested as Tiguan 4Motion ETW 4250									
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	Add DF	Certification Level	Standard	Pass/Fail	
Fed	150,000 miles	Federal Tier 3 Evap	HC-TOTAL-EQUIV	0.017	0.009	0.03	0.20	Pass	
CA	150,000 miles	California LEV-IV Zero Evap (Option 2)	HC-TOTAL-EQUIV	0.017	0.009	0.03	0.20	Pass	

Certification Summary Information Report

Test Group	VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP						
Test #	SVGA10088735	Test Procedure	65 - Evap Canister Bleed Test						
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)						
Test Date	11/29/2024	Fuel	N/A						
Fuel Batch ID	WB0029	Fuel Calibration Number	1						
Vehicle Class	N/A	DF Type	Mfr. Determined						
Verify Test Lab ID	Volkswagen AG WOB2								
E10 Evaporative Test Measurement Method	Actual Total Hydrocarbon Equivalent Measurement (with speciation)								
Test Start Odometer Reading	4000	Odometer Units	M						
4WD Test Dyno	No	Diesel Adjustment Factor Usage	--						
State of Charge Delta	--								
Drive Cycle Speed Tolerance Criteria	--	Road Speed Fan Usage	--						
Test Results									
<table><tr><td>Test Result Name</td><td>Unrounded Test Result</td><td>Verify Calculated FE Equivalent Value</td></tr><tr><td>HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)</td><td>0.0055</td><td>--</td></tr></table>				Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value	HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.0055	--
Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value							
HC-TOTAL-EQUIV (Total Hydrocarbon equivalent - Evap only)	0.0055	--							
Manufacturer Test Comments	MY25 Tiguan Evap EDV: BETP								

Certification Summary Information Report

Test Group	VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP					
Emission Data Vehicle Information								
Vehicle ID / Configuration	VW33636-0404 / 0	Manufacturer Vehicle Configuration Number	0					
Original Test Group Name	TVGAJ02.0V3G	Original Evaporative/Refueling Family	TVGAR0157VEP					
Original Test Vehicle Model Year	2026							
Vehicle Model								
Represented Test Vehicle Make	Volkswagen	Represented Test Vehicle Model	Tiguan SEL 4Motion					
Leak Family Details								
Leak Family Identifier	--	Leak Family Name	--					
Drive Sources and Fuel System Details								
	<table border="1"> <thead> <tr> <th>Drive Source and Fuel#</th> <th>Drive Source</th> <th>Fuel</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Combustion Engine</td> <td>Gasoline</td> </tr> </tbody> </table>	Drive Source and Fuel#	Drive Source	Fuel	1	Combustion Engine	Gasoline	
Drive Source and Fuel#	Drive Source	Fuel						
1	Combustion Engine	Gasoline						
Hybrid Indicator	No							
Multiple Fuel Storage	--	Multiple Fuel Combustion	--					
Fuel Cell Indicator	--	Rechargeable Energy Storage System Indicator	--					
Rechargeable Energy Storage System	--	Rechargeable Energy Storage System, if 'Other'	--					
Off-board charge Capable Indicator	--							
Odometer Correction -- Initial	0	Odometer Correction Factor	1					
Odometer Correction Sign	+ = System Miles is equal to (Test odometer reading * Correction factor) + Initial system miles							
Odometer Correction Units	Miles							
Engine Code	DYKA	Rated Horsepower	268					
Displacement (liters)	1.984							
Air Aspiration Method	Turbocharged	Air Aspiration Method, if 'Other'						
Number of Air Aspiration Devices	1	Air Aspiration Device Configuration	Single					
Charge Air Cooler Type	Liquid	Drive Mode While Testing	All Wheel Drive					
Shift Indicator Light Usage	Not equipped	Aged Emission Components	4,000 (mi)					
Curb Weight (lbs)	4032	Equivalent Test Weight (pounds)	4250					
GVWR (lbs)	5159	N/V Ratio	26.7					
Axle Ratio	3.32							
Transmission Type	Semi-Automatic	# of Transmission Gears	8					
Transmission Lockup	Yes	Creep Gear	No					

Certification Summary Information Report

Test Group		VVGAJ02.0V3G			Evaporative/Refueling Family		VVGAR0157VEP	
Dynamometer Coefficients:								
Target Coefficients				Set Coefficients			EPA Calculated Total Road Load Horse Power for City/Highway/Evap Coefficients	
Coefficient Category	A (lbf)	B (lbf/mph)	C (lbf/mph**2)	A (lbf)	B (lbf/mph)	C (lbf/mph**2)		
City/Highway/Evap	29.67	0.3834	0.02324	7.01	-0.081	0.02574	14.3	
Cold CO	32.64	0.4218	0.02556	-10.84	-0.305	0.02952	N/A	
US06	29.67	0.3834	0.02324	7.01	-0.081	0.02574	N/A	
Emission Control Device Comments		CAC/DFI/AIR/TC/WR-HO2S/TWC(2)/GPF/HO2S						
Manufacturer Test Vehicle Comments		MY26 VW Tiguan SEL 4Motion_PC2						

Certification Summary Information Report

Test Group	VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP
Test #	TVGA10091273	Test Procedure	21 - Federal fuel 2-day exhaust (w/can load)
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	05/06/2025	Fuel	Gasoline
Fuel Batch ID	WB0034	Fuel Calibration Number	1
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	Volkswagen AG WOB2		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4409	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	366.7019052	--
FE BAG 1 (Bag 1 Fuel Economy)	23.8371878	23.8371878
CO2 BAG 2 (Bag 2 Carbon Dioxide)	396.1199088	--
FE BAG 2 (Bag 2 Fuel Economy)	22.1183973	22.1183973
CO2 BAG 3 (Bag 3 Carbon Dioxide)	333.1921444	--
FE BAG 3 (Bag 3 Fuel Economy)	26.2899148	26.2899148
METHANE (CH4 - Methane)	0.0017688	--
CO (Carbon Monoxide)	0.1222939	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	0.8757269	--
DT-EER (Drive Trace Energy Economy Rating)	-0.370437	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	1.252745	--
MFR FE (Manufacturer Fuel Economy)	23.5	23.5
NOX (Nitrogen Oxide)	0.0087087	--
N2O (Nitrous Oxide)	0.0010914	--
HC-NM (Non-methane Hydrocarbon)	0.0039081	--
NMOG (Non-methane organic gases)	0.0043	--
PM (Particulate Matter)	0.0001113	--
HC-TOTAL (Total Hydrocarbon)	0.0055378	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	373	999

Certification Summary Information Report

Test Group		VVG AJ02.0V3G		Evaporative/Refueling Family				VVG AR0157VEP										
		<table><tr><th>Test Result Name</th><th>Unrounded Test Result</th><th>Verify Calculated CO2</th></tr><tr><td>Carbon dioxide</td><td>372.7342093</td><td>--</td></tr></table>		Test Result Name	Unrounded Test Result	Verify Calculated CO2	Carbon dioxide	372.7342093	--									
Test Result Name	Unrounded Test Result	Verify Calculated CO2																
Carbon dioxide	372.7342093	--																
Manufacturer Test Comments		MY26 VW Tiguan SEL 4Motion PC2_FTP Tested as Tiguan SEL 4Motion EDV ETW: 4250 RLHP: 14.3																
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail						
Fed	120,000 miles	Federal Tier 3 Bin 30	CREE	999	--	--	--	0.185	--	999	--	--						
Fed	120,000 miles	Federal Tier 3 Bin 30	METHANE	0.0018	--	--	--	0.0013	--	0.003	0.030	Pass						
Fed	120,000 miles	Federal Tier 3 Bin 30	N2O	0.0011	--	--	--	0.0008	--	0.002	0.010	Pass						
Fed	150,000 miles	Federal Tier 3 Bin 30	CO	0.12	--	--	--	0.13	--	0.2	1.0	Pass						
Fed	150,000 miles	Federal Tier 3 Bin 30	CO-COMP	0.28	--	--	--	--	--	0.3	4.2	Pass						
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0043	--	1.1019	--	0.0033	--	0.008	99.000	Pass						
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0130	--	--	--	--	--	0.016	0.030	Pass						
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX-COMP	0.0141	--	--	--	--	--	0.014	0.040	Pass						
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0087	--	--	--	0.0000	--	0.009	99.000	Pass						
Fed	150,000 miles	Federal Tier 3 Bin 30	PM	0.0001	--	--	--	0.0000	--	0.000	0.003	Pass						
CA	150,000 miles	California LEV-IV SULEV30	CO	0.12	--	--	--	0.13	--	0.2	1.0	Pass						
CA	150,000 miles	California LEV-IV SULEV30	NMOG	0.0043	--	1.1019	--	0.0033	--	0.008	99.000	Pass						
CA	150,000 miles	California LEV-IV SULEV30	NMOG+NOX	0.0130	--	--	--	--	--	0.016	0.030	Pass						
CA	150,000 miles	California LEV-IV SULEV30	NOX	0.0087	--	--	--	0.0000	--	0.009	99.000	Pass						
CA	150,000 miles	California LEV-IV SULEV30	PM	0.0001	--	--	--	0.0000	--	0.000	0.001	Pass						
NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.																		

Certification Summary Information Report

Test Group	VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP
Test #	TVGA10091275	Test Procedure	11 - Cold CO
Exhaust Test # for this Evap Test	--	Test Fuel Type	28 - Cold CO E10 Regular Gasoline (Tier 3)
Test Date	05/08/2025	Fuel	Gasoline
Fuel Batch ID	WB0026	Fuel Calibration Number	1
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	Volkswagen AG WOB2		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4465	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	488.8668863	--
FE BAG 1 (Bag 1 Fuel Economy)	17.5441933	17.5441933
CO2 BAG 2 (Bag 2 Carbon Dioxide)	429.6245197	--
FE BAG 2 (Bag 2 Fuel Economy)	20.0739069	20.0739069
CO2 BAG 3 (Bag 3 Carbon Dioxide)	365.0209453	--
FE BAG 3 (Bag 3 Fuel Economy)	23.6183209	23.6183209
METHANE (CH4 - Methane)	0.0049495	--
CO (Carbon Monoxide)	0.269773	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	3.939535	--
DT-EER (Drive Trace Energy Economy Rating)	2.184774	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	5.362761	--
NOX (Nitrogen Oxide)	0.0363251	--
N2O (Nitrous Oxide)	0.0010617	--
HC-NM (Non-methane Hydrocarbon)	0.0587265	--
NMOG (Non-methane organic gases)	0.0645	--
PM (Particulate Matter)	0.00014	--
HC-TOTAL (Total Hydrocarbon)	0.0634026	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	425	--

Certification Summary Information Report

Test Group		VVG AJ02.0V3G				Evaporative/Refueling Family				VVG AR0157VEP		
		Test Result Name		Unrounded Test Result			Verify Calculated CO2					
		Carbon dioxide		424.1707747			--					
Manufacturer Test Comments		MY26 VW Tiguan SEL 4Motion PC2_COLDCO Tested as Tiguan SEL 4Motion EDV ETW: 4250 RLHP: 14.3										
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	50,000 miles	Federal Tier 3 Bin 30	CO	0.27	--	--	--	0.05	--	0.3	12.5	Pass
Fed	120,000 miles	Federal Tier 3 Bin 30	HC-NM	0.06	--	--	--	0.0023	--	0.1	0.3	Pass
CA	50,000 miles	California LEV-IV SULEV30	CO	0.27	--	--	--	0.05	--	0.3	12.5	Pass

Certification Summary Information Report

Test Group	VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP
Test #	TVGA10091276	Test Procedure	52 - Fed. fuel 50 F exh.
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	05/15/2025	Fuel	Gasoline
Fuel Batch ID	WB0034	Fuel Calibration Number	1
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	Volkswagen AG WOB2		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4518	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	405.068988	--
FE BAG 1 (Bag 1 Fuel Economy)	21.5291889	21.5291889
CO2 BAG 2 (Bag 2 Carbon Dioxide)	401.9421935	--
FE BAG 2 (Bag 2 Fuel Economy)	21.7984421	21.7984421
CO2 BAG 3 (Bag 3 Carbon Dioxide)	348.3056548	--
FE BAG 3 (Bag 3 Fuel Economy)	25.1522297	25.1522297
METHANE (CH4 - Methane)	0.0026084	--
CO (Carbon Monoxide)	0.2421062	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	1.725245	--
DT-EER (Drive Trace Energy Economy Rating)	0.7874422	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	2.343992	--
MFR FE (Manufacturer Fuel Economy)	22.6	22.6
NOX (Nitrogen Oxide)	0.0058189	--
N2O (Nitrous Oxide)	0.0007624	--
HC-NM (Non-methane Hydrocarbon)	0.0069277	--
NMOG (Non-methane organic gases)	0.0076	--
PM (Particulate Matter)	0.0000491	--
HC-TOTAL (Total Hydrocarbon)	0.0093856	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	388	--

Certification Summary Information Report

Test Group		VVG AJ02.0V3G				Evaporative/Refueling Family				VVG AR0157VEP			
		Test Result Name		Unrounded Test Result			Verify Calculated CO2						
		Carbon dioxide		387.8589851			--						
Manufacturer Test Comments		MY26 VW Tiguan SEL 4Motion PC2_50FTP Tested as Tiguan SEL 4Motion EDV ETW: 4250 RLHP: 14.3											
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail	
CA	4,000 miles	California LEV-IV SULEV30	CO	0.24	--	--	--	--	--	0.2	1.0	Pass	
CA	4,000 miles	California LEV-IV SULEV30	NMOG	0.0076	--	1.1019	--	--	--	0.008	99.999	Pass	
CA	4,000 miles	California LEV-IV SULEV30	NMOG+NOX	0.0134	--	--	--	--	--	0.013	0.060	Pass	
CA	4,000 miles	California LEV-IV SULEV30	NOX	0.0058	--	--	--	--	--	0.006	99.999	Pass	

Certification Summary Information Report

Test Group	VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP
Test #	TVGA10091278	Test Procedure	49 - Quick-Driveway (QD)
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	05/13/2025	Fuel	Gasoline
Fuel Batch ID	WB0034	Fuel Calibration Number	1
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	Volkswagen AG WOB2		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4483	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	368.0305796	--
FE BAG 1 (Bag 1 Fuel Economy)	23.6738102	23.6738102
CO2 BAG 2 (Bag 2 Carbon Dioxide)	385.6858879	--
FE BAG 2 (Bag 2 Fuel Economy)	22.7172415	22.7172415
CO2 BAG 3 (Bag 3 Carbon Dioxide)	331.8147069	--
FE BAG 3 (Bag 3 Fuel Economy)	26.4033193	26.4033193
METHANE (CH4 - Methane)	0.0030616	--
CO (Carbon Monoxide)	0.2555357	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-1.354704	--
DT-EER (Drive Trace Energy Economy Rating)	-1.162252	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-2.351254	--
MFR FE (Manufacturer Fuel Economy)	23.8	23.8
NOX (Nitrogen Oxide)	0.0106258	--
N2O (Nitrous Oxide)	0.0004209	--
HC-NM (Non-methane Hydrocarbon)	0.0098054	--
NMOG (Non-methane organic gases)	0.0108	--
PM (Particulate Matter)	0.0000189	--
HC-TOTAL (Total Hydrocarbon)	0.0127377	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	367	--

Certification Summary Information Report

Test Group		VVG AJ02.0V3G				Evaporative/Refueling Family				VVG AR0157VEP			
		Test Result Name		Unrounded Test Result			Verify Calculated CO2						
		Carbon dioxide		367.2127109			--						
Manufacturer Test Comments		MY26 VW Tiguan SEL 4Motion PC2_Quick Drive-Away Tested as Tiguan SEL 4Motion EDV ETW: 4250 RLHP: 14.3											
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail	
CA	150,000 miles	California LEV-IV SULEV30	NMOG	0.0108	--	1.1019	--	0.0033	--	0.014	99.000	Pass	
CA	150,000 miles	California LEV-IV SULEV30	NMOG+NOX	0.0214	--	--	--	--	--	0.025	0.042	Pass	
CA	150,000 miles	California LEV-IV SULEV30	NOX	0.0106	--	--	--	0.0000	--	0.011	99.000	Pass	

Certification Summary Information Report

Test Group	VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP
Test #	TVGA10091274	Test Procedure	3 - HWFE
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	05/06/2025	Fuel	Gasoline
Fuel Batch ID	WB0034	Fuel Calibration Number	1
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	Volkswagen AG WOB2		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4420	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0	--
CO (Carbon Monoxide)	0.0350599	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	5.856492	--
DT-EER (Drive Trace Energy Economy Rating)	-0.1575998	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	7.477462	--
MFR FE (Manufacturer Fuel Economy)	36.5	36.5
NOX (Nitrogen Oxide)	0.001108	--
N2O (Nitrous Oxide)	0	--
HC-NM (Non-methane Hydrocarbon)	0.000623	--
NMOG (Non-methane organic gases)	0.0006	--
PM (Particulate Matter)	0	--
HC-TOTAL (Total Hydrocarbon)	0.0005528	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	240	999

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	240.2940495	--

Manufacturer Test Comments

MY26 VW Tiguan SEL 4Motion PC2_HWY Tested as Tiguan SEL 4Motion EDV ETW: 4250 RLHP: 14.3

Certification Summary Information Report

Test Group		VVG AJ02.0V3G			Evaporative/Refueling Family					VVG AR0157VEP		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	120,000 miles	Federal Tier 3 Bin 30	CREE	999	--	--	--	0.185	--	999	--	--
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0006	--	1.0300	--	0.0033	--	0.004	99.000	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG+NOX	0.0017	--	--	--	--	--	0.005	0.030	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0011	--	--	--	0.0000	--	0.001	99.000	Pass
CA	150,000 miles	California LEV-IV SULEV30	NMOG	0.0006	--	1.0300	--	0.0033	--	0.004	99.000	Pass
CA	150,000 miles	California LEV-IV SULEV30	NMOG+NOX	0.0017	--	--	--	--	--	0.005	0.030	Pass
CA	150,000 miles	California LEV-IV SULEV30	NOX	0.0011	--	--	--	0.0000	--	0.001	99.000	Pass

NOTE: For Non-charge depleting tests, the Rounded Result for CREE/OPT-CREE Emission names are Verify-calculated values.

Certification Summary Information Report

Test Group	VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP
Test #	TVGA10091279	Test Procedure	90 - US06
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	05/13/2025	Fuel	Gasoline
Fuel Batch ID	WB0034	Fuel Calibration Number	1
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	Volkswagen AG WOB2		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4494	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
CO2 BAG 1 (Bag 1 Carbon Dioxide)	530.6473878	--
FE BAG 1 (Bag 1 Fuel Economy)	16.4958858	16.4958858
CO2 BAG 2 (Bag 2 Carbon Dioxide)	286.7879976	--
FE BAG 2 (Bag 2 Fuel Economy)	30.5284314	30.5284314
METHANE (CH4 - Methane)	0.0017608	--
CO (Carbon Monoxide)	0.1672376	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	-4.841586	--
DT-EER (Drive Trace Energy Economy Rating)	-2.312009	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	-8.070312	--
MFR FE (Manufacturer Fuel Economy)	25.7	25.7
NOX (Nitrogen Oxide)	0.0056986	--
N2O (Nitrous Oxide)	0.0001143	--
HC-NM (Non-methane Hydrocarbon)	0.0039446	--
NMOG (Non-methane organic gases)	0.0041	--
PM (Particulate Matter)	0	--
HC-TOTAL (Total Hydrocarbon)	0.005671	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	341	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	340.776178	--

Certification Summary Information Report

Test Group		VVGAJ02.0V3G				Evaporative/Refueling Family				VVGAR0157VEP		
Manufacturer Test Comments		MY26 VW Tiguan SEL 4Motion PC2_US06 Tested as Tiguan SEL 4Motion EDV ETW: 4250 RLHP: 14.3										
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 30	CO	0.17	--	--	--	0.13	--	0.3	99.0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0041	--	1.0300	--	0.0033	--	0.007	99.000	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0057	--	--	--	0.0000	--	0.006	99.000	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	PM	0.0000	--	--	--	0.0000	--	0.000	0.006	Pass
CA	150,000 miles	California LEV-IV SULEV30	CO	0.17	--	--	--	0.13	--	0.3	9.6	Pass
CA	150,000 miles	California LEV-IV SULEV30	NMOG	0.0041	--	1.0300	--	0.0033	--	0.007	99.000	Pass
CA	150,000 miles	California LEV-IV SULEV30	NMOG+NOX	0.0098	--	--	--	--	--	0.013	0.030	Pass
CA	150,000 miles	California LEV-IV SULEV30	NOX	0.0057	--	--	--	0.0000	--	0.006	99.000	Pass
CA	150,000 miles	California LEV-IV SULEV30	PM	0.0000	--	--	--	0.0000	--	0.000	0.003	Pass

Certification Summary Information Report

Test Group	VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP
Test #	TVGA10091277	Test Procedure	95 - SC03
Exhaust Test # for this Evap Test	--	Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)
Test Date	05/28/2025	Fuel	Gasoline
Fuel Batch ID	IG0051	Fuel Calibration Number	1
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)	DF Type	Mfr. Determined
Verify Test Lab ID	AUDI AG Ingolstadt		
E10 Evaporative Test Measurement Method	--		
Test Start Odometer Reading	4610	Odometer Units	M
4WD Test Dyno	Yes	Diesel Adjustment Factor Usage	--
State of Charge Delta	--		
Drive Cycle Speed Tolerance Criteria	Used Part 1066 (+/- 2.0 mph, +/- 1.0 sec)	Road Speed Fan Usage	Yes

Test Results

Test Result Name	Unrounded Test Result	Verify Calculated FE Equivalent Value (miles per gallon)
METHANE (CH4 - Methane)	0.0027797	--
CO (Carbon Monoxide)	0.1737372	--
DT-ASCR (Drive Trace Absolute Speed Change Rating)	3.188299	--
DT-EER (Drive Trace Energy Economy Rating)	0.8848916	--
DT-IWRR (Drive Trace Inertia Work Ratio Rating)	2.969939	--
MFR FE (Manufacturer Fuel Economy)	18.4	18.4
NOX (Nitrogen Oxide)	0.0079893	--
N2O (Nitrous Oxide)	0.0000235	--
HC-NM (Non-methane Hydrocarbon)	0.0013675	--
NMOG (Non-methane organic gases)	0.0014	--
HC-TOTAL (Total Hydrocarbon)	0.0040436	--

Test Result Name	Unrounded Test Result	Verify Calculated CREE/OPT-CREE
Carbon-Related Exhaust Emissions	471	--

Test Result Name	Unrounded Test Result	Verify Calculated CO2
Carbon dioxide	471.1616883	--

Manufacturer Test Comments

MY26 VW Tiguan SEL 4Motion PC2_SC03 Tested as Tiguan SEL 4Motion EDV ETW: 4250 RLHP: 14.3

Certification Summary Information Report

Test Group		VVG AJ02.0V3G				Evaporative/Refueling Family				VVG AR0157VEP		
Certification Region	Useful Life	Standard Level	Emission Name	Rounded Result	RAF	NMOG/NM HC Ratio	Diesel Adjustment Factor	Add DF	Mult DF	Certification Level	Standard	Pass/Fail
Fed	150,000 miles	Federal Tier 3 Bin 30	CO	0.17	--	--	--	0.13	--	0.3	99.0	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NMOG	0.0014	--	1.0300	--	0.0033	--	0.005	99.000	Pass
Fed	150,000 miles	Federal Tier 3 Bin 30	NOX	0.0080	--	--	--	0.0000	--	0.008	99.000	Pass
CA	150,000 miles	California LEV-IV SULEV30	CO	0.17	--	--	--	0.13	--	0.3	1.0	Pass
CA	150,000 miles	California LEV-IV SULEV30	NMOG	0.0014	--	1.0300	--	0.0033	--	0.005	99.000	Pass
CA	150,000 miles	California LEV-IV SULEV30	NMOG+NOX	0.0094	--	--	--	--	--	0.013	0.030	Pass
CA	150,000 miles	California LEV-IV SULEV30	NOX	0.0080	--	--	--	0.0000	--	0.008	99.000	Pass

Certification Summary Information Report

Test Group	VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP
Fuel Properties			
Fuel Batch ID	WB0029	Fuel Calibration Number	1
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	09/17/2024
Fuel Batch Calibration Effective Date	11/18/2024	Fuel Batch Calibration Ineffective Date	--
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.751
Fuel Ethanol Volume Percent (%)	9.8	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17889
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.822	Weight Fraction CO2	--
Fuel Batch ID	WB0027	Fuel Calibration Number	1
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	05/03/2024
Fuel Batch Calibration Effective Date	06/12/2024	Fuel Batch Calibration Ineffective Date	--
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.752
Fuel Ethanol Volume Percent (%)	9.8	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17969
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.833	Weight Fraction CO2	--
Fuel Batch ID	WB0034	Fuel Calibration Number	1
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	03/21/2025
Fuel Batch Calibration Effective Date	01/15/2025	Fuel Batch Calibration Ineffective Date	--
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.753
Fuel Ethanol Volume Percent (%)	10.1	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17818
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.83	Weight Fraction CO2	--
Fuel Batch ID	WB0026	Fuel Calibration Number	1
Test Fuel Type	28 - Cold CO E10 Regular Gasoline (Tier 3)	Fuel Batch Calibration Date	02/08/2024
Fuel Batch Calibration Effective Date	02/16/2024	Fuel Batch Calibration Ineffective Date	--

Certification Summary Information Report

Test Group	VVG AJ02.0V3G	Evaporative/Refueling Family	VVG AR0157VEP
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.74
Fuel Ethanol Volume Percent (%)	9.7	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17829
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.825	Weight Fraction CO2	--
Fuel Batch ID	IG0051	Fuel Calibration Number	1
Test Fuel Type	48 - Tier 3 E10 Regular Gasoline (9 RVP @Low Alt.)	Fuel Batch Calibration Date	11/04/2024
Fuel Batch Calibration Effective Date	11/11/2024	Fuel Batch Calibration Ineffective Date	--
Carbon Weight Fraction NMHC	--	Carbon Weight Fraction HC	--
Exhaust Carbon Weight Fraction	--	Fuel Methanol Volume Fraction	--
Fuel Density (grams/cubic ft)	--	Fuel Specific Gravity	0.751
Fuel Ethanol Volume Percent (%)	9.7	Fuel Net Heating Value / Fuel Net Heat of Combustion (E0) (BTU/lb)	17893
Fuel Net Heat of Combustion (E10) (MJ/kg)	--	Fuel Carbon Mass Fraction (E10)	--
Fuel Blend Carbon Weight Fraction / Fuel Carbon Mass Fraction (E0)	0.826	Weight Fraction CO2	--

Certification Summary Information Report

Test Group		VVGAJ02.0V3G			Evaporative/Refueling Family			VVGAR0157VEP	
Consolidated List of Standards									
Exhaust Standards									
Cert Region		Federal			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 30	
Fuel		Gasoline			Test Procedure			Federal fuel 2-day exhaust (w/can load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles	CREE	--	--	--	--	--	--	0.185	999
120,000 miles	METHANE	--	--	--	--	--	--	0.0013	0.030
120,000 miles	N2O	--	--	--	--	--	--	0.0008	0.010
150,000 miles	CO	--	--	--	--	--	--	0.13	1.0
150,000 miles	CO-COMP	--	--	--	--	--	--	--	4.2
150,000 miles	NMOG	--	--	1.1019	--	--	--	0.0033	99.000
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0.0033	0.030
150,000 miles	NMOG+NOX-COMP	--	--	--	--	--	--	--	0.040
150,000 miles	NOX	--	--	--	--	--	--	0.0000	99.000
150,000 miles	PM	--	--	--	--	--	--	0.0000	0.003
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-IV SULEV30	
Fuel		Gasoline			Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.13	9.6
150,000 miles	NMOG	--	--	1.0300	--	--	--	0.0033	99.000
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0.0033	0.030
150,000 miles	NOX	--	--	--	--	--	--	0.0000	99.000
150,000 miles	PM	--	--	--	--	--	--	0.0000	0.003

Certification Summary Information Report

Test Group		VVGAJ02.0V3G			Evaporative/Refueling Family			VVGAR0157VEP	
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-IV SULEV30	
Fuel		Gasoline			Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	NMOG	--	--	1.0300	--	--	--	0.0033	99.000
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0.0033	0.030
150,000 miles	NOX	--	--	--	--	--	--	0.0000	99.000
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Cert	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-IV SULEV30	
Fuel		Gasoline			Test Procedure			Quick-Driveway (QD)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	NMOG	--	--	1.1019	--	--	--	0.0033	99.000
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0.0033	0.042
150,000 miles	NOX	--	--	--	--	--	--	0.0000	99.000
Cert Region		Federal			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 30	
Fuel		Gasoline			Test Procedure			SC03	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.13	99.0
150,000 miles	NMOG	--	--	1.0300	--	--	--	0.0033	99.000
150,000 miles	NOX	--	--	--	--	--	--	0.0000	99.000

Certification Summary Information Report

Test Group		VVGAJ02.0V3G			Evaporative/Refueling Family			VVGAR0157VEP	
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-IV SULEV30	
Fuel		Gasoline			Test Procedure			Fed. fuel 50 F exh.	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
4,000 miles	CO	--	--	--	--	--	--	--	1.0
4,000 miles	NMOG	--	--	1.1019	--	--	--	--	99.999
4,000 miles	NMOG+NOX	--	--	--	--	--	1	--	0.060
4,000 miles	NOX	--	--	--	--	--	--	--	99.999

Cert Region		Federal			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			Federal Tier 3 Bin 30	
Fuel		Gasoline			Test Procedure			Cold CO	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	0.05	12.5
120,000 miles	HC-NM	--	--	--	--	--	--	0.0023	0.3

Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-IV SULEV30	
Fuel		Gasoline			Test Procedure			SC03	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.13	1.0
150,000 miles	NMOG	--	--	1.0300	--	--	--	0.0033	99.000
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0.0033	0.030
150,000 miles	NOX	--	--	--	--	--	--	0.0000	99.000

Certification Summary Information Report

Test Group	VVGAJ02.0V3G				Evaporative/Refueling Family			VVGAR0157VEP	
Cert Region	California + CAA Section 177 states				Cert/In-Use Code			Cert	
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)				Standard Level			California LEV-IV SULEV30	
Fuel	Gasoline				Test Procedure			Federal fuel 2-day exhaust (w/can load)	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.13	1.0
150,000 miles	NMOG	--	--	1.1019	--	--	--	0.0033	99.000
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0.0033	0.030
150,000 miles	NOX	--	--	--	--	--	--	0.0000	99.000
150,000 miles	PM	--	--	--	--	--	--	0.0000	0.001

Cert Region	Federal				Cert/In-Use Code			Both	
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)				Standard Level			Federal Tier 3 Bin 30	
Fuel	Gasoline				Test Procedure			HWFE	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
120,000 miles	CREE	--	--	--	--	--	--	0.185	999
150,000 miles	NMOG	--	--	1.0300	--	--	--	0.0033	99.000
150,000 miles	NMOG+NOX	--	--	--	--	--	--	0.0033	0.030
150,000 miles	NOX	--	--	--	--	--	--	0.0000	99.000

Cert Region	Federal				Cert/In-Use Code			Both	
Vehicle Class	LDT2 (LVW 3751-5750, GVW 0-6000)				Standard Level			Federal Tier 3 Bin 30	
Fuel	Gasoline				Test Procedure			US06	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
150,000 miles	CO	--	--	--	--	--	--	0.13	99.0
150,000 miles	NMOG	--	--	1.0300	--	--	--	0.0033	99.000
150,000 miles	NOX	--	--	--	--	--	--	0.0000	99.000
150,000 miles	PM	--	--	--	--	--	--	0.0000	0.006

Certification Summary Information Report

Test Group		VVGAJ02.0V3G			Evaporative/Refueling Family			VVGAR0157VEP	
Cert Region		California + CAA Section 177 states			Cert/In-Use Code			Both	
Vehicle Class		LDT2 (LVW 3751-5750, GVW 0-6000)			Standard Level			California LEV-IV SULEV30	
Fuel		Gasoline			Test Procedure			Cold CO	
Useful Life	Emission Name	Rounded Result	RAF	NMOG / NMHC	Upward Diesel Adjustment Factor	Downward Diesel Adjustment Factor	Mult DF	Add DF	Std
50,000 miles	CO	--	--	--	--	--	--	0.05	12.5

Evaporative/Refueling Standards

Evaporative/Refueling Family		VVGAR0157VEP		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal fuel refueling test (ORVR)					
Fuel	Useful Life	Emission Name	Rounded Result		Std	Add DF	
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--		0.20	0.009	

Evaporative/Refueling Family		VVGAR0157VEP		Cert Region		California + CAA Section 177 states					
Cert/In-Use Code		Both		Standard Level		California LEV-IV Zero Evap (Option 2)					
Test Procedure		Federal Fuel Running Loss									
Fuel		Useful Life		Emission Name		Rounded Result		Std		Add DF	
Gasoline		150,000 miles		HC-TOTAL-EQUIV		--		0.05		0.000	

Evaporative/Refueling Family		VVGAR0157VEP		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal fuel 3-day evap					
Fuel	Useful Life	Emission Name	Rounded Result		Std	Add DF	
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--		0.300	0.0000	

Evaporative/Refueling Family		VVGAR0157VEP		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		2-day evap					
Fuel	Useful Life	Emission Name	Rounded Result		Std	Add DF	
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--		0.300	0.0512	

Certification Summary Information Report

Test Group		VVGAJ02.0V3G		Evaporative/Refueling Family		VVGAR0157VEP	
Evaporative/Refueling Family		VVGAR0157VEP		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		Evap Canister Bleed Test					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.020	--		
Evaporative/Refueling Family		VVGAR0157VEP		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		2-day evap					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.300	0.0512		
Evaporative/Refueling Family		VVGAR0157VEP		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		Evap Canister Bleed Test					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.020	--		
Evaporative/Refueling Family		VVGAR0157VEP		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		Federal fuel refueling test (ORVR)					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.20	0.009		
Evaporative/Refueling Family		VVGAR0157VEP		Cert Region		Federal	
Cert/In-Use Code		Both		Standard Level		Federal Tier 3 Evap	
Test Procedure		Federal Fuel Running Loss					
Fuel	Useful Life	Emission Name	Rounded Result	Std	Add DF		
Gasoline	150,000 miles	HC-TOTAL-EQUIV	--	0.05	0.000		

Certification Summary Information Report

Test Group		VVG AJ02.0V3G		Evaporative/Refueling Family		VVGAR0157VEP	
Evaporative/Refueling Family		VVGAR0157VEP		Cert Region		California + CAA Section 177 states	
Cert/In-Use Code		Both		Standard Level		California LEV-IV Zero Evap (Option 2)	
Test Procedure		Federal fuel 3-day evap					
Fuel		Useful Life		Emission Name		Rounded Result	
Std		Add DF					
Gasoline		150,000 miles		HC-TOTAL-EQUIV		--	
0.300		0.0000					

Certification Summary Information Report

Test Group		VVG AJ02.0V3G	Evaporative/Refueling Family	VVG AR0157VEP
Glossary				
Useful Life				
4	4,000 miles	120	120,000 miles	
50	50,000 miles	150	150,000 miles	
100	100,000 miles			
Emission Name				
HC-TOTAL	Total Hydrocarbon	COMB-CREE	Combined Carbon-Related Exhaust Emissions	
CO	Carbon Monoxide	COMB-OPT-CREE	Combined Optional Carbon-Related Exhaust Emissions	
CO2	Carbon dioxide	HC-TOTAL-EQUIV	Total Hydrocarbon equivalent - Evap only	
CREE	Carbon-Related Exhaust Emissions	METHANE-COMB	Combined CH4 for HD 2b/3 vehicles only	
OPT-CREE	Optional Carbon-Related Exhaust Emissions	N2O-COMB	Combined Nitrous Oxide for HD 2b/3 vehicles only	
NOX	Nitrogen Oxide	LEAK-DIA	Effective Leak Diameter (inches)	
PM	Particulate Matter	LEAK-GAS CAP	Gas Cap Leakage (cc/min)	
PM-COMP	SFTP Composite Particulate Matter	CO2-COMB	Combined Carbon Dioxide for HD 2b/3 Vehicles Only	
HC-NM	Non-methane Hydrocarbon	KW-HRS	Integrated DC KW-HRS	
OMHCE	Organic material Hydrocarbon Equivalent	CH4 BAG 1	Bag 1 Methane	
OMNMHCE	Organic material non-methane HC equivalent	CH4 BAG 2	Bag 2 Methane	
NMOG	Non-methane organic gases	CH4 BAG 3	Bag 3 Methane	
HCHO	Formaldehyde	CH4 BAG 4	Bag 4 Methane	
H3C2HO	Acetaldehyde	CO BAG 1	Bag 1 Carbon Monoxide	
HC-NM+NOX	SFTP Non-methane Hydrocarbon + Nitrogen Oxides for US06 or SC03	CO BAG 2	Bag 2 Carbon Monoxide	
HC-NM+NOX-COMP	SFTP Composite Non-methane Hydrocarbon + Nitrogen Oxides	CO BAG 3	Bag 3 Carbon Monoxide	
CO-COMP	SFTP Composite Carbon Monoxide	CO BAG 4	Bag 4 Carbon Monoxide	
ETHANOL	C2H5OH - Ethanol	NMOG BAG 1	Bag 1 Non-methane organic gases	
FE BAG 1	Bag 1 Fuel Economy	NMOG BAG 2	Bag 2 Non-methane organic gases	
FE BAG 2	Bag 2 Fuel Economy	NMOG BAG 3	Bag 3 Non-methane organic gases	
FE BAG 3	Bag 3 Fuel Economy	NMOG BAG 4	Bag 4 Non-methane organic gases	
FE BAG 4	Bag 4 Fuel Economy	ACT-DISTANCE BAG 1	Bag 1 Actual Distance	
MFR FE	Manufacturer Fuel Economy	ACT-DISTANCE BAG 2	Bag 2 Actual Distance	
HC	Hydrocarbon for Running Loss and ORVR	ACT-DISTANCE BAG 3	Bag 3 Actual Distance	
METHANE	CH4 - Methane	ACT-DISTANCE BAG 4	Bag 4 Actual Distance	
METHANOL	CH3OH - Methanol	HC-TOTAL BAG 1	Bag 1 Total Hydrocarbon	
N2O	Nitrous Oxide	HC-TOTAL BAG 2	Bag 2 Total Hydrocarbon	
SPITBACK	Spitback Hydrocarbon in grams	HC-TOTAL BAG 3	Bag 3 Total Hydrocarbon	
AMP-HRS	Integrated Amp-hours	HC-TOTAL BAG 4	Bag 4 Total Hydrocarbon	
START-SOC	System Start State of Charge Watt-hours	WATT-HRS BAG 1	Bag 1 Watt Hours	
END-SOC	System End State of Charge Watt-hours	WATT-HRS BAG 2	Bag 2 Watt Hours	

Certification Summary Information Report

Test Group		VVGAJ02.0V3G	Evaporative/Refueling Family		VVGAR0157VEP
ACT-DISTANCE	Actual Distance Driven (miles)		WATT-HRS BAG 3	Bag 3 Watt Hours	
AS-VOLT	Average System Voltage		WATT-HRS BAG 4	Bag 4 Watt Hours	
CO2 BAG 1	Bag 1 Carbon Dioxide		WATT-HRS	Watt Hours	
CO2 BAG 2	Bag 2 Carbon Dioxide		HC-NM BAG 1	Bag 1 Non-methane Hydrocarbon	
CO2 BAG 3	Bag 3 Carbon Dioxide		HC-NM BAG 2	Bag 2 Non-methane Hydrocarbon	
CO2 BAG 4	Bag 4 Carbon Dioxide		HC-NM BAG 3	Bag 3 Non-methane Hydrocarbon	
NMOG+NOX	Non-methane organic gases plus Nitrogen Oxides		HC-NM BAG 4	Bag 4 Non-methane Hydrocarbon	
NMOG+NOX-COMP	SFTP Composite Non-methane Organic Gases + Nitrogen Oxides		N2O BAG 1	Bag 1 Nitrous Oxide	
DT-IWRR	Drive Trace Inertia Work Ratio Rating		N2O BAG 2	Bag 2 Nitrous Oxide	
DT-ASCR	Drive Trace Absolute Speed Change Rating		N2O BAG 3	Bag 3 Nitrous Oxide	
DT-EER	Drive Trace Energy Economy Rating		N2O BAG 4	Bag 4 Nitrous Oxide	
Certification Region					
CA	California + CAA Section 177 states		FA	Federal	
Exhaust Emission Standard Level					
B1	Federal Tier 2 Bin 1		HDV2B340	Federal Tier 3 HD Class 2b Transitional Bin 340	
B2	Federal Tier 2 Bin 2		HDV2B250	Federal Tier 3 HD Class 2b Bin 250	
B3	Federal Tier 2 Bin 3		HDV2B200	Federal Tier 3 HD Class 2b Bin 200	
B4	Federal Tier 2 Bin 4		HDV2B170	Federal Tier 3 HD Class 2b Bin 170	
B5	Federal Tier 2 Bin 5		HDV2B150	Federal Tier 3 HD Class 2b Bin 150	
B6	Federal Tier 2 Bin 6		HDV2B0	Federal Tier 3 HD Class 2b Bin 0	
B7	Federal Tier 2 Bin 7		HDV3B630	Federal Tier 3 HD Class 3 Transitional Bin 630	
B8	Federal Tier 2 Bin 8		HDV3B570	Federal Tier 3 HD Class 3 Transitional Bin 570	
B9	Federal Tier 2 Bin 9		HDV3B400	Federal Tier 3 HD Class 3 Bin 400	
B10	Federal Tier 2 Bin 10		HDV3B270	Federal Tier 3 HD Class 3 Bin 270	
B11	Federal Tier 2 Bin 11		HDV3B230	Federal Tier 3 HD Class 3 Bin 230	
HDV1	HDV1 (Federal HD chassis Class 2b GVW 8501-10000)		HDV3B200	Federal Tier 3 HD Class 3 Bin 200	
HDV2	HDV2 (Federal HD chassis Class 3 GVW 10001-14000)		HDV3B0	Federal Tier 3 HD Class 3 Bin 0	
L2	California LEV-II LEV		L4SULEV100	California LEV-IV SULEV100	
L2OP	California LEV-II LEV Optional		L4SULEV125	California LEV-IV SULEV125	
U2	California LEV-II ULEV		L4SULEV15	California LEV-IV SULEV15	
S2	California LEV-II SULEV		L4SULEV150	California LEV-IV SULEV150	
ZEV	California ZEV		L4SULEV170	California LEV-IV SULEV170	
OT	Other		L4SULEV175	California LEV-IV SULEV175	
T1	Federal Tier 1		L4SULEV20	California LEV-IV SULEV20	
PZEV	California PZEV		L4SULEV200	California LEV-IV SULEV200	
L2LEV160	California LEV-II LEV160		L4SULEV230	California LEV-IV SULEV230	
L2ULEV125	California LEV-II ULEV125		L4SULEV25	California LEV-IV SULEV25	
L2SULEV30	California LEV-II SULEV30		L4SULEV30	California LEV-IV SULEV30	
L2LEV395	California LEV-II LEV395		L4SULEV75	California LEV-IV SULEV75	

Certification Summary Information Report

Test Group		VVGAJ02.0V3G	Evaporative/Refueling Family	VVGAR0157VEP
L2ULEV340	California LEV-II ULEV340		L4SULEV85	California LEV-IV SULEV85
L2LEV630	California LEV-II LEV630		L4ULEV125	California LEV-IV ULEV125
L2ULEV570	California LEV-II ULEV570		L4ULEV200	California LEV-IV ULEV200
L3LEV160	California LEV-III LEV160		L4ULEV250	California LEV-IV ULEV250
L3ULEV125	California LEV-III ULEV125		L4ULEV270	California LEV-IV ULEV270
L3ULEV70	California LEV-III ULEV70		L4ULEV40	California LEV-IV ULEV40
L3ULEV50	California LEV-III ULEV50		L4ULEV400	California LEV-IV ULEV400
L3SULEV30	California LEV-III SULEV30		L4ULEV50	California LEV-IV ULEV50
L3SULEV20	California LEV-III SULEV20		L4ULEV60	California LEV-IV ULEV60
L3LEV395	California LEV-III LEV395		L4ULEV70	California LEV-IV ULEV70
L3ULEV340	California LEV-III ULEV340		T4B170	Federal Tier 4 MDV Bin 170
L3ULEV250	California LEV-III ULEV250		T4B150	Federal Tier 4 MDV Bin 150
L3ULEV200	California LEV-III ULEV200		T4B125	Federal Tier 4 MDV Bin 125
L3SULEV170	California LEV-III SULEV170		T4B100	Federal Tier 4 MDV Bin 100
L3SULEV150	California LEV-III SULEV150		T4B85	Federal Tier 4 MDV Bin 85
L3LEV630	California LEV-III LEV630		T4B75	Federal Tier 4 MDV Bin 75
L3ULEV570	California LEV-III ULEV570		T4B70	Federal Tier 4 Bin 70
L3ULEV400	California LEV-III ULEV400		T4B65	Federal Tier 4 Bin 65
L3ULEV270	California LEV-III ULEV270		T4B60	Federal Tier 4 Bin 60
L3SULEV230	California LEV-III SULEV230		T4B55	Federal Tier 4 Bin 55
L3SULEV200	California LEV-III SULEV200		T4B50	Federal Tier 4 Bin 50
T3B160	Federal Tier 3 Bin 160		T4B45	Federal Tier 4 Bin 45
T3B125	Federal Tier 3 Bin 125		T4B40	Federal Tier 4 Bin 40
T3B110	Federal Tier 3 Transitional Bin 110		T4B35	Federal Tier 4 Bin 35
T3B85	Federal Tier 3 Transitional Bin 85		T4B30	Federal Tier 4 Bin 30
T3SULEV30	Federal Tier 3 Transitional LEV-II SULEV30 Carryover		T4B25	Federal Tier 4 Bin 25
T3B70	Federal Tier 3 Bin 70		T4B20	Federal Tier 4 Bin 20
T3B50	Federal Tier 3 Bin 50		T4B15	Federal Tier 4 Bin 15
T3B30	Federal Tier 3 Bin 30		T4B10	Federal Tier 4 Bin 10
T3B20	Federal Tier 3 Bin 20		T4B5	Federal Tier 4 Bin 5
T3B0	Federal Tier 3 Bin 0		T4B0	Federal Tier 4 Bin 0
HDV2B395	Federal Tier 3 HD Class 2b Transitional Bin 395			
Transmission Type Code				
AMS	Automated Manual- Selectable (e.g. Automated Manual with paddles)	M	Manual	
A	Automatic	OT	Other	
AM	Automated Manual	SA	Semi-Automatic	
CVT	Continuously Variable	SCV	Selectable Continuously Variable (e.g. CVT with paddles)	
Drive System Code				
4	4-Wheel Drive	P	Part-time 4-Wheel Drive	

Certification Summary Information Report

Test Group		VVGAJ02.0V3G	Evaporative/Refueling Family		VVGAR0157VEP
F	2-Wheel Drive, Front		A	All Wheel Drive	
R	2-Wheel Drive, Rear				
Additional Terms and Acronyms					
AFC	Alternative Fuel Converter		ICI	Independent Commercial Importer	
CSI	Certificate Summary Information		ORVR	Onboard Refueling Vapor Recovery	
DF	Deterioration Factor		SIL	Shift Indicator Light	
Evap	Evaporation, Evaporative		Trans	Transmission	

8. **Emission Testing Waiver Statements**

Emissions Continuity Compliance Statement NMOG, CO, CO₂, NO_x, N₂O, CH₄, and HCHO

In accordance with EPA Guidance Letter CD-14-19 and 40 CFR 86.1809-12 (e) the Volkswagen Group hereby certifies that based on engineering evaluations of emission testing there is no discontinuity in emission performance of NMOG, CO, CO₂, NO_x, N₂O, CH₄ and HCHO as measured and averaged over the Federal Test Procedure and the Highway Test Procedure in the temperature range of 20°F to 86°F for vehicles in this test group.

The normal operation of the emission control system consists of:

(i) Cycling back and forth in a narrow window between rich and lean operation as a result of feedback controls targeted to maintain overall engine operation at stoichiometry.

(ii) Small changes in the target air-fuel ratio to optimize vehicle emissions or drivability. This may be called "closed loop biasing."

(iii) Temporary enrichment in response to rapid throttle motion.

(iv) Enrichment during cold-start and warm-up conditions.

(v) Temporary air/fuel mixture modulation for running OBD checks to comply with California OBD regulations contained in 13 CCR §1968.2.

(vi) Infrequent operation modes, e.g. PM trap regeneration, are certified under special provisions of the CFR".

The modulation of the emission control system can cause step changes in emissions and CO₂ depending on the driving condition (engine speed and load).

This modulation is not forming a discontinuity in emissions because it is included in the Federal Test Procedures and is working under the same conditions during on-road operation.

91 RON (Knock Sensor): Compliance Statement:

(Note: Statement only applies to regular fuel concepts)

In accordance with EPA Guidance Letter CD-14-19 and VPCD-97-01, city and highway fuel economy test result differences between 91 RON operation and 96 RON operation are within 3% and there are no emission increases (beyond normal test variability) using 91 RON fuel with a comparable fuel specification when tested on the FTP or SFTP cycles.

A/C Calibrations – Compliance Statement

In accordance with EPA Guidance Letter CD-14-19 and 40 CFR 86.1811-17 (d) (3) there are neither A/C-on specific calibrations nor A/C-on specific "open-loop" or "commanded" air fuel enrichment strategies incorporated into the vehicle design of this Test Group.

Lean Best Torque Compliance Statement

In accordance with EPA Guidance Letter CD-14-19 and 40 CFR 86.1811-17 (d) (1) the air fuel ratio is not richer at any time over the US06 cycle than the leanest air fuel ratio required to obtain maximum torque plus a tolerance of four percent. Other enrichments, if applicable e.g. for part protection, are described in the AECD description of the test group (section 16).

Lean-On Cruise Compliance Statement

In accordance with EPA Guidance Letter CD-14-19 and 40 CFR 86.1811-17 (d) (4) there are no "Lean-on-cruise" calibration strategies incorporated into the vehicle design of this test group.

OBD Compliance Statement

The OBD system meets the full intent of both the EPA Tier 3 Regulations contained in CFR Title 40 Part 86.1806-17 and the California OBD regulations contained in 13 CCR §1968.2.

Leak Free Exhaust System Compliance Statement

In accordance with 40 CFR 86.1844-01(d)(16(i), the Volkswagen Group hereby states that, for vehicles described in this application, as appropriate, it has conducted an engineering analysis of the complete exhaust system to ensure that the exhaust system has been designed:

(A) To facilitate leak-free assembly, installation and operation for the full useful life of the vehicles, and

(B) to facilitate that such repairs as might be necessary on a properly maintained and used vehicle can be performed in such a manner as to maintain leak-free operation, using tools commonly available in a motor vehicle dealership or independent repair shop for the full useful life of the vehicle.

A "leak-free" exhaust system is understood from the engine block to the point in the exhaust system behind the last component of exhaust aftertreatment system (e.g. catalyst).

Silencer/muffler and tailpipes are not part of the exhaust aftertreatment system when installed downstream the last component of exhaust aftertreatment.

For installation/mounting of the exhaust system clamps and/or flanges are used with a technical leakage specification ensuring compliance with exhaust emission standards in-use. Meaning: The exhaust system is designed to fulfill the lowest leakage according to state-of-the-art exhaust aftertreatment systems.

High Altitude Exhaust Emissions Compliance Statement

In accordance with 40 CFR 86.1829-15 (c), The Volkswagen Group hereby certifies that, based upon engineering evaluation and high altitude emission tests conducted on similar vehicles, all vehicles of this test group comply with the high altitude exhaust emissions requirements.

Formaldehyde Emissions Compliance Statement

In accordance with 86.1829-15 (d) (4), and based upon good engineering judgment, the Volkswagen Group hereby states that vehicles certified based upon NMHC emissions comply with the applicable formaldehyde emission standards.

High Altitude Evaporative/Refueling Emissions Compliance Statement

In accordance with 40 CFR 86.1829-01 (b) (2) (ii) (B), the Volkswagen Group hereby certifies that, based upon engineering evaluation and high altitude evaporative/refueling tests conducted on similar vehicles, all vehicles of this test group comply with the high altitude evaporative/refueling emissions requirements.

Spitback Compliance Statement

In accordance 40 CFR 86.1829-15 (e) (5) the Volkswagen Group hereby certifies that the vehicle inherently meets the Fuel Dispensing Spitback Standard as part of compliance with the refueling emission standard. This certification applies to the full useful life of the vehicle. Testing is therefore not required.

Evaporative Leak Test Compliance Statement

In accordance with 40 CFR 86.1829-15 (e) (4), the Volkswagen Group hereby certifies that, based upon engineering evaluation all vehicles in the evaporative/refueling emission family comply with the evaporative emission standard outlined in 40 CFR 86.1813-17 (a) (4).

Driver-Selectable modes Compliance Statement

In accordance with EPA Guidance Letter CISC-09-19, all driver-selectable transmission drive modes are deemed to comply with emission standards.

Intermediate Soak Compliance Statement

In accordance with 40 CFR 86.1829-15 (d)(7), the Volkswagen Group hereby certifies that vehicles in this test group comply with the intermediate soak standards of 40 CFR 86.1811-27 (b)(4)(ii) for soak times not covered by testing.

9.0 OBD System Description

9.1 Summary Table

Refer to Section 16 (included in OBD II A – P application)

9.2 California Air Resources Board OBD System Approval Letter.

Refer to Section 16

10. Description of Alternate Fueled Vehicles

Not applicable

11. Auxiliary Emission Control Devices (AECD) Descriptions

Refer to Section 16.2 of this Application

12.0 List of Certified Vehicles

Durability Group	VVGAGPGNNV3G
Test Group	VVGAJ02.0V3G
Evap Family	VVGAR0157VEP
Emission Control System:	CAC/DFI/AIR/TC/WR-HO2S/TWC(2)/GPF/HO2S

Engine Displacement:	2.0 Liter
Valves per Cylinder:	4
Sales Area:	50 States
MMS:	SIMOS 30
SIL:	N/A

Engine Code	Model	Vehicle Class	Engine Code Characteristics			HP @RPM	Torque @RPM [lb-ft]	Trans. / OD	ETW	Curb Weight [lbs]	GVWR [lbs]	Fuel Tank Capacity [Gal]	Canister working capacity [g]	Tire size	N/V Ratio	Start/ Stop [Y/N]
			Cat. Code	Com-pressi on ratio	Idle [rpm]											
DYKA	Tiguan SEL 4Motion	LDT2	JM1102 (Front), JM1105 (Under floor)	10.5:1	760+-100	268@ 5500-6500	258 lb-ft@ 1900- 5400	8	4250	4048	5159	16.5	157	255/40 R20	26.7	Y
DYLA	Tiguan 4Motion	LDT2	JM1102 (Front), JM1105 (Under floor)	11.0:1	760±100	201@ 5000-6000	221 lb-ft @ 1500-4750	8	4250	3940	5115	16.5	157	215/65R17 235/55R18 235/50R19 255/40R20	26.7 26.5 26.5 26.7	Y
DYLA	Tiguan CND	LDT2	JM1102 (Front), JM1105 (Under floor)	11.0:1	760±100	201@ 5000-6000	221 lb-ft @ 1500-4750	8	4250	3900	5115	16.5	157	215/65R17 235/50 R19 255/40R20	26.7 26.5 26.7	Y

*1Nm = 0.737561 lbf×ft

12.1 Transmissions

Transmission	Transmission Characteristic												
	Drivetrain	Gear Count	Lock-Up rpm		Gearbox Ratios								
			Gear	min/max	Axle	Gear 1	Gear 2	Gear 3	Gear 4	Gear 5	Gear 6	Gear 7	Gear 8
AQ451-8A	AWD	8	1-8	n.a.	3.32	5.312	3.002	1.864	1.404	1.194	1.000	0.814	0.670

12.2 Test conditions

Model	ETW	Road Track Coefficients						TRL50	TCDT	Fuel Tank Cap.	Fan Pos.	Drive Mode for Testing	Shift Sched. I.D.	Test Fuel	DF Source
		F0	F1	F2	F0	F1	F2								
	[lbs]	[lb*f]	[lb*f/mpH]	[lb*f/(mpH)²]	[N]	[N/(km/h)]	[N/(km/h)²]	[hp]	[s]	40% / 100% [Gal]					
Tiguan SEL 4Motion C/O MY26	4250	29.67	0.3834	0.02324	132.00	1.0598	0.03991	14.3	18.66	6.6 / 16.5	20	Sport Drive	automatic	Tier 3 [EDV]	VW336360355
Tiguan SEL 4Motion MY27 FEDV	4250	25.70	0.3834	0.02351	114.32	1.0598	0.04037	13.8	19.26	6.6 / 16.5	20	Drive	automatic	Tier 2	VW336360355
Tiguan 4Motion [EVAP] C/O MY25	4250	29.67	0.3834	0.02296	132.00	1.0598	0.03944	14.2	18.78	6.6 / 16.5	20	Drive	automatic	Tier 3	VW336360355
Tiguan 4Motion MY27 FEDV	4250	25.70	0.3834	0.02317	114.32	1.0598	0.03979	13.7	19.41	6.6 / 16.5	20	Drive	automatic	Tier 2	VW336360355
Tiguan CAN MY27 FEDV	4250	25.70	0.3834	0.02148	114.32	1.0598	0.03689	13.1	20.24	6.6 / 16.5	20	Drive	automatic	Tier 2	VW336360355

Engine Starting procedure:

Press the brake pedal and move the selector lever into the P or N position.
Start engine by turning key to “Start” position or by pushing the Engine “Stop/Start” button.

ESP/ABS Deactivation procedure

Dyno Mode must be activated.
Refer to Section 16 for Dyno Mode activation procedure.

Fan Position during dyno testing:

FTP / HWY = Road Speed Fan (Modulated)
US06 = Road Speed Fan (Modulated)

Automatic Headlight System:

Automatic headlight system must be disabled prior to any emissions or fuel economy / range testing. Automatic headlights can be turned off via the infotainment / MMI screen.
Please contact VWGoA Engineering and Environmental Office if you need assistance with disabling the automatic headlights.

Daytime Running Lights (DRL):

Daytime running lights must be disabled prior to fuel economy / range testing. DRLs can be turned off via the infotainment / MMI screen.
Please contact VWGoA Engineering and Environmental Office if you need assistance with disabling the daytime running lights.

Climate Control Settings used for testing:

- SC03: Climate Control Setting description
 - Turn A/C on
 - Select Sync.
 - Select 72°F temperature
 - Activate air recirculation
 - Select max air flow
 - Choose air flow setting towards drive

12.3 e-Motor Details

Not Applicable

12.4 Battery details

Not Applicable

12.4 Charging details

Not Applicable

13.0 Test Group Projected Sales

Refer to Section 16 of this Test Group Application

13.1 Compliance Plans

Refer to Section 16 of the Common Section

14. Request for Certificate

14.1 Statement of Compliance

Based on good engineering judgment, the Volkswagen Group states that all the vehicles described in this application for Certification comply with all applicable standards and regulations, incl. the provisions of 40 CFR Parts 85, 86 and 600.

14.2. Durability Statement

Based on the Volkswagen Group's good engineering judgment, all the vehicles described in this Application for Certification comply with all applicable intermediate and full useful life standards

15. Other Information

15.1 Revision Index

[illegible]

15.2 Running Change (RC) / Field Fix (FF) Log

Running Change / Field Fix Log for test group only.

Model Year:	2027
Test Group:	VVGAJ02.0V3G
Models:	Tiguan SEL 4 Motion, Tiguan 4 Motion
Evaporative Family:	VVGAR0157VEP

[illegible]

15.3 ORVR Safety Statement

Volkswagen is using standard technology in all MY2027 vehicles ORVR systems. In accordance with EPA Guidance letter CISC-06-06, ORVR application will not be submitted.

US EPA Fee Form

[Help and EPA Instructions](#)

* Required Field

General Information

Date: 02/18/2026

Process Code *

Submit New Fee Filing Form

Manufacturer Code *

VGA

Manufacturer Name *

Volkswagen Group of America

Contact Name *

Greg Allen

Contact Email Address *

Gregory.Allen@vw.com

Contact Phone *

248-754-4209

Calendar Year complete application submitted
to EPA *

2026

PLEASE NOTE: These fees apply to complete certification applications received by EPA from January 1, 2026, through December 31, 2026. The applicable fee is determined by the

calendar year in which the complete certification application is received, not the model year.

Engine Family / Evaporative Family / Test Group *

VVGAJ02.0V3G

Certificate Request Type (Industry Sector Code)

Certificate Request Type *

- ☒ On-Highway LDV, LTD, MDVPV, HDV Chassis Cert (Federal) (A, B, D, J, T, V)
- ☐ On-Highway HDE Dyno Cert (Federal) (E, H)
- ☐ On-Highway LD ICI, MDPV ICI, HDV ICI (A, B, D, J, T, V)
- ☐ On-Highway Motorcycle (C)
- ☐ On-Highway HDV Evap (F)
- ☐ On-Highway LDV, LTD, MDVPV, HDV Chassis Cert (California-Only) (A, B, D, J, T, V)
- ☐ On-Highway HDE Dyno Cert (California-Only) (E, H)
- ☐ Nonroad CI (L)
- ☐ Nonroad SI (B, S)
- ☐ Locomotive (G, K)
- ☐ All Nonroad Recreational, excluding Marine engines (X, Y)
- ☐ All Marine (Including IMO) (M, N, W)
- ☐ Component Certification for Evaporative Emissions (P)

IMO Name (Required for dual US/IMO Marine Only)

ICI VIN Number (Required for ICIs Only)

Do you qualify for a Reduced Fee? *

No

Payment Information

Amount Owed

\$32,317.00

Payment Type *

Offline ACH

Comments

MY2027 Test Group certification fee for VVG AJ02.0V3G

Pay.gov Tracking ID: 27VNMD9I

Agency Tracking ID: 77300727528

EPA Form Number 3520-29

OMB Control No. 2060-0545

Approval expires 7/31/2027

The public reporting and recordkeeping burden for this collection of information is estimated to average 12 minutes per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed forms to this address.

VOLKSWAGEN

GROUP OF AMERICA

Mr. Joshua Kimball
Compliance and Innovative Strategies Division
Office of Mobile Sources
U. S. Environmental Protection Agency
2000 Traverwood Drive
Ann Arbor, MI 48105

Anthony D'Ambrosi Name
Dir. Homologation Title
EEO - Certification Department
(248) 754-4396 Phone
Tony.DAmbrosi@vw.com E-Mail

May 27, 2026 Date

Subject: MY 2027 Volkswagen Group Light Duty Vehicle Initial Application for Emissions
Certification for Test Group VVGAJ02.0V3G with Evaporative Family VVGAR0157VEP.

Dear Mr. Kimball,

We submit, with this letter, the model year 2027 Part 1 Application for Emissions Certification
for the following Test Group:

<u>Test Group</u>	<u>Standards</u>	<u>Sales Area</u>
VVGAJ02.0V3G	Tier 4 Interim Bin 30 LEV 4 SULEV 30	Federal California

Copies of the Certification Fee filing form and OBD approval letter are contained in
sections 15 and 16 of the included electronic application.

All vehicles within this test group comply with all applicable regulations contained in
40 CFR Part 86, Part 1066 and the compliance statements contained in sections 8
and 14.

This submission constitutes our final application and the request for issuance of a
Certificate of Conformity.

If you have any questions with regard to this information, please contact our office in
Auburn Hills at (248) 754-4396.

Sincerely,

D'Ambrosi Anthony
VWPKI
5406C07D40F4331C
Digitally signed by D'Ambrosi
Anthony VWPKI
5406C07D40F4331C
Date: 2026.05.27 08:53:26 -04'00'

Anthony D'Ambrosi
Volkswagen Group of America, Inc.
Engineering and Environmental Office

Enclosure(s)

VOLKSWAGEN

GROUP OF AMERICA

Ms. Robin U. Lang, Chief
Emissions Certification and Compliance Division
California Air Resources Board
4001 Iowa Avenue
Riverside, California 92507

Anthony D'Ambrosi Name
Dir, Homologation Title
EEO - Certification Department
(248) 754-4396 Phone
Tony.DAmbrosi@vw.com E-Mail

May 27, 2026 Date

Subject: MY 2027 Volkswagen Group Light Duty Vehicle Initial Application for Emissions
Certification for Test Group VVGAJ02.0V3G with Evaporative Family VVGAR0157VEP.

Dear Ms. Lang,

We submit, with this letter, the model year 2027 Part 1 Application for Emissions Certification
for the following Test Group:

<u>Test Group</u>	<u>Standards</u>	<u>Sales Area</u>
VVGAJ02.0V3G	Tier 4 Interim Bin 30 LEV 4 SULEV 30	Federal California

This submission constitutes our final application and the request for issuance of the
Executive Order.

If you have any questions with regard to this information, please contact our office in
Auburn Hills at (248) 754-4396.

Sincerely,

D'Ambrosi Anthony
VWPKI
5406C07D40F4331C
5406C07D40F4331C

Digitally signed by D'Ambrosi
Anthony VWPKI
5406C07D40F4331C
Date: 2026.05.27 08:52:32 -04'00'

Anthony D'Ambrosi
Volkswagen Group of America, Inc.
Engineering and Environmental Office

Enclosure(s)

California ARB Information

17.1 California Compliance Statements

Production Vehicle same as Test Vehicle Statement

The production vehicles represented by the particular engine families will be in all material respects of the same design as those for which vehicle approval is granted.

Smog Check Compliance Statement

Vehicles in this test group meet California's BAR Smog Check requirement in 16 CCR § 3340.42 by having a compliant OBD system (13 CCR § 1968.2) that will satisfy the California BAR-OIS OBD focused test method and the OBD pass-fail criteria in 16 CCR § 3340.42.2(c).

CARB Fill Pipe Bench Leak Rate Compliance Statement

In accordance with Section VI (Bench Leak Rate Specification) of the Air Resources Board document, "Specifications for fill pipes and openings of 2015 and subsequent model motor vehicle fuel tanks", amended on May 31, 2019, the VW Group hereby attests that, for the leak family(s) stated, the systems meet the specifications in Section VI when tested per the test procedure in section VIII.

Environmental Performance Label Information

VW Group applies new EPA label in lieu of the CA EP label.

California Emissions Warranty Statement

Please refer to California Emissions Warranty booklets located in Section 16 of the Common Section.

Adjustable Parameters/Tamper Resistance Statement

The emission control system contains no devices that contain parameters that are designed, and/or intended, to be physically capable of being adjusted

Partial Soak Standard(s)

In accordance with Title 13 CCR Chapter 1, Section 1961.4 (d)(2)(B), the Volkswagen Group hereby certifies that vehicles in this test group comply with the partial soak standards applicable in the aforementioned section.

LEV IV SC03 Compliance

In accordance with California Code of Regulations Title 13 Section 1961.4 (d)(4), Volkswagen Group attests that vehicles tested using the SC03 test procedure meet the NMOG+NO_x and CO exhaust emissions requirements.

17.2 Fill Pipe Specifications

Please refer to the Section 16

17.3 Evaporative Emission Deterioration Program

Please refer to Common Section Application

17.4 Assembly line NMOG / NMHC Factor


F_{NMOG}: Calculated per EPA 40CFR part 1066

F_{HCHO} (Indolene):

F_{HCHO} (Phase II):

Compliance covered by statement according to regulations (see Section 8)

17.5 Continuity of Emissions



17.6 Applicable Deterioration Factors

	THC (g/mi)	NMHC (g/mi)	NMOG (g/mi)	NOx (g/mi)	CO (g/mi)	HCHO (mg/mi)	PM (g/mi)	NMOG+NOx (g/mi)
50k	-	0.001	0.0011	0	0.05	-	0	-
150k	0.0036*	0.0023*	0.0033	0	0.13	-	0	0.0033

*120k

21. Vehicle Emission Control Information Label

Tiguan SEL 4Motion, Tiguan 4Motion



VOLKSWAGEN

VEHICLE EMISSION CONTROL INFORMATION

Conforms to regulations:				2027 MY
U.S. EPA:	BIN30	LDT2	OBD: CA II	Fuel: Gasoline
California:	SULEV30	LDT	OBD: CA II	Fuel: Gasoline
No adjustments needed			CAC/DFI/AIR/TC/WR-HO2S/ TWC(2)/GPF/HO2S	
Group: VVGAI02.0V3G Evap: VVGAR0157VEP				06U 010 005 H

21.2 Engine Control Module (ECM) Information

Model	Engine Code	SW-Part number	Cal ID	CVN	Comments
Tiguan SEL 4Motion	DYKA	06U.906.070.BC	06U070BC5444BXAB	CB39ADFB	AWD
Tiguan 4Motion	DYLA	06U.906.070.BB	06U070BB5443BXAB	7BE2D27F	AWD

21.3 Transmission Control Module (TCM) Information

Model	Trans Code	SW-Part number	Cal ID	CVN	Comments
Tiguan SEL 4Motion	AQ451-8A	09H.927.158.AL - 2756	09H158AL27560000	FAA7FFEE	AWD
Tiguan 4Motion	AQ451-8A	09H.927.158.AN - 2756	09H158AN27560000	0F59A6C7	AWD

21.4 Gateway Control Module Information

Model	Trans Code	SW-Part number	Cal ID	CVN	Comments
Tiguan SEL 4Motion	DYKA	5QS907530H	5QS530H+G1030143	16 A4 6C B4	AWD
Tiguan 4Motion	DYLA	5QS907530H	5QS530H+G1030143	16 A4 6C B4	AWD