

Shaughnessy No.: 029001

Date Out of EFGWB: AUG 31 1989

To: Susan Lewis
Acting Product Manager #21
Fungicide-Herbicide Branch
Registration Division (H7505C)

From: Emil Regelman, Supervisory Chemist
Review Section #2
Environmental Fate and Ground Water Branch/EFED (H7507C)

Thru: Henry Jacoby, Acting Chief
Environmental Fate and Ground Water Branch/EFED (H7507C)

Attached, please find the EFGWB review of . . .

Reg./File # : 464-511
Chemical Name : 1,3-Dichloropropene
Type Product : Nematicide/Fungicide/Herbicide/Insecticide
Product Name : Telone II
Company Name : Dow Chemical USA
Purpose : Review requested 7 months time extension (January 1990)
by Dow Chemical for submission of an aged column leaching
study (163-1).
Date Received: 6/15/89 EFGWB # (s): 90633
Action Code : 655 Total reviewing time: 0.5 days

Deferrals to: _____ Ecological Effects Branch, EFED
_____ Science Integration and Policy Staff, EFED
_____ Non-Dietary Exposure Branch, HED
_____ Dietary Exposure Branch, HED
_____ Toxicology Branch I, HED
_____ Toxicology Branch II, HED

1. CHEMICAL: Common name:

1,3-Dichloropropene


Chemical name:

1,3-Dichloropropene

Trade name(s):

Telone II Soil Fumigant

Structure:



Formulations:

94% Ready-to-use (RTU)

Physical/Chemical properties:

Molecular formula : $C_3H_4Cl_2$.

Molecular weight : 111.9

Physical state : Colorless to straw-colored liquid.

Solubility : Water - 0.1%.

2. TEST MATERIAL:

Telone II, a 94% RTU.

3. STUDY/ACTION TYPE:

Time extension request of 7 months by Dow Chemical (From July 1989 to January 1990) to submit an aged column leaching study (163-1).

4. STUDY IDENTIFICATION:

N/A.

5. REVIEWED BY:

Padma Datta, Ph.D.
Review Section #2
Chemist
EFGWB/EFED/OPP

Signature: Padma Datta

Date: 8/31/89

6. APPROVED BY:

Emil Regelman
Review Section #2
Supervisory Chemist
EFGWB/EFED/OPP

Signature: 

Date: AUG 31 1989

7. CONCLUSIONS:

Since the registrant (Dow Chemical) is repeating an aged column leaching study of 1,3-dichloropropene (1,3-D) beginning July 1989, the requested 7 months time extension to January 1990 is reasonable.

EFGWB has no objection to the Agency's granting the requested time extension of 7 months (from July 1989 to January 1990) for Dow Chemical to submit the aged column leaching study of 1,3-dichloropropene to support data requirement for leaching and adsorption/desorption study (163-1).

8. RECOMMENDATION:

RD should inform Dow Chemical that EFGWB has no objection to the Agency's granting their requested time extension of 7 months (to January 1990) to submit the aged column leaching study (163-1) for our review.

9. BACKGROUND:

On 6/5/89, Dow Chemical requested a time extension Of 7 months (from July 1989 to January 1990) to submit an aged column leaching study (163-1) because Dow is repeating the aged column leaching study beginning early July.

10. DISCUSSION OF INDIVIDUAL TESTS OR STUDIES:



N/A.

11. COMPLETION OF ONE-LINER:

See attached one-liner.

12. CBI APPENDIX:

All data reviewed here are considered "company confidential" by the registrant and must be treated as such.



ENVIRONMENTAL FATE & (trans)
PESTICIDE ENVIRONMENTAL FATE ONE LINE SUMMARY

(cis)
Page 1

Common Name: **DICHLOROPROPENE** Date: 07/27/89
Chem. Name : 1,3-DICHLOROPROPENE
:
Shaugh. # : 29001 CAS Number: 542-75-6
Type Pest. : NEMATICIDE; FUNGICIDE; INSECTICIDE; HERBICIDE
Formulation: SINGLE ACTIVE INGREDIENT, 94% RTU
Uses : SOIL FUMIGANT, APPLIED PRIOR TO PLANTING TERRESTRIAL-FOOD
: AND NON-FOOD USE SITES.
:

Empir. Form: $\text{C}_3\text{H}_4\text{Cl}_2$ VP (Torr): 27.3
Mol. Weight: 110.9 Log Kow : 25.00
Solub.(ppm): 2500 (OR 1000) @ 20 C Henry's : 1.8E-3

<p>Hydrolysis (161-1)</p> <p>pH 5:[*] 3-5 DAYS AT 30 C</p> <p>pH 7:[*] 3-5 DAYS AT 30 C</p> <p>pH 9:[*] 3-5 DAYS AT 30 C</p> <p>pH :[] pH5.5, 2 C, 90-100 DAYS</p> <p>pH :[] " 15 C, 11-13 DAYS</p> <p>pH :[] " 29 C, 2 DAYS</p>	<p>Photolysis (161-2, -3, -4)</p> <p>Air :[*] 0.5-3.3 DAYS W/GE SUNLAMP</p> <p>Soil :[*] RAPID</p> <p>Water:[]</p> <p>: []</p> <p>: []</p> <p>: []</p>
---	--

MOBILITY STUDIES (163-1)

<p>Soil Partition (Kd)</p> <p>1.[#] LOAMY SAND .23</p> <p>2.[#] SAND .32</p> <p>3.[#] CLAY 0.42 AND 1.09</p> <p>4.[] AVG MAX Koc VALUES WERE 20 FOR</p> <p>5.[] SAND, 25 FOR LOAMY SAND, AND</p> <p>6.[] 41 AND 42 FOR TWO CLAY SOILS</p>	<p>Rf Factors</p> <p>1.[#] IN 30 CM COLUMNS OF SAND,</p> <p>2.[] LOAMY SAND, AND FLA. CLAY,</p> <p>3.[] LEACHED WITH >25" WATER, 1.9-</p> <p>4.[] 4.6% APPL RADIO. REMAINED IN</p> <p>5.[] SOILS AND 70-84% WAS IN</p> <p>6.[] LEACHATE.</p>
--	--

METABOLISM STUDIES (162-1,2,3,4)

<p>Aerobic Soil (162-1)</p> <table border="0"> <tr> <th>1.[#] SOIL</th> <th>%OM</th> <th>C</th> <th>pH</th> <th>Tl/2DA</th> </tr> <tr> <td>2.[] SPIER SL</td> <td>11.6</td> <td>15</td> <td>?</td> <td>22</td> </tr> <tr> <td>3.[] SPIER SL</td> <td>11.1</td> <td>15</td> <td>?</td> <td>37</td> </tr> <tr> <td>4.[] HAREN SL</td> <td>3.6</td> <td>15</td> <td>5.0</td> <td>22</td> </tr> <tr> <td>5.[] BOGERCIE SL</td> <td>3.6</td> <td>20</td> <td>5.6</td> <td>25</td> </tr> <tr> <td>6.[] CLAY</td> <td>1.1</td> <td>20</td> <td>6.8</td> <td>3</td> </tr> <tr> <td>7.[] CLAY</td> <td>1.8</td> <td>20</td> <td>7.2</td> <td>8</td> </tr> </table>	1.[#] SOIL	%OM	C	pH	Tl/2DA	2.[] SPIER SL	11.6	15	?	22	3.[] SPIER SL	11.1	15	?	37	4.[] HAREN SL	3.6	15	5.0	22	5.[] BOGERCIE SL	3.6	20	5.6	25	6.[] CLAY	1.1	20	6.8	3	7.[] CLAY	1.8	20	7.2	8	<p>Anaerobic Soil (162-2)</p> <table border="0"> <tr> <th>1.[*] SOIL</th> <th>TEMP</th> <th>T 1/2</th> </tr> <tr> <td>2.[] SILT CLAY LOAM</td> <td>15 C</td> <td>9.1 DA</td> </tr> <tr> <td>3.[] " "</td> <td>25 C</td> <td>2.4 DA</td> </tr> <tr> <td>4.[] SANDY LOAM</td> <td>15 C</td> <td>7.7 DA</td> </tr> <tr> <td>5.[] " "</td> <td>25 C</td> <td>2.4</td> </tr> <tr> <td>6.[]</td> <td></td> <td></td> </tr> <tr> <td>7.[]</td> <td></td> <td></td> </tr> </table>	1.[*] SOIL	TEMP	T 1/2	2.[] SILT CLAY LOAM	15 C	9.1 DA	3.[] " "	25 C	2.4 DA	4.[] SANDY LOAM	15 C	7.7 DA	5.[] " "	25 C	2.4	6.[]			7.[]		
1.[#] SOIL	%OM	C	pH	Tl/2DA																																																					
2.[] SPIER SL	11.6	15	?	22																																																					
3.[] SPIER SL	11.1	15	?	37																																																					
4.[] HAREN SL	3.6	15	5.0	22																																																					
5.[] BOGERCIE SL	3.6	20	5.6	25																																																					
6.[] CLAY	1.1	20	6.8	3																																																					
7.[] CLAY	1.8	20	7.2	8																																																					
1.[*] SOIL	TEMP	T 1/2																																																							
2.[] SILT CLAY LOAM	15 C	9.1 DA																																																							
3.[] " "	25 C	2.4 DA																																																							
4.[] SANDY LOAM	15 C	7.7 DA																																																							
5.[] " "	25 C	2.4																																																							
6.[]																																																									
7.[]																																																									

<p>Aerobic Aquatic (162-4)</p> <p>1.[]</p> <p>2.[]</p> <p>3.[]</p> <p>4.[]</p>	<p>Anaerobic Aquatic (162-3)</p> <p>1.[*] AT pH 6.9-7.5, Tl/2=20 DAYS</p> <p>2.[]</p> <p>3.[]</p> <p>4.[]</p>
--	--

[*] - Acceptable Study. [#] = Supplemental Study

ENVIRONMENTAL FATE & GROUND WATER BRANCH
PESTICIDE ENVIRONMENTAL FATE ONE LINE SUMMARY

Page 2

Common Name: **DICHLOROPROPENE**

Date: 07/27/89

VOLATILITY STUDIES (163-2,3)

- [] Laboratory:
[] Field:

DISSIPATION STUDIES (164-1,2,3,5)

Terrestrial Field (164-1)

- 1.[#] 1,3-D APPLIED AT 342 LB AIA DECLINED FROM A MAX OF 130,000
- 2.[] PPB IN .30-.45 M LAYER, IMMEDIATELY AFTER TREATMENT, TO
- 3.[] <10 PPB (DETECTION LIMIT) IN ANY SOIL LAYER AT 71 DAYS; THIS
- 4.[] WAS IN A FIELD PLOT OF SAND SOIL IN CALIFORNIA.
- 5.[]
- 6.[]

Aquatic (164-2)

- 1.[]
- 2.[]
- 3.[]
- 4.[]
- 5.[]
- 6.[]

Forestry (164-3)

- 1.[]
- 2.[]

Other (164-5)

- 1.[]
- 2.[]

ACCUMULATION STUDIES (165-1,2,3,4,5)

Confined Rotational Crops (165-1)

- 1.[]
- 2.[]

Field Rotational Crops (165-2)

- 1.[]
- 2.[]

Irrigated Crops (165-3)

- 1.[]
- 2.[]

Fish (165-4)

- 1.[]
- 2.[]

Non-Target Organisms (165-5)

- 1.[]
- 2.[]

ENVIRONMENTAL FATE & GROUND WATER BRANCH
PESTICIDE ENVIRONMENTAL FATE ONE LINE SUMMARY

Page 3

Common Name: **DICHLOROPROPENE**

Date: 07/27/89

GROUND WATER STUDIES (158.75)

1. [] 1,3-D NOT DETECTED BETWEEN 0 AND 170 DAYS POSTTREATMENT IN
2. [] FOUR WELLS LOCATED IN AND AROUND A FIELD PLOT OF SAND SOIL
3. [] TREATED AT 342 LBS AIA.

DEGRADATION PRODUCTS

1. NONE DETECTED IN LEACHED COLUMN STUDIES
2. 3-CHLOROALLYL ALCOHOL, IN FIELD DISSIPATION STUDIES, DECLINED
3. FROM MAX OF 410 PPB IN THE .66-.81 M LAYER AT 7 DAYS POST-TREAT-
4. MENT TO <10 PPB IN ANY SOIL LAYER AT 71 DAYS.
5. PROPIONIC ACID AND AN UNKNOWN (CONTG. AN ALCOHOL OR CARBOXYL)
- 6.
- 7.
- 8.
- 9.
- 10.

COMMENTS

IN ANAEROBIC STUDIES, 1,3-D HAS AN AFFINITY FOR THE WATER PHASE OVER THE ORGANIC PHASE.

1,3-D EXPOSED TO 275 W GE SUNLAMP DEGRADED; T 1/2 = .5 TO 3.3 DA
WELLS 65-1200 FEET IN SO. CAL. HAD NO 1,3-D OR CHLOROALLYL ALC..

WELLS IN SUFFOLK CO. (NY) HAD DETECTABLE 1,3-D AND 1,2-D 68 DAYS
AFTER FUMIGATION OF FIELD WITH 140 L/HA; CONC PEAKED AT 83 DAYS AND
PERSISTED FOR 138 DAYS.

DESPITE 7000 GAL SPILL IN CALIF, 1,3-D DECREASED TO <100 PPM IN
0-12" DEPTH 5.5 MOS LATER, AND WAS NEVER FOUND IN WELLS NEARBY.

References: EPA REVIEWS
Writer : J. HANNAN