

DD-77  
TIR-5195

MEMORANDUM

005198

DATE: May 23, 1984

SUBJECT: EPA Registration Number 2217-566  
Trimec DMB #2 Turf Herbicide

FROM: Deloris F. Graham / *E-31184*  
FHB/TSS

TO: Richard Mounifor  
Product Manager (23)

Applicant: PBI/Gordon Corporation  
1217 West 12th Street  
P.O. Box 4090  
Kansas City, MO 64101-9984

Active Ingredient:

+2,4-Dichlorophenoxyacetic acid.....	45.59%
2-(2-methyl-4-chlorophenoxy) propionic acid.....	15.90%
Dicamba (3,6-dichloro-o-anisic acid).....	4.30%
Inert Ingredients.....	29.71%

Background: Submitted Eye Irritation Study to support change in toxicity category. Study conducted by Midwest Research Institute. Study under accession number 252263. Method of support not indicated.

Recommendation:

1. Based on the Eye Irritation study the appropriate signal word is DANGER.

Label:

1. No additional label comments.

Review:

1. Eye Irritation Study: Midwest Research Institute; MRI Project No. 7819-E(C); December 12, 1983.

183

005198

Procedure: Nine New Zealand white rabbits received 0.1 g of the test material in one eye each. The treated eyes of three of the rabbits were washed for one minute, 30 seconds after treatment. Observations made at 1, 2, 3, 4, 7, 10, 13, 16, 19 and 21 days after treatment.

Results: At day 1, 6/6 animals of the unwashed group and 3/3 animals of the washed group had corneal opacity (1/6=20, 2/6=40, 2/6=60, 1/6=80) (1/3=10, 2/3=20); 5/6 & 2/3 iris irritation (5/6=5) (2/3=5); 6/6 & 3/3 conjunctive redness (6/6=3) (3/3=3), chemosis (2/6=3, 4/6=4) (1/3=3, 2/3=4) and discharge (6/6=3) (1/3=2, 2/3=3).

At day 7, 6/6 & 2/3 corneal opacity (1/6=10, 1/6=20, 1/6=40, 2/6=45, 1/6=60) (1/3=30, 1/3=45); 3/6 iris irritation (3/6=5); 6/6 & 2/3 redness (2/6=1, 1/6=2, 3/6=3); 5/6 & 2/3 chemosis (5/6=1) (2/3=1); 4/6 & 2/3 discharge (1/6=1, 1/6=2, 2/6=3) (2/3=3).

At day 13, 5/6 & 2/3 corneal opacity (1/6=5, 1/6=20, 1/6=30, 1/6=40, 1/6=60) (1/3=20, 1/3=60; 2/6 iris irritation (2/6=5); 2/6 & 1/3 redness (2/6=3) (1/3=2); 4/6 & 2/3 chemosis (3/6=1, 1/6=2) (2/3=2) and discharge (2/6=1, 1/6=2, 1/6=3) (1/3=1, 1/3=3).

At day 21, 4/6 & 2/3 corneal opacity (1/6=20, 1/6=40, 2/6=60) (1/3=10, 1/3=20); 2/6 & 1/3 redness (2/6=2) (1/3=1); 2/6 chemosis (2/6=1).

Study Classification: Core Guideline Data

Toxicity Category: 1 - DANGER.

2

Mecoprop Scientific Reviews

---

Page 3 is not included in this copy.

Pages \_\_\_\_\_ through \_\_\_\_\_ are not included in this copy.

---

The material not included contains the following type of information:

- ☐ Identity of product inert ingredients
  - ☐ Identity of product impurities
  - ☐ Description of the product manufacturing process
  - ☐ Description of product quality control procedures
  - ☐ Identity of the source of product ingredients
  - ☐ Sales or other commercial/financial information
  - ☒ A draft product label
  - ☐ The product confidential statement of formula
  - ☐ Information about a pending registration action
  - ☐ FIFRA registration data
  - ☐ The document is a duplicate of page(s) \_\_\_\_\_
  - ☐ The document is not responsive to the request
- 

The information not included is generally considered confidential by product registrants. If you have any questions, please contact the individual who prepared the response to your request.

---