

TOX

(36)

2,4-D/TOX



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



Releasable

315

Date: October 2, 1980

Subject: Super Turf Builder Plus 2
EPA File Symbol 538-120

From: Sherell A. Sterling
FHB/TSS

*Added 10-7-80
E. H. [unclear]*

To: Richard Mountfort
Product Manager (23)

Applicant: O.M. Scott & Sons Co.
Attn.: Gerald L. Born
Marysville, OH 43040

Active Ingredient:	
2,4-D	1.10%
MCPA ^P	.1.10%
Inert Ingredients	97.80%

Background: An Eye Irritation study was submitted to support a signal word change from CAUTION to WARNING. The accession number assigned was 243008. This study was conducted by Raltech Scientific Services of Madison, Wisconsin. The "alternate" method of support was chosen.

Comments:

Scott's letter of July 31, 1980, to the Agency states that the correct signal word is WARNING rather than DANGER. This is due to the fact that the formulation (granular) is used in a method which does not promote eye exposure. Also, Scotts' has a record of no accidents related to the eyes for this product.

Recommendations:

Invalif H

1. The data are considered Core ~~Supplementary~~ since the chemical identity of the test substance was not revealed.
2. If the test substance is identified as an EPA-accepted formulation for this product, the data would be considered Core Guideline and the appropriate signal word would be WARNING.

Review:

1. Primary Eye Irritation; Raltech #772284; Acc. No. 243008; March 19, 1980

Procedure: One eye of each of Nine New Zealand white rabbits received an 0.1g dose of "F7054." Three of the treated eyes were washed for one minute with lukewarm water, 30 seconds post-instillation. Eyes were scored according to Draize's method at 24, 48, 72, 96 hours; 7 and 14 days.

Results: Upon instillation, 4/9 animals vocalized. Unwashed eyes at 24 hours showed corneal opacity in 2/6 = 5, 1/6 = 10, 2/6 = 15, 1/6 = 22.5; 6/6 with corneal epithelial peeling; iris irritation and injection in 5/6 = 1; redness in 1/6 = 2, 1/6 = 2.5, 4/6 = 30 and 5/6 showed blanching; chemosis: 1/6 = 1.5, 2/6 = 2.0, 3/6 = 2.5; purulent discharge: 3/6 = 1.5, 2/6 = 2.0, 1/6 = 2.5. Petite hemorrhages observed at 48, 72, 96 hours. Corneal opacity gone by day 7; only slight redness observed in 4/6. By 14 days, all eyes were clear.

At 24 hours, washed eyes showed corneal opacity in 1/3 = 11.25, 1/3 = 15; 2/3 with corneal epithelial peeling; iris irritation and injection in 3/3 = 1, redness in 1/3 = 1.5, 2/3 = 3 with blanching; chemosis in 1/3 = 1, 1/3 = 2.5, 1/3 = 3.0; purulent discharge in 1/3 = 1, 1/3 = 2, 1/3 = 2.5. Petite hemorrhage seen in 1/3 at 48 hours. At day 7, corneal opacity in 1/3 = 7.5. All eyes were clear at 14 days.

Study Classification: The test substance was not clearly identified. If identified as an approved formulation, the study would be considered Core Guideline and would be toxicity category II-WARNING.

WL
 (Fertilizer
 Weed Control Plus Lawn
 (Lawn Pro)
 FRONT: (Scotts (R)) Super Turf Builder plus 2 (Scotts)
 Treats 5,000 sq ft (465 m²)

(Scotts (R))

Super

Turf

Builder

plus 2 (R)

BRAND

Weed Control Plus Lawn Fertilizer

22H7

(PHOTO ILLUS)

TREATED

UNTREATED

Controls dandelions and other weeds listed on back

Gives your lawn a full feeding of Scotts Super Turf Builder

Apply when weeds are in active growth

A SCOTTS (R) LAWN PRO_{TM} PRODUCT

Available only at authorized Lawn Pro stores

NET WEIGHT 15 3/4 LBS (7.14 kg) 32-4-4

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals: Causes eye irritation. Do not get in eyes, on skin, or on clothing. In case of contact immediately wash eyes or skin with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not contaminate feed of foodstuffs.

Environmental Hazards: Do not contaminate water used for irrigational or domestic purposes. Do not use on creeping bentgrass, carpetgrass, St. Augustinegrass, dichondra or clover lawns. Avoid application on garden plants, flowers, and shrubs.

Storage and Disposal: Do not reuse empty container. Wrap container and put in trash container.

ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic acid	1.10%
2-(2-Methyl-4-chlorophenoxy) propionic acid.	1.10%

INERT INGREDIENTS: 97.80%

EPA Reg. No. 538-120

EPA Est. 538-OH-1

Super Turf Builder plus 2

32-4-4

Total 100.00%

FRONT CONTINUED:

Guaranteed Analysis

Total nitrogen (N)	32%
1.0% ammoniacal nitrogen	
20.3% water soluble nitrogen	
10.7% water insoluble nitrogen	
Available phosphoric acid (P ₂ O ₅)	4%
Soluble potash (K ₂ O)	4%
Derived from: monoammonium phosphate, urea, methylene ureas and potassium sulfate	

US Process Pat Nos 3,231,363;3,705,794 and 3,989,470

Product of USA
Marysville, Ohio 43041

2H7 (Scotts (R)) Super Turf Builder plus 2 (Lawn Pro)
Weed Control Plus Lawn () TM
Fertilizer

GUSSETS:

(Scotts (R)) Super Turf Builder plus 2 (R)
Weed Control Plus Lawn Fertilizer
BRAND

A SCOTTS
LAWN
PRO
PRODUCT

22H7

(Scotts (R)) Super Turf Builder plus 2 (R)
Weed Control Plus Lawn Fertilizer
BRAND

A SCOTTS
LAWN
PRO
PRODUCT

22H7

BACK:

Weed Control Plus Lawn Fertilizer

Super Turf Builder plus 2 (Scotts (R))

Treats 5,000 sq ft (465 m²)

(Scotts (R))

Super Turf Builder plus 2 (R) BRAND Weed Control Plus Lawn Fertilizer

22H7

STB# 2

5M

EASY OPEN BAG PULL WHITE STRING

22H7

Weeds Controlled

dandelion buckhorn

plantain chickweed

ground ivy white clover

aster bittercress black medic bull thistle carpetweed chicory cinquefoil cudweed

curly dock English daisy eveningprimrose filaree fleabane hawkweed healall henbit

horseweed knotweed (seedling) lambsquarters lippia (matchweed) mallow moneywort

morningglory mustard pennywort pepperweed pigweed prickly lettuce purslane ragweed

scarlet pimpernel shadflower shepherdspurse smartweed stitchwort thymeleaf sandwort vetch yellow rocket

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- DO use when weeds are actively growing, but not before dandelion blossom time. DON'T use when rain is expected within 24 hours. DO apply only when lawn is wet from dew, rain or thorough watering (very important so that the particles will stick to the weed leaves instead of falling to the soil). DON'T use in a period of extreme heat and humidity. DO withhold watering lawn for at least 24 hours after application (to avoid washing particles off the weed leaves). DON'T use when grass is so tall it touches bottom of spreader (mow lawn first in such situations). DO apply on a calm day. DON'T use on a newly seeded or sodded lawn until the new grass has been mowed a least four times. If seeding in late spring, delay weed control application until early fall. If seeding in the late fall, delay weed control application until spring. DO apply at Scotts Spreader (Standard, Automatic or Precision Flow Control Model) setting.. 5 1/2 (treats 5,000 sq ft) DON'T seed right after using. Wait at least one month. DO slightly overlap spreader's wheel tracks or you may have "stripes" of untreated lawn. DON'T use on flowers, shrubs, fruit, vegetable plants, or on lawns of creeping bentgrass, clover, dichondra, St. Augustin or carpetgrass. Do not use on lippia or similar ground covers. DO slightly overlap spreader's wheel tracks or you may have "stripes" of untreated lawn. DON'T apply with a rotary (broadcast) spreader.

What to expect

This product does not work overnight. It is designed to provide steady, controlled action. Stems and leaves of weeds may begin to twist and curl in a few days, but a month or more may be required for complete control, especially when weather is dry or cold.

It is not necessary to rake out dead weeds. They will eventually disintegrate and

BACK CONTINUED:

This product works only through the growing leaves of plants. It does not prevent weed seeds from producing new plants, whether such seeds are on the surface or buried in the soil.

If particles become washed off weed foliage within 24 hours after application, control may be less effective. If there is no indication that it is working after 3 or 4 weeks of good growing weather another treatment may be needed. You can repeat or apply Scotts Lawn Weed Control which does not include fertilizer.

A few weeds may be resistant to control. If this happens, please forward specimens so we can identify them and advise you further.

After weed control is achieved, you are urged to follow through on the basic needs of every lawn—fertilizer, water and regular mowing.

A SCOTTS (R) LAWN PROTM PRODUCT

Available only at authorized Lawn Pro stores

22H7

Scotts Policy
No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

SCOTTS...the lawn people · Marysville, Ohio 43041

Free Bulletin Service

As a Scotts user, you are entitled to a free subscription to Lawn Care, which has been helping lawnowners for over 50 years.

Unless you already receive Lawn Care, send us this coupon and we'll mail you the seasonal issues prepared especially for your region.

Cut out and mail to Scotts, Marysville, Ohio 43041

NAME (please print)

ADDRESS

CITY

STATE

ZIP

22H7

(Scotts (R)) Super Turf Builder plus Z (R)

BRAND

Weed Control Plus Lawn Fertilizer

1982,(c) THE O M SCOTT & SONS COMPANY. ALL RIGHTS RESERVED