

2,4-D/TOX
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

TUX
(37)

DATE: October 2, 1980

315

SUBJECT: Turf Builder Plus 2 for Iron Deficient
Soils

EPA Registration No.: 538-93

FROM: Sherell A. Sterling
FHB/TSS

10-6-80
E 10/17/80

Releasable

TO: Richard Mountfort
Product Manager (23)

Applicant: O.M. Scott & Sons, Co.
Marysville, OH 43040

Active Ingredients:

2,4-D	0.75%
MCPA ^P	0.75%
Inert Ingredients	98.50%

Background: Data were submitted to support a change in signal word from CAUTION to WARNING. An Eye Irritation study was submitted and is under Accession No. 243007. The method of support is "alternate." Raltech Scientific Services of Madison, Wisconsin conducted the study.

Recommendations:

1. The study does not identify the test substance "F8596" chemically; therefore, the data are considered ~~supplementary~~ *invalid* and not acceptable.
2. If the test substance is identified as an EPA-accepted formulation for this product, the data would be acceptable; the proposed change from CAUTION to WARNING would also be acceptable. The proposed labeling would be acceptable.

Review:

1. Primary Eye Irritation; Raltech 772286; Acc. No. 243007; March 19, 1980.

Procedure: Nine New Zealand white rabbits received a 0.1 g sample of "F8596" in one eye of each animal. Three eyes were subjected to a wash for one minute with lukewarm water, 30 seconds after treatment. Draize scoring at 24, 48, 72, 96 hours; 7 and 14 days.

Results: The unwashed eyes at 24 hours exhibited corneal opacity in 1/6 = 7.5, 1/6 = 10, 1/6 = 15; corneal epithelial peeling in 1/6 = 10% and 2/6 = 25%; iris irritation and injection in 5/6 = 1; redness in 4/6 = 2, 1/6 = 2.5, 1/6 = 3; chemosis in 2/6 = 1, 3/6 = 2, 1/6 = 3; purulent discharge in 2/6 = 0.5, 1/6 = 1, 1/6 = 1.5, 1/6 = 2.5. All opacity in unwashed eyes cleared by

96-hours; only slight redness observed at seven days; all clear at 14 days. For the washed eyes at 24-hours, corneal opacity in 1/3 = 5 with 10% corneal epithelial peeling; no iris irritation; redness in 1/3 = 1, 1/3 = 1.5, 1/3 = 2.0; chemosis in 1/3 = 1, 2/3 = 1.5; purulent discharge in 1/3 = 0.5. All clear by day seven.

Study Classification: Core Supplementary Data. Since test sample was not identified chemically, study is not acceptable. If substance is identified chemically as an EPA-accepted formulation for this product, the study would be considered Core Guideline and the toxicity category would be II - WARNING.

FRONT:

fertilizer
lawn plus
control
weed
Turf Builder
plus 2
for iron-deficient soils

(Scotts (R))

2247

Treats 4,500 sq ft (418 m²)

(Scotts (R))

TURF BUILDER

plus 2 (R)
BRAND

weed control plus lawn fertilizer

for iron-deficient soils

(ILLUS.)

Clears out dandelions—and other weeds listed
on other side.

Apply when weeds are in active growth.

Gives complete feeding of Scotts long-lasting
fertilizer for developing thick, green lawns.

NET WEIGHT 20½ LBS (9.30 kg) 22-3-3

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals: Causes eye irritation. Do not get in eyes,
on skin, or on clothing. In case of contact immediately wash eyes or skin with
plenty of water. Get medical attention if irritation persists. Harmful if swallowed.
Do not contaminate feed or foodstuffs.

Environmental Hazards: Do not contaminate water used for irrigational or domestic
purposes. Do not use on creeping bentgrass, carpetgrass, St. Augustinegrass, dichondra,
or clover lawns. Avoid application on garden plants, flowers and shrubs.

Storage and Disposal: Do not reuse empty container. Wrap container and put in
trash container.

ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic acid

2-(2-Methyl-4-chlorophenoxy) propionic acid

INERT INGREDIENTS:

Total 100.00

EPA Reg No 538-93 EPA Est 538-OH-1
Turf Builder plus 2 for Iron Deficient Soils

22-3-3

FRONT CONTINUED

Guaranteed Analysis

Total nitrogen (N)	22%
0.7% ammoniacal nitrogen	
14.4% water soluble nitrogen	
6.9% water insoluble nitrogen	
Available phosphoric acid (P_2O_5)	3%
Soluble potash (K_2O)	3%
Iron (Fe)	1.10%
Derived from: monoammonium phosphate, urea, methylene ureas, muriate of potash, ferrous sulfate.	

The O M Scott & Sons Company

Product of USA
Marysville, Ohio 43041

(c) 1982, The O M Scott & Sons Company. All rights reserved.

2247 (Scotts (R)) TURF BUILDER	weed
plus 2 for iron-deficient soils	control
	plus lawn
	fertilizer

2247 (R)
TURF BUILDER
plus 2 for iron-deficient soils
weed control
plus lawn
fertilizer

GUSSETS:

(Scotts (R)) TURF BUILDER
plus 2
for iron-deficient soils
weed
control
plus lawn
fertilizer

2247

(Scotts (R)) TURF BUILDER weed
plus 2 control
for iron-deficient soils plus lawn
fertilizer

2247

2247

BACK:

fertilizer
Iron Deficient Soils plus lawn
plus 2 for
control
Turf Builder (R) (Scotts)
Treats 4,500 sq ft (418 m²)

(Scotts (R))

TURF BUILDER

plus 2 (R)

BRAND

weed control plus lawn fertilizer
for use on iron-deficient soils

2247 TB+2 (I)

4.5M

EASY

OPEN BAG

PULL

WHITE

TAPE

Turf Builder
Plus 2 is a weed
control plus fertilizer
for use only on lawns.
To fertilize vegetables, fl
shrubs and trees, look for
specially formulated produc
from Scotts.
. Grow Vegetables
. Grow Flowers
. Grow Shrubs, Trees, Everg
. Grow Azaleas, Camellias,
Rhododendrons
. Grow Transplants

WEEDS CONTROLLED

dandelion	plantain	ground ivy
buckhorn	chickweed	white clover
aster	lippia	purslane
bittercress	(matchweed)	ragweed
black medic	mallow	scarlet pimpernel
bullthistle	moneywort	shadflower
bottomweed	morningglory	shepherdspurse
carpetweed	mustard	smartweed
chicory	pennywort	sowthistle
cinquefoil	pepperweed	stitchwort
cudweed	pigweed	thymeleaf sandwort
curly dock	prickly lettuce	vetch
English daisy	puncturevine	yellow rocket
eveningprimrose		
filaree		
fleabane		
hawkweed		
healall		
henbit		
horseweed		
knotweed		
(seedling)		
lambsquarters		

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- | | | | |
|----|--|-------|---|
| DO | use when weeds are actively growing, but not before dandelion blossom time. | DON'T | use when rain is expected within 24 hours. |
| DO | apply only when lawn is wet from dew, rain or thorough watering (very important so that the Turf Builder Plus 2 particles will stick to the weed leaves instead of falling to the soil). | DON'T | use in a period of extreme heat and humidity. |
| DO | withhold watering lawn for at least 24 hours <u>after</u> application (to avoid washing particles off the weed leaves). | DON'T | use when grass is so tall it touches bottom of spreader (mow lawn first in such situations). |
| DO | apply on a calm day. | DON'T | use on a newly seeded or sodded lawn until the new grass has been mowed at least four times. If seeding in late spring, delay the weed control application until early fall. If seeding the late fall, delay weed control application until spring. |
| DO | apply at Scotts Spreader (Standard, Automatic or Precision Flow Control Model) setting... 6 3/4 (treats 4,500 sq ft) | DON'T | seed right after using Turf Builder 2. Wait at least one month. |
| DO | slightly overlap spreader's wheel tracks or you may have "stripes" of untreated lawn. | DON'T | use on flowers, shrubs, fruit, vegetable plants, or on lawns of creeping bentgrass, clover, dichondra, St. Augustine or carpetgrass. |
| DO | sweep particles off walks and drive-ways promptly to avoid possibility of staining | DON'T | apply with a rotary-type spreader. |

BACK CONTINUED:

What to expect

This product does not work overnight. It is designed to provide slow, steady controlled action. Stems and leaves of weeds may begin to twist and curl in a few days, but a month or more may be required for complete control, especially when weather is dry or cold.

It is not necessary to rake out dead weeds. They will eventually disintegrate and disappear.

This product works only through the growing leaves of plants. It does not prevent weed seeds from producing new plants, whether such seeds are on the surface or buried in the soil.

If particles become washed off weed foliage within 24 hours after application control may be less effective. If there is no indication that it is working after 3 or 4 weeks of good growing weather another treatment may be needed.

A few weeds may be resistant to control. If this happens, please forward specimens so we can identify them and advise you further.

After weed control is achieved, you are urged to follow through on the basic needs of every lawn—fertilizer, water and regular mowing.

Free bulletin service

As a Scotts user, you are entitled to a free subscription to Lawn Care, which has been helping lawnmowers for over 50 years.

(ILLUS.)

Unless you already receive Lawn Care, send us this coupon and we'll mail you the seasonal issues prepared especially for your region.

Cut out and mail to SCOTTS, Marysville,
Ohio 43041

NAME _____

ADDRESS _____

CITY _____

STATE _____

ZIP _____

2247

Scotts Policy No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product,
-- you are entitled to get your money back.
Simply send us evidence of purchase and we will mail you a refund check promptly.
SCOTTS...the lawn people
Marysville, Ohio 43041

2247 TURF BUILDER
plus 2 for iron-deficient soils

weed control
plus lawn
fertilizer