240712 RECORD NO.

is.

069105, 054901 SHAUGHNESSY NO.

REVIEW NO.

EEB REVIEW

DATE	: IN <u>3-3-89</u> OUT:					
FILE OR REG. NO. 875-RRN						
		· · · · · · · · · · · · · · · · · · ·				
DATE OF SUBMISSION 01-10-89						
DATE RECEIVED BY HED 3-1-89						
RD REQUESTED COMPLETION DATE 4-12-89						
EEB ESTIMATED COMPLE	TION DATE 4-12-89	<u> </u>				
RD ACTION CODE/TYPE	OF REVIEW 170					
TYPE PRODUCT(S): I,	D, H, F, N, R, S Microbiocide					
DATE ACCEPTION AND	J. Kempter (32)					
PRODUCT NAME (S)	Issue Plus II	· · · · · · · · · · · · · · · · · · ·				
COMPANY NAME Diversey/Wyandotte Corporation SUBMISSION PURPOSE _Proposed registration of use in laundries						
-						
SHAUGHNESSEY NO.	CHEMICAL AND PORTOLITIES	% A.I.				
	Alkyl (50% C ₁₄ , 40% C ₁₂ , 10% C ₁₆ dimethlybenzyl ammonium chloride 2.					
	5-chloro-2(2,-dichloro-phenoxy					
	phenol	1.25				
	mot a l	3.89%				



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF
PESTICIDES AND TOXIC SUBSTANCES

MEMORANDUM

SUBJECT:

Issue Plus II: 875-RRN (2407123)

JUL 23 1990

FROM:

rames walkerbla

Ecological Effects Branch

Environmental Fate and Effects Division (H7507C)

TO:

W. Francis (32)

Disinfectants Branch

Registration Division (H7505C)

EEB has reviewed the proposed registration of Issue Plus II for use in laundries. All of the submitted fish and wildlife studies were conducted with a 3.89% formulated product. These studies alone cannot support all formulations of these two active ingredients. EEB requires testing on the technical grade material of each active ingredient in the product to do so. However, the available acceptable data will support this formulation (3.89% a.i.) and any formulations with the a.i. < 3.89% and with no significant changes in inert ingredients.

EEB's finding of submitted fish and wildlife studies using a formulated product (3.89% a.i.):

A. <u>Bobwhite Quail</u> (LD₅₀) (410089-10)

This study indicates Issue Plus II is practically nontoxic to Bobwhite Quail with an LD_{50} greater than 2000 mg/kg. This study does fulfill the requirement in support of registration for an avian acute LD_{50} study for a formulated product of a 3.89% a.i. and below.

B. <u>Bobwhite Quail</u> (LC₅₀) (410089-11)

This study indicates Issue Plus II is practically nontoxic to bobwhite quail with an LC_{50} greater than 5000 ppm. This study does fulfill the requirement in support of registration for an avian dietary LC_{50} study for a formulated product of 3.89% a.i. and below.

C. <u>Rainbow Trout</u> (LC₅₀) (410089-12)

This study indicates Issue Plus II is slightly toxic to rainbow trout with an LC_{50} of 23.4 ppm. This study does fulfill the requirement in support of registration for a coldwater fish study for a formulted product of 3.89% a.i. and below.

D. <u>Bluegill Sunfish</u> (LC₅₀) (410089-13)

This study indicates Issue Plus II is slightly toxic to bluegill sunfish with an LC_{50} of 37.2 ppm. This study does fulfill the requirement in support of registration for a warmwater fish study for a formulated product of 3.89% a.i. and below.

E. <u>Daphnia magna</u> (LC₅₀) (410089-14)

This study indicates Issue Plus II is highly toxic to <u>Daphnia magna</u> with an LC_{50} of 0.42 ppm. This study does not fulfill the requirement in support of registration for a freshwater invertebrate for a formulated product of 3.89% a.i. and below because the pH and dissolved oxygen was not measured.

In closing, based on a personal conversation with Walter Francis of PM (32) on May 30, 1990, he stated even though this product may be registered there are no fish and wildlife data to support each of the two active ingredients [(Alkyl 50% C₁₄, 40% C₁₂, 10% C₁₆ dimethylbenzyl ammonium chloride, and 5-chloro-2(2,4-dichloro-phenoxy) phenol] for use in Issue Plus II product. Therefore, to support all formulations of these two actives EEB requires the following data:

(a) The avian acute oral LD₅₀ for one species of waterfowl
 (Mallard Duck, preferable) or one species of upland game bird (Bobwhite Quail or Ring-necked Pheasant);

- (b) The dietary LC_{50} for one species of waterfowl (Mallard Duck) and one species of upland game bird (Bobwhite Quail or Ring-necked Pheasant);
- (c) The 96-hour LC₅₀'s for a coldwater species (Rainbow Trout) and a warmwater species (Bluegill Sunfish) of fish;
- (d) The 48-hour LC^{50} for an aquatic invertebrate (<u>Daphnia</u> sp., preferable).

The above basic studies are required on the technical grade material of each active ingredient (s) in the product.

The submitted fish and wildlife studies were conducted with a formulated product (3.89% a.i.). These studies were found acceptable and can be used to support end-products of 3.89% a.i. and below only. The <u>Daphnia magna</u> study, however, needs to be redone.

- CHEMICAL: Issue Plus II 1.
- 3.89% (formulated) TEST MATERIAL: 2.
- TEST TYPE: Avian Acute Oral LD50 3.

Test Species: Bobwhite Quail (Colinus virginianus)

- STUDY IDENTIFICATION: Terrell, Y. (1985) Acute Oral Toxicity Study of Issue Plus II; ID No. 88-472; Prepared by American Standards Biosciences Corp. for Diversey Wyandotte Corporation, 1532 Briddle Avenue, Wyandotte, Michigan 48192; Acc. No. 410089-10.
- REVIEWED BY: 5.

Curtis E. Laird Fishery Biologist EEB/HED

APPROVED BY: 6.

> Norman J. Cook Supervisory Biologist EEB/HED

Date: 1.22-90

- This study indicates Issue Plus II is practically nontoxic to Bobwhite Quail with an LC50 >2000 7. This does fulfill the requirement in support of registration for an Avian Acute Oral LD_{50} study for a formulated product of 3.89% ai and below.
- RECOMMENDATION: N/A 8.
- BACKGROUND: This study was submitted in support of Issue Plus 9. II registration.
- DISCUSSION OF INDIVIDUAL TEST: N/A 10.
- MATERIAL AND METHOD: 11.
 - Test animals were young adult Bobwhite Test Animals; Quail from Trace Pheasantry, Douglasville, PA 19518. A.
 - Test Design: Birds were tested in wire pen (indoors), temperature was 70+ 50 degrees F; photoperiod was В. 12L/12D.

- C. <u>Dose</u>: Acute Oral Dose; Ten birds per dose level; one dose level plus negative control (0, 2000 mg/kg).
- D. <u>Statistical Analysis</u>: No statistics were performed due to lack of mortality statistics.
- 12. REPORTED RESULTS: The study author found the acute oral LD_{50} to be >2000 mg/kg.
- 13. <u>STUDY AUTHOR'S CONCLUSION/QA MEASURES</u>: The acute oral LC₅₀ was >2000 mg/kg. This study was conducted in accordance with the regulations set forth in the Good Laboratory practices for Nonclinical Laboratory Studies, 40 CFR 160, Federal Register, Vol. 48, November 29, 1983.
- 14. REVIEWER'S DISCUSSION AND INTERPRETATION OF THE STUDY
 - A. <u>TEST PROCEDURE</u>: The test procedure generally followed the EPA recommended protocol of October 1982.
 - B. <u>STATISTICAL ANALYSIS</u>: No statistics were performed due to lack of mortality statistics.
 - C. <u>DISCUSSION/RESULT</u>: Issue Plus II is practically nontoxic to Bobwhite Quail with an LD₅₀ >2000 mg/kg.
 - D. ADEQUACY OF STUDY:
 - Category: Core for formulated product (3.8% ai or less).
 - 2. Rationale: N/A
 - 3. Repairability: N/A
- 15. COMPLETION OF ONE-LINER FOR STUDY: Yes
- 16. CBI APPENDIX: N/A

- 1. CHEMICAL; Issue Plus II
- 2. TEST MATERIAL: 3.89% (formulated)
- 3. TEST TYPE; Eight-day Dietary LC50

Test Species: Bobwhite Quail (Colinus Virginianus)

- 4. <u>STUDY IDENTIFICATION</u>: Terrell, Y. (1988) Avian Dietary Quaily (Limit Test) of Issue Plus in Bobwhite Quail; Project No. 88-471; Prepared by American Standard Biosciences Corp. for Diversey Wyandotte Corp., 1532 Biddle Ave., Wyandotte, Michigan 48192; Acc. No. 410089-11.
- 5. REVIEWED BY;

Curtis E. Laird Fishery Biologist EEB/HED signature: Custis E. Zaind

Date: 5-31-90

6. APPROVED BY;

Norman J. Cook Supervisory Biologist EEB/HED signature: Numar . Cook

Date: 6.22.50

- 7. <u>CONCLUSIONS</u>; This study indicates Issue Plus II is practically nontoxic to Bobwhite Quail with an $LC_{50} > 5000$ ppm. This study does fulfill the requirement in support of registration for an avian dietary study for a formulated product of 3.89% or less.
- 8. RECOMMENDATION; N/A
- 9. $\underline{BACKGROUND}$; This study was submitted in support of Issue Plus II registration.
- 10. DISCUSSION OF INDIVIDUAL TEST; N/A
- 11. MATERIAL and METHOD;
 - A. <u>Test Animals</u>: Test animals were 7-10 day old Bobwhite Quail from Trace Pheasantry, Douglasville, PA.
 - B. Test Design: Birds were tested in brooder units; size units = $35 \times 100 \times 24$ CM.

- C. <u>Dose</u>: Nominal dietary concentration; ten birds per dose level; one dose level plus control (0,5000 ppm).
- D. <u>Statistical Analysis</u>: No statistics were performed due to lack of mortality data.
- 12. REPORTED RESULTS: The study author found the eight-day dietary LC_{50} to be >5000 ppm.
- 13. STUDY AUTHOR'S CONCLUSION/OA MEASURES: Eight-day dietary LC₅₀ was >5000 pm. This study was conducted in accordance with the regulations set forth in the Good Labororatory Practices for Nonclinical Laboratory Studies, 40 CFR 160, Federal Register, Vol. 48, November 29, 1982.

14. REVIEWER'S DISCUSSION AND INTERPRETATION OF THE STUDY

- A. <u>TEST PROCEDURE</u>: The test procedure generally followed the recommended EPA Protacol of October 1982 except the temperature, humidity and photo period was not reported.
- B. <u>STATISTICAL ANALYSIS</u>: No statistics were performed due to lack of mortality.
- C. <u>DISCUSSION/RESULT</u>: Issue Plus II is practically nontoxic to Bobwhite Quail with an LC_{50} >5000 ppm. The temperature, humidity and photo period were not given and did not appear to have a bearing on the test outcome since there were no mortalities.

D. ADEQUACY OF STUDY:

- 1. Category: Core for a formulated product
- 2. Rationale: N/A
- 3. Repairability: N/A
- 15. COMPLETION OF ONE-LINER FOR STUDY
- 16. CBI APPENDIX: N/A

3	CHEMICAL:	Issue	Plus	II
---	-----------	-------	------	----

- 2. TEST MATERIAL: 3.89% a.i. (formulated)
- 3. TEST TYPE: 96-hour LC50

Test Species: Rainbow Trout (Salmo gairdneri)

4. STUDY IDENTIFICATION: Terrell, Y. (1988) The Acute Toxicity Biosassay of Issue Plus on Rainbow Trout; Project No. 88-474; Prepared by American Standards Biosciences for Diversey/Wyandotte Corporation, 1532 Briddle Avenue, Wyandotte, MI 48192; Acc. No. 410089:12.

5. REVIEWED BY:

Curtis E. Laird Fishery Biologist EEB/HED Signature: Custin E. Found

Date: 5-31-90

6. APPROVED BY:

Norman J. Cook Supervisory Biologist EEB/HED Signature: Mma Cook

Date: 6.22.90

7. <u>CONCLUSIONS</u>: This study indicates Issue Plus II is slightly toxic to rainbow trout with an LC₅₀ of 23.4 ppm. This study does fulfill the requirement in support of registration for a coldwater fish study for a formulated product 3.89% and below.

8. RECOMMENDATION:

- 9. <u>BACKGROUND</u>: This study was submitted in support of Issue Plus II registration.
- 10. DISCUSSION OF INDIVIDUAL TEST: N/A

11. MATERIAL AND METHOD:

A. <u>Test Animals</u>: Test animals were rainbow trout (<u>Salmo gairdneri</u>) from Limestone Springs, Richmond, PA. Size = $\approx 2.0g$

- B. <u>Test Design</u>: Fish were tested in 20 liter glass aquar ium with 10 liters of test solution; temperature was 17± 2 ,C; photoperiod was 14 L/10 D; D. O. ranged from 7.4 mg/l to 8.6 mg/l; PH ranged from 6.3 to 6.8.
- C. <u>Dose</u>: Statis bisossay using nominal concentrations; ten fish per does level; five dose levels plus control (0, 18, 24, 32, 42, and 56 ppm).
- D. Statistical Analysis: Litchfield and Wilcoxon
- 12. <u>REPORTED RESULTS</u>: The study author found the 96-hour LC₅₀ to be 23.4 ppm.
- 13. <u>STUDY AUTHOR'S CONCLUSION/OA MEASURES</u>: The 96-hour LC₅₀ was 23.4 ppm. This study was conducted in accordance with the regulations set forth in the Good Laboratory Practice for Nonclinical Laboratory Studies, 40 CFR 160, Federal Register, Vol. 48, November 29, 1983.
- 14. REVIEWER'S DISCUSSION AND INTERPRETATION OF THE STUDY
 - A. <u>Test Procedure</u>: The test procedures complied with the recommended EPA Protocol of October 1982 except food was withheld for 24 hours instead of 96 hours.
 - B. Statistical Analysis: Probit analysis method
 - C. Discussion/Result: Issue Plus II is slightly toxic to rainbow trout with LC_{50} of 23.4 ppm.
 - D. Adequacy of Study:
 - Category: Core for a formulated product (3.89% and below)
 - 2. Rationale: N/A
 - 3. Reparability: N/A
- 15. Completion of one-liner for study: Yes
- 16. CBI Appendix N/A

Laird Issue Plus II Rainbow Trout 5-1-89 BINOMIAL PERCENT CONC. NUMBER NUMBER PROB. (PERCENT) DEAD DEAD EXPOSED 9.536742E-05 100 20 20 56 100 9.536742E-05 20 42 20 2.002716E-03 95 20 19 32 60.00001 25.17223 12 24 20 2.002716E-03 20 18

THE BINOMIAL TEST SHOWS THAT 18 AND 32 CAN BE USED AS STATISTICALLY SOUND CONSERVATIVE 95 PERCENT CONFIDENCE LIMITS, BECAUSE THE ACTUAL CONFIDENCE LEVEL ASSOCIATED WITH THESE LIMITS IS GREATER THAN 95 PERCENT.

AN APPROXIMATE LC50 FOR THIS SET OF DATA IS 22.94587

RESULTS CALCULATED USING THE MOVING AVERAGE METHOD

SPAN G LC50 95 PERCENT CONFIDENCE LIMITS
2 8.711716E-02 23.36972 21.57333
25.18742

RESULTS CALCULATED USING THE FROBIT METHOD
ITERATIONS G H GOODNESS OF FIT PROBABILITY
6 .1531026 1 .9506424

SLOPE = 13.30338 95 PERCENT CONFIDENCE LIMITS = 8.097988 AND 18.50877

LC50 = 23.38573 95 PERCENT CONFIDENCE LIMITS = 21.58145 AND 25.29662

Ť.

- CHEMICAL: Issue Plus II 1.
- TEST MATERIAL: 3.89% (formulated) 2.
- 96-hour LC₅₉ for fish 3. TEST TYPE:

Test Species: Bluegill sunfish (Lepomis macrochirus)

STUDY IDENTIFICATION: Terrell Y. (1988) The Acute Toxicity Bioassay of Issue Plus on Bluegill Sunfish; Project No. 88-4. 473; Prepared by American Standard Biosciences Corp. for Diversey/Wyandotte Corp. 1532 Biddle Ave., Wyandotte, MI 48192; Acc. No. 410089-13.

REVIEWED BY: 5.

> Curtis E. Laird Fishery Biologist EEB/HED

Signature: Cutis E. Tain

Date: 5-31-90

6. APPROVED BY:

Norman J. Cook Supervisory Biologist EEB/HED

- CONCLUSIONS: This study indicates Issue Plus II is slightly 7. toxic to bluegill sunfish with an LC50 of 37.2 ppm. This study does fulfill the requirement in support of registration for a formulated product of 3.89% and below.
- RECOMMENDATION: N/A 8.
- 9. BACKGROUND: This study was submitted in support of Issue Plus II registration.
- DISCUSSION OF INDIVIDUAL TEST: N/A 10.
- MATERIAL AND METHOD: 11.
 - A. <u>Test Animals</u>: Test animals were bluegill sunfish (<u>Lepomis</u> Macrochirus) from S. P. Engineering, Salem, PA; Size = ~ 2.0g.
 - Test Design: Fish were tested in 20 liter glass aquarir В. with 10 liters of test solution; temperature was 22 ± 1°C; photoperiod was 14L/10D.

- C. <u>Dose</u>: Static bioassay using nominal concentrations; ten fish per dose level; five dose levels plus negative control (0, 18, 24, 32, 42 and 56 ppm).
- D. Statistical Analysis: Litchfield & Wilson
- 12. REPORTED RESULTS: The study author found the 96-hour LC50 to be 34.0 (31.5 38.9) ppm.
- 13. STUDY AUTHOR'S CONCLUSION/OA MEASURES: The 96-hour LC₅₀ was 35 ppm. This study was conducted in accordance with the regulations set forth in the Good Laboratory Practice for Nonclinical Laboratory Studies, 40 CFR 160, Federal Register, Vol. 48, November 29, 1983.
- 14. REVIEWER'S DISCUSSION AND INTERPRETATION OF THE STUDY
 - A. <u>Test Procedure</u>: The test procedure complied with the recommended EPA protocol of Oct. 1982 except the food was withheld for 24 hours instead of 96 hours.
 - B. Statistical Analysis: Prohibit Analysis showed the 96-hour LC_{50} to be 37.2 (0 to infinity) ppm.
 - C. <u>Discussion/Result</u>: Issue Plus II is slightly toxic to rainbow trout with an LC_{50} of 37.2 ppm.
 - D. Adequacy of Study:
 - 1. Category: Core for a formulated product
 - 2. Rationale: N/A
 - Reparability: N/A
- 15. Completion of one-liner for study: Yes
- 16. CBI Appendix. N/A

Laird Issue Plus II Bluegill Sunfish 5-2-89

CONC.	NUMBER EXPOSED	NUMBER DEAD	PERCENT DEAD	BINOMIAL PROB. (PERCENT)	
56	20	20	100	9.536742E-05	
42 32	20 20	8 10	. 40 50	25.17223 58.80985	
24	20	1	5	2.002716E-03 9.536742E-05	
18	2.0	0	U	9.556/425 05	

THE BINOMIAL TEST SHOWS THAT 24 AND 56 CAN BE USED AS STATISTICALLY SOUND CONSERVATIVE 95 PERCENT CONFIDENCE LIMITS, BECAUSE THE ACTUAL CONFIDENCE LEVEL ASSOCIATED WITH THESE LIMITS IS GREATER THAN 95 PERCENT.

AN APPROXIMATE LC50 FOR THIS SET OF DATA IS 43.53002

RESULTS CALCULATED USING THE MOVING AVERAGE METHOD

SPAN G LC50 95 PERCENT CONFIDENCE LIMITS
4 5.135013E-02 36.19442 33.22418

39.98501

RESULTS CALCULATED USING THE PROBIT METHOD
ITERATIONS G H GOODNESS OF FIT PROBABILITY
3 1.119012 3.883748 8.678317E-03

SINCE THE PROBABILITY IS LESS THAN 0.05, RESULTS CALCULATED USING THE PROBIT METHOD PROBABLY SHOULD NOT BE USED.

SLOPE = 7.794325 95 PERCENT CONFIDENCE LIMITS =-.4507752 AND 16.03943

LC50 = 37.16107 95 PERCENT CONFIDENCE LIMITS = 0 AND +INFINITY

- 1. CHEMICAL: Issue Plus II
- 2. TEST MATERIAL: 3.89% (formulated)
- 3. TEST TYPE: 48-hour LC₅₀

Test Species: Daphnia magna

- 4. <u>STUDY IDENTIFICATION</u>: Terrell, Y. (1988) Acute Toxicity of Issue Plus on <u>Daphnia Magna</u>; Project No. 88-475; Prepared by American Standards Biosciences Corp. for Diversey/Wyandotte Corporation, 1532 Biddle Avenue, Wyandotte, Michigan 48192; ACC. No. 410089:14.
- 5. REVIEWED BY:

Curtis E. Laird Fishery Biologist EEB/HED Signature: Curtin E. Kand

Date: 5-31-90

6. APPROVED BY:

Norman J. Cook Supervisory Biologist EEB/HED Signature: Numan J. (wk

Date: 0.22.90

- 7. <u>CONCLUSIONS</u>: This study indicates Issue Plus is highly toxic to <u>Daphnia Magna</u> with an LC_{50} of 0.42 ppm. This study does not fulfill the requirement in support of registration for a freshwater invertebrate for a 3.89% formulation and below.
 - 8. RECOMMENDATION: N/A
- 9. <u>BACKGROUND</u>: This study was submitted in support of <u>Issue Plus</u> registration.
- 10. DISCUSSION OF INDIVIDUAL TEST: N/A
- 11. MATERIAL and METHOD;
 - A. <u>Test Animals</u>: Test animals were <u>Daphnia</u> <u>magna</u> from S. P. Engineering, Salem, PA; Age = <24 hours old.
- B. <u>Test Design</u>: Daphnia were tested in 500 ml glass beakers with 400 ml of test solution; temperature was 19°C; photoperiod was 14L/10D.

- C. <u>Dose</u>: Static bioassay using nominal concentration; 20 daphnid per dose level; 7 dose levels plus negative control (0, 0.24, 0.32, 0.42, 0.56, 0.75, 1.0, and 1.35 ppm).
- D. Statistical Analysis: Litchfield and Wilcoxon.
- 12. REPORTED RESULTS: The study author found the 48-hour LC50 to be 0.43 (0.37 0.50) ppm.
- 13. STUDY AUTHOR'S CONCLUSION/QA MEASURES: The 48-hour LC₅₀ was 0.43 ppm. This study was conducted in accordance with the regulations set forth in the Good Laboratory Practices for Nonclinical Laboratory Studies, 40 CFR 160, Federal Register, Vol. 48, November 29, 1983.
- 14. REVIEWER'S DISCUSSION AND INTERPRETATION OF THE STUDY
 - A. <u>Test Procedure</u>: The test procedure complied with the recommended EPA protocol of Oct. 1982, except the PH and D.O. was not measured and a formulated product was used.
 - B. Statistical Analysis: Probit analysis.
 - C. <u>Discussion/Result:</u> Issue Plus is highly toxic to <u>Daphnia</u> magna with an LC_{50} of 0.42 (0.36 0.47) ppm.
 - D. Adequacy of Study:
 - 1. Category: Supplemental
 - Rationale: Due to lack of PH and dissolved oxygen measurements, and a formulated product was used.
 - 3. Reparability: Not reparable
- 15. Completion of one-liner for study. Yes
- 16. CBI Appendix: N/A

5-3-89 Laird Issue Plus II Daphnia magna BINOMIAL PERCENT NUMBER NUMBER CONC. PROB. (PERCENT) DEAD EXPOSED DEAD 9.536742E-05 100 20 1.35 20 2.002716E-03 95 19 20 80 .5908966 .75 16 20 .1288414 85 17 .56 20 13.1588 13 65 .42 20 2.069473 25 5 .32 20 2.002716E-03 î .24 20

THE BINOMIAL TEST SHOWS THAT .32 AND .56 CAN BE USED AS STATISTICALLY SOUND CONSERVATIVE 95 RERCENT CONFIDENCE LIMITS, BECAUSE THE ACTUAL CONFIDENCE LEVEL ASSOCIATED WITH THESE LIMITS IS GREATER THAN 95 PERCENT.

AN APPROXIMATE LC50 FOR THIS SET OF DATA IS .3799496

RESULTS CALCULATED USING THE MOVING AVERAGE METHOD
SPAN G LC50 95 PERCENT CONFIDENCE LIMITS
4 .1382493 .400597 .340912 .462681

RESULTS CALCULATED USING THE PROBIT METHOD

ITERATIONS S H GOODNESS OF FIT PROBABILITY

4 8.444372E-02 1 .2634775

SLOPE = 5.002136 95 PERCENT CONFIDENCE LIMITS = 3.548555 AND 6.455716

LC50 = .4162147 95 PERCENT CONFIDENCE LIMITS = .3623608 AND .471393 ·