003528

LBDale,Jr.:mw January 10, 1969

Trade Name

Limoron Pramital (A.M. 7/14/81)

Chemical Name

2-methoxy-4,6-bis-(Tsopropylamino)-s-triazine

3

Structural Formula

Empirical Formula

 $C_{10}^{H}_{20}^{N}_{5}^{0}$ 

Use

Herbicide

## DATA SUMMARY

Acute Oral Toxicity (Rat)Technical  $LD_{50} = 2980 \text{ mg/Kg}$ 

Acute Oral Toxicity (Mice)Technical  $LD_{50} = 2160 \text{ mg/Kg}$ 

Subchronic Oral Toxicity (Rat) Technical: 4 Week - 400 mg/Kg - 0/10 dead; 750 mg/Kg - 4/10 dead 1500 mg/Kg - 9/10 dead

Subchronic Oral Toxicity (Rat) 25 ES : 4 Week - 750 mg/Kg-1/10 dead1500 mg/Kg-2/10 dead

2500 mg/Kg-7/10 dead

Subchronic Dermal Toxicity (Rat) 25 ES: 5% suspension, 5 days - no local skin irritation, no

intoxication

90 Day Oral Toxicity (Rat) 25 ES : 5 cu. mm./Kg/day -"no effect"

2500 mg/Kg/day - toxic

2-Methoxy-4,6-bis-(isoproyplamino)-s-triazine

## 90 Day Subchronic Toxicity Study (Rat)

The materials utilized in this study were Prometone 25 ES (25% 2-methyl 4,6 bis isopropylamino 5 triazine, and a controlled emulsion.)

The doses are expressed as 100% active ingredient. The following animal groups were utilized: Group 3 consisting of 24 rats (12 male and 12 female) received 50 cubic ml/Kg/day: Group 4 consisting of 24 rats (12 male, 12 female) received 5 cubic mî/Kg/day: Group 5 ( control) consisting of 24 rats (24 male, 12 female) received 50 cubic ml/Kg/day control emulsion: Group 6 (control) consisting of 24 rats (12 male, 12 female) received 5 ml/Kg/day water. The materials were administered via stomach tube 6 days per week for 90 days.

Prometone had no effect on the normal development of the body weights of the rats, the daily food consumption, or appearance or behavior of the animals.

Autopsies performed on all animals revealed no gross pathology which could be associated with treatment.

Two animals in the 50 cu ml/Kg/day group died due to chronic toxic effect of the drug. The livers of the 50 cubic ml/Kg/day groups exhibited vacuole formation and a granulation of the protoplasm. Slight cloudy swelling was noted in the kidney tubules.

## Subchronic Dermal Toxicity (Rat)

30 rats received graded doses of Prometone 25 ES to the denucled skin . Applications were made daily always in the same place five days per week for 3 weeks.

903523

Three concentrations of Prometone 25 ES were employed: emulsion with 1% active ingredient; emulsion with 2.5% active ngredient; and emulsion with 5% active ingredient.

Mo absorptive intoxication was noted at any concentration. No local skin irritation was noted at the 1% active ingredient level. Slight local skin irritation was noted at the 2.5% and 5% active ingredient level.

## Subchronic Oral Toxicity Study with Promazene 50 WP

24 rats (12 male, 12 female) were used at each dosage level. The dosage levels are expressed as 100% active ingredient. Two dosage levels were employed with Promazene 50 WP: 250 mg/Kg/day and 2500 mg/Kg/day. 23 out of 24 animals at the 250 mg/Kg/day dosage level survived to the 80th day of the study. Eight of 24 animals at the 2500 mg/Kg/day level survived to the 80th day of the study.

No gross pathology was given.

003598

LALLUS .

The data presented on 2-methoxy-4,6-bis-(isopropylamino)-s-triazine are sketchy in that they are incomplete translations from the German. Majority of the data are in summary form.

The toxicity of the compound seems to be moderate with only provide skin irritation. No inhalation data were presented.

5

RIN-0334-94 PROMETON REVIEWS (080804)
Page is not included in this copy.  Pages through are not included.
The material not included contains the following type of information:
Identity of product inert ingredients.
Identity of product impurities.
Description of the product manufacturing process.
Description of quality control procedures.
Identity of the source of product ingredients.
Sales or other commercial/financial information.
A draft product label.
The product confidential statement of formula.
Information about a pending registration action.
FIFRA registration data.
The document is a duplicate of page(s)
The document is not responsive to the request.
The information not included is generally considered confidential by product registrants. If you have any questions, please contact the individual who prepared the response to your request.

• • •