

3-1-83

005143

Date: March 1, 1983

Subject: EPA File Symbol: 1471-RGI and 1471-RUN
Balan Dry FlowableFrom: Deloris F. Graham
JHB/ISS F 3/1/83To: Robert Taylor
Product Manager (25)Applicant: Elanco Products Company
a Division of Eli Lilly and Company
740 South Alabama Street
Indianapolis, Indiana 46285

Active Ingredient:

N-butyl-N-ethyl-a,a,a-trifluoro-2,6

-dimethyl-p-toluidine 60%

Inert Ingredients 40%

Background: Submitted Acute Oral, Dermal
and Eye Irritation studies. Studies conducted
by Lilly Research Laboratories. Data under
accession number 249185. Cite all and
Alternate methods of support.

BEST AVAILABLE COPY

Recommendation:(1) JHB/ISS finds these data acceptable to support conditional
registration of this product. However for future ~~submissions~~
submissions please note: In the Acute Oral and
Acute Dermal Studies individual necropsy reports
for each animal must be submitted; In the
Eye Irritation Studies 9 animals (6 with treated

1311

seawashed eyes and 3 with sealed washed eyes) must be used.

005143

(2) An Acute Inhalation Study was not submitted and one must be submitted and/or cited.

Label:
(3) The appropriate signal word is CAUTION.

Label:

(1) The statement "Keep out of reach of children" must precede signal word.

(2) Precautionary statements must precede "Directions for Use" and the statement "Keep out of reach of children" must be set apart from other precautionary statements as indicated in statement (1).

(3) The precautionary statements must be revised to include, "Harmful if swallowed. If swallowed drink large quantity of water and induce vomiting by placing finger in back of throat. ~~Drainage~~ anything by mouth to unconscious person. Get medical attention."

Review:

(1) Acute Oral Toxicity Study: Lilly Research Laboratories, Study: R-O-21-82, Feb. 10, 1982.

Procedure: Five male and five female Fischer rats received 500mg/kg of the test material orally. Observations made hourly during the first 7 hours after dosing, then daily for the subsequent 14 days.

BEST AVAILABLE COPY

Results: No mortalities. Toxic signs included chromaturia. LD50 greater than 500mg/kg.

Study Classification: Core Minimum Data. Individual necropsy reports for each animal must be submitted.

2

Toxicity Category: III - CAUTION

(2) Acute Dermal Toxicity and Dermal Irritation
Study: Lilly Research Lab.; Study: B-D-25-82;
February 17, 1982. 005143

Procedure: Three male and the female rabbits received 2000 mg/kg of the test material. One-half the animals had abraded skin and the other half intact skin. Treated areas were placed under occlusive wrap for 24 hour exposure. Observations were made one hour after removal of the occlusive dressing at the end of the 24 hour exposure period then twice daily thereafter for subsequent 14 days.

Results: No mortalities. No signs of systemic toxicity noted. LD50 greater than 2000 mg/kg.

Slight to well defined erythema (score of 2 for all) and slight edema (score of 1 to 2) at 24 hours. At 72 hours, 4/6 had erythema ($4/6 = 2$) and edema ($1/6 = 1$, $5/6 = 2$). Dermal irritation persisted through day 13 decreasing in severity and had cleared by day 14. Primary Irritation Score was 3.8. Desquamation noted at day 5 and continued to test termination.

Study Classification: Core Minimum Data.
Individual necropsy report for each animal must be submitted.
Toxicity Category: III - CAUTION.

BEST AVAILABLE COPY

(3) Eye Irritation Study: Lilly Research Laboratory;
Study: B-E-28-82, February 9, 1982.

3

Procedure: Six New Zealand rabbits received 73mg (0.1cc) of the test material in one eye each.

Observations were made at 1, 24, 48 and 72 hours after dosing and again after 7 days.

Results: At 1 hour, 4/6 had corneal opacity (4/6=5), iris irritation (4/6=5), 4/6 hyperemia (1/6=1, 5/6=2) and chemosis (4/6=2). No discharge reported.

At day 1, 4/6 had corneal opacity (4/6=5), iris irritation (4/6=5), hyperemia (1/6=1, 5/6=2) and chemosis (1/6=1, 5/6=2).

At day 3, 3/6 corneal opacity (3/6=5); no iris irritation; 4/6 hyperemia (1/6=1) and 5/6 chemosis (5/6=1).

At day 7, no corneal opacity or conjunctive irritation present.

Study Classification: Core Minimum Data. 9 animals (6 with treated unwashed eyes and 3 with treated washed eyes) must be used.

Toxicity Category: IV - CAUTION.

BEST AVAILABLE COPY