



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

DEC 21 1992

EFGWB:92-1033, 92-0551
Chemical Barcode:106201
DP Barcode:D179130,D174805
Case:193369

MEMORANDUM

SUBJECT: Review of Additional Information on the Fish Accumulation Study (MRID 41444206) and Clarification on the Status of Confined Rotational Crop and Field Volatility Data Requirements for Amitraz

FROM: Dr. James A. Hetrick, Chemist
Environmental Chemistry Review Section #1
EFGWB/EFED

THRU: Mr. Henry Jacoby, Branch Chief
Environmental Fate and Ground Water Branch
Environmental Fate and Effects Division (H7507C)

Dr. Paul J. Mastradone, Section Chief
Environmental Chemistry Review Section #1
EFGWB/EFED

TO: Mr. Dennis Edwards, Team Reviewer
Registration Branch
Registration Division (H7505C)

General: EFGWB requested additional information on the TLC separation efficiency of parent amitraz and its degradates 2,4-dimethylformanilide (BTS 27919), N-2,4-dimethylphenyl-N-methylformamidine (BTS 27271), and 2,4-dimethylaniline (BTS 24868) in the fish accumulation study (MRID 41444206). The registrant, NOR-AM, responded to EFGWB's request by explaining that the TLC separation efficiency in three different solvent systems was adequate to quantify amitraz and its degradates in fish tissue extracts. However, EFGWB requested additional quantitative or qualitative information on TLC separation efficiencies of amitraz and its degradates.

This memorandum provides further clarification on the TLC separation efficiency of parent amitraz and its degradates (e.g. BTS 27919, BTS 27271, and BTS 24868) in fish tissue extracts from the fish accumulation study (MRID 41444206).




NOR-AM submitted TLC separation diagrams of reference standards of parent amitraz and its degradates in fish tissue extracts. See attached Figure 1. EFGWB believes the diagrams indicate that amitraz and its degradates can be adequately separated using methanol:water:ammonia and chloroform:ethyl acetate:ammonia solvent systems; however, the chloroform:ethyl acetate solvent does not provide adequate separation of BTS 27919 and BTS 24868. The separation of ¹⁴C-amitraz residues is shown in Table 1. This additional information is adequate to supplant any previous comments regarding the TLC separation efficiency of amitraz and its degradates in fish tissue extracts. Therefore, the fish accumulation study (MRID 41444206) provides acceptable data to fulfill the 165-4 data requirement.

There are no acceptable confined rotational crop data for amitraz at this time. However, previously submitted and acceptable field rotational crop studies partially describe the potential accumulation in rotated crops. EFGWB suggests that confined rotational crop data be required as a condition of registration to use amitraz on cotton.

As previously addressed in a memorandum (dated November 4, 1992) from EFGWB to SRRD, BTS 24868 and CO₂ were identified as the only volatile degradates in an acceptable laboratory volatility study (MRID# 40780518). Because the amitraz degradate BTS 24868 appears to be of minimal human and ecological toxicological concern, EFGWB believes the data requirement should be reserved at this time. EFGWB notes BTS 27271 and BTS 27919 have reported vapor pressures of 0.12 Pa and 4.1×10^{-4} Pa, respectively (MRID# 422063-01, 422063-03, 422063-02).

cc: Mario Fiol, SRRD (H7508W) ✓
Meredith Johnson, RD (H7505C)

FIGURE 1 : Relative Separation of the Reference
Compounds in the Solvent Systems Used



1. Chloroform : ethyl acetate
2. Methanol : water : ammonia

3. Chloroform : ethyl acetate : ammonia

3

TABLE 1 DISTRIBUTION OF ¹⁴C PRODUCTS ON TLC PLATES AS PERCENTAGE OF THAT IN TISSUE EXTRACTS

Tissue Type	Extract	TLC SOLVENT SYSTEM/IDENTIFIED COMPOUNDS									
		CHLOROFORM:ETHYL ACETATE					METHANOL:WATER:AMMONIA				
		Amitraz	BTS 27271	Combined BTS 27919/24868	Amitraz	BTS 27271	BTS 27919	BTS 24868	Amitraz	BTS 27271	BTS 27919
Viscera	Ethyl Acetate	2.36	0.88	1.10	1.44	0.84	0.29	0.33	2.68	0.61	0.37
	Methanol	0.04	0.61	0.56	ND	ND	0.18	0.58	0.16	ND	0.14
Flesh	Ethyl Acetate	1.86	3.31	1.66	1.51	1.36	0.59	0.88	1.75	1.11	1.22
	DCM	0.42	0.49	2.32	0.14	0.39	1.67	1.21	0.12	0.45	1.61
Carcass	Methanol	0.11	0.39	3.20	0.14	0.03	0.82	3.14	0.44	ND	1.53
	Ethyl Acetate	6.87	11.22	3.72	3.12	8.82	1.95	2.55	6.66	6.66	2.79
	DCM	1.08	13.52	16.25	0.29	12.48	5.35	12.32	4.02	12.38	6.59
	Methanol	0.16	0.54	4.97	0.25	ND	1.16	4.67	1.06	ND	2.09

ND - not detected.

Amv
10/10/2003.LIV