

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF PREVENTION PESTICIDES ND TOXIC SUBSTANCES

07/13/99

MEMORANDUM

Subject:

D256959

BST Protectant 50, Product No. 70871-U

From:

Wallace Powell, Biologist

Malin a franch **Efficacy and Science Support Branch**

Antimicrobials Division (7510C)

Thru:

Karen P. Hicks, Team Leader

Chemistry/Toxicology Team

Efficacy and Science Support Branch

Antimicrobials Division (7510C)

Michele E. Wingfield, Chief

Efficacy and Science Support Branch (ES

Antimicrobials Division (7510C)

To:

Velma Noble, Product Manager, Team 31

Tracy Lantz, Team Reviewer, Team 31

Regulatory Management Branch I Antimicrobials Division (7510C)

BACKGROUND

The applicant, BioShield Technologies, Inc., has submitted (through its agent) a primary eye irritation study, MRID No. 447898-01. The study was submitted in support of product registration for BST Protectant 50, EPA File Symbol 70871-U. The active ingredient in the product is 3-(trimethoxysilyl) propyldimethyloctadecyl ammonium chloride (EPA code 107401), at 0.5% of the formulation by weight.

In support of the acute inhalation toxicity data requirement, BioShield has cited MRID 411578-03. For primary dermal irritation, BioShield has cited MRID 403852-01. Acute oral toxicity Category IV and acute dermal toxicity Category III were previously established for the product (refer to 1/13/98 EPA letter and its 1/13/98 review memo attachment).

DISCUSSION AND RECOMMENDATION

Acute Inhalation Toxicity. BioShield previously cited MRID 411578-03 (submitted in the past for EPA Reg. No. 64881-2, prior to its being transferred from Reg. No. 34292-2). In a 1/13/98 ESSB review for the subject product, the study was called unacceptable based on a cursory review, because the number and spacing of the dose concentrations were not adequate for the calculation of an LC₅₀. A Health Effects Division (HED) full review dated 1/5/90 called the study Supplementary (unacceptable but upgradable) and requested submittal of the purity of the test material and submittal of a rationale for the low test doses used. In a "Phase Four Review" dated 12/3/92 (from the reregistration file for Case No. 3148), it is noted that the registrant subsequently supplied information by Fax that allowed the study to be upgraded to Minimum. The study used two doses, 0.35 and 0.45 mg/L. There were no deaths at either dose. Although the 1/5/90 review placed the test material in Category II, the 0.45 mg/L dose is so close to the Category III boundary dose of 0.50 mg/L1 that the test material most likely would have turned out to be in the Category III range had the study been conducted with a complete range of doses. Therefore, since the active ingredient was 72% (w/w) in the product tested, this argues in favor of assigning Category III to the subject product 70871-U, which contains the active ingredient at only 0.5% (w/w). The two products appear reasonably similar otherwise.

Primary Eye Irritation. The submitted study on the subject product is acceptable and places the test substance in Category IV. The test substance is substantially similar (and appears identical) to the subject product. The ESSB review of the study is attached to this memorandum.

Primary Dermal Irritation. As pointed out in the 1/13/98 ESSB review, the subject product 70871-U would appear similar to the product for which the cited study was submitted in the past (EPA Reg. No. 64881-2), except that the subject product is far less concentrated in terms of the active ingredient. Because the cited study indicates Category III, the subject product can also be assigned to Category III.

Dermal Sensitization. The cited study, MRID No. 421974-01, was cited in the applicant's previous submission. (It appears that the study was initially submitted in the past for EPA Reg. No. 64881-1 or -2; purity of active ingredient was 72%.) The study had been submitted as 'generic' data in the reregistration process. In the 1/13/98 ESSB review for the subject product (70871-U), based on a cursory review, the study was said to appear acceptable and could be bridged to support the subject product on a tentative basis. A formal review was (and still is) pending in the reregistration process. Since that time, a 2/7/92 Agency review was found which calls the study acceptable with a non-sensitizing response. In the unlikely

¹ Category III begins at LC₅₀ > 0.50 mg/L

event that the pending reregistration review disagrees with the 2/7/92 review, a resulting requirement will be given under the reregistration program.

The acute toxicity regulatory profile for BST Protectant 50 is summarized in the table below.

| Data Requirement Means of Support Tox. Category for 7,087.1-U | | |
|---|---|----------------|
| Acute Oral Toxicity | previously cited study (MRID 403852-01) | IV |
| Acute Dermal Toxicity | previously cited study (MRID 403852-01) | 111 |
| Acute Inhalation Tox. | cited study (MRID 411578-03) | III |
| Primary Eye Irritation | submitted study (MRID 447898-01) | IV |
| Primary Dermal Irritation | previously cited study (MRID 403852-01) | Ш |
| Dermal Sensitization | previously cited study (MRID 421974-01) | Non-sensitizer |

PRODUCT LABELING

Based on the above acute toxicity profile, the required human-hazard and first-aid label statements in accordance with the *Label Review Manual* are given below.

Signal Word: CAUTION

Precautionary statements to appear under the heading HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION. Harmful if inhaled or absorbed through skin. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Instructions to appear under the heading STATEMENT OF PRACTICAL TREATMENT (or FIRST AID):

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

DATA REVIEW FOR PRIMARY EYE IRRITATION TESTING (§81-4)

Reviewer: W. Powell Product No.: 70871-U DP Barcode: D256959 MRID No.: 447898-01 Study No.: 4842-98

Report Date: 01/21/99 (study completion date)

Author: Janice O. Kuhn

Conclusion:

Toxicity Category: IV Classification: Acceptable

Quality Assurance (40 CFR §160.12): Included

Deficiencies: None noted

Testing Facility: Stillmeadow, Inc. (12852 Park One Drive, Sugar Land, TX 77478)

Test Material: AM500, Lot # B039830A-2 (Dilute to 0.5% a.i. from 5% a.i.), a yellow gel; 5.04% total quaternary ammonium chloride; dilution material was deionized water. (BioShield's 3/18/99 Transmittal Document calls it a "0.5% dilution of BioShield product AM500.")

Test Animal: Rabbit, albino, New Zealand White; 3 per sex

Age: 13 to 16 weeks

Weight: Males 2000-2350 g; females 2200-3000 g

Source: Ray Nichols Rabbitry - Lumberton, TX

Test Method: 0.1 mL of the diluted test material was instilled into the conjunctival sac of one eye of each of three rabbits per sex that were pre-screened for eye abnormalities. The eyelids were held together for 1 second. The other eye was untreated and served as a control. All treated eyes were washed with de-ionized water following the 24-hour observation. Ocular reactions were recorded at approximately 1, 24, 48, and 72 hours after dosing, and graded in accordance with the Draize scale and EPA guidelines. Fluorescein ophthalmic solution was employed at the 24-hour observation. Where corneal staining resulted, this solution was reapplied at each consecutive observation time until retention of staining no longer occurred.

Results and Discussion: No 'positive' effects were observed. No effects at all were observed at 48 hours or later. No fluorescein staining was observed. The study was terminated after the 48-hour observation. These results place the test material in Category IV for primary eye irritation (i.e., minimal effects, clearing in less than 24 hours).