

13

DATE: IN 1/25/79 OUT 9/17/79 IN        OUT        IN        OUT         
FISH & WILDLIFE ENVIRONMENTAL CHEMISTRY EFFICACY

CHEMICAL FORMULATION Triforine technical 99.2% a.i.

\_\_\_\_\_

- 100     Pesticide Name  
Triforine Technical
- 100.3   Submission Purpose  
Acute Oral LD<sub>50</sub> Bobwhite Quail
- 101     Chemical and Physical Properties
- 101.1   Chemical  
Triforin (N,N-[1,4-piperazinediylbis(2,2,2-trichloroethylidene)] bis [formamide]
- 101.2   Common Name  
Triforine Technical
- 103     Toxicological Properties  
The acute oral LD<sub>50</sub> in Bobwhite Quail.
- 105     Conclusions  
The acute oral LD<sub>50</sub> in Bobwhite Quail is estimated to be greater than 5,000 mg/kg of body weight. Prior to acceptance of this study in support of registration, the food consumption data must be submitted and reviewed by the Ecological Effects Branch.

*Curtis E. Laird*  
Curtis E. Laird

Aquatic Biologist  
Ecological Effects Branch/HED

*David Coppage 9/25/79*

David Coppage  
Head, Section #3  
Ecological Effects Branch/HED

*Clayton Bushong 9/26/79*  
Clayton Bushong  
Chief  
Ecological Effects Branch/HED