- 1. CHEMICAL: Cypermethrin
- 2. FORMULATION: GFU 061 (36% w/v)
- 3. CITATION: Determination of the acute toxicity of GFU 061, a 36% w/v formulation of cypermethrin to Bluegill Sunfish (Lepomis macrochirus)
- 4. REVIEWED BY: Thomas B. Johnston Biologist, EEB
- 5. DATE REVIEWED: February 24, 1981
- 6. TEST TYPE: Continuous flow 96-hr LC50
- 7. REPORTED RESULTS: The 96-hr LC<sub>50</sub> of cypermethrin formulation GFU 061 to bluegill sunfish, as calculated-from measured concentrations, was 5.69 ppb, with 95% confidence limits of 4.92 and 6.59 ppb.
- 8. REVIEWER'S CONCLUSIONS: This study is scientifically sound, but does not satisfy the guideline requirement of a toxicity test of a warmwater fish because it was not run on technical cypermethrin. With a 96-hr LC<sub>50</sub> of 5.69 ppb, cypermethrin formulation GFU 061 is very highly toxic to warmwater fish.

Should be core for formulated product test degherements if reeded. Bym.

## Materials/Methods

Test Procedures - Test fish were exposed to the pesticide by use of a continuous flow-through apparatus. Test material from a stock jar was mixed with dilution water from a constant-temperature apparatus, and both were pumped into 20 litre exposure vessels. Each vessel contained 20 fish. Mortalities were recorded at 24-hr intervals for 96 hours. DMSO was used as a solvent. Each vessel was fed with the appropriate test concentration at the rate of 200 ml/mix. The system was designed to achieve a complete exchange of the test solutions within a period of 3.5 hours.

Statistical Analysis - The mortality data were analyzed by the Finney probit analysis method.

## Results/Discussion

								95%	Conride	ence	e Turerval	Ļ
2	4 hr	LC <sub>50</sub>	. ===	27.19	ppb				16.49	-	487 ppb	
				7.65					5.24	_	10.30	
		LC50							4.64	-	7.92	
				5.69					4.92	-	6.59	
		30										

All these listed  $LC_{50}$  values were calculated using mean measured concentrations of the test substance, not nominal concentrations.

## Conclusions:

Validation Category: Supplemental

Category Rationale: The test was run on a formulated product, rather

than on the technical.

Category Repairability: Not repairable

CONTRACT	NUMBER	PERCENT	BIMOMIAL
Mass 1	EXPOSED DEAD	DEAD	PROB. (PERCENT)
15.5	20 20	100	9.536743E-05
12.2	20 19	<sup>•</sup> 95	0.002002716
10.4	20 18	90	0.02012253
5.87	20 7.	35	13.1588
4.24	20 2	10	0.02012253
2.64	20, 1, 1, 3	15	0.1288414
1.94	20 2	10	0.02012253
1.13	0 // /	. 1940 <b>0</b>	9.536743E-05

THE BINOMIAL TEST SHOWS THAT 4.24 AND 10.4 CAN BE USED AS STATISTICALLY SOUND CONSERVATIVE 95 PERCENT CONFIDENCE LIMITS, BECAUSE THE ACTUAL CONFIDENCE LEVELS ASSOCIATED WITH THESE LIMITS IS GREATER THAN 95 PERCENT.

AN APPROXIMATE LC50 FOR THIS SET OF DATA IS 6.773055

RESULTS CALCULATED USING THE MOVING AVERAGE METHOD

6 LC50 95 PERCENT COMFIDENCE LIMITS 0.04118875 5.54222 4.695559 6.721523

PESULTS CALCULATED USING THE PROBIT METHOD

GOODNESS OF FIT PROBABILITY ITERATIONS G 0.2086773 2.151525 0.04450157

SINCE THE PROBABILITY IS LESS THAN 0.05, RESULTS CALCULATED USING THE PROBIT METHOD PROBABLY SHOULD NOT BE USED.

4.107525 SLOPE

95 PERCENT CONFIDENCE LIMITS = 2.231158 AND

5.787203

95 PERCENT COMFIDENCE LIMITS = 4.190952 AND 7.849006

2.83975

95 PERCENT COMFIDENCE LIMITS = 1.369607 AND