DATA EVALUATION REPORT

ECOLOGICAL EFFECTS BRANCH

- 1. CHEMICAL: Affirm Sha. No: 122804
- 2. TEST MATERIAL: Avermection B_1 , Avermectin B_{la} Standard and 4 photodegradates.
- 3. STUDY/ACTION TYPE: 48-hour LC50 with Daphnia magna
- 4. STUDY ID: Author: Naimie, Hussein, Susan Anton, and Larry Kaelin

Title: Results of Daphnid Bioassay of MK-0936, Avermectin B_{1a} Standard, Polar and Nonpolar Metabolites from a Water Photolysis Reaction of Avermectin B_{1a} Standard. Laboratory: Merck, Sharp and Dohme Research Laboratory

Study No./Date: Appendix 2 of Acc. No. 258746 / July, 1985 Study submitted to EPA by: Merck, Sharp and Dohme Laboratories

Acc. No: 258746

5.	REVIEWED BY:	Daniel Rieder Wildlife Biologist	Signature: Laure	Red 11/5/85
		EEB/HED	Date:	*
6	λυυνουμή ον.	Norman Cook Sia	natura. Museau	Cuk

6. APPROVED BY: Norman Cook Signature: Ywww WE Head-Section 2 EEB/HED Date: 11.5.8

7. <u>CONCLUSIONS</u>: This study is scientifically sound.

See Table I for reported LC₅₀'s.

These results support registration of Affirm.

TEST MATERIAL	BINOMIAL	MOVING	AVERAGE	PROBIT
MK-936 #1	0.22 ppb	0.24	nnh	*
Avermectin Bla #2				*
Repeat Sample #2				*
Polar Met Sample #3 -				*
Mod. Polar		المارين المستنه المستنهادين المارين المارين المستنهادين المارين ا		
Sample #4		(6.3	ppb)	*
Nonpolar Sample #5		25.4	ppb	*
Thin Film Meta. #6	76.7 ppb -	76.7	ppb	66.5

^{*} Since the goodness of fit probability is less than 0.05, results of the probit method are not used.

8. RECOMMENDATIONS: NA

9. BACKGROUND:

This test was performed to demonstrate the toxicity of Avermectin and its photo-degradates. Avermectin has a fairly short half-life, <24hrs in sunlight. EEB was concerned with the toxicity of the photodegradates. Daphnids were used since they were more sensitive to avermectin than the fish.

10. DISCUSSION OF INDIVIDUAL TESTS: The tests are discussed together in the following sections.

11. TEST METHODS/MATERIALS

Test Material: Avermectin (MK-936), Avermectin Bla Standard, and 4 Photo-degradates.

Percent active Ingredient: Assumed 100% a.i.
See attachment 1 for test material description.

Test Organism

Species: Daphnia magna
Acclimation: at 20°+ 1°C
Number/concentration: 20

Age/Stage: <24 hours Source: EPA's stock culture at Duluth

Test Containers: glass

Size: 400 ml containing 300 ml water

Aerated: No

Organisms per container: 10 Replicates: 2

Test Conditions

Photoperiod: 12 hrs/day
Temperature: 20°C
Controls: Solvent
Control only
Solvent: Methanol or

Solvent: Methanol or acetone

References:

Way test was begun: organisms added to test solution.
Measured Concentrations: No Test Solution: Reconstituted hard water

- 1. "Standard Method for the Examination of Water and Wastewater", 16th Edition, prepared and published jointly by APHA, AWWA, WPCF, 1985.
- 2. "Methods for Measuring the Acute Toxicity of Effluents to Aquatic Organisms", Environmental Monitoring and Support Laboratory - Cincinnati, Ohio, EPA-600/4-83-000, Third editions, May 1983.

"Methods for Acute Toxicity Tests with Fish, Macroinvertebrates and Amphibians", National Water Quality Laboratory, EPA-660/3-75-009, April 1975.

12. REPORTED RESULTS:

See attachment 2

Table 1 48-hour LC50's summary

Raw Mortality Data

Table 2 MK-936

Table 3 Avermectin B_{la} Standard

Table 4 Avermectin B_{la} Standard (repeat)
Table 5 Polar and Moderately polar degradates

Table 6 Non-Polar, and Polar metobolite from thin film dish.

13. STUDY AUTHOR'S CONCLUSIONS:

Photodegradates of Avermectin are less toxic to Daphnids than parent.

14. REVIEWER DISCUSSION

a. Methods/Procedures: The procedures were acceptable. The test materials were Avermectin (MK-936), Avermectin Bla and its photodegrates.

Attachment 1 for a description of the 6 test materials. Basically the photodegradate test materials were generated by exposing the parent to light either in an aqueous solution (Samples 3, 4, and 5) or as a thin film (Sample 6). Both methods of exposure produce the same degradates although in different propotions. The reported concentrations for samples 2-6 were based on radio activity and are this considered to be in ppb of 100% a.i.

The reviewer notes that samples 3 and 4 were tested with one concurrent control as were samples 5 and 6. This does not detract from the validity of the test as the controls were run on the same day as the tests they support. The controls were solvent controls.

Some of the spans between concentrations are greater than normally desired, (i.e. each concentration greater more than 60% greater than nest lower concentration) see test concentrations for samples 3, 4, 5, and 6.

b. Statistics: Independent statistics were conducted. results are attached. (Attachment 3)

c. Discussion/Results:

The results of reviewer statistics using Stephans LC_{50} computer program, are as follows. They generally support the statistics reported.

TEST MATERIAL	BINOMIAL	MOVING	AVERAGE	PROBIT
MK-936 #1	0.22 ppb -	- 0.24	ppb	*
Avermectin B _{la} #2	0.62 ppb -	- 0.61	ppb	*
Repeat Sample #2	0.42 ppb -	- 0.47	ppb	*
Polar Met Sample #3 -	4.2 ppb -	- 21.0	ppb	*
Mod. Polar				
Sample #4	7.1 ppb -	- 6.3	ppb	*
Nonpolar Sample #5	25.9 ppb	- 25.4	ppb	*
Thin Film Meta. #6	76.7 ppb	- 76.7	ppb	66.5

* Since the goodness of fit probability is less than 0.05, results of the probit method are not used.

The span between concentration does not detract from the usefulness of these tests. These tests show the toxicological relationship between the various metabolites of Avermectin. Generally, the metabolites are very highly toxic to daphnids but not as toxic as the parent.

- d. Adequacy: These 6 tests are scientifically sound. They fulfill the guideline requirments for acute aquatic invertebrate tests with metabolites and parent material.
- 15. COMPLETION OF ONE-LINER: One liner completed
- 16. CBI APPENDIX: N/A

LI

Attachment L Description of Test Materials

PagePages	
The ma	terial not included contains the following type of ation:
	Identity of product inert ingredients.
 	Identity of product impurities.
	Description of the product manufacturing process.
American latest plan April	Description of quality control procedures.
	Identity of the source of product ingredients.
. 	Sales or other commercial/financial information.
, 	A draft product label.
	The product confidential statement of formula.
	Information about a pending registration action.
	FIFRA registration data.
	The document is a duplicate of page(s)
	The document is not responsive to the request.
by pro	nformation not included is generally considered confidential oduct registrants. If you have any questions, please contact adividual who prepared the response to your request.

r

Attachment 2 Tables 1-6

Row mortality data and Reported Results.

r /

_	is not included in this copy.
Pages	through 22 are not included in this copy.
	aterial not included contains the following type of mation:
	Identity of product inert ingredients.
	Identity of product impurities.
	Description of the product manufacturing process.
	Description of quality control procedures.
, 	Identity of the source of product ingredients.
, 4 -,	Sales or other commercial/financial information.
	A draft product label.
	The product confidential statement of formula.
	Information about a pending registration action.
V	FIFRA registration data.
	The document is a duplicate of page(s)
,	The document is not responsive to the request.
by pr	nformation not included is generally considered confidential oduct registrants. If you have any questions, please contact andividual who prepared the response to your request.

÷

[7

Attachment 3 Reviewer Statistics

1-3

	AVERMECTIN ******	- MK-936	SAMPLE 1 -	DAPHNIA MAGNA LC50 ************
CONC.	NUMBER	NUMBER	PERCENT	BINOMIAL
	EXPOSED	DEAD	DEAD	PROB. (PERCENT)
1	20	19	95	2.00272E-03
•5	20	16	80	•590897
•25	20	12	60	25.1722
.15	20	5	25	2.06947
.1	20	3	15	.128841
.05	20	0	0	9.53674E-05
.025	20	0	0	9.53674E-05
.0125	20	1	5	2.00272E-03

THE BINOMIAL TEST SHOWS THAT .15 AND .5 CAN BE USED AS STATISTICALLY SOUND CONSERVATIVE 95 PERCENT CONFIDENCE LIMITS, BECAUSE THE ACTUAL CONFIDENCE LEVEL ASSOCIATED WITH THESE LIMITS IS GREATER THAN 95 PERCENT.

AN APPROXIMATE LC50 FOR THIS SET OF DATA IS .216849

RESULTS CALCULATED USING THE MOVING AVERAGE METHOD
SPAN G LC50 95 PERCENT CONFIDENCE LIMITS
5 .0629984 .244389 .19505 .318288

RESULTS CALCULATED USING THE PROBIT METHOD

ITERATIONS G H GOODNESS OF FIT PROBABILITY

4 .734858 6.07845 0

A PROBABILITY OF 0 MEANS THAT IT IS LESS THAN 0.001.

SINCE THE PROBABILITY IS LESS THAN 0.05, RESULTS CALCULATED USING THE PROBIT METHOD PROBABLY SHOULD NOT BE USED.

SLOPE = 2.34779 95 PERCENT CONFIDENCE LIMITS = .335175 AND 4.36041

LC50 = .234193

95 PERCENT CONFIDENCE LIMITS = .0723611 AND 1.80344

CONC.	NUMBER	NUMBER	PERCENT	BINOMIAL
	EXPOSED	DEAD	DEAD	PROB. (PERCENT)
1	20	18	90	.0201225
•5	20	6	30	5.76592
•25	20	0	0	9.53674E-05
.15	20	3	15	.128841
.1	20	.3	15	.128841
•05	20	1	5	2.00272E-03
.025	20	0	0	9.53674E-05
.0125	20	1	5	2.00272E-03

THE BINOMIAL TEST SHOWS THAT .25 AND 1 CAN BE USED AS STATISTICALLY SOUND CONSERVATIVE 95 PERCENT CONFIDENCE LIMITS, BECAUSE THE ACTUAL CONFIDENCE LEVEL ASSOCIATED WITH THESE LIMITS IS GREATER THAN 95 PERCENT.

AN APPROXIMATE LC50 FOR THIS SET OF DATA IS .620028

RESULTS CALCULATED USING THE MOVING AVERAGE METHOD

SPAN G LC50 95 PERCENT CONFIDENCE LIMITS 2 .0760279 .609065 .516037 .742589

RESULTS CALCULATED USING THE PROBIT METHOD

ITERATIONS G H GOODNESS OF FIT PROBABILITY

5 .980463 4.8714 0

A PROBABILITY OF 0 MEANS THAT IT IS LESS THAN 0.001.

SINCE THE PROBABILITY IS LESS THAN 0.05, RESULTS CALCULATED USING THE PROBIT METHOD PROBABLY SHOULD NOT BE USED.

SLOPE = 1.59608 95 PERCENT CONFIDENCE LIMITS = .0156683 AND 3.1765

LC50 = .631463

122804 AVERMECTIN - AVERMECTIN BLA SAMPLE 2 (REPEAT) DAPHNIA LC50

CONC.	NUMBER	NUMBER	PERCENT	BINOMIAL
	EXPOSED	DEAD	DEAD	PROB. (PERCENT)
1	20	14	70	5.76592
•5	20	12	60	25.1722
.25	20	4	20	.590897
.15	20	3	15	.128841
.1	20	0	0	9.53674E-05
•05	20	1	5	2.00272E-03
.025	20	0	0	9.53674E-05
.0125	20	1	5	2.00272E-03

THE BINOMIAL TEST SHOWS THAT .25 AND +INFINITY CAN BE USED AS STATISTICALLY SOUND CONSERVATIVE 95 PERCENT CONFIDENCE LIMITS, BECAUSE THE ACTUAL CONFIDENCE LEVEL ASSOCIATED WITH THESE LIMITS IS GREATER THAN 95 PERCENT.

AN APPROXIMATE LC50 FOR THIS SET OF DATA IS .423532

RESULTS CALCULATED USING THE MOVING AVERAGE METHOD

SPAN G LC50 95 PERCENT CONFIDENCE LIMITS 2 .374194 .472116 .285819 .728122

RESULTS CALCULATED USING THE PROBIT METHOD

TTERATIONS G H GOODNESS OF FIT PROBABILITY
5 .649947 3.54403 1.64437E-03

SINCE THE PROBABILITY IS LESS THAN 0.05, RESULTS CALCULATED USING THE PROBIT METHOD PROBABLY SHOULD NOT BE USED.

SLOPE = 1.69723

95 PERCENT CONFIDENCE LIMITS = .328935 AND 3.06552

LC50 = .543658

95 PERCENT CONFIDENCE LIMITS = .238436 AND 18.688

LC10 = .0970616

95 PERCENT CONFIDENCE LIMITS = .0010611 AND .222816

NOTE: THERE WAS CONTROL MORTALITY, BUT AT LEAST ONE OF THE LOWER CONCENTRATIONS HAD ZERO MORTALITY.
THEREFORE, ABBOIT'S CORRECTION IS NOT APPLICABLE.

CONC.	NUMBER	NUMBER	PERCENT	BINOMIAL
	EXPOSED	DEAD	DEAD	PROB. (PERCENT)
100	20	20	100	9.53674E-05
10	20	1	5	2.00272E-03
5	20	12	60	25.1722
1	20	4	20	•590897
•5	20	0	0	9.53674E-05
•3	20	0	0	9.53674E-05

THE BINOMIAL TEST SHOWS THAT 1 AND 100 CAN BE USED AS STATISTICALLY SOUND CONSERVATIVE 95 PERCENT CONFIDENCE LIMITS, BECAUSE THE ACTUAL CONFIDENCE LEVEL ASSOCIATED WITH THESE LIMITS IS GREATER THAN 95 PERCENT.

AN APPROXIMATE LC50 FOR THIS SET OF DATA IS 4.18588

RESULTS CALCULATED USING THE MOVING AVERAGE METHOD

SPAN G LC50 95 PERCENT CONFIDENCE LIMITS 2 .279044 21.0816 10.3396 56.0744

RESULTS CALCULATED USING THE PROBIT METHOD

ITERATIONS G H GOODNESS OF FIT PROBABILITY 6 1.34662 7.13779 0

A PROBABILITY OF O MEANS THAT IT IS LESS THAN 0.001.

SINCE THE PROBABILITY IS LESS THAN 0.05, RESULTS CALCULATED USING THE PROBIT METHOD PROBABLY SHOULD NOT BE USED.

SLOPE = 1.35652

95 PERCENT CONFIDENCE LIMITS =-.217639 AND 2.93069

LC50 = 10.2629

95 PERCENT CONFIDENCE LIMITS = 0 AND +INFINITY

LC10 = 1.18865

95 PERCENT CONFIDENCE LIMITS = 0 AND 8.71067



NOTE: BECAUSE THERE WAS CONTROL MORTALITY, AND NONE OF THE LOWER CONCENTRATIONS PRODUCED ZERO MORTALITY, THE DATA HAS BEEN SUBJECTED TO ABBOTT'S CORRECTION.

122804 AVERMECTIN - MOD. POLAR MET. SAMPLE 4 - DAPHNIA MAGNA LC50

CONC.	NUMBER EXPOSED	NUMBER DEAD	PERCENT DEAD	BINOMIAL PROB. (PERCENT)
100	19	19	100	1.90735E-04
10	19	14	73.6842	•960541
5	19	.5	26.3158	3.17841
1	19	4	21.0526	•960541
•5	19	0	0	1.90735E-04
•3	19	3	15.7895	.221252

THE BINOMIAL TEST SHOWS THAT 1 AND 10 CAN BE USED AS STATISTICALLY SOUND CONSERVATIVE 95 PERCENT CONFIDENCE LIMITS, BECAUSE THE ACTUAL CONFIDENCE LEVEL ASSOCIATED WITH THESE LIMITS IS GREATER THAN 95 PERCENT.

AN APPROXIMATE LC50 FOR THIS SET OF DATA IS 7.07107

RESULTS CALCULATED USING THE MOVING AVERAGE METHOD

SPAN G LC50 95 PERCENT CONFIDENCE LIMITS 3 .257031 6.28434 2.48171 16.0054

RESULTS CALCULATED USING THE PROBIT METHOD

ITERATIONS G H GOODNESS OF FIT PROBABILITY
5 .591902 3.08122 .0150918

SINCE THE PROBABILITY IS LESS THAN 0.05, RESULTS CALCULATED USING THE PROBIT METHOD PROBABLY SHOULD NOT BE USED.

SLOPE = 1.33909

95 PERCENT CONFIDENCE LIMITS = .308858 AND 2.36932

LC50 = 5.1397

95 PERCENT CONFIDENCE LIMITS = 1.21526 AND 84.1138

LC10 = .578803

95 PERCENT CONFIDENCE LIMITS = 1.10776E-03 AND 2.07563

122804 AVERMECTIN - NONPOLAR MET. SAMPLE 5 - DAPHNIA MAGNA LC50

CONC.	NUMBER	NUMBER	PERCENT	BINOMIAL
	EXPOSED	DEAD	DEAD	PROB. (PERCENT)
100	20	19	95	2.00272E-03
10	20	3	15	.128841
5	20	1	5	2.00272E-03
1	20	1	5	2.00272E-03
•5	20	1	5	2.00272E-03
•3	20	0	0	9.53674E-05

THE BINOMIAL TEST SHOWS THAT 10 AND 100 CAN BE USED AS STATISTICALLY SOUND CONSERVATIVE 95 PERCENT CONFIDENCE LIMITS, BECAUSE THE ACTUAL CONFIDENCE LEVEL ASSOCIATED WITH THESE LIMITS IS GREATER THAN 95 PERCENT.

AN APPROXIMATE LC50 FOR THIS SET OF DATA IS 25.9197

RESULTS CALCULATED USING THE MOVING AVERAGE METHOD

SPAN G LC50 95 PERCENT CONFIDENCE LIMITS 2 .0871172 25.3619 17.2541 41.2346

RESULTS CALCULATED USING THE PROBIT METHOD

ITERATIONS G H GOODNESS OF FIT PROBABILITY
6 .904526 3.89955 3.60817E-03

SINCE THE PROBABILITY IS LESS THAN 0.05, RESULTS CALCULATED USING THE PROBIT METHOD PROBABLY SHOULD NOT BE USED.

SLOPE = 1.56853 95 PERCENT CONFIDENCE LIMITS = .0767546 AND 3.0603

LC50 = 22.9291 95 PERCENT CONFIDENCE LIMITS = 3.77517 AND 2.69144E+07

 122804 AVERMECTIN - THIN FILM MET. SAMPLE 6 - DAPHNIA MAGNA LC50

CONC.	NUMBER EXPOSED	NUMBER DEAD	PERCENT DEAD	BINOMIAL PROB.(PERCENT)
		טאבוט		· · · · · · · · · · · · · · · · · · ·
100	20	11	55	41.1901
10	20	3	15	.128841
5	20	4	20	.590897
1	20	0	0	9.53674E-05
•5	20	0	0	9.53674E-05
.3	20	0	0	9.53674E-05

THE BINOMIAL TEST SHOWS THAT 10 AND +INFINITY CAN BE USED AS STATISTICALLY SOUND CONSERVATIVE 95 PERCENT CONFIDENCE LIMITS, BECAUSE THE ACTUAL CONFIDENCE LEVEL ASSOCIATED WITH THESE LIMITS IS GREATER THAN 95 PERCENT.

AN APPROXIMATE LC50 FOR THIS SET OF DATA IS 76.6549

RESULTS CALCULATED USING THE MOVING AVERAGE METHOD

SPAN G LC50 95 PERCENT CONFIDENCE LIMITS 1 .547919 76.6549 32.6799 1537.85

RESULTS CALCULATED USING THE PROBIT METHOD

ITERATIONS G H GOODNESS OF FIT PROBABILITY
4 .163366 1 .588108

SLOPE = 1.11853

95 PERCENT CONFIDENCE LIMITS = .666434 AND 1.57062

1C50 = 66.4504

95 PERCENT CONFIDENCE LIMITS = 30.9148 AND 260.512

LC10 = 4.86491

95 PERCENT CONFIDENCE LIMITS = 1.56586 AND 9.93066
