DATA EVALUATION RECORD § 71-1(A) - AVIAN SINGLE-DOSE LD₅₀ TEST

5/30/1995

1. CHEMICAL: RPA 201772 (Isoxaflutole)

PC Code No.: 123000

2. TEST MATERIAL: Batch No. 21 ADM 93

Purity: 98.7%

3. CITATION Authors: Petersen, C.A. and S.M. Thompson

Title: 14 Day Acute Oral LD50 Study in Bobwhite

Quail

Study Completion Date: March 15, 1994

Laboratory: Bio-Life Associates, Ltd

Sponsor: Rhone-Poulenc Ag Company Laboratory Report ID: BLAL # 108-025-03

MRID No.: 435732-31

4. REVIEWED BY: Michael Davy, Agronomist, ERCB, EFED

Signature: Muhae Davis Date: 5-25-95

5. PEER REVIEWER: Francis Mastrota, ERCB, EFED

Signature: F. Micholas Mastcola Date: 5-30-95

6. STUDY PARAMETERS

Scientific Name of Test Organism: Colinus virginianus Test Organisms Age/Size: 26 weeks old Definitive Study Duration: 14 days

7. <u>CONCLUSIONS</u>: This study is scientifically sound and meets all guideline requirements for 71-1 Avian Acute LD_{50} Oral Dose. This herbicide is considered to be practically non-toxic to bobwhite quails with LD_{50} > 2150 mg/kg and NOEL >2150 mg/kg.

8. ADEQUACY OF THE STUDY

- A. Classification: Core
- B. Rationale: N/A
- C. Repairability: n/a
- 9. GUIDELINE DEVIATIONS: None noted.
- 10. SUBMISSION PURPOSE: EUP

11. MATERIALS AND METHODS

A. Test Organisms

Guideline Criteria	Reported Information
Species: A wild waterfowl species, preferably the mallard (Anas platy-rhynchos), or an upland game bird species, preferably the bobwhite (Colinus virginianus).	Bobwhite quail
Age at beginning of test: At least 16 weeks old.	52 weeks
Supplier	Oak Ridge Game Farms
Acclimation period: At least 15 days.	60 days

B. Test System

Guideline Criteria	Reported Information
Pen facilities adequate?	61 x 53 x 38 cm pens, Yes
Photoperiod: 10-h light, 14-h dark	10 hour light, 14 hour dark
Diet was nutritious and appropriate for species?	Yes
Feed withheld at least 15 hours prior to dosing?	Yes, 20 hours

C. Test Design

Guideline Criteria	Reported Information
Range finding test?	Yes
Definitive Test Nominal concentrations: At least five, in a geometric scale, unless LD ₅₀ > 2000 mg ai / kg.	control, 464 mg/kg, 681 mg/kg, 1000 mg/kg, 1470 mg/kg, 2150 mg/kg
Controls: Water control or vehicle control (if vehicle is used)	empty gelatin capsules
Number of birds per group: 10 (strongly recommended)	5 male and 5 female
Vehicle: Distilled water, corn oil, propylene glycol, 1% carboxymethylcellulose, or gum arabic.	gelatin capsules
Amount of vehicle per body weight: Constant volume/weight % of body weight, not to exceed 1% (1ml/100g).	nil
Observations period: At least 14 days.	14 days

12. REPORTED RESULTS

Guideline Criteria	Reported Information
Quality assurance and GLP compliance statements were included in the report?	Yes
Individual body weights measured at beginning of test, on day 14 and at end of test if extended beyond 14 days?	Yes
Mean feed consumption measured at beginning of test, on day 14, and at end of test if extended beyond 14 days?	Yes
Control Mortality: Not more than 10%	0 %
Raw data included?	Yes
Signs of toxicity (if any) were described?	Yes

<u>Mortality</u>

		Cumulative Number of Dead							
Dosage	No. of	Day of Study							
(mg/kg)	Birds	1	2	3	4	5	6-8	9-11	12-14
Control	10	0	0	0	0	0	0	0	0
464	10	0	0	0	0	0	0	0	. 0
681	10	0	0	0	0	0	0	0	0
1000	10	0	0	0	0	0	0	0	0
1470	10	0	0	0	0	0	0	0	0
2150	10	0	0	0	0	0	0	0	0

Other Significant Results: Feed consumption is normal and no gross observations or mortalities noted.

Reported Statistical Results

Statistical Method: observational

 $LD_{50}:> 2150 \text{ mg/kg}$ NOEL: >2150 mg/kg

13. Verification of Statistical Results

Statistical Method: observational

 LD_{50} : >2150 mg/kg NOEL:>2150 mg/kg

15. REVIEWER'S COMMENTS: This study is scientifically sound and meets all guideline requirements for 71-1 Avian Acute LD_{50} Oral Dose. This herbicide is considered to be practically non-toxic to bobwhite quails with $LD_{50}>2150$ mg/kg and NOEL >2150 mg/kg.

ISOXAFlutole Review 123000
Page is not included in this copy.
Pages 6 through 10 are not included.
The material not included contains the following type of information:
Identity of product inert ingredients.
Identity of product impurities.
Description of the product manufacturing process.
Description of quality control procedures.
Identity of the source of product ingredients.
Sales or other commercial/financial information.
A draft product label.
The product confidential statement of formula.
Information about a pending registration action.
FIFRA registration data.
The document is a duplicate of page(s)
The document is not responsive to the request.
The information not included is generally considered confidential by product registrants. If you have any questions, please contact the individual who prepared the response to your request.