

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

ww.i75

CASWELL PAR

DEC 3 1000

MEMORANDUM

OFFICE OF PESTICIDES AND TOXIC SUBSTANCES

Subject:

Touchdown Concentrate Herbicide

(Sulfosate; SC-0224)

Identifying Numbers 10182-276 & 10182-277

Tox Chem No. 893C HED Project No. 0-1603

From:

John H.S. Chen, D.V.M.

20h 117 Chew 1/26/40 Review Section I

Toxicology Branch II

Health Effects Division (H7509C)

To:

Robert J. Taylor, PM 25 Herbicide-Fungicide Branch Registration Division (H7505C)

Thru:

Yiannakis M. Ioannou, Ph.D., Section Head

Review Section I Toxicology Branch II

Health Effects Division (H7509C)

and

Marcia van Gemert, Ph.D., Branch Chief

Toxicology Branch II

Health Effects Division (H7509C)

Registrant: ICI Americas, Inc., Wilmington, Delaware

Action Requested: Review of Registrant's response to the previous Toxicology Branch review comments concerning the mouse micronucleus test with SC-0224 (Toxicology Branch MEMO 7/29/87 Bruce Jaeger).

Registrant's Response: "Attached is a summary table showing the results of the range-finding studies used to define the doses used in the micronucleus test. It is clear from the table that for males doses of 1400 mg/kg or higher resulted in 3 of 3 animal deaths by 48 hours. For females at least 2/3 of the animals died at 1000 ug/kg or higher. The table also shows a reduction of PCE at 700 mg/kg in trial one and at 1200 mg/kg in trial two for males: 1000 mg/kg produced a reduction in PCE among females. These results justify the use of the reported doses 400, 600, 800 mg/kg for females - and 700, 900, 1100 mg/kg for males, and are consistent with the requirements of the Health Effects Guidelines."

Reviewer's Comments: The submitted addendum with table (attached) provided adequate information concerning the detailed range-finding test results for this study. The Registrant's response to the deficiency cited in the previous Toxicology Branch review of this study appears to be justified.

Recommendation: This study is upgraded to acceptable status. The test compound, SC-0224, did not induce any significant increase in the number of PCE containing micronuclei from the treated animals (400 through 1100 mg/kg) at all the time intervals evaluated.

Cugilled staroflul

Page	is not included in this copy.
Pages	through are not included in this copy.
The material not included contains the following type of information:	
<u></u>	Identity of product inert ingredients.
·	Identity of product inert impurities.
	Description of the product manufacturing process.
· 	Description of quality control procedures.
	Identity of the source of product ingredients.
	Sales or other commercial/financial information.
	A draft product label.
· · · · · · · · · · · · · · · · · · ·	The product confidential statement of formula.
	Information about a pending registration action.
	FIFRA registration data.
	The document is a duplicate of page(s)
	The document is not responsive to the request.
The information not included is generally considered confidential by product registrants. If you have any questions, please contact the individual who prepared the response to your request.	