

DATA EVALUATION RECORD

1. Chemical: HOE 039866 (Ignite)
2. Test Material: 16.22% ai
[soluble concentrate 200 (g/L)]
3. Study Type: Freshwater Fish Acute Toxicity
Species Tested: Rainbow Trout
4. Citation: Fischer, R. (1985) The Effect of HOE 039866 Soluble Concentrate, Identification Code: HOE-039866 OH SL18 A505 to Salmo gairdneri (Rainbow trout) in a Static Test (Sg 342/A, Method EPA). Prepared by Ecological Laboratory, Hoechst AG, Frankfurt Hoechst, Federal Republic of Germany. Submitted by American Hoechst Corp. fort. EPA File Symbol 8340-EUP-RN. Accession No. 263027.
5. Reviewed By: Carol M. Natella
Wildlife Biologist
EEB/HED
Signature: *Carol M. Natella*
Date: *11-20-86*
6. Approved By: Harry Craven
Supervisory Biologist
EEB/HED
Signature: *Harry T. Craven*
Date: *12-3-86*
7. Conclusions:

The study is scientifically sound. With a 96-hour LC₅₀ of 26.7 ppm (95% C.L. 18 and 56) a 16.22% ai formulation of HOE 039866 is slightly toxic to rainbow trout.

The study would fulfill a Guidelines requirement for an acute toxicity determination for a coldwater fish with the formulated product.
8. Recommendations: N/A.
9. Background: N/A.
10. Discussion of Individual Tests: N/A.

11. Materials and Methods:

- a. Test Animals: Rainbow trout, mean weight 1.91 g, mean length, 5.06 cm. Source: Dr. Mueller, Fredelsloh/Moringen, West Germany.
- b. Test System: 50 L chemically inert tanks holding 50 L of dilution water. Dilution water was deionized and then reconstituted to the desired hardness and pH. It was characterized as having a pH of 7.76, a total hardness of 46.86 mg/L as CaCO_3 , a total alkalinity of 34.48 mg/L as CaCO_3 , and a conductivity of 163 micro mhos/cm. Test temperature was held between 11.7 and 13.1 °C.
- c. Dosing: Static bioassay.
- d. Design: Ten fish per tank, ten fish per concentration, six concentrations plus an untreated control were tested.
- e. Statistics: The LC_{50} values were determined by Stephan's computer program.

12. Reported Results:

Nominal Concentration (mg/L)	Percent Mortality			
	24 Hrs	48 Hrs	72 Hrs	96 Hrs
100	100	100	100	100
56	100	100	100	100
32	0	10	80	80
18	0	0	0	0
10	0	0	0	0
5.6	0	0	0	0
Control	0	0	0	0

At the 32 mg/L concentration, the following toxicity symptoms were observed: darting movements, surface swimming, head down swimming, slow reactions.

13. Study Authors' Conclusions:

	Evaluation Time		
	24 Hrs	48 Hrs	72 and 96 Hrs
LC05 mg/L	32-56	18-32	18-32
95% Conf. Lim.	* range	* range	* range
LC50 mg/L	32-56	39.91	26.7
95% Conf. Lim.	* range	32-56	18-56
LC95 mg/L	32-56	32-56	32-56
95% Conf. Lim.	* range	* range	* range

* The concentrations neighboring the expected LC value are given as LC ranges.

14. Reviewer's Discussion and Interpretation of the Study:

- a. Test Procedures: The procedures were in accordance with protocols recommended by the Guidelines.
- b. Statistical Analysis: The 96-hour LC50 value was verified using Stephan's computer program. The binomial test gave an LC50 of 26.7 ppm, the same as that reported by the authors.
- c. Discussion/Results: With a 96-hour LC50 of 26.7 ppm, 16.22% ai formulation of HOE 039866 is slightly toxic to rainbow trout.
- d. Adequacy of Study:
 - (1) Classification: Core, for the formulated product.
 - (2) Rationale: N/A.
 - (3) Reparability: N/A.

15. Completion of One-Liner:

Yes, October 21, 1986.

NATELLA HOE 039866 RAINBOW

CONC.	NUMBER EXPOSED	NUMBER DEAD	PERCENT DEAD	BINOMIAL PROB. (PERCENT)
100	10	10	100	.0976563
56	10	10	100	.0976563
32	10	8	80	5.46875
18	10	0	0	.0976563
10	10	0	0	.0976563
5.6	10	0	0	.0976563

THE BINOMIAL TEST SHOWS THAT 18 AND 56 CAN BE
USED AS STATISTICALLY SOUND CONSERVATIVE 95 PERCENT
CONFIDENCE LIMITS, BECAUSE THE ACTUAL CONFIDENCE LEVEL
ASSOCIATED WITH THESE LIMITS IS GREATER THAN 95 PERCENT.

AN APPROXIMATE LC50 FOR THIS SET OF DATA IS 26.6994

WHEN THERE ARE LESS THAN TWO CONCENTRATIONS AT WHICH THE
PERCENT DEAD IS BETWEEN 0 AND 100, NEITHER THE MOVING AVERAGE
NOR THE PROBIT METHOD CAN GIVE ANY STATISTICALLY SOUND RESULTS.
