



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

497E

JAN 18 1996

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

MEMORANDUM

SUBJECT: Dietary Exposure Analysis for Imidacloprid in/on Pome Fruits. PP# 5F4600.

FROM: Brian Steinwand
Dietary Risk Evaluation Section
Science Analysis Branch/HED (7509C)

E.A. Doyle for

Through: Elizabeth Doyle, Section Head
Dietary Risk Evaluation Section
SAB/Health Effects Division

E.A. Doyle

TO: D. Edwards, PM Team 19
Registration Division (7505C)

W.B. Bur

Action Requested

Provide a dietary exposure analysis for the use of imidacloprid in/on pome fruit. The petition requests but CBTS recommends against a tolerance of 0.6 ppm be established on pome fruit. A revised label and Section F are required for the establishment of this tolerance. However, CBTS asks that a DRES analysis be conducted at this time using 0.6 ppm for pome fruit and apple juice (See memo, F. Griffith, 10/30/95).

Discussion

The petition requests a tolerance of 0.6 ppm on the pome fruit crop group. Representative commodities within DRES for the pome fruit crop group include apples, crabapples, pears and quinces. As there are presently established tolerances for apples at 0.5 ppm, an additional tolerance of 0.1 ppm was added for this commodity. Crabapples, pears and quinces were added at 0.6 ppm.

Toxicological Endpoint:

The Reference Dose (RfD) used in the analysis is 0.057 mg/kg bwt/day, based on a NOEL of 100 ppm (5.70 mg/kg bwt/day) from a two year rat feeding study that demonstrated increased thyroid lesions in males at the next highest dose. An uncertainty factor of 100 was applied. The HED RfD Peer review Committee also classified imidacloprid as a Group E carcinogen (G. Ghali memo, 11/10/93).

An acute dietary assessment is required by the Toxicology Endpoint Selection Document for imidacloprid (M. Ottley & K. Baetcke memo, 4/18/94). The endpoint for acute dietary risk assessment is 24 mg/kg/day, the NOEL from the rabbit developmental study. The LEL (72 mg/kg/day) was based upon decreased body weight, increased resorptions, abortions, and increased skeletal abnormalities.

Residue Information

Tolerances for imidacloprid are published in 40 CFR §180.472. For the purposes of this analysis, the new tolerance for dandelion, endive, cress, parsley and spinach were upgraded to pending status. There are no anticipated residues nor percent crop treated estimates. All uses assume 100 percent crop treated.

Even though finite residues will occur in meat, milk, poultry and eggs from the feeding of imidacloprid treated RACs or their processed feed items, adequate total imidacloprid secondary tolerances have been established (See memo, F. Griffith, 10/30/95).

Results

A summary of the residue information considered in this analysis is attached as Table 1. A DRES chronic exposure analysis was performed using tolerance level residues and 100 percent crop treated information to estimate the Theoretical Maximum Residue Contribution (TMRC) for the general population and 22 subgroups. Summaries of the TMRCs and their representations as percentages of the Reference Dose (RfD) are included as Tables 2 & 3. Summaries of the acute dietary risk for the subgroup females(13+ years) are attached as Table 4.

Chronic Exposure Analysis

Exposure from Published Uses of imidacloprid:

<u>Subgroup</u>	<u>Exposure (mg/kg/day)</u>	<u>%RfD</u>
U.S. Population	0.008187	14.4
Non-Nursing Infants (< 1 year)	0.014818	26.0

Proposed new Tolerances on pome fruits:

U.S. Population	0.000154	0.3
Non-Nursing Infants (< 1 year)	0.001752	3.1

If the new tolerances on pome fruits are approved:

U.S. Population	0.008340	14.6
Non-Nursing Infants (< 1 year)	0.016570	29.1

The chronic analysis for imidacloprid is a worst case estimate of dietary exposure with all residues at tolerance level and 100 percent of the commodities assumed to be treated with imidacloprid. Even without refinements, the chronic dietary risk from exposure to imidacloprid appears to be minimal for this petition on pome fruits at 0.6 ppm.

Acute Exposure:

The endpoint for acute dietary risk assessment is the NOEL (24 mg/kg/day) from the rabbit developmental toxicity study. The LEL (72 mg/kg/day) was based upon decreased body weight, and increased resorptions, abortion and increased skeletal abnormalities. Because the effects of concern are developmental in nature, the only subgroup of concern is females (13+ years old).

Generally, acute dietary margins of exposure greater than 100 tend to indicate no dietary risk concern. The MOE value of 480 demonstrates no concern for females of child-bearing age considering the proposed tolerances.

There appears to be no acute dietary concern for the proposed tolerances on the pome fruits group.

Attachments

cc: DRES; Caswell 497E; RCAB; CBTS (F. Griffith); Tox I

TABLE 1

CHEMICAL INFORMATION FOR CASWELL NUMBER 497E

DATE: 11/29/95

PAGE: 1

CHEMICAL	STUDY TYPE	EFFECTS	REFERENCE DOSES		DATA GAPS/COMMENTS	STATUS
			ADI	UF -->100		
Imidacloprid Caswell #497E CAS No. 105827-78-9 A.I. CODE: 129099 CFR No.	2yr feeding- rat NOEL= 5.7000 mg/kg 100.00 ppm LEL= 16.9000 mg/kg 300.00 ppm ONCO: E (RfD/PR Committee)	Increased incidence of mineralized particles in thyroid colloid. No evidence of carcinogenicity in rats or mice.	OPP RfD= 0.057000 EPA RfD= 0.000000		No data gaps.	RfD/PR reviewed 04/22/93

FOOD CODE	FOOD NAME	PETITION NUMBER	TOLERANCE (PPM)	
			NEW	PENDING PUBLISHED
01013AA	GRAPES-FRESH	3F4231		1.000000
010140A	GRAPES-RAISINS	3F4231		1.000000
01014JA	GRAPES-JUICE	3F4231		1.000000
04001AA	APPLES-FRESH	3F4169		0.500000
04001AA	APPLES-FRESH	5F4600	0.100000	
04001DA	APPLES-DRIED	3F4169		0.500000
04001DA	APPLES-DRIED	5F4600	0.100000	
04001JA	APPLES-JUICE	3F4169		0.500000
04001JA	APPLES-JUICE	5F4600	0.100000	
04002AA	CRABAPPLES	5F4600	0.600000	
04003AA	PEARS-FRESH	5F4600	0.600000	
04003DA	PEARS-DRIED	5F4600	0.600000	
04004AA	QUINCES	5F4600	0.600000	
06007AA	MANGOES	4F4285		0.200000
08020AA	HOPS	5E4425		6.000000
11001AA	EGGPLANT	3F4231		1.000000
11003AA	PEPPERS, SWEET, GARDEN	3F4231		1.000000
11003AB	CHILI PEPPERS	3F4231		1.000000
11003AD	PEPPERS-OTHER	3F4231		1.000000
11004AA	PIMIENTOS	3F4231		1.000000
11005AA	TOMATOES-WHOLE	3F4231		1.000000
11005JA	TOMATOES-JUICE	3F4231		1.000000
11005RA	TOMATOES-PUREE	3F4231		3.000000
11005TA	TOMATOES-PASTE	3F4231		6.000000
11005UA	TOMATOES-CATSUP	3F4231		1.000000
13005AA	BROCCOLI	3F4231		3.500000
13006AA	BRUSSEL SPROUTS	3F4231		3.500000
13007AA	CABBAGE-GREEN AND RED	3F4231		3.500000
13008AA	CAULIFLOWER	3F4231		3.500000
13009AA	COLLARDS	3F4231		3.500000
13010AA	CABBAGE-CHINESE/CELERY, INC. BOK CHOY	3F4231		3.500000
13011AA	KALE	3F4231		3.500000
13012AA	KOHLRABI	3F4231		3.500000
13013AA	LETTUCE-LEAFY VARIETIES	3F4231		3.500000
13014AA	DANDELION	5F4522	3.500000	
13015AA	ENDIVE, CURLEY AND ESCAROLE	5F4522	3.500000	
13017AA	CRESS, GARDEN, FIELD	5F4522	3.500000	
13020AA	LETTUCE-UNSPECIFIED	3F4231		3.500000
13021AA	MUSTARD GREENS	3F4231		3.500000
13022AA	PARSLEY	5F4522	3.500000	

TABLE 2
TOLERANCE ASSESSMENT SYSTEM ROUTINE CHRONIC ANALYSIS

PAGE: 1

DATE: 11/29/95

CHEMICAL INFORMATION	STUDY TYPE	EFFECTS	REFERENCE DOSES	DATA GAPS/COMMENTS	STATUS
Imidacloprid Caswell #497E CAS No. 105827-78-9 A.I. CODE: 129099 CFR No.	2yr feeding- rat NOEL= 5.7000 mg/kg 100.00 ppm LEL= 16.9000 mg/kg 300.00 ppm ONCO: E (RfD/PR Committee)	Increased incidence of mineralized particles in thyroid colloid. No evidence of carcinogenicity in rats or mice.	ADI UF -->100 OPP RfD= 0.057000 EPA RfD= 0.000000	No data gaps.	RfD/PR reviewed 04/22/93

POPULATION SUBGROUP	TOTAL TMRC (MG/KG BODY WEIGHT/DAY)		NEW TMRC		DIFFERENCE AS PERCENT OF RFD		EFFECT OF ANTICIPATED RESIDUES	
	CURRENT TMRC*	NEW TMRC**	AS PERCENT OF RFD	AS PERCENT OF RFD	AS PERCENT OF RFD	AS PERCENT OF RFD	ARC	%RFD
U.S. POPULATION - 48 STATES	0.008186	0.008513	14.935746		0.573702			
U.S. POPULATION - SPRING SEASON	0.007785	0.008093	14.198539		0.539777			
U.S. POPULATION - SUMMER SEASON	0.007825	0.008112	14.231484		0.502558			
U.S. POPULATION - FALL SEASON	0.008559	0.008915	15.640339		0.624860			
U.S. POPULATION - WINTER SEASON	0.008555	0.008911	15.634079		0.625133			
NORTHEAST REGION	0.008515	0.008929	15.665598		0.726507			
NORTH CENTRAL REGION	0.008392	0.008668	15.207740		0.484128			
SOUTHERN REGION	0.007376	0.007653	13.426996		0.486798			
WESTERN REGION	0.008818	0.009187	16.117146		0.646216			
HISPANICS	0.008620	0.008925	15.657237		0.533844			
NON-HISPANIC WHITES	0.008311	0.008630	15.140028		0.559251			
NON-HISPANIC BLACKS	0.007079	0.007456	13.080058		0.659995			
NON-HISPANIC OTHERS	0.008668	0.009101	15.966275		0.759016			
NURSING INFANTS (< 1 YEAR OLD)	0.005513	0.006970	12.227395		2.556295			
NON-NURSING INFANTS (< 1 YEAR OLD)	0.014817	0.017228	30.224123		4.228853			
FEMALES (13+ YEARS, PREGNANT)	0.006778	0.006925	12.149735		0.258179			
FEMALES 13+ YEARS, NURSING	0.007715	0.008223	14.426735		0.891788			
CHILDREN (1-6 YEARS OLD)	0.016933	0.017586	30.852795		1.145007			
CHILDREN (7-12 YEARS OLD)	0.012548	0.013000	22.806484		0.792577			
MALES (13-19 YEARS OLD)	0.008499	0.008749	15.348526		0.438232			
FEMALES (13-19 YEARS OLD, NOT PREG. OR NURSING)	0.007187	0.007383	12.952091		0.343714			
FEMALES (20 YEARS AND OLDER)	0.006255	0.006487	11.381018		0.406535			
FEMALES (20 YEARS AND OLDER, NOT PREG. OR NURS)	0.006056	0.006300	11.052470		0.427735			

*Current TMRC does not include new or pending tolerances.

**New TMRC includes new, pending, and published tolerances.

CHEMICAL INFORMATION FOR CASWELL NUMBER 497E

DATE: 11/29/95

PAGE: 2

CHEMICAL	STUDY TYPE	EFFECTS	REFERENCE DOSES		DATA GAPS/COMMENTS	STATUS
			ADI	UF		
Imidacloprid Caswell #497E CAS No. 105827-78-9 A.I. CODE: 129099 CFR No.	2yr feeding- rat NOEL= 5.7000 mg/kg 100.00 ppm LEL= 16.9000 mg/kg 300.00 ppm ONCO: E (RfD/PR Committee)	Increased incidence of mineralized particles in thyroid colloid. No evidence of carcinogenicity in rats or mice.	OPP RfD= 0.057000 EPA RfD= 0.000000	-->100	No data gaps.	RfD/PR reviewed 04/22/93

FOOD CODE	FOOD NAME	PETITION NUMBER	TOLERANCE (PPM)	
			PENDING	PUBLISHED
13024AA	SPINACH	5F4522	3.500000	
13039AA	CRESS, UPLAND	5F4522	3.500000	
13045AA	LETTUCE-HEAD VARIETIES	3F4231		3.500000
14013AA	POTATOES(WHITE)-WHOLE	3F4169		0.300000
14013AB	POTATOES(WHITE)-UNSPECIFIED	3F4169		0.300000
14013AC	POTATOES(WHITE)-PEELED	3F4169		0.300000
14013DA	POTATOES(WHITE)-PEEL ONLY	3F4169		0.300000
14013HA	POTATOES(WHITE)-PEEL ONLY	4F4337	0.050000	
24001AA	BARLEY	4F4337		0.050000
24006AA	SORGHUM (INCLUDING MILO)	4F4337		0.050000
24007AA	WHEAT-ROUGH	4F4337		0.050000
24007GA	WHEAT-GERM	4F4337		0.050000
24007HA	WHEAT-BRAN	4F4337		0.050000
24007WA	WHEAT-FLOUR	4F4337		0.050000
25002SA	BEET SUGAR	4F4169		6.000000
27003OA	COTTONSEED-OIL	4F4169		9.000000
27003WA	COTTONSEED-MEAL	5F4534	0.050000	
27017AA	RAPE SEED	3F4231		1.000000
43058AA	WINE AND SHERRY	4F4169		0.100000
50000DB	MILK-NON-FAT SOLIDS	4F4169		0.100000
50000FA	MILK-FAT SOLIDS	4F4169		0.100000
50000SA	MILK SUGAR (LACTOSE)	4F4169		0.300000
53001BA	BEEF-MEAT BYPRODUCTS	4F4169		0.300000
53001BB	BEEF(ORGAN MEATS)-OTHER	4F4169		0.300000
53001DA	BEEF-DRIED	4F4169		0.300000
53001FA	BEEF(BONELESS)-FAT (BEEF TALLOW)	4F4169		0.300000
53001KA	BEEF(ORGAN MEATS)-KIDNEY	4F4169		0.300000
53001LA	BEEF(ORGAN MEATS)-LIVER	4F4169		0.300000
53001WA	BEEF(BONELESS)-LEAN (W/O REMOVEABLE FAT)	4F4169		0.300000
53002BA	GOAT-MEAT BYPRODUCTS	4F4169		0.300000
53002BB	GOAT(ORGAN MEATS)-OTHER	4F4169		0.300000
53002FA	GOAT(BONELESS)-FAT	4F4169		0.300000
53002KA	GOAT(ORGAN MEATS)-KIDNEY	4F4169		0.300000
53002LA	GOAT(ORGAN MEATS)-LIVER	4F4169		0.300000
53002MA	GOAT(BONELESS)-LEAN (W/O REMOVEABLE FAT)	4F4169		0.300000
53003AA	HORSE	4F4169		0.300000
53005BA	SHEEP-MEAT BYPRODUCTS	4F4169		0.300000
53005BB	SHEEP(ORGAN MEATS)-OTHER	4F4169		0.300000
53005FA	SHEEP(BONELESS)-FAT	4F4169		0.300000
53005KA	SHEEP(ORGAN MEATS)-KIDNEY	4F4169		0.300000

CHEMICAL INFORMATION FOR CASWELL NUMBER 497E

DATE: 11/29/95

PAGE: 3

CHEMICAL	STUDY TYPE	EFFECTS	REFERENCE DOSES	DATA GAPS/COMMENTS	STATUS
Imidacloprid Caswell #497E CAS No. 105827-78-9 A.I. CODE: 129099 CFR No.	2yr feeding- rat NOEL= 5.7000 mg/kg 100.00 ppm LEL= 16.9000 mg/kg 300.00 ppm ONCO: E (Rfd/PR Committee)	Increased incidence of mineralized particles in thyroid colloid. No evidence of carcinogenicity in rats or mice.	ADI UF -->100 OPP Rfd= 0.057000 EPA Rfd= 0.000000	No data gaps.	Rfd/PR reviewed 04/22/93

FOOD CODE	FOOD NAME	PETITION NUMBER	TOLERANCE (PPM)	
			NEW	PENDING PUBLISHED
53005LA	SHEEP(ORGAN MEATS)-LIVER	4F4169		0.300000
53005MA	SHEEP(BONELESS)-LEAN (W/O REMOVEABLE FAT	4F4169		0.300000
53006BA	PORK-MEAT BYPRODUCTS	4F4169		0.300000
53006BB	PORK(ORGAN MEATS)-OTHER	4F4169		0.300000
53006FA	PORK(BONELESS)-FAT (INCLUDING LARD)	4F4169		0.300000
53006KA	PORK(ORGAN MEATS)-KIDNEY	4F4169		0.300000
53006LA	PORK(ORGAN MEATS)-LIVER	4F4169		0.300000
53006MA	PORK-LEAN	4F4169		0.300000
53008BA	TURKEY-BYPRODUCTS	3F4231		0.050000
53008LA	TURKEY-GIBLETS (LIVER)	3F4231		0.050000
53008MA	TURKEY-FLESH(W/O SKIN, W/O BONES)	3F4231		0.050000
53008MB	TURKEY-FLESH(+SKIN, W/O BONES)	3F4231		0.050000
53008MC	TURKEY-UNSPECIFIED	3F4231		0.050000
53013BA	POULTRY, OTHER-BYPRODUCTS	3F4231		0.050000
53013LA	POULTRY, OTHER-GIBLETS(LIVER)	3F4231		0.050000
53013MA	POULTRY, OTHER-FLESH (+SKIN, W/O BONES)	3F4231		0.020000
53014AA	EGGS-WHOLE	3F4231		0.020000
53014AB	EGGS-WHITE ONLY	3F4231		0.020000
53014AC	EGGS-YOLK ONLY	3F4231		0.020000
53015BA	CHICKEN-BYPRODUCTS	3F4231		0.050000
53015LA	CHICKEN-GIBLETS(LIVER)	3F4231		0.050000
53015MA	CHICKEN-FLESH(W/O SKIN, W/O BONES)	3F4231		0.050000
53015MB	CHICKEN-FLESH(+SKIN, W/O BONES)	3F4231		0.050000

TABLE 3

TOLERANCE ASSESSMENT SUMMARY FOR Imidacloprid
CASWELL #497E

DATE: 11/29/95

ANALYSIS FOR POPULATION SUB-GROUP: U.S. POPULATION - 48 STATES

EXISTING TOLERANCES (PUBLISHED ONLY)		
RESULT IN A TMRC OF:	0.008187	MG/KG/DAY
THE EXISTING TMRC IS EQUIVALENT TO:	14.362	% OF THE ADI.
PROPOSED NEW TOLERANCES (CURRENT PETITION ONLY)		
RESULT IN A TMRC OF:	0.000154	MG/KG/DAY
THESE NEW TOLERANCES WILL OCCUPY:	0.268	% OF THE ADI.
IF THE NEW TOLERANCES (CURRENT PETITION ONLY)		
ARE APPROVED THE RESULTANT TMRC WILL BE:	0.008340	MG/KG/DAY
THE NEW TMRC WILL OCCUPY	14.631	% OF THE ADI.
OTHER PENDING TOLERANCES EXCLUDING THE		
CURRENT NEW PETITION HAVE A TMRC OF:	0.000174	MG/KG/DAY
THIS TMRC WILL OCCUPY	0.305	% OF THE ADI.
IF ALL PENDING TOLERANCES (INCLUDING THE		
CURRENT NEW PETITION) ARE GRANTED		
THE RESULTANT TMRC WILL BE:	0.008514	MG/KG/DAY
THE TOTAL TMRC WILL OCCUPY	14.936	% OF THE ADI.

ANALYSIS FOR POPULATION SUB-GROUP: NON-NURSING INFANTS (< 1 YEAR OLD)

EXISTING TOLERANCES (PUBLISHED ONLY)		
RESULT IN A TMRC OF:	0.014818	MG/KG/DAY
THE EXISTING TMRC IS EQUIVALENT TO:	25.995	% OF THE ADI.
PROPOSED NEW TOLERANCES (CURRENT PETITION ONLY)		
RESULT IN A TMRC OF:	0.001752	MG/KG/DAY
THESE NEW TOLERANCES WILL OCCUPY:	3.073	% OF THE ADI.
IF THE NEW TOLERANCES (CURRENT PETITION ONLY)		
ARE APPROVED THE RESULTANT TMRC WILL BE:	0.016570	MG/KG/DAY
THE NEW TMRC WILL OCCUPY	29.069	% OF THE ADI.
OTHER PENDING TOLERANCES EXCLUDING THE		
CURRENT NEW PETITION HAVE A TMRC OF:	0.000659	MG/KG/DAY
THIS TMRC WILL OCCUPY	1.155	% OF THE ADI.
IF ALL PENDING TOLERANCES (INCLUDING THE		
CURRENT NEW PETITION) ARE GRANTED		
THE RESULTANT TMRC WILL BE:	0.017228	MG/KG/DAY
THE TOTAL TMRC WILL OCCUPY	30.224	% OF THE ADI.

TABLE 4

DETAILED ACUTE ANALYSIS INCLUDING AR'S: ALL STATISTICS BASED ON USERS' DAILY CONSUMPTION 10:03 Wednesday, November 29, 1995 43

 *NAME: INIDACLOPRID
 *CASWELL NO: 497E CFR NO: CFR A
 *CAS NO: 12909-90-0 SHAUGHNESSY NO: 129099 B
 *STATUS CODES: C
 *RDV INFO: The LD value used in this analysis is 0.01 MG/KG of BODY WEIGHT/DAY
 *FILE INFO: No Tolerance Data Are Used--Without User Modifications.
 ***** AR DATA: No User Modifications*****
 -FEMALES(13+ YRS)

ESTIMATES BASED ON TOLERANCES:		ESTIMATED % OF POTENTIAL		MEAN DAILY RESIDUE CONTRIBUTION PER USER-DAY		AS PERCENT OF RDV	
PERSON DAYS THAT ARE USER-DAYS	0.00	MG/KG BODY WEIGHT/DAY	0.000000	AS PERCENT OF RDV	0.00	0.00	0.00
ANTICIPATED RESIDUES:	99.85	0.006454	64.54				
ESTIMATED % OF POPULATION USER-DAYS WITH RESIDUE CONTRIBUTION EXCEEDING X TIMES THE RDV, FOR X=	0 .2 .4 .6 .8 1 1.2 1.4 1.6 1.8 2 3 4 5 10 15 20						
TOLERANCES:	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0						
ANTICIPATED RESIDUES:	100 73 50 35 25 18 14 11 9 7 6 2 1 0 0 0						

Exposure = RDV x X

= 0.01 x 5

High End Exposure = 0.05

MOE = Noel + Exposure

= 24 mg/kg/day + 0.05 mg/kg/day

MOE = 480