

[CGA-279202]

(TXR 013599)

(8-3-99) 29  
Acute Dermal Study (81-2)

EPA Toxicologist: Deborah C. Smegal \_\_\_\_\_, Date \_\_\_\_\_  
Toxicology Branch II (7509C)  
EPA Secondary Reviewer: \_\_\_\_\_, Date \_\_\_\_\_  
Toxicology Branch II (7509C)

DATA EVALUATION RECORD

STUDY TYPE: Acute Dermal Toxicity - Rats  
OPPTS 870.1200 [81-2]

DP BARCODE: 243979  
P.C. CODE: 129112

SUBMISSION CODE: S538757  
TOX. CHEM. NO.:

TEST MATERIAL (PURITY): CGA-279202 Technical (96.4%)

SYNONYMS: Trifloxystrobin

CITATION: Marty J.H. 1995. CGA-279202 Technical, Acute dermal toxicity in the rat. Novartis Crop Protection AG (formerly Ciba-Geigy Limited), Stein, Switzerland. Laboratory Project ID: 943161. Novartis Nexus Number: 497-94. February 21, 1995. MRID 44496627. Unpublished.

SPONSOR: Novartis Crop Protection, Inc.

EXECUTIVE SUMMARY: In an acute dermal toxicity study (MRID 44496627), groups of young adult albino Tif:RAI f (SPF) rats (5/sex) were dermally exposed to CGA-279202 Technical (96.4%) in 0.5% (w/v) carboxymethylcellulose in 0.1% (w/v) aqueous polysorbate 80, for 24 hours using a semi-occlusive dressing, to 10% of the body surface area at a dose of 2,000 mg/kg. Animals then were observed for 14 days.

Dermal LD<sub>50</sub> Males = >2,000 mg/kg  
Females = >2,000 mg/kg  
Combined = >2,000 mg/kg

**CGA-279202 Technical is TOXICITY CATEGORY III based on males and females.**

There were no treatment-related effects on mortality, clinical signs, body weight or macroscopic examination.

This acute dermal study is classified as acceptable. It satisfies the guideline requirement for an acute dermal study (81-2) in the rat.

COMPLIANCE: Signed and dated GLP, Quality Assurance, and Data Confidentiality statements were provided. A Flagging statement was omitted.

1  
4

## I. MATERIALS AND METHODS

A. MATERIALS:

1. Test Material: CGA-279202 Technical  
Description: light brown powder  
Lot/Batch #: P. 405009  
Purity: 96.4%  
CAS #: 141517-21-7
2. Vehicle and/or positive control: 0.5% (w/v)  
carboxymethylcellulose in 0.1% (w/v) aqueous polysorbate  
80
3. Test animals:

Species: Rat  
Strain: albino Tif:RAI f (SPF)  
Age and weight at dosing: young adult; 202 to 285 g  
Source: CIBA-GEIGY Limited, Animal Production, 4332  
Stein, Switzerland  
Acclimation period: 5 days  
Diet: fed a rat diet, NAFAG 890 Tox, NAFAG, Gossau/SG,  
Switzerland, ad libitum  
Water: administered water ad libitum

Housing: The animals were individually housed in  
macrolon type 3 cages, with standardized soft wood  
bedding.

## Environmental conditions:

Temperature: 22  $\pm$  2°C

Humidity: 55  $\pm$  10%

Air changes: 15 per hour

Photoperiod: 12 hours light/ 12 hours dark

B. STUDY DESIGN and METHODS:

1. In life dates - start: 1/17/95      end: 2/8/95
2. Animal assignment and treatment - Animals were  
assigned to the test groups noted in table 1. Animals  
were given a single dose of CGA-279202 Technical  
dermally to the shaved dorsal area (10% body surface  
area), which was covered with a gauze-lined semi-  
occlusive dressing fastened around the trunk with an  
adhesive elastic bandage for 24 hours. The residual  
test substance was removed with lukewarm water. The  
animals were observed twice daily on weekdays and once  
on weekend days for mortality, while clinical signs  
were monitored daily. The animals were weighed before

application, and then on days 7 and 14. Survivors were sacrificed and a necropsy was performed.

TABLE 1. Doses, mortality/animals treated

Dose (mg/kg)	males	Females	Combined
2,000	0/5	0/5	0/10

3. Statistics - No statistics were performed, and no dermal LD<sub>50</sub> was calculated because none of the rats died during the observation period.

## II. RESULTS AND DISCUSSION:

- A. Mortality is given in table 1.

The dermal LD<sub>50</sub>:

Males = >2,000 mg/kg

Females = >2,000 mg/kg

Combined = >2,000 mg/kg

- B. Clinical observations - There were no treatment-related clinical observations observed during the study.
- C. Body Weight - There were no treatment-related effects on body weight.
- D. Necropsy - No abnormalities were noted in the terminal macroscopic examination.
- E. Deficiencies - None.

[CGA-279202]

Acute Dermal Study (81-2)

SignOff Date:	8/3/99
DP Barcode:	D243979
HED DOC Number:	013599
Toxicology Branch:	TOX2