

# CHILD-RESISTANT PACKAGING REVIEW

Technical Review Branch

IN 02/17/98 OUT 04/17/98

Reviewed by Rosalind L. Gross RLG 04/17/98

EPA Reg. No. or File Symbol 64248-12

DP Barcode \_\_\_\_\_

EPA Petition or EUP No. \_\_\_\_\_

Date Division Received \_\_\_\_\_

Type Product(s) Insecticide

Data Accession No(s) 443881-01

Product Mgr./Chemical Review Mgr./Contact Person PM 03 Division RD

Product Name(s) \_\_\_\_\_

Company Name(s) \_\_\_\_\_

Submission Purpose Examine to ascertain if packaging is CRP

Active Ingredient(s), PC code, & % Fipronil

## Summary of Findings

The station is black 40ml HIPS base, black 40ml HIPS lid, improved smear weld. Children were each given 12 4-ups (48 stations). Results indicate 2 children accessed one bait station each and a third child (pkg 29) tore plastic, but station was not considered accessed. It is unclear as to whether stations were attached to each other or to plastic frame. **This is a pass of the child test according to the sequential test chart in 16 CFR 1700.20.** Although acceptable, registrant should be reminded that definition of access needs to include any access to bait (e.g. expose bait, touch bait, suck bait, crack station, ripping the station, putting a hole in it, bait fall out, poking the bait out, etc.). The CRP test needs to address all of these possibilities. **Since study is a pass the CRP certifications are acceptable.**

1/1