

3-11

07/08/2013

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

JUL 8 2013

Kimberly Young  
Agent for P.F. Harris Manufacturing Company, LLC  
8203 West 20<sup>th</sup> St., Suite A  
Greely, CO 80634-4696

Subject: Label Amendment  
D#: 477858

EPA Registration Number: 3-11  
Harris Home Pest Control


Your submission dated April 5, 2013

Dear Ms Young;

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable. Two (2) copies of the final printed labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

If you have questions regarding this letter, please contact Olga Odiott at (703) 308-9369.

Sincerely,

  
Mark Suarez  
Product Manager 13  
Insecticide Branch  
Registration Division (7505P)

2/9




# Home Pest Control

[ABNs: Harris Home Pest Control Ant Killer • Harris Home Pest Control Asian Lady Beetle & Boxelder Bug Killer • Harris Home Pest Control Bed Bug Killer • Harris Home Pest Control Flea & Tick Killer • Harris Home Pest Control Fly Killer • Harris Home Pest Control Roach Killer • Harris Home Pest Control Scorpion Killer • Harris Home Pest Control Spider Killer • Harris Home Pest Control Stink Bug Killer • Swamp Gator® Bug Barrier]

{[Select Marketing Claims from "Marketing Claims" section]}

<b>Active Ingredient:</b>		
Deltamethrin (CAS No. 52918-63-5)	.....	0.03%
<b>Other Ingredients</b>	.....	99.97%
<b>Total</b>	.....	100.00%



**[Precaucion al Usuario:** Si usted no lee ingles, no use este product hasta que la etiqueta le haya sido explicado ampliament. **(To the User:** If you cannot read English, do not use this product until the label has been fully explained to you.)]

EPA Reg. No. 3-11

EPA Est. 74750-GA-1 (M) or EPA Est. 67572-GA-1 (C) or EPA Est. 58880-GA-1 (P)

Letter in parentheses at the end of the EPA Est. corresponds to the first digit in lot number on package.

Keep Out of Reach of Children

## CAUTION

See side [back] panel for additional Precautionary Statements

**Net Contents:** 1 Quart (32 fl oz) (946 mL) [8 fl oz (236 mL); 1 Gallon (128 fl oz) (3.785 L)]

In case of medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers, information may be obtained by calling 1-877-315-9819 {or other appropriate number}.

## PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

### CAUTION

Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing. Thoroughly wash with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

### Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

### Physical or Chemical Hazards

Do not apply this product in or on electrical equipment due to possibility of shock hazard.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[STOP:



Read entire label before use.]

**General Information:** Hold container upright. Do not spray up into air. Apply to surfaces only as a spot and crack & crevice treatment. [Turn spray nozzle to "on" position.] Hold approximately 12 inches from surface to be sprayed. Squeeze trigger to spray until surface is slightly moist, but not to the point of runoff. Over application may cause damage. Test in an inconspicuous area before applying.

Do not allow children or pets to contact treated surfaces until spray has dried.

Harris Home Pest Control's [This product's] long-lasting action keeps on killing **Argentine Ants and Cockroaches (American and German)** for up to 18 months [1.5 years] on non-porous surfaces and **Flies** for up to 150 days [20 weeks]; [5 months] after you spray. More frequent applications may be necessary on concrete surfaces. Check these areas in 4 weeks and retreat if insect activity continues. Residual activity kills insects when they return to treated areas.

Harris Home Pest Control [This product] is intended to be used in and around residences and their immediate surroundings, such as (but not limited to): apartments, atriums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandas. Do not use in commercial food handling establishments, restaurants or other places where food is commercially prepared or processed.

### INDOORS

**Ants (including Argentine, Carpenter, Crazy, Fire, Harvester and Pharaoh), Asian Lady [Bird] Beetles (Lady Bugs)\*, Boxelder Bugs, Centipedes, Cockroaches (American and German, including adult and immature stages of both non-resistant and organophosphate- and carbamate-resistant strains), Crickets, Dermestids, Firebrats, Fleas, Kudzu Bugs\*, Palmetto Bugs, Silverfish, Sowbugs, Stink Bugs\*, Ticks and Waterbugs:** Apply as a spot and crack & crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas; behind baseboards; around doors and windows; behind and under refrigerators, cabinets, sinks and stoves; and the underside of shelves, drawers, bookcases and similar areas. Cover all food handling surfaces and cover or remove all food and cooking utensils or thoroughly wash after treatment. Cover or remove exposed food. Repeat as necessary, but not more than once per week.

[**Roaches:** Spray in cracks and crevices, around baseboards and other hiding places.]

**Ants:** Spray ant trails and around doors, windows and other places where ants enter premises. Repeat as necessary, but not more than once per week.

**Carpenter Ants:** For effective control, locate and treat nests and surrounding areas. Apply around doors, windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

**Fleas and Ticks [(including Deer Ticks that may carry Lyme Disease)] on Surfaces:** Remove pet bedding and destroy or thoroughly clean. Spray pet resting quarters. **Adult Fleas** and **Larvae** contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not directly spray animals. For best results, treat pets with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Test delicate fabrics for staining in an inconspicuous area prior to use.

**Spiders:** Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

**Centipedes, Ground Beetles, Pillbugs, Scorpions, Sowbugs and Ticks:** Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

[**Crickets, Silverfish and Spiders:** Apply to areas infested by these pests.]

**Asian Lady [Bird] Beetles (Lady Bugs)\*:** Spray areas where bugs crawl or are at rest, around doors, windows and areas where insects can enter premises.

**Contact Spray:** To kill **Ants (including Argentine, Carpenter, Crazy, Fire, Harvester and Pharaoh), Bed Bugs, Biting Midges, Black Flies, Centipedes, Chiggers, Cockroaches, Deer Flies, Fleas, Gnats, Horse Flies, Spiders (including Black Widow, Brown Recluse and Hobo), Ticks and Wasps:** Spray where insects congregate and individual pests when seen. Spray 1-2 pumps, directly contacting insects. When spray dries, insects contacted by spray will be killed.

**Flying Insects: Gnats, Houseflies, Kudzu Bugs\*, Mosquitoes and Small Flying Moths:** Spray localized resting areas, such as under eaves, porches, inside surfaces of window and door frames, surfaces around light fixtures and cords, railings, etc. and anywhere these insects may rest. Insects coming to rest on treated surfaces will be killed.

[**Flying Insects:** Spray resting areas. Insects coming to rest on treated surfaces will be killed.]

**Horse Stables: To Control Deer Flies, Face Flies, Gnats, Horn Flies, Horse Flies, Houseflies, Mosquitoes and Stable Flies:** Thoroughly apply to surfaces until wet. Insects coming to rest on treated surfaces will be killed or repelled. Repeat treatment as necessary, but not more than once per week. Do not spray animals or humans, or apply to animal feed or watering equipment.

**Pantry Pests: Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Flour Beetles (Confused and Red), Grain Beetles (Merchant, Rusty and Saw-Toothed), Lesser Grain Borers, Rice Weevils, Spider Beetles and Tobacco Moths:** Treat exposed stages. Remove all foodstuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow to dry prior to replacing shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

**Carpets Beetles (Black, Furniture and Varied):** Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

**Webbing Clothes Moths:** Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

**Bed Bugs and Lice:** Remove linens and wash before reuse. Lightly spray mattresses, especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry before remaking bed.

### OUTDOORS

Remove all exposed food and cooking utensils. Cover all food handling surfaces or thoroughly wash after treatment and before use. Do not use on edible crops. Do not make applications during rain. Do not water the treated area to the point of run-off. All outdoor applications must be limited to only spot or crack & crevice treatments, except for the following permitted uses: 1) Applications to soil or vegetation around structures; 2) Applications to lawns, turf and other vegetation; and 3) Applications to building foundations up to a maximum height of 3 feet. Other than applications to building foundations, all outdoor applications to impervious surfaces such as driveways, sidewalks, patios, porches and structural surfaces (such as doors, eaves and windows) are limited only to spot and crack & crevice applications. Application is prohibited directly into sewers, drains or any area like a gutter where drainage to aquatic habitat, sewers, storm drains or water bodies can occur. Do not allow the product to enter any drain during or after application.

For outdoor use only as an aid in controlling these insects. Point sprayer away from face. Hold sprayer on a slight downward angle, approximately 12 inches from surface to be sprayed. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

**Pests on Outside Surfaces of Buildings: For control of building infestations of Ants, Clover Mites, Crickets, Kudzu Bugs\*, Sowbugs (Pillbugs) and Stink Bugs\*:** Spray building foundation where insects are active and may find entrance up to a height of 2-3 feet. Apply to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) eaves, garages, patios, porches, refuse dumps, screens and window frames. Repeat treatment as necessary, but not more than once per week.

**Crawling Insects: Ants, Cockroaches (including American, Asian and German), Centipedes, Crickets, Kudzu Bugs\*, Mole Crickets, Silverfish, Stink Bugs\* and Waterbugs:** Hold can [sprayer] 12-18 inches from surfaces to be treated and spray infested surfaces of patio or picnic areas and legs of tables and chairs, hitting as many insects as possible. Spray to slightly moisten the surfaces.

**Ants:** Freely spray around ant trails and hills. Spray around nests hidden under brickwork, concrete, steps, etc. Break apart accessible nests and freely spray on and around debris. Repeat as necessary, but not more than once per week.

[Ants: Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

**Asian Lady [Bird] Beetles (Lady Bugs)\*:** Spray areas where bugs crawl or rest, especially around doors, on and around screens, windows, doorframes and areas where bugs can enter premises. Remove screens prior to spraying them, allow to dry and then reinstall them.

**Crickets, Dog Ticks, Fleas and Lone Star Ticks:** Thoroughly apply to infestation in bushes, grass or weeds.

**Bees, Hornets, Wasps and Yellow Jackets:** Spray nests and other surfaces where these insects may rest. Aim spray at nest openings. Apply in early morning or late evening when insects are at rest.

**Flying Insects: Gnats, Houseflies, Kudzu Bugs\*, Mosquitoes, Small Flying Moths and Stink Bugs\*:** Spray outside surfaces of door and window frames and other areas where these pests may enter premises. Also spray localized resting areas, such as cords, porches, railings, surfaces around light fixtures, under eaves, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

**Carpenter Ants, Carpenter Bees and Termites (only for localized control):** Apply Harris Home Pest Control [this product] to voids or channels in damaged wood of a structure; to cracks, crevices and spaces in and between wooden portions of a structure; or between wood and the foundation, in locations vulnerable to attack such as crawl spaces. For **Termites**, the purpose of such application is to kill workers or winged forms that may be present in the treated areas at the time of application. It is not recommended as sole protection against termites. For active infestations, get a professional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but are merely a supplement. For severe termite infestation, contact a professional pest control operator in your area.

**House Plants: To control Aphids, Japanese Beetles, Lace Bugs, Leafminers, Mealy Bugs, Mites and Spider Mites on house plants:** Prior to spraying, remove plants from living and eating areas. Put in an area not likely to come in contact with pets, children or food. Plants can be returned to original location when leaves dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Avoid spraying surrounding areas. Apply spray to upper and lower surfaces of foliage. Avoid wetting blossoms, if possible. Repeat applications as necessary, but not more than once per week.

**For Control of Ornamental Garden Insects:** Not for use on plants grown for sale or other commercial use. **DO NOT apply to vegetable plants or other food plants.** To kill **Aphids, Armyworms, Clover Mites, Exposed Thrips, Japanese Beetles, Lace Bugs, Leafminers, Mealy Bugs, Pavement Ants, Red Mites, Spider Mites, Spiders and Whiteflies:** Using a sweeping motion from a distance of at least 18 inches, directly spray insects whenever possible on African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, crassula, dahlias, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews, zinnias and other ornamentals. Be cautious about wetting tender foliage, young plants and new growth. Over-application may cause damage. Do not spray plants when temperature exceeds 90°F (32°C). Reapply if reinfestation occurs, but not more than once every week. Spray may be used on plants, as well as a multi-purpose spray in small ornamental gardens, and for spot treatments of incipient insect infestations to prevent spreading to large garden areas.

\*Except in California

#### Storage and Disposal

**Pesticide Storage:** Store in a cool, dry area away from [inaccessible to] children and pets and away from heat, sparks and open flame. [Protect from freezing.] [Store above 32°F.] [Do not transport or store below 32°F (0°C).] If freezing occurs, allow product to thaw and shake well before using [use]. [Some product separation may occur on freezing, which is reversible on shaking.] Freezing does not adversely affect this product [performance].

**Pesticide Disposal:** Non-refillable container; do not reuse or refill this container. **Container Handling: If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### [IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all the risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of **P.F. Harris Manufacturing Company, LLC**. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** **P.F. Harris Manufacturing Company, LLC** MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR

OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of **P.F. Harris Manufacturing Company, LLC** is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, **P.F. Harris Manufacturing Company, LLC** disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

**LIMITATIONS OF LIABILITY:** TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT **P.F. Harris Manufacturing Company, LLC's** ELECTION, THE REPLACEMENT OF PRODUCT.]

[Manufactured for:]  
**P.F. Harris Manufacturing Company, LLC**  
P.O. Box 1122  
Alpharetta, GA 30009  
www.pfharris.com

**Questions or Comments?** Call (800) 637-0317, Monday through Friday, 9am to 5pm EST or visit [www.pfharris.com](http://www.pfharris.com)

Product Code: \_\_\_\_\_

*{Marketing Claims:}*

- [Also] Controls Carpenter Ants and Carpenter Bees
- Controls Ticks that may carry Lyme Disease
- Does not Stain Fabrics [Surfaces]
- Easy-to-Use
- Effective home pest control kills a wide variety of insects including ants, carpenter ants, carpenter bees, centipedes, crickets, deer ticks, fire ants, house flies, lice, roaches, scorpions, spiders, stable flies, ticks, wasps and yellow jackets {or other insect listing based on claims}
- For Homes
- For Indoor and Outdoor Use
- For use in and around Horse Stables
- For use on House [Ornamental] Plants
- Indoor/Outdoor
- Keeps Killing Carpenter Ants for up to 1 Month [4 Weeks] when applied to non-porous surfaces
- Keeps Killing Crazy Ants, Fire Ants and Pharaoh Ants for up to 1 Week [7 Days]
- Keeps Killing Flies for up to 5 Months [20 Weeks]
- Keeps Killing Lady Beetles for up to 35 Days
- Keeps Killing Stable Flies for up to 18 Weeks [4.5 Months] [135 Days]
- Keeps [on] Killing Argentine Ants and Cockroaches (American & German) for up to 18 Months [1.5 Years] [78 Weeks] on non-porous surfaces
- Kills Ants, Fleas and Roaches on Contact
- Kills Aphids, Lace Bugs, Leafminers, Mealy Bugs, Mites and Thrips
- Kills Asian Lady [Bird] Beetles (Lady Bugs)\* [on contact] [by contact]
- Kills Boxelder Bugs
- Kills Centipedes, Scorpions and Spiders
- Kills Fast
- Kills Fleas
- Kills Fleas & Ticks
- Kills Home Invading Pests

- Kills Japanese Beetles
- Kills Mosquitoes
- Kills on Contact
- Kills Pantry [Plant] Pests
- Kills Spider Mites
- Kills Stink Bugs\*
- Kills: Ants, Bed Bugs, Fleas, Gnats, Kudzu Bugs\*, Mosquitoe, Roaches, Ticks and More as listed in Directions!
- Long-Lasting
- No Drip Formula
- No Drips – No Runs
- No Oily [Greasy] Residue
- No Shake Formula
- No Shaking Required
- Non-Staining
- Odorless
- Protects against Argentine Ants and Cockroaches (American & German) for up to 18 Months [1.5 Years] [78 Weeks] on non-porous surfaces
- Ready-to-Use
- Stays Where You Put It
- Water-Based

**HARRIS** America's Oldest EPA-Registered Company



\*Except in California

{End of Marketing Claims:}

{Graphics from Market Labels:}




{The above graphics taken from "Harris Home Pest Control" market label}




{The above graphics taken from "Harris Home Pest Control Bed Bug Killer" market label}








{The above graphics taken from "Harris Home Pest Control Spider Killer" market label}



{The above graphics taken from "Harris Home Pest Control Stink Bug Killer" market label}



{The above graphics taken from "Swamp Gator® Bug Barrier" market label}

[ ] Denotes alternate/optional language

{ } Denotes language that does not appear on the market label(s)