



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

DEC 20 2011

Madhu Mandava Agent for P.F. Harris Manufacturing Company, LLC 6860 N Dallas Parkway, Suite 200 Plano, TX 75024

Subject:

Notification per PRN 98-10

EPA Registration Number: 3-13 Harris Delta Max concentrate

Date of Submission: November 29, 2011

Dear Mr. Mandava:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration (PRN) 98-10 for the abovementioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have questions regarding this letter, please contact Olga Odiott at (703) 308-9369.

Sincerely

U/Z (

Product Manager 13

Insecticide Branch

Registration Division (7505P)

	United States			Registration Amendment Other		OPP Identifier Number	
	Application	on for Pesticide	- Section	1			
1. Company/Product Number 3-13		2. EPA Product Manager Mark Suarez		3. P	3. Proposed Classification ✓ None Restricter		
4. Company/Product (Name) Harris Delta Max Concentrate		PM# 13					
5. Name and Address of Applicant (Include ZIP P.F. Harris Manufacturing Company, P.O. Box 1122 Alpharetta, GA 30009 Check if this is a new address		(b)(i), my p to:	No	ilar or ident		FIFRA Section 3(c)(3) omposition and labeling	
		Section - II					
Resubmission in response to Agency letter Notification - Explain below. Explanation: Use additional page(s) if necess 1) Notification Per Notice 98-10 to add pest "Asiar at 40 CFR 152.46, and no other changes have be violation of 18 U.S.C. Sec. 1001 to willfully make a Notice 98-10 and 40 CFR 152.46, this product may of FIFRA."2) Please direct all correspondence to:	ary. (For section Lady Beetles". en made to the lade t	This notification is consabeling or the confidential and to EPA. I further under of FIFRA and I may be su	statement of for stand that if this bject to enforce	elow. provisions of Formula of this is notification is ment action a	product. I s not cons and penalt	understand that it is a istent with the terms of PR ies under sections 12 and 14	
E-mail: madhu@mandava.com.		Section - III					
1 Material This Product Will Pa Dankaged In.		Section - III					
Material This Product Will Be Packaged In: mild-Resistant Packaging Yes No Certification must submitted Unit Packaging Yes No If "Yes" Unit Packaging wgt.		Yes No If "Yes" No. per		2. Type of	of Container Metal Plastic Glass Paper Other (Specify)		
3. Location of Net Contents Information Label Container	4. Size(s) Re	tail Container	5. Lo	cation of Lab	el Direction	ons	
6. Manner in Which Label is Affixed to Product	Lithog Paper Stenc	raph glued iled	Other				
		Section - IV					
1. Contact Point (Complete items directly below	for identification	on of individual to be con	ntacted, if nec	essary, to pro	ocess this	application.)	
Name Madhu Mandava		Title Agent for P.F. Harris, LLC.		Telephone No. (Include Area Code) (972) 265-7924			
I certify that the statements I have made of acknowledge that any knowlingly false of both under applicable law.		all attachments thereto				6. Date Application Received (Stamped)	
2. Signature M. Mu		3. Title Agent for P.F. Harris, L	LC.				
4. Typed Name Madhu Mandava		5. Date 11-29-2011					

MANDAVA ASSOCIATES, LLC

CONSULTANTS IN SCIENCE, TECHNOLOGY AND REGULATORY AFFAIRS
6860 N Dallas Parkway, Suite 200, Plano, TX 75024
Telephone: (972) 265-7924 / Fax: (972)-265-7942 / E-MAIL: Madhu@Mandava.com / www.Mandava.com

Via Federal Express: 7977 8413 3579

November 29, 2011

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention:

Mark Suarez

PM Team 13

Insecticide Branch Registration Division

Subject:

P.F. Harris Manufacturing Company, LLC.

P.F. Harris Manufacturing Company, LLC. EPA Registration No. 3-13 Harris

Delta Max Concentrate

Notification per PR-Notice 98-10 to add pests "Asian Lady Beetles".

Dear Mr. Suarez:

On behalf of P.F. Harris Manufacturing Company, LLC, enclosed please find the notification per PR-Notice 98-10 to add pests "Asian Lady Beetles".

Included with this submission please find the following:

- 1. Application for Pesticide Registration Notification (EPA Form 8570-1)
- 2. Two Copies of Proposed Label Notification with Changes Clearly Marked
- 3. One Copy of Previously Approved Label

If you should have any questions, please contact me at 972-265-7924.

Sincerely Yours,

Madhu Mandava

Agent for P.F. Harris Manufacturing Company, LLC.

Enclosure

Harris Delta Max Concentrate

- For Outdoor Household & Domestic Use Only
- [Ready-To-Use
- · Easy To Use Hose End Sprayer
- Water-Based
- Water-Dilutable
- Hose End Convenience
- Do-It-Yourself Home Pest Control
- Ornamental And Hedge Treatment
- Lawn Treatment
- · Controls Numerous Pests Of Lawns And **Ornamental Plants**
- Control Of Ticks And Chiggers
- Outdoor Use Around The Home
- (8 Oz, 1 Pint(S), 1 Quart) Treats Up To (10,000, 7500, 5000, 2500, 1000) Square Feet
- · Contains Deltamethrin
- Lawn Insect Control
- Kills Insects In Lawns
- For Grass & Dichondra Lawns
- **ACTIVE INGREDIENT:**

Deltamethrin	1.0%
OTHER INGREDIENTS:	99.0%
	100.0%

- Kills On Contact
- For Control Of Ants
- For Control Of Gypsy Moths
- Kills Fire Ants
- Kills Fleas & Ticks
- · Ready To Spray
- Kills Over 50 Insect Pests
- Kills More Than 50 Insect Pests
- · Kills Crawling & Flying Insects
- Bug Killer
- Kills Ticks That May Cause Lyme Disease
- Controls Mosquitoes That May Cause West Nile Virus
- Non-Staining
- No Oil Residue
- Kills Box Elder Bugs
- Kills Asian Lady Beetles
- · Also Kills: Carpenter Ants, Centipedes, Cockroaches, Scorpions, Spiders & More]

EPA Reg. No. 3-13

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side/Back Panel for Additional Precautions and First Aid

	FIRST AID
If Inhaled:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
	HOT LINE NUMBER
treatment. In c	ct container or label with you when calling a poison control center or doctor or going for ase of medical emergencies or health and safety inquiries, or in case of fire, leaking, or iners, information may be obtained by calling 1-888-740-8712

NET CONTENTS:

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

CAUTION

Harmful if inhaled. Avoid breathing vapor or spray mist. Causes moderate eye irritation. Avoid contact with eye, skin or clothing. Contact with product may result in transient tingling and reddening of the skin which may persist for 24 hours. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove contaminated clothing and wash clothing before reuse.

Environmental Hazards

This product is extremely toxic to fresh water and estuarine fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain in not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Physical Hazards

Do not use water-based sprays of this product in conduits, motor housings, junction boxes, switch boxes or other electrical equipment because of possible shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL PRIOR TO USING THIS PRODUCT.

Care should be taken at all times to avoid contact with undiluted product.

Wear long-sleeved shirt and long pants while applying this product through hose-end sprayer. Food utensils, such as spoons and measuring cups, must not be used for food purposes after use in measuring pesticides. Do not allow children or pets on treated areas until spray has dried.

Non-staining where water alone does not stain.

Application is prohibited directly into sewer drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

Do not water the treated area to the point of run-off. Do not make applications during rain. All outdoor application must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- 1. Treatment to soil or vegetation around structures;
- 2. Applications to lawns, turf, and other vegetation;
- 3. Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and crevice applications, only.

GENERAL INFORMATION:

This product is designed for use in typical spray equipment, such as a hand pump-up sprayer or spray bottle [or hose-end sprayer].

HOSE-END SPRAYER USE DIRECTIONS:

Mixing Instructions: Fill sprayer bottle halfway with water, then add 8 tablespoons of this product to spray bottle. Add water to fill bottle. Shake well. [OR - The sprayer attached to the container is ready-to-use.] Attach to your garden hose and follow these simple instructions.

- Make sure the hose-end sprayer is firmly connected to the hose.
- 2. Make sure the sprayer is in the OFF position. Turn water supply on at the faucet. For best results, turn hose faucet to maximum. Water pressure will build in the hose.
- 3. To apply product, turn the control valve to the ON position. Water and product are now being mixed at the proper rate.

LAWNS AND TURFGRASS (domestic lawns & recreational areas): To control *Ants, Armyworms, Centipedes, Chiggers, Chinch Bugs, Crickets, Cutworms, Earwigs, Fleas, Grasshoppers, Mosquitoes, Sod Webworms, Sowbugs* and *Ticks,* spray when pests first appear. For *Sod Webworms,* delay watering or mowing the treated area for 12 to 24 hours after treatment.

Spray grass starting at the edge of the lawn furthest from the faucet. Walk backwards away from spray mist toward faucet. This avoids contact of shoes and hose with treated grass. Always point sprayer away from body. Use when wind is calm to avoid splash back. Do not spray on a windy day. Sweep sprayer left and right to ensure an even coverage. Apply entire contents evenly over 1000 square feet of lawn.

To stop spraying, turn the control valve to the OFF position. Turn off water at the faucet. To relieve water pressure in hose, turn control valve to the ON position before removing from the garden hose.

ALLOW SPRAY TO THOROUGHLY DRY ON LAWN BEFORE PERMITTING ANIMALS OR CHILDREN TO ENTER TREATED AREA.

WHEN/WHERE TO SPRAY: To avoid drift, spray on calm days. DO NOT spray near streams or rivers as this product is toxic to aquatic life. DO NOT spray food crops. DO NOT spray plants in the middle of the day in hot summer weather (i.e. above 85°F) as spray may burn the plants. For best results, spray when insects or damage are first observed.

ORNAMENTALS AND HEDGES: To control *Ants, Aphids, Bagworms, Eastern Tent Caterpillar, Fall Webworms, Grasshoppers, Mites, Mosquitoes, Orange Striped Oakworm, Spittlebugs, Whiteflies, Yellownecked Caterpillar, Cutworms, Leafhoppers, Mealybugs, Mimosa Webworms, Redhumped Caterpillar and Thrips (Exposed):* Apply spray thoroughly to all parts of hedges and bushes. Be sure to cover trunks, branches, inside and outside leaves. When spraying leaves, be sure to spray both upper and lower surfaces. Spray to penetrate dense foliage but avoid over spraying to the point of excessive runoff. To prevent being hit by spray, do not apply to overhead areas. Treat when pests appear and repeat at 7 to 10 day intervals, if needed.

SPRAY EQUIPMENT USE DIRECTIONS:

This product is intended to be mixed with water and applied outdoors with pressurized sprayers or a pump spray bottle. Use the dilution chart below, fill sprayer with 1/2 of required amount of water, add the appropriate amount of this product [liquid concentrate] then add remaining water. Close sprayer and thoroughly rinse outside of container and spray equipment with water. Shake well before application. Apply to areas such as:

Decks

Ornamental Plants

Driveways Fences Patios Shrubs

Foundations
Garbage Cans

Walkways Walls Sidewalks

Lawns Flowers

DILUTION CHART

Pests	Amount of this product per gallon of water	Amount of this product per 1/2 gallon of water	Amount of this product per Quart of Water	
Plant Pests: armyworms, bagworms, cankerworms, cutworms, elmleaf beetles, flea beetles, grasshoppers, gypsymoth larvae, adult Japanese and June beetles, lacebugs, leafhoppers, leafrollers, leaf skeletonizers, loopers, oakworms, plantbugs, pine moths, sawfly larvae spanworms, stinkbugs, tent caterpillars, ticks, treehoppers, webworms	3 tbsp.	1-1/2 tbsp.	3/4 tbsp.	
Lawn Pests: ants, armyworms (including fall, yellow-striped, etc.), bear tick, billbugs (adult), black legged tick, boxelder bugs, asian lady beetles, brown dog ticks, centipedes, chiggers, chinch bugs, clover mites, cockroaches, crickets, cutworms, darkling ground beetles, deer ticks, digger wasps, essex skipper, field crickets, fiery skipper, flea beetles, fleas, grasshoppers, turfgrass weevils, Japanese beetles (adults), lawn moths, leafhoppers, lone star tick, scorpions, silverfish, firebrats, sod webworms, sowbugs, spiders, spittlebugs, springtails, ticks, vegetable weevils, western black legged tick.	5 tbsp.	2-1/2 tbsp.	1-1/4 tbsp.	
Perimeter Pests: ants, bear ticks, black legged ticks, carpenter ants, centipedes, chiggers, crickets, deer ticks, field crickets, grasshoppers, pillbugs, scorpions, sowbugs, spiders, springtails	8 tbsp.	4 tbsp.	2 tbsp.	
	or 4 fl. oz.	or 2 fl. oz.	or 1.0 fl. oz.	

Plants Pests: Use this product to treat flowers, shrubs, vines, shade, flowering and non-flowering trees, evergreens and other ornamental plants. Mix this product with water in accordance with the Dilution Rate table above. Apply spray to upper and lower leaf surfaces thoroughly but do not allow run-off or dripping to occur. Be sure to penetrate dense foliage to wet leaves, trunk and branches. Treat when pests appear.

Lawn Pests: Mow lawn and water thoroughly 1 to 2 days before treatment. Heavy watering should then be withheld for 2 to 3 days after treatment. Treat when insects first appear. Mix this product with water in accordance with the Dilution Rate table above. Spray lawn using a slow, even sweeping motion ensuring coverage of entire lawn surface. Spray under ornamental plants, shrubs and trees where pets frequent. Do not attempt to control these pests in lawns by spot treating.

Perimeter Pests: To help prevent infestation of buildings, mix this product with water in accordance with the Dilution Rate table and apply where pests are active and may find entrance. For example, treat a band of soil or lawn up to 6 – 10 feet wide around and next to buildings and treat the foundation to a height of 2 to 3 feet. Apply 1.0 gallon of diluted spray per 1000 sq. ft. of surface area. Thoroughly and uniformly wet the barrier area, but do not allow runoff to occur.

Fire Ants: Mix 6.0 fl. ounces (¾ cup) of this product with one gallon of water in a watering can. Apply 1 gallon of diluted product per mound to thoroughly wet the area. Direct application at the mound and 12 inches around to allow solution to flow into ant tunnels. More or less than 1 gallon of dilution may be used depending on the size of the mound. Wait 7 – 10 days, then treat the mound again if necessary. Do not disturb mounds before treatment. Do not use pressurized sprays. For best results, apply in cool weather (65 - 80°F) or in early morning or late evening hours. Treat new mounds as they appear.

Fleas & Ticks: Mix 4.0 fl. ounces (8 tablespoons) of this product in one gallon of water. Apply as a coarse, wet spray to areas where fleas and ticks are most likely to be found, such as dog houses, kennels, runways, cracks and crevices in sidewalks, paths or patios, under plants, shrubs, bushes, trees or other shaded, moist areas where pests may rest. Do not treat pets with this product.

Residual Spray: For long-lasting control of *Ants, Cockroaches, Fleas, Flies* and *Mosquitoes,* mix 4.0 fl. ounces (8 tablespoons) of this product with one gallon of water. Apply spray mixture to areas such as porches, patios, garbage dumps, garages and cracks and crevices along walkways or other areas where insects may congregate or can gain entrance to the structure.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from children.

Container Disposal: *If empty:* Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. *If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

IMPORTANT: READ BEFORE USE

By using this product, user or buyer accepts the following conditions, warranty, and disclaimer of warranties, limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, because of extreme weather conditions and soil conditions, manner of use and other factors beyond P.F. Harris Manufacturing Company's control, it is impossible for P.F. Harris Manufacturing Company, LLC to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OF MERCHANTABILITY OR OF FITNESS FOR PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of P.F. Harris Manufacturing Company, LLC is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, P.F. Harris Manufacturing Company, LLC disclaims any liability whatsoever for incidental or consequential damages, including, but not limited to, liabilities arising out of breach of contract, express or implied warranty (including warranties of merchantability and fitness for a particular purpose), tort, negligence, strict liability or otherwise.

LIMITATION OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT P.F. HARRIS COMPANY'S ELECTION, THE REPLACEMENT OF PRODUCT.

© PF Harris Manufacturing Company, LLC, 2011

Harris Delta Max Concentrate is a registered trademark of PF Harris Manufacturing Company, LLC.

PF Harris Manufacturing Company, LLC P.O. Box 1122 Alpharetta, GA 30009