

300 | 263683
17 | 1

JUL 25 1989

Bonide Products Co., Inc.
2 Wurz Avenue
Yorkville, NY 13495

Dear James J. Wurz

Subject: Bonide 1% Rotenone
EPA File Symbol/Req. No. 4-17
Your Application for Amended Registration dated
March 9, 1989

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

52364T:CR-43:Schroeder,G,Diak-KENCO,05/16/90,ka:aw:vo:ek:dg
CONCURRENCES

SYMBOL							
SURNAME							
DATE							

Before releasing the product for shipment submit a revised Confidential Statement of Formula (CSF) including Certification of limits. The CSF must show the amounts of the active ingredients as well as the amounts of technical material used to supply the active ingredients.

Sincerely yours,



Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

3043



BONIDE®

1.00% ROTENONE

FOR USE AS A DUST OR SPRAY TO
NATURALLY CONTROL INSECTS ON LISTED
FRUIT, FLOWERS, AND VEGETABLES

Mexican
Bean
Beetle

Imported
Cabbageworm

Japanese
Beetle

EPA Est. 4-NY-1

EPA Reg. No. 4-17

ACTIVE INGREDIENTS:

Rotenone.....	1.0%
Other Cube Resins.....	2.0%
INERT INGREDIENTS	97.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
(See back panel cautions)

NET CONTENTS: 4 LB.

+

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUL 25 1990

Under the Federal Insecticide,
Fungicide and Rodenticide Act as
amended for the pesticide
No. 4-17

BEST AVAILABLE COPY

HAZARDS TO
May be harmful if swallowed.
Wash thoroughly after use. In

This product is toxic to fish and
contaminate water by cleaning of
the area. Additional protective

It is a violation of Federal law to
Storage: Store in a cool, dry place.
Container Disposal: Do not

100% ROTENONE contains Toxic
the dust or spray. Recommended
tables specified below, for controlling

Shake can to fluff powder. This powder
openings, press sides of container
of harvest.

For Dusting: Apply with hand or
of plants, crop and insect infestation.

For Spraying: Mix at the rate of
a good pressure sprayer.

In all cases make repeat applications.

For Use on Beans: To control Mexican
the underside of leaves as soon as

For Use on Cabbage, Cauliflower:
a good duster to all parts of the plant.

For Use on Potato and Eggplant:
soon as insects appear. Repeat applications.

For Use on Cucumber, Melon: To control
the plants as soon as they appear.

For Use on Tomatoes: To control
3 days after plants are set in the field.

For Use on Flowers, Raspberries:
as insects appear.

Certain insects not controllable with
chlor 25% Miscible Concentrate.

For Use on Cats and Dogs:

The powder should be rubbed in thoroughly

and work back, being careful not to

between the toes. Excessive

scratching is frequent.

HUNTING DOGS - Give dogs a good

going into the field.

KENNELS - Dust liberally in the

whelping box. Give dogs a good

where insects may be present.

Buyer's Guide
Mfg. by BONIDE