ese reed instrum

6-30-2003

1/8

Please lead instructions on rever	Te before completi	ing form.			Form App	roved	. OMB No. 20	0-0060	Appr	OVO EXD	res 2-28-95	
United States							Registrati	on	OPP Identifier Number			
<b>SEPA</b> Environmental Protecti			on Agency			Amendment						
Washington, DC 20			460			Other			}			
Application for Pesticide - Section I												
1. Company/Product Number					roduct Mene			3. Pro	oosed (	Jaseifics	tion	
	4-17			La	Racc	ä			ì	$\overline{}$		
4. Company/Product (Name)		`		PM#	^			7 📖	None	□'	Restricted	
1% Roten	151	1504										
5. Name and Address of Applicar	3	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3)										
Bernde	2/110											
WESC SI	social	to:										
Gine Ka			( FEA MEG. NO.									
Check if this is a		1. H.	Product Name									
			Sect	ion - II								
			OEC.	( )		·····						
Amendment - Explain belo	»w.		Final printed labels in repsonse to Agency letter dated							· TELOAN		
Resubmission in response to Agency letter deted			"Me Too" Applica				THOTHCAHON					
Natification - Explain below.			Other - Explain below.			law.	JUN 3 0 2003					
X				لا								
Explanation: Use additional pa	age(s) if necessary	. (For section	f and Sec	ction (I.)		1	١	5				
This indiffication is consistent with the provint wide th	of or	tiona	1 m	ar Ke	-ting	24	atemo	XT	:	1		
Fry Use Cs	ू ८, तर्	St CA	1º7 " .	COL	75. CC	$\int \mathcal{E}(\mu)$	164 1173	~ < ; <del>†</del>		17 1	STE	
This notification is consistent with the provise	ilans of PR Natice 98-10 and	d EPA regulations of	10 (1) 0 CFR 152.4	6. build no other	r changes have be	en made	so the labeling or the C	SF of this p	roduct, Bon	ide Products	((; T), Inc.	
understands that it is a violation of 18 U.S.C. 152.46, this product may be in violation of F.	. Sec. 1001 to willfully mak IFRA and Bonide Products	e any false statement Inc. may be subject	so EPA and fu to enforcement	rihet undersia action and ver	nds that if this not native under section	tification ons 12 o	is not consistent with the	e terms of	PR Notice 9	8-10 and 10	CFR	
userstands that it is a walation of 18 U.S.C. Sec. 1001 to withinly inake any false statement to EPA and further understands that if this notification is not consistent with the terms of PR Notice 98-16 and 40 CPR 152-46, this product may be in walation of FIFRA and Bonide Products, Inc. may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.												
1. Material This Product Will Be F	Packaged In:											
Child-Resistant Packaging Uni	it Packaging		Water S	Soluble Pa	ckaging		2. Type of Co	ntainer				
Yes								dotal				
No	No			No			1 1 .	lastic				
<u> </u>	Yes"	No. per	If "Yes"		No. per		1 1 1 _	ilass aper				
T LACTIONALION MILLER	it Packaging wgt.	container	Packag		container		·	ther (S	pecify)_			
be submitted			<u> </u>		1							
3. Location of Net Contents Information 4. Size(s) Re			stail Container 5. Location of Label Directions									
Label Container												
6. Manner in Which Labet is Affix	red to Product	Lithogr	aph		Other							
		Paper ( Stencil	ed									
	-		Secti	on - IV	<i>r</i>							
1. Contact Point (Complete items	s directly below to.	r identification	of individ	dual to be	contacted, i	if nece	essary, to proce	ss this	applics(	ion.;		
Name		1	Title				Te	ephone	No. (In	clude Are	ea Code)	
Late (YIME I)			1 Loca hatian ax call of 1136-1231									
Certifica												
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.												
I acknowledge that any knowlinglly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.  (Stainped)												
2. Signature	3. Title								İ			
, , , , , , , , , , , , , , , , , , , ,												
			My. Halkin Skolato +									
4. Typed Name			5. Date									
			12-16-15					}				

**(FRONT PANEL)** 

# **Rotenone 1.0% Dust**

For use as a dust or spray to control insects on listed fruit, flowers, and venetables, and as a dust on dogs and cats to montrol fleas, ticks and lice Home Vegetables, Ornamentals, & Small Berries, and Gardens Pets (at home and in kennels)



NOTIFICATION JUN 3 0 2003

For use as a dust or spray on vegetables (beans, cabbage, cauliflower, potato, eggplant, melon, and tomato) to control selected insect pests and for use on ornamental plants (shrubs and flowers) and berry plants (raspberries) to control Japanese beetles.

For use as a dust on dogs and cats to control fleas, ticks, and lice.

EPA Reg. No. 4-17

EPA Est. No. 4-NY-1

**ACTIVE INGREDIENTS:** 

Rotenone . . . . . . . . . 1.5%

97.5%

OTHER INGREDIENTS . . **TOTAL** 100.0%

1.0%A (

EPA Rog. No.

# KEEP OUT OF REACH OF CHILDREN

### CAUTION

See Back Panel for additional precautionary statements.

Net Wt. 1 LB. (.45 kg) 4 LB. (1.8 kg)

# [Back Panel]

### PRECAUTIONARY STATEMENTS

# HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

May be harmful if swallowed, absorbed through the skin, or inhaled. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with skin, eyes, or clothing. Avoid inhalation of dust or spray. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash thoroughly before reuse.

#### FIRST AID

#### Have label with you when obtaining treatment advice.

#### If swallowed

- Call a poison control center, doctor, or 1-800-858-7378 immediately.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

### If on skin or clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.

### If inhaled

- Move person to fresh air.
- If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.

# If in eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center, doctor, or 1-800-858-7378 immediately for treatment advice.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to fish. Do not apply directly to water. Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Rotenone 1.5% Dust contains toxicants (Rotenone and Other Associated Resins), a wetting agent, and a diluent to make an effective dust or spray.

Home Vegetables, Ornamentals, & Small Berries

USE RESTRICTIONS: FOR USE ON VEGETABLES, ORNAMENTALS, AND SMALL BERRIES SITES AND PESTS listed in the table below.

Do not apply to food crops within 1 day of harvest.

#### APPLICATION DIRECTIONS:

#### AS A DUST:

Mixing Directions:

Use as is. No mixing required.

**Application Directions:** 

See table below for timing of application. Shake can, which can be used as a duster, to fluff powder. Apply using a powder duster or directly from the can, by punching out one or more openings and pressing sides of container rapidly with fingers. Cover all parts of the plant with thin protective film, top and underside of leaves, also, around the stem. One pound treats about 1500 sq. feet. Repeat at 5 to 7 day intervals or as needed, (especially new growth) until pests are under control.

#### AS A SPRAY:

#### Mixing Directions:

Mix 1 pound per gallon of water. If stronger concentration is needed, use less water. Application Directions:

See table below for timing of application. Spray thoroughly, to point of runoff. Apply to upper and lower leaf surfaces and especially around the vine stem. Agitate sprayer to keep nozzle from plugging. Repeat at 5 to 7 day intervals or as needed, (especially new growth) until pests are under control.

Sites, Pests, and Timing of Applications for Rotenone 1.5% Dust							
Sites	Pests	Timing of Applications					
Vegetables							
Beans	Mexican Bean Beetle	Apply as soon as eggs being to hatch. Pay special attention to leaf undersides.					
Cabbage, Cauliflower	Imported Cabbage Worn Diamond Back Moth	Apply as soon as worms appear. Use dust application.					
Potato and Eggplant	Colorado Potato Beetle larvae Potato Flea Beetles	Apply as soon as pests appear.					
Cucumber, Melon	Cucumber Beetles, Potato Flea Beetles	Apply as soon as plants appear above ground.					
Tomato	Potato Flea Beetles, Colorado Potato Beetle larvae	Apply 2 or 3 days after plants are set in the field.					
Ornamental Plants and Berry Plants							
Shrubs, Flowers, and Raspberries	Japanese Beetle and Aphids	Apply as soon as pests appear.					

# DOGS AND CATS (AT HOME)

### PRE-TREATMENT DIRECTIONS

READ ENTIRE LABEL BEFORE EACH USE

### **USE RESTRICTIONS:**

USE ONLY ON DOGS AND CATS TO KILL FLEAS, TICKS, AND LICE: Do not use on animals under 12 weeks.

### SPECIAL ANIMALS

Consult a veterinarian or call 1-800-548-2423 (Animal Poison Control or Company Hotline) before using this product on debilitated, aged, pregnant, nursing, or medicated animals.

#### ADVERSE REACTION INFORMATION

Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately, or call 1-800-548-2423 (Animal Poison Control Center)

#### APPLICATION DIRECTIONS

Dust pet thoroughly (except head), beginning at neck and the back, sides, legs, feet (including pads and between toes), and tail. Do not apply to head or allow animal to breathe irritating dust. Rub into fur. Dust sleeping quarters and replace bedding if necessary.

#### **RE-APPLICATION DIRECTIONS**

Retreat if animal scratches frequently due to fleas, ticks, or lice. Do not reapply product for 7 days.

## DOGS AND CATS (IN KENNELS)

Read "PRE-TREATMENT DIRECTIONS" above first". If treatment is allowed, remove animal, dust bedding, sleeping quarters, whelping box liberally. Do not allow animal to breathe irritating dust cloud. Give special treatment to cracks, crevices, where insects may hide.

#### **RE-APPLICATION DIRECTIONS**

Retreat if animal scratches frequently due to fleas, ticks, or lice. Do not reapply product for 7 days.

### STORAGE AND DISPOSAL

Storage:

Store only in original container, in a dry place inaccessible to

children and pets. Store and transport in an upright position.

Disposal:

If empty: Do not reuse empty container. Place in trash or offer

for recycling if available.

If partly filled: Call your local solid waste agency of 1-800-

CLEANUP for disposal instructions.

Never place unused product down any indoor or outdoor drain.

For information on pesticide products (including health concerns, Medical emergencies, or pesticide incidents), call National Pesticide Telecommunications Network at 1-800-858-7378.

Manufactured by: Bonide Products, Inc. 6301 Sutliff Rd. Oriskany, NY 13424



6301 Sutliff Road Oriskany, NY 13424

Telephone: 315-736-8231 Fax: 315-736-7582 Email: mattv@bonide.com

June 19, 2003

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
US Environmental Protection Agency
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202-4501

RE: Bonide 1 % Rotenone Dust EPA Reg. 4-17

Notification of optional marketing statement:

For use as a dust or spray to control insects on listed fruit, flowers, and vegetables, and as a dust on dogs and cats to control fleas, ticks, and lice.

To Whom It May Concern:

Enclosed, please find a completed form 8570-1, Notification for optional marketing statements and labeling for the above-mentioned registration. I trust you will find everything in order.

Should you have any questions or need additional information, please do not hesitate to contact me at (315) 736-8231 ext. 230.

Sincerely,

Kate Connell

Registration Specialist

Kate Concur

Enc.