

4. 21 10123 107

NOV 3 1986

Mr. James Wurz  
Bonide Chemical Company  
2 Wurz Avenue  
Yorkville, NY 13495

Dear Mr. Wurz:

Subject: Amendments - Revised Formulas/Labeling  
Bonide Vegetable-Floral Dust or Spray  
EPA Registration No. 4-29 ✓  
Bonide Rotenone-Copper Dust for Gardens  
EPA Registration No. 4-30  
Bonide Cuke and Melon Dust  
EPA Registration No. 4-53  
Garden Dust for Vatables, Flowers  
EPA Registration No. 4-107  
Your Submissions Dated October 2, 1986

Revised formulas referred to above are acceptable and have been incorporated in our files. It is understood that the formula statements dated October 2, 1986 replace previously accepted formulas for these products.

Labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided you:

1. Make the following changes for EPA Registrations Nos. 4-29 and 4-30 before releasing the products for shipment bearing amended labeling.
  - a. For EPA Registration No. 4-29, delete Methyl naphthalene as an active ingredient, and add that percentage to the inert ingredient statement.

90575:Mountfort:MF-2:KENCO:10/30/86:10/10/86:dei:Vo

SYMBOL							
SURNAME							
DATE							

- b. For EPA Registration No. 4-30, delete the Bee Caution. This statement is not presently required for products containing rotenone or copper sulfate. Also, modify the Environmental Hazards statement to read:

This pesticide is toxic to fish and aquatic organisms. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to fish and aquatic organisms in adjacent aquatic sites. Do not contaminate water by cleaning of equipment or disposal of wastes.

2. Submit one (1) copy of final printed labeling incorporating the changes above.

A stamped copy of each label is enclosed for your records.

We note that you have increased the rotenone/other cube resins declarations and deleted several inert ingredients from the formulation for EPA Registration No. 4-30. We are accepting these changes under the authority of 40 CFR 152.81(b)(4).

Sincerely yours,

Richard F. Mountfort   
Product Manager (23)  
Fungicide-Herbicide Branch  
Registration Division (TS-767C)

Enclosure

# BONIDE®

## VEGETABLE-FLORAL DUST OR SPRAY

IMPROVED CONTAINS SEVIN

**ACTIVE INGREDIENTS:**

*Carbaryl (1-naphthyl-N-methyl carbamate)	1 25%
Rotenone	50%
Other Cube Resins	1 00%
Copper (In Basic Copper Sulphate) Expressed as Metallic	7 00%
Methyl Naphthalenes	85%
<b>INERT INGREDIENTS:</b>	89.40%
	<b>100 00%</b>

\*Sevin, Reg. T.M. of U.C.C.

EPA Est. No. 4-NY-1 EPA Reg. No. 4-29

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See back panel for additional precautionary statements.

NET WEIGHT: 14 Ounces

NET WEIGHT 4 LB.

NET WEIGHT 1 LB.

May cause skin sensitization

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION:** Harmful if swallowed. Avoid contact with eyes, nose, mouth and skin. Wash contaminated clothing before reuse.  
**STATEMENT OF PRACTICE**  
 If swallowed: Call a physician or Poison Control Center. Do not induce vomiting unless instructed by a physician. Rinse mouth with water. Do not give person to fresh air.  
 If inhaled: Get person to fresh air. Wash with plenty of water. Get immediate medical attention if breathing is difficult.  
 If on skin: Wash with plenty of water. Get immediate medical attention if irritation occurs.  
**ENVIRONMENTAL**  
 This product is extremely toxic to aquatic organisms. Do not contaminate water by cleaning of equipment or disposal of wash water. Do not apply to or near blooming crops or weeds. Do not apply to blooming crops or weeds if bees are visiting the treatment area. Obtain from your Cooperative Extension Service.

**DIRECTIONS FOR USE:**  
 See label for use. Do not use this product in a manner inconsistent with Federal law to use this product in a manner inconsistent with Federal law.  
**Storage:** Keep product in original container. Avoid contact with food, feed, or animal storage areas.  
**Product Disposal:** Completely wrap original container in sealable plastic bag. Do not reuse bag. Discard bag in trash.

RECEIVED  
 Agriculture  
 3 1986  
 4-27

(READ THE LABEL BEFORE USE)  
 BONIDE VEGETABLE-FLORAL DUST OR SPRAY is a fungicide, especially recommended for control of Colorado potato beetles, tarnished planthopper, Mexican bean beetles, Japanese beetle, caterpillars on tomatoes, potatoes, beans, and early and late blights and downy mildew on tomatoes.  
**DIRECTIONS FOR USE:**  
**AS A DUST:** Shake can to fluff powder, or use applicator. Dip fingers rapidly for dust effect. Rub on leaves with thin uniform film of dust.  
**AS A SPRAY:** Using hand or tank spray, apply finished spray. Start by making gray mixture (powder). Strain, then add rest of water. Agitate mixture. agitated will prevent nozzle-plugging. Spray until underside of leaves until lightly dripping. Repeat treatment as required, usually every 7-10 days. Start dusting or spraying before insects appear to prevent than cure certain diseases.

Do not apply to any of the named food crops for control of insects and diseases closer than 1 day before harvest if residue remains. Do not apply to any of the named food crops for control of insects and diseases closer than 1 day before harvest if residue remains. Do not apply to any of the named food crops for control of insects and diseases closer than 1 day before harvest if residue remains. Do not apply to any of the named food crops for control of insects and diseases closer than 1 day before harvest if residue remains.

Buyer's Guarantee Limited  
 Mfg. by BONIDE CHEMICAL