
4-30)	8-1	16-20		od OMP No 202	O-OOGO, Approval ex	1/6
0.504	United States			FAIII ADDIOVE	Registration Amendme Other	OPP Identifier	1
	Арр	lication fe	or Pestici	de - Section	1 l	 	
1. Company/Product Number 4 - 36 4. Company/Product (Name)			2. EPA	Product Manager	- O N	3. Proposed Classific	ation Restricted
L	Copper Dust			14			
Sounde Kotenone-Copper Dust 5. Name and Address of Applicant (Include ZIP Code) Bounde Products, Inc. 6361 Suffiff Rd. Oriskony, NY Check if this is a new address			6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name				
			ection -			·	
Amendment - Explain below.				Agency letter d			
Resubmission in response to Agency letter dated Notification - Explain below.				Other - Explain below.			
understands that it is a violation of 18	Al page(s) if necessary. (For tuncyicide dust provisious of PR Notice 98-10 and EPA in U.S.C. Sec. 1001 to willfully make any first of FIFRA and Boulde Products, Inc. m.	regulations at 40 CF alse statement to EP	R 152.46, and no on A and further unders	ner changes have been nu nauds that if this notificat	ode to the labeling or the (tion is not consissen with t	CSF of this product. Bonide Produ	cu, hic
		S	ection - I	11			
1. Material This Product Will	Be Packaged In:						
Child-Resistent Packaging Yes No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt. container		Water Soluble Packaging 2. Typ Yes No If "Yes" No. per Package wgt container			e of Container Metal Plastic Glass Paper Other (Specify)	
3. Location of Net Contents I		ze(s) Retail C	ontainer	5.1	Location of Label	Directions	
6. Manner in Which Label is a	Affixed to Product	Lithograph Paper glued Stanciled	j	Other _			
Section - IV							
1. Contact Point	items directly below for ide				ecessary, to proc	ess this application.)	
Name Chery L.	Schultz Conents I have made on this 1	ertification	ecistral		anager E	olephone No. (Include A 015) 73(-853 6. Onte Applicate. Received	१ ४४३७
	y knowlingily false or misle						ped)
2. Signature 4. Typed Name	deist	3. Ti	2 saint	ration	Maxea	62	
EPA Form 8570-) (Rev. 3-94)	Schultz Previous editions are obso	loto.	8 6	₩hite •	EPA File Copy (c	eriginal) Yellow - A	pplicant Copy

Optional Marketing Statement Insecticide - fungicide dust for use or rose and flowers as listed.



RUNINE

Fruit Tree Spray or Dust

ROTENONE-COPPER DUST FOR POTATO-TOMATO-VEGETABLE GARDENS

INSECTION TO THE STREET OF THE STREET

	EPA Est. 4-NY-1	EPA Reg. No. 4-30
ACTIVE INGREDIENTS:		•
Copper (in basic Copper Sulphate) e	xpressed as metallic	7.00 %
Rotenone		
Other Cube Resins		
INERT INGREDIENTS		

CAUTION KEEP OUT OF REACH OF CHILDREN
See back panel cautions.

Net 14 OZ. (.39 kg)

NOTIFICATION

AUG 1 6 2001

PRECAUTIONARY STATEMENTS

HAZARDS_TO_HUMANS AND DOMESTIC ANIMALS - CAUTION

Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Avoid breathing dust or spray. Wash thoroughly after handling. Wash contaminated clothing before reuse. Do not apply to food crops within 1 day of harvest. May cause skin sensitization in certain individuals.

STATEMENT OF PRACTICAL TREATMENT

<u>If swallowed</u>: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat.

If inhaled: Remove person to fresh air.

0

iι

If in eyes: Flush with plenty of water. Get immediate attention. If on skin: Remove contaminated clothing and wash affected areas with soap and water.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water.

Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

STORAGE AND DISPOSAL

Storage: Store in original container in a cool dry place which is inaccessible to children and pets, proforably in a locked area.

Container Disposal: Do not reuse empty container. Wrap container and put in trash collection.

BONIDE ROTENONE-COPPER DUST FOR POTATO-TOMATO-VEGETABLE, EPA Reg. No. 4-30

BONIDE ROTENONE-COPPER DUST - To control certain insects and to control or prevent certain blights, leaf spots, mildew, and certain other diseases on listed plants. For home garden use only.

DIRECTIONS ,

Use as a dust or spray any time when conditions are favorable, applied at 7 to 10 day intervals, as soon as plants are above ground, or as soon as insects appear. Keep foliage covered, especially new growth. In all cases repeat treatment as required (i.e., after rainfall, etc.) Do not apply to food crops within one day of harvest.

AS A DUST: This can is a squeeze type duster. Shake can to fluff powder. Press sides of can with fingers, using rapid motion for fog effect. Cover foliage with a thin film of dust, both top and undersides of leaves. Depending on foliage density, one pound should cover approximately 1,000 sq. ft.

AS A SPRAY: Mix 1 pound to 5 gallons of water, or 1 tablespoonful to 1 quart of water. Add powder to small quantity of water first making a paste, then add desired amount of water. Spray to cover all parts of exposed plant both top and undersides of leaves.

WHEN TO APPLY: FOR INSECTS, apply when insects appear and continue application weekly. Young insects and larvae are usually easier to control than adults. When blossoms are in full bloom, protect pollinators by using a fungicide only, such as BONIDE COPPER DUST. FOR DISEASE, applications should begin well before they are expecte to appear. Repeat weekly and after rains.

CROP	DISEASES	INSECTS CONTROLLED OR REPELLED		
Cabbage, broccoli, cauliflower, brussels sprouts	Downy mildew, leaf spot	Imported cabbage worm, cabbage looper, diamond back moth, appis		
Carrots	Downy mildew, leaf spot	Flea beetle, thrips, aphids, carrot rust fly		
Celery	Early and late blights, leaf spot	Parsnip webworm, two-spotted spider mite, tarnished plant bug, carrot rust fly, aphid		
Cucumber, melons, pumpkins, squash	Angular leaf spot, downy mildew, powdery mildew, gummy stem blight, anthrac-nose, leaf spots, scab	Pickleworm, melonworm, cucumber beetle, young squash bug, aphis, two-spotted mite		
Potatoes	£arly and late blights	Colorado potato beetle, flea beetle, leafhopper, young tomato hornworm, tomato pinworm, tarnished plant bug, stink bug, aphis, thrips, white fly, mealybugs		
Tomatoes, eggplant	Early and late blights, anthracnose, bacterial spot, leaf spots, nail head rust, Septoria and Stemphylium leaf mold			
Strawberries	Leaf spot, downy mildew, leaf blights, leaf scorch	Leaf roller, weevil, red spider, spittlebug		
Apples Bitter rot, black rot, blotch, powdery mildew		Aphid, leafhopper, tent caterpillar, European apple sawfly, Japanese bettle red spider mite, codling moth, apple maggot		

CROP -	DISEASES	INSECTS CONTROLLED OR REPELLED		
Apricots, Brown rot cherries (sour)		Black cherry aphid, mealy plum aphid, cherry fruit fly, Japanese beetle, tent caterpillar, orange tortrix, tussock moth		
Pears	Scab, leaf blights	Codling moth, plum curculio, aphid, leafhopper, pear psylia		
Arbor vitae, Blights, leaf spots asters		Red spider, flea beetle, thrips, Japanese beetle, leaf roller, birch leaf miner, lace bugs, tent cater- pillar		
0aks	Leaf blister (Taphrina)			
Azaleas, Leaf blights, leaf scorch, begonias, leaf spot rhododendrons		Aphids, mites, rose chafer, Japanese beetle, flea beetle, thrips, leaf-hopper, red spider, and repels bag-worms		
Chrysanthemums Botrytis blight, downy mildew, leaf spots				
Flowering shrubs, maples, hawthorne, gardenias, mari- golds, phlox, stocks	Leaf spots			
Roses	Anthracnose, black spot, downy and powdery mildews, leaf spots, stem canker			

Duver's Guarantee Limited to Label Claims

Mfg. by BONIDE PRODUCTS INC., YORKVILLE, NY 13495 14 oz. - 037321007111

UPC's

(can) 4 lb. - 037321007128

(bag) 4 lb. - 037321007135