

**D** IOWEED DUST contains 5% 2, 4 - Dichlorophenoxyacetic Acid in a special type diluent ready for use as it comes from the package. Just punch out 1 or 2 sifter openings and dust on undesirable lawn weeds, such as dandelions, buckhorn, burdock, plantains and certain other weeds.

**CAUTION**

Do not store near fertilizers, seeds, insecticides or fungicides.

**NO MIXING  
WITH WATER**

**NO SPRAYER  
REQUIRED**

**ACCEPTED**  
**JAN 16, 1967**  
UNDER THE FEDERAL INSECTICIDE

# BONIDE DIOWEED DUST

(Contains 5% 2, 4-D)

*Weed Killer*

**FOR SPOT DUSTING  
TO CONTROL CERTAIN  
WEEDS IN LAWNS**

**ACTIVE INGREDIENTS:**

*Monohydrated Sodium Salt of 2, 4-Dichloro- phenoxyacetic Acid . . . . .	5.98%
<b>INERT INGREDIENTS:</b> . . . . .	94.02%
<b>Total</b>	<b>100.00%</b>

\*Equivalent to 2, 4-Dichlorophenoxyacetic Acid 5%.

**BONIDE CHEMICAL CO., INC., UTICA, N. Y.**

**CAUTION: "KEEP OUT OF REACH OF CHILDREN"**

(Note Side or Back Panels, Other Cautions)

**SHAKE CAN TO FLUFF POWDER**

Use this package as a duster. Punch out one or two openings and press sides of container with fingers, using rapid motion.

**DIRECTIONS**

Choose a warm, calm day to apply so as to prevent wind drift of the chemical onto desirable plants, flowers, vegetables, etc. Can be applied any time when weeds are growing, preferably when dew is present.

Apply dust lightly on the leaves of the weeds to be killed. Avoid overdose, as temporary injury to surrounding grass may result.

Weeds die within 2 to 4 weeks. The more resistant types may require a second treatment one month following the first treatment. In all cases repeat treatment as needed.

Buyer Accepts Free of Warranty.

USDA Reg. No. 4-46

**1 LB. NET**

ACCEPTED WITH COMMENTS



**D**IOWEED DUST contains 5% 2, 4 - Dichlorophenoxyacetic Acid in a special type diluent ready for use as it comes from the package. Just punch out 1 or 2 sifter openings and dust on undesirable lawn weeds, such as dandelions, buckhorn, burdock, plantains and certain other weeds.

**CAUTION**

Do not store near fertilizers, seeds, insecticides or fungicides.

**NO MIXING  
WITH WATER  
NO SPRAYER  
REQUIRED**

ACCEPTED  
JAN 16, 1967

4-46

# BONIDE DIOWEED DUST

(Contains 5% 2, 4-D)

*Weed Killer*

**FOR SPOT DUSTING  
TO CONTROL CERTAIN  
WEEDS IN LAWNS**

ACTIVE INGREDIENTS:	
*Monohydrate Sodium Salt of 2, 4-Dichloro- phenoxyacetic Acid	5.98%
INERT INGREDIENTS:	94.02%
Total 100.00%	

\*Equivalent to 2, 4-Dichlorophenoxyacetic Acid 5%.

BONIDE CHEMICAL CO., INC., UTICA, N. Y.

**CAUTION:** "KEEP OUT OF REACH OF CHILDREN"

(Here Side or Back Panel, Other Containers)

SH.

Use  
one  
cent

Cho  
to p  
desir  
Can  
grow

App  
to b  
injur

Wee  
resist  
ment  
ment  
need

USDA For



ED DUST contains 5%  
 - Dichlorophenoxyacetic  
 a special type diluent  
 use as it comes from  
 age. Just punch out 1  
 r openings and dust on  
 le lawn weeds, such as  
 s, buckhorn, burdock,  
 s and certain other

**CAUTION**

Store near fertilizers, seeds,  
 and or fungicides.

**NO MIXING  
 WITH WATER  
 SPRAYER  
 REQUIRED**

# BONIDE DIOWEED DUST

(Contains 5% 2, 4-D)

*Weed Killer*

**FOR SPOT DUSTING  
 TO CONTROL CERTAIN  
 WEEDS IN LAWNS**

ACTIVE INGREDIENTS:	
*Monohydrated Sodium Salt of 2, 4-Dichloro- phenoxyacetic Acid	5.98%
INERT INGREDIENTS:	94.02%
Total	100.00%

\*Equivalent to 2, 4-Dichlorophenoxyacetic Acid 5%.

BONIDE CHEMICAL CO., INC., UTICA, N. Y.

**CAUTION:** "KEEP OUT OF REACH OF CHILDREN"  
(Note Side or Back Panels, Other Cautions)

SHAKE CAN TO FLUFF POWDER

Use this package as a duster. Punch out one or two openings and press sides of container with fingers, using rapid motion.

**DIRECTIONS**

Choose a warm, calm day to apply so as to prevent wind drift of the chemical onto desirable plants, flowers, vegetables, etc. Can be applied any time when weeds are growing, preferably when dew is present.

Apply dust lightly on the leaves of the weeds to be killed. Avoid overdose, as temporary injury to surrounding grass may result.

Weeds die within 2 to 4 weeks. The more resistant types may require a second treatment one month following the first treatment. In all cases repeat treatment as needed.

Buyer Accepts Free of Warranty.

USDA Reg. No. 446 1 LB. NET

67-A

ACCEPTED  
 JAN 16, 1967

BY THE FEDERAL INSPECTION SERVICE

4-46