

B O N I D E

SEVIN® 10%
LAWN, TURF & GARDEN INSECT KILLER

CONTROLS bluegrass billbugs, chinch bugs, cutworms,
ANTS earwigs, fleas, leafhoppers, fall army-
(INCLUDING webworms (lawn moths), Japanese beetles,
FIRE ANTS) rose chafers, leaf miners, elm leaf beetles,
exposed thrips, leafrollers, tent cater-
pillars and certain other insects as listed.
For use on cats and dogs.

EPA Est. 4-NY-1

EPA Reg. No. 4-78

ACTIVE INGREDIENTS:

*Carbaryl(1-Naphthyl N-Methylcarbamate)..... 10%
INERT INGREDIENTS..... 90%

*Sevin is the registered trademark of Union Carbide Corporation for their Carbamate insecticide.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

NOV 28 1983

By _____, Director,
EPA, under the Act
and the pesticide
EPA Reg. No.
4-78

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

NET WT. 1 LB.

UNION CARBIDE CORPORATION

BONIDE SEVIN® 10%, EPA Reg. No. 4-78

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS (& DOMESTIC ANIMALS) CAUTION

Keep out of reach of children. Do not use in areas where children or domestic animals are likely to be present. Avoid contact with skin, eyes, nose, mouth, and clothing. Wash hands thoroughly after use. Do not eat, drink, or use tobacco while using this product. Do not get product on clothing. If on clothing, remove clothing immediately and wash thoroughly. Do not use in areas where children or domestic animals are likely to be present.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink plenty of water. Do not induce vomiting unless directed to do so by a physician. If symptoms persist, call a physician.

If Irritated: Wash with soap and water.

If in Mouth: Rinse mouth with water. Do not swallow.

If in Eyes: Flush eyes with water for 15 minutes.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic life. Do not use in areas where fish or other aquatic life are present. Do not use in areas where birds or other wildlife are present. Do not use in areas where bees or other beneficial insects are present. Do not use in areas where plants or animals are present.

DIRECTIONS FOR USE

DISPOSAL

LAWN, TURF & GARDEN INSECT KILLER is a blend of dieldrin and malathion. It is recommended for use on lawn and turf to control insects that attack them and for control of ticks on cats and dogs.

TO SPRAY LAWN, TURF & GARDEN: Mix with water at the rate of 10 to 15 pounds per 100 square feet (5 pounds to 50 gallons of water). Spray thoroughly to all parts of the plants as soon as insects appear. Repeat at 7 to 10 day intervals as needed.

SHADE TREES, ORNAMENTALS: Apply to control leaf beetles, leaf miners, green striped maple worms, budworms, leaf rollers, and caterpillars.

ROSES, ANNUALS AND PERENNIAL FLOWERING PLANTS: Apply to control aphids, ants, leaf hoppers, leaf beetles, leaf miners, leaf rollers, and caterpillars. Do not use on plants with exposed roots.

GARDEN VEGETABLES: Apply to control leaf beetles, leaf miners, leaf rollers, and caterpillars. Do not use on plants with exposed roots. Do not use on plants with flowers or fruit. Do not use on plants with young leaves.

LAWN & TURF: Apply to control armyworm, flea beetle, grub, mole cricket, and other insects. Apply to control ticks on cats and dogs. Apply to control fleas and ticks on cats and dogs. Apply to control fleas and ticks on dogs. Repeat two to three weeks later. Apply to control fleas and ticks on cats and dogs. Repeat two to three weeks later.

TO CONTROL ANTS: Apply to control fire ants, carpenter ants, and other ants. Apply to control fire ants, carpenter ants, and other ants. Apply to control fire ants, carpenter ants, and other ants. Repeat two to three weeks later.

TO CONTROL FIRE ANTS: Prepare enough spray as directed above to apply at the rate of about one gallon per mound. Thoroughly wet the mound and surrounding area to a 4 ft. diameter. For best results, apply in cool weather (65-80°F), or in early morning or late evening hours. Treat new mounds as they appear. Application should be as a gentle rain from a sprinkler can or using low pressure spray since pressurized sprays may disturb the ants causing migration and reducing product effectiveness.

CATS AND DOGS: Fleas and ticks on cats and dogs. Rub into skin, avoid eyes. Dust quarters weekly. Do not use on kittens or puppies under 4 weeks of age. Do not repeat application within 7 days.

BEST DOCUMENT AVAILABLE

BONIDE SEVIN® 10%, EPA Reg. No. 4-78

Recommendations for use of this product are based upon tests believed to be reliable. The buyer must assume all responsibility for use of this product when not used in strict accordance with directions or established safe practice, or when used under abnormal conditions not reasonably foreseeable to the seller.

Manufactured by BONIDE CHEMICAL CO., INC., YORKVILLE, NY 13495

BEST DOCUMENT AVAILABLE

