

4-80

2/23/2009

1/11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

FEB 23 2009

Rebecca M Horton, Agent for
Bonide Products, Inc.
Registration by Design, Inc
118 ½ East Main Street, Suite 1
Salem, VA 24153—3805

Subject: Notification for Label Revisions under PRN 98-10, and PRN 2007-4
Storage & Disposal and Other Changes; Alternate Brand Name "BONIDE All Seasons
Commercial Horticultural & Dormant Spray Oil Concentrate"

Dear Ms. Horton:

The Agency is in receipt of your Application(s) for Pesticide Notification under
Pesticide Registration Notices (PRN) 98-10, and 2007-4 Storage & Disposal and Other
Changes dated June 25, 2008 for:

EPA Registration 4-80 Alternate Brand Name "BONIDE All Seasons Commercial
Horticultural & Dormant Spray Oil Concentrate"

The Registration Division (RD) has conducted a review of the request(s) for applicability
under PRN 98-10, and PRN 2007-4 and finds that the label changes requested fall within the
scope of PRN-98-10 and PRN-2007-4. The label has been date-stamped "Notification" and
will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot
number, or other code identifying the batch of the pesticide distributed and sold be placed on
non-refillable containers. The code may appear either on the label (and can be added by non-
notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Owen F.
Beeder of my staff at 703-308-8899.

Sincerely,

A handwritten signature in cursive script, appearing to read "Rachel C. Halloran".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2/11

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 4-80	2. EPA Product Manager Abramovitch	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) BONIDE® Horticultural & Dormant Spray Oil	PM# Team 7	
5. Name and Address of Applicant (Include ZIP Code) Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: NOTIFICATION EPA Reg. No. _____ FEB 23 2009 Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION of: (1) Label Change per PR Notice 2007-4 and additional brand name: BONIDE® All Seasons® Commercial Horticultural & Dormant Spray Oil Concentrate.

This notification is consistent with the provisions of PR Notice 2007-4 and 98-10 and the requirements of EPA regulations at 40 CFR 152.46, 156.10, 156.140, 156.144, 156.146 and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. Bonide Products, Inc. understands that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA, and further understands that if the amended label is not consistent with the requirements of PR Notices 2007-4 and 98-10 and 40 CFR 152.46, 156.10, 156.140, 156.144, 156.146 and 156.156, this product may be in violation of FIFRA and Bonide Products, Inc. may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input checked="" type="checkbox"/> Metal	<input type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container PT; QT; ½, 2½, 5, 30, 55 GAL		5. Location of Label Directions <input checked="" type="checkbox"/> on label	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input checked="" type="checkbox"/> Paper glued <input checked="" type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Rebecca M. Horton		Title Consultant/Agent for Bonide Products, Inc.		Telephone No. (Include Area Code) 540-375-8826	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature 			3. Title Consultant/Agent for Bonide Products, Inc.		
4. Typed Name Rebecca M. Horton			5. Date June 25, 2008		

Registrations by Design, Inc.™

118½ East Main Street
Suite 1
Salem, VA 24153-3805
phone 540.375.8826
fax 540.375.8827

CERTIFIED MAIL #7007 0710 0002 1183 1426
June 25, 2008

Document Processing Desk (NOTIF)
Office of Pesticide Programs / Registration Division (7504P)
U.S. Environmental Protection Agency
Ariel Rios Building
1200 Pennsylvania Ave., NW
Washington, DC 20460

Re: Notification for compliance with PR Notice 2007-4
EPA Reg. No. 4-80, BONIDE® Horticultural & Dormant Spray Oil

Attn: Linda Arrington, Team Leader
Minor Formulations & Notifications

On behalf of Bonide Products, Inc. of Oriskany, NY, enclosed is notification of the following label changes for the above pesticide registration:

- 1) Revised Container Disposal text for compliance with PR Notice 2007-4
- 2) Additional Brand Name: BONIDE® All Seasons® Commercial Horticultural & Dormant Spray Oil Concentrate.

All areas of revision are highlighted on the enclosed label for your convenience in review.

Best regards,




Rebecca M. Horton
Consultant/Agent for
BONIDE PRODUCTS, INC.

e-mail: hortonb@ntelos.net

/bmh

Enclosures

cc: MVickers/BPI



4/11

[FRONT PANEL]



NOTIFICATION

FEB 23 2009



BONIDE® HORTICULTURAL AND DORMANT SPRAY OIL

For Residential Use Only [when packaged in containers less than 2.5 gal.]

[Additional Brand Name: All Seasons® Horticultural and Dormant Spray Oil Ready to Spray; Bonide All Seasons® Horticultural & Dormant Spray Oil; Bonide All Seasons® Commercial Horticultural & Dormant Spray Oil; All Seasons® Commercial Horticultural & Dormant Spray Oil]

Optional Marketing Statements:

Kills insects by smothering.

For use on fruit trees, shade trees, evergreens, ornamentals, flowers, houseplants.

Use year-round.

For use on Fruit Trees, Shade Trees, Roses, Ornamental Shrubs and Certain Vegetables
Dormant and Growing Season Insect Spray

CONTROLS Scale Insects, Mealybugs, Apple Aphids, European Red Spider Mites, Leafminers, Leaf rollers [redbanded, obliquebanded, fruittree], Light Brown Apple Moth and other listed insects... USE on pears, cherries, peaches, asparagus, corn, peppers, roses, houseplants and home greenhouses.

ACTIVE INGREDIENT:

Petroleum Oil..... 98%

OTHER INGREDIENTS:..... 2%

TOTAL..... 100%

(Superior type U.R. Min 92%)

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side/back/other panel(s) for additional precautionary statements and First Aid.

NET CONTENTS: _____

[BACK/SIDE/OTHER PANEL(S) OR ATTACHED BOOKLET]

FIRST AID	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.</p>	
If Swallowed:	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Do not give any liquid to a person. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>Note to Physician: Contains petroleum – vomiting may cause aspiration pneumonia.</p>	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. In case of contact, wash immediately with soap and warm water. Wash hands, arms, and face thoroughly with soap and warm water after handling. Wash all contaminated clothing with soap and hot water before re-use.

[WPS text required when packaged in 2½, 5, 30 or 55 gallon containers.]

AGRICULTURAL USE REQUIREMENTS:

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements of training, decontaminating, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about person protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil, or water, is: coveralls, waterproof gloves, and shoes plus socks.

6/11

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on the label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

[Residential Use – when packaged in containers less than 2.5 gal.]

Pesticide Storage: Store and transport in an upright position. Keep container tightly closed to prevent evaporation. Do not use, pour, spill or store near heat or open flame. Store in a cool dry area inaccessible to children or pets.

Pesticide Disposal: *If partly filled* – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Container Disposal: *If empty* – Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

[Commercial Use – when packaged in 2.5 gal. containers or larger]

Pesticide Storage: Store unused product in original container only. Store in a cool, dry area out of the reach of children and animals.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

[For containers \leq 5 gallons]:

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container $\frac{1}{4}$ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[For containers $>$ 5 gallons]:

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container $\frac{1}{4}$ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOTE: DO NOT APPLY HORTICULTURAL SPRAY OIL WITH SULFUR SPRAYS OR WHERE SULFUR IS ON THE FOLIAGE. TO DO SO MAY CAUSE FOLIAGE INJURY, LEAF DROP. DO NOT APPLY HORTICULTURAL SPRAY OIL AT ABNORMAL TEMPERATURES (ABOVE 90°F) OR WHEN PLANTS ARE DRY (SUFFERING FOR WANT OF MOISTURE) AS IT MAY CAUSE LEAF DROP DUE TO "SHOCK."

SEE ATTACHED BOOKLET FOR COMPLETE USE DIRECTIONS.

Mixture ratios vary. Read and use according to application directions. Apply using a good pressure spray hose-end or watering can.

HORTICULTURAL SPRAY OIL is a self-emulsifying spray oil, composed of superior highly paraffinic oil with emulsifier and spreader sticker, which envelop, wet and smother over wintering eggs of European red spider mites, Adelgids, scale insects, apple aphids (except rosy aphids), bud moth, leaf roller [redbanded, obliquebanded, fruittree], light brown apple moth, red bug, codling moth larvae, psylla (adults), blister mites, galls, whitefly larvae and mealybugs on fruit trees, shade trees, vegetables, ornamentals, shrubs and roses.

HORTICULTURAL SPRAY OIL is a high quality, pleasant to use spray oil, that will not harm clothing.

HORTICULTURAL SPRAY OIL may be used at the DORMANT STAGE (before buds show green tissue), GREEN TIP STAGE (when leaves of blossom buds are bursting and show about 1/8 to 1/4 inch of green color), DELAYED DORMANT STAGE (when the leaves of the blossom buds are out from 1/4 to 1/2 inch), and during the GROWING SEASON.

(WHEN PACKAGED IN READY-TO-SPRAY CONTAINER)

HOW TO USE

Make sure water control knob on hose sprayer is in the "OFF" position. Hold by handle and shake vigorously, turning bottle as you shake. Attach hose to spray nozzle. Bend safety tab back and break off. Turn control to "WATER" position. Slowly turn on water supply to moderate rate of flow. Point nozzle toward spray area, turn control knob to "ON." Product will automatically mix with the water. Slowly sweep the area to be treated. To stop spraying, turn control valve to the "OFF" position. Turn off water at faucet. To relieve pressure, turn control valve to the "WATER" position pointing sprayer away from self. Remove from hose.

8/11

(WHEN PACKAGED IN MIX & APPLY CONTAINER)

Amt. Dormant Spray Oil		Amt. Water	=	Actual Oil	Amt. Dormant Spray Oil Small Quantities
2 Qts.	+	25 Gals.	=	2%	5 Tbs. with 1 gal. of water
3 Qts.	+	25 Gals.	=	3%	7½ Tbs. with 1 gal. of water
1 Gal.	+	25 Gals.	=	4%	5 fl. oz. with 1 gal. of water
1½ Gals.	+	25 Gals.	=	6%	7 fl. oz. with 1 gal. of water
1¾ Gals.	+	25 Gals.	=	7%	8 fl. oz. with 1 gal. of water

DILUTION TABLE – 2 Tablespoons = 1 fluid ounce

Consult your experiment station for proper timing and choice of fungicide to use with HORTICULTURAL SPRAY OIL.

Use Bonide's Liquid Fruit Tree Spray for home orchard care. Multi-purpose, pre-blended insecticide-fungicide liquid.

SHAKE WELL. Then add HORTICULTURAL SPRAY OIL to desired amount of water and mix thoroughly, use a good pressure spray and apply enough liquid per tree to wet entire surface of branches, main limbs and trunk. Give special attention to underside of limbs. Make application when the temperature is above 40°F.

APPLES: GREEN TIP THROUGH THE DELAYED DORMANT STAGES – For scale insects, red bugs, European red mite, bud moth, leaf roller [redbanded, obliquebanded, fruittree], light brown apple moth, apple aphids (except rosy aphids). Use 2% actual oil solution for mites, San Jose scale – Use 3% actual oil solution for scurfy scale, leaf roller [redbanded, obliquebanded, fruittree], light brown apple moth, bud moth, red bug, codling moth larvae. **DORMANT STAGE** of bud development for all above mentioned insects, use 4% actual oil.

PEARS: DORMANT STAGE – For scale insects, blister mite, leaf roller [redbanded, obliquebanded, fruittree], light brown apple moth, psylla (adults) – Use 3% actual oil solution, apply spray on the 3rd or 4th sunny warm day in early spring before buds break and when psylla flies are swarming on the spurs.

PLUMS, PRUNES: DELAYED DORMANT – For European red mites, scale insects – Use 2% actual oil solution for red mites and San Jose scale. – Use 3% to 4% actual oil solution for scurfy scale.

PEACHES: DELAYED DORMANT – For European red mites, scale insects. – Use 3% to 4% actual oil solution.

9/11

CHERRIES (Sour): DORMANT STAGE – For European red mites, scale insects. – Use 3% to 4% actual oil solution.

GRAPES: DORMANT STAGE – For grape plume moth, scale insects. – Use 3% actual oil solution, apply before buds begin to swell.

SHADE TREES, ORNAMENTALS, ROSES: GREEN TIP THROUGH THE DELAYED DORMANT STAGES – For scale insects, certain aphids, gall, whitefly larvae, light brown apple moth, mealybugs, Adelgids. – Use 3% actual oil solution. – For scurfy scale, use 4% actual oil solution. – For terrapin scale, use 6% to 7% actual oil solution.

GROWING SEASON – To control Scale Insects, Red Spider Mites, light brown apple moth, Mealybugs and Whitefly Larvae on Citrus (Oranges, Lemons, Grapefruit, Tangerines, Limes), Fruit Trees (Apples, Plums, Pears, Apricots, Peaches, Pecans, Cherries), Shade Trees, Evergreens, Camellias, Azaleas, Hardy Shrubs: 5 Tablespoonfuls (2½ fl. oz.) per gal. water. This application is also effective in the removal of sooty mold fungus through the control of Whitefly Larvae.

HOUSEPLANTS

Plant	Pest	Application Rate Tablespoons per 1 Gallon Water	Comments*
Chrysanthemum, Dieffenbachia, Dracaena, Ferns, Gardenias, Jade Plant, Palms, Philodendron, Schefflera	Aphids, Leafminers, Mealybugs, Scales, Spider Mites, Whitefly*	2.5 – 5.0	Do not apply to plants in direct sunlight behind glass. Do not use on Coconut Palms or Maidenhair Ferns. Chrysanthemum blooms have shown phytotoxic symptoms at the higher rate.

**Horticultural and Dormant Spray Oil is most effective on Whitefly during immature stages.*

Protect floor, floor coverings and furnishings from overspray.

CAUTION: Do not exceed 3 consecutive applications without allowing a two week application interval.

HOME GREENHOUSE

Plant	Pest	Application Rate Tablespoons per 1 Gallon Water	Specific Comments
Azaleas, Begonias, Camellias, Chrysanthemums, Easter Lilies, Ferns, Gardenias, Geranium, Hibiscus Foliage, Jade Plant, New Guinea Impatiens, Palms, Philodendron, Portulaca, Reigor Begonias, Zinnias	Aphids, Fungus Gnat, Leafminers, Mealybugs, Scales (soft & hard), Spider Mites, Whitefly*	2.5 – 5.0	Do not use on Coconut Palms or Maidenhair Ferns. The blooms of Chrysanthemum and Geranium have shown Phytotoxic symptoms at the 5 tablespoon rate. Frequency of Application: <i>For the greenhouse pests listed, use once a week initially, then as the pest is controlled, decrease the frequency to every 2-3 weeks as needed.</i>
Dieffenbachia, Poinsettias		2.5	Do not use on Poinsettia bracts.
Leaf Polish for Hardy Plants		2.5	

**Horticultural and Dormant Spray Oil is most effective on Whitefly during immature stages.*

FOR HOUSEPLANTS AND HOME GREENHOUSES

- Do not exceed the maximum rates or apply more often than recommended.
- Certain plant species may be sensitive to oil. A small number of plants should be test sprayed prior to general spraying.
- Use caution on open blooms – bleaching and spotting have been observed on the open bloom of certain plants.

FRUITS

Crop (Site)	Pest	Application Rate Tablespoons per 1 Gallon Water	Time of Application
Blueberry	Thrips Mites Sawfly (eggs) Scales	5.0 (2% actual oil solution)	Foliage
		7.5 (3% actual oil solution)	Dormant
Strawberry	Aphids Mites	2.5 (1% actual oil solution)	Dormant (and Foliage)
Grape	Mealybugs	10-15 in 2-3 gal. (2%-3% actual oil solution)	Dormant – A tank mix with an insecticide improves control.

11/11

VEGETABLES

Crop (Site)	Pest	Application Rate Tablespoons per 1 Gallon Water	Time of Application
Asparagus, Beans, Beets, Corn, Pepper, Radish, Squash, Tomato	Aphids, Mites, Beetle Larvae, Leafminers, Thrips, Leafhopper, Whitefly	2.5 – 5.0 (1%-2% actual oil solution)	As needed

CAUTION! Do not spray again with oil for at least a month. Do not spray drought injured or winter burned plants. Do not apply oil sprays within 30 days of sulfur applications. Injury may result if oil sprays are used on ferns, palms, hibiscus, certain conifers including blue spruce, white pine, arborvitae and junipers, and certain deciduous trees such as Japanese maple, beech, hickory, walnut and butternut.

To determine actual oil percentage, consult dilution table.

When used in knapsack or small sprayer, shake occasionally to keep solution agitated.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

Buyer's Guarantee Limited to Label Claims

Manufactured by:
Bonide Products, Inc.
6301 Sutliff Road
Oriskany, NY 13424

[batch code inserted at production]

NOTIFICATION
FEB 23 2009