

Part 12 41-12

BONIDE®

10/3

MANY PURPOSE SPRAY

For

FLOWERS - FRUIT - ORNAMENTALS

Concentrated Powder for Spray Application

EPA Est. 4-NY-1

EPA Reg. No. 4-93

ACTIVE INGREDIENTS:

- *Captan N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide..... 10.00%
- 2,4-Dinitro-6-octyl**phenyl crotonate..... 1.16%
- 2,6-Dinitro-4-oct,1**phenyl crotonate..... .05%
- Nitrooctyl* phenols (principally) dinitro..... .08%
- Malathion-0,0-Dimethyl dithiophosphate of diethyl mercaptosuccinate..... 7.50%
- **Methoxychlor, Technical..... 15.00%
- INERT INGREDIENTS:..... 66.26%

*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide


**A mixture of 1-methylheptyl, 1-ethylhexyl, and 1-propylpentyl isomers.

***Equivalent to 13.2% 2,2-bis(p-Methoxyphenyl)-1,1,1-Trichloroethane and 1.8% other isomers and related compounds.

ACCEPTED
OCT 10 1986
Under the Federal Insecticide, Fungicide, and Rodenticide Act
registered under
EPA Reg. No.

KEEP OUT OF REACH OF CHILDREN
DANGER
See Side Panel for Additional Precautionary Statements.

NET WT.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - (DANGER)

Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Wear natural or synthetic rubber, vinyl, or plastic gloves impermeable to captan, also wear long pants and long-sleeved shirt and apply with the wind to your back. Wash nondisposable gloves thoroughly with soap and water before removing. Clothing worn while handling this product must be laundered separately from other clothing before reusing.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat.
If in Eyes: Flush with plenty of water. Get medical attention if irritation persists.
If on Skin: Wash with soap and water.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Keep pesticide in original container. Store in a cool dry place, preferably in a locked storage area.
Product Disposal: Partially filled bag may be disposed of by wrapping bag in several layers of newspaper and discarding in trash.
Container Disposal: Do not reuse bag. Discard bag in trash.

Do not use with oil, oil base sprays, liquid lime sulphur, or when temperatures exceed 90° F as leaf burn may result. Do not use on apples within 21 days of harvest.

This product is a powder that is easily mixed with water and used as a spray to control aphids, mealy bugs, spider mites, two spotted mites, codling moths, white flies, tent caterpillars, scales,

BONIDE MANY PURPOSE SPRAY, EPA Reg. No. 4-93

203 3

spittle bug nymphs, Japanese beetles, leafhoppers, flea beetles, thrips, armyworms, black spot, powdery mildew, scab, Brooks fruit spot, and fly speck. This product may be used on roses, asters, carnations, chrysanthemums, dahlia, larkspur, delphinium, orientals (such as Hydrangea, Azalea, Juniper) and apples.

Shake can to loosen powder. Mix at the rate of 2 1/4 heaping tablespoons per gallon of water. Put powder into jar and add water to make a thin paste. Strain to remove lumps, and pour into sprayer. Fill sprayer with the desired amount of water. Apply thoroughly to both tops and undersides of leaves to the point of run-off. Shake sprayer occasionally to keep mixture from setting.

Apply on apples at rebloom, blossom, petal fall, first cover and later cover. Repeat treatment at 7 to 10 day intervals or as needed. For best results, make applications before diseases appear and at first sign of insect pests.

Recommendations for use of this product are based upon tests believed to be reliable. The buyer must assume all responsibility for use of this product when not used in strict accordance with directions or established safe practice, or when used under abnormal conditions not reasonably foreseeable to the seller.

Manufactured by BONIDE CHEMICAL CO., INC., YORKVILLE, NY 13495

