



**COMPANY
NUMBER** _____

4

**PRODUCT
SERIAL NO.** _____

107

**LABEL
APPROVAL
DATE** _____

1-6-87

Organic

BONIDE®

GARDEN DUST

FOR
Vegetables - Flowers

CONTROLS

Aphids, Certain Beetles, Spider Mites, Roll, Yellow
Angular, Anthracnose, Leaf Spot, Powdery Mildew,
Early and Late Blights

EPA EST 410-1 EPA REG. N. 4101

ACTIVE INGREDIENTS

- Pyrethrin 5%
- Technical Pyrethrin 10%
- Resinone
- Other Cube Resins
- Sulphur (4.5 Microns)
- Copper in Basic Copper Sulphate (expressed as metallic)

*Equivalent to 0.24% of (butylcarbyl) (6-propylpiperonyl) ether and 0.04% of Related Compounds

CAUTION
KEEP OUT OF REACH OF CHILDREN
(See back panel cautions)

NET CONTENTS: 1 LB.

NET CONTENTS: 4 LBS.

NOT REVIEWED
IN ACCORDANCE WITH FR NOTICE 82-2.
Banned on 10/10/82
14th Street Labeling Panel

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS — CAUTION
May be harmful if swallowed. Avoid breathing dust or spray. Avoid contact with eyes, skin, clothing. Wash thoroughly after use. In case of contact rinse with plenty of water. May cause skin sensitization in certain individuals.

ENVIRONMENTAL HAZARDS
This product is toxic to fish and aquatic organisms. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply while bees are actively visiting the area. Additional protective information may be obtained from your Cooperative Extension Service.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL
Store in original container in a cool dry place preferably in a locked storage area inaccessible to children and pets. Do not reuse empty container. Wrap container and put in trash collection.

GARDEN DUST

GARDEN DUST FOR VEGETABLES, FLOWERS is a specially formulated insecticide and fungicide designed for consumer convenient use as a dust or spray, colored green to blend with foliage, and packed in a squeeze duster can. Garden Dust for Vegetables, Flowers is recommended to control certain chewing, sucking and rasping insects such as certain beetles (Mexican Bean, bean leaf, flea, striped and spotted cucumber, Colorado potato, blister and Japanese) Aphids (Melon, Potato, Chrysanthemum, Dahlia, Bean, Sweet Peas). Reduce damage by mealy and pickle worms, squash vine borer, leaf rollers (bitten leaves fall), and diseases such as Anthracnose, powdery mildew, leaf spot, early and late blights and Septoria leaf spot, common to flowers, tomatoes, beans, melons, squash, cucumbers.

CAUTION Stop application to food crops one day before harvest.

DIRECTIONS FOR HOME USE:

Shake can to buff powder. Press sides of can with fingers rapidly for dust effect. Cover both top and under sides of leaves with thin uniform film of dust or spray. AS A SPRAY Mix 2 to 3 parts of water, make a paste of rain, add rest of water, mix late to prevent nozzle-plugging. Repeat treatment as required, usually every 7 to 10 days. Start applying when plants leaf out in the spring before insects are plentiful, as it is easier to prevent than cure certain diseases. Try to hit as many insects as possible. Best results are obtained in early morning or evening when wind is at ebb. Avoid use during high temperatures on plants susceptible to sulphur injury, such as melons, squash, cantaloupes, and related plants.